



Steroids, Topical Therapeutic Class Review (TCR)

May 14, 2019

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, digital scanning, or via any information storage or retrieval system without the express written consent of Magellan Rx Management.

All requests for permission should be mailed to:

Magellan Rx Management
Attention: Legal Department
6950 Columbia Gateway Drive
Columbia, Maryland 21046

The materials contained herein represent the opinions of the collective authors and editors and should not be construed to be the official representation of any professional organization or group, any state Pharmacy and Therapeutics committee, any state Medicaid Agency, or any other clinical committee. This material is not intended to be relied upon as medical advice for specific medical cases and nothing contained herein should be relied upon by any patient, medical professional or layperson seeking information about a specific course of treatment for a specific medical condition. All readers of this material are responsible for independently obtaining medical advice and guidance from their own physician and/or other medical professional in regard to the best course of treatment for their specific medical condition. This publication, inclusive of all forms contained herein, is intended to be educational in nature and is intended to be used for informational purposes only. Send comments and suggestions to PSTCREditor@magellanhealth.com.

May 2019

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.
© 2004–2019 Magellan Rx Management. All Rights Reserved.

MagellanRx
MANAGEMENTSM

FDA-APPROVED INDICATIONS

Drug	Manufacturer	Indications
Low Potency		
alclometasone dipropionate ¹	generic	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
desonide (Desonate) ²	Bayer	Treatment of mild to moderate atopic dermatitis in patients 3 months of age and older
desonide (Desowen®) ³	generic, Galderma	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
desonide (Tridesilon™) ⁴	Encore Dermatology	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
desonide (Verdeso™) ⁵	Almirall	Treatment of mild to moderate atopic dermatitis
fluocinolone acetonide (Capex® Shampoo) ⁶	Galderma	Treatment of seborrheic dermatitis of the scalp
fluocinolone acetonide (Derma-Smoothe/FS®) ⁷	generic, Royal	Body oil: treatment of atopic dermatitis in adults; moderate to severe atopic dermatitis in patients 3 months and older for up to 4 weeks Scalp oil: treatment of psoriasis of the scalp in adult patients
fluocinolone acetonide (Synalar®, Synalar TS) ^{8,9}	generic, Medimetriks	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
fluocinolone acetonide/Cetaphil® cleanser lotion** (Xilapak Kit) ¹⁰	Solutech	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
fluocinolone acetonide/ urea* (NoxiPak Kit) ¹¹	Solutech	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
hydrocortisone (Advanced Allergy Collection Kit, Ala-Cort®, Ala-Scalp®, Aquanil, Anti-Itch, Aqua Glycolic HC® Kit, Beta HC, Cortaid, Cortisone, Cortizone, Dermarest Eczema, Dermasorb™ HC Complete Kit, GS Anti-Itch, MiCort™ HC, Noble Formula HC, QC Anti-Itch, Scalacort®, Scalacort-DK® Kit, Scalp Relief, Scalpicin, Soothing Care, Texacort®, Vanicream) ^{12, 13, 14, 15, 16}	generic, Avidas, BPI Labs, Chain Drug, Chattem Cons, Crown Labs, CVS, Equaline, Insight, Kroger, Merz, Mission, Ontos, Perrigo/Goodsen, Person & Covey, Pharmaceutical Specialties, Publix, Sebel, Reckitt Benck, Rite Aid Corp, Target, Valeant/Bausch, Walgreens	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
hydrocortisone/aloe vera (Cortisone-10, Cortisone Plus Aloe, Nucort, QC Anti-Itch with Aloe, SM Hydrocortisone-Aloe, SM Hydrocortisone Plus) ^{17,18,19}	generic, CVS, Chain Drug, Chattem Cons, Gentex/Marnel, Sunmark	For the temporary relief of itching associated with minor skin irritations, inflammation and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, and external anal/genital itching.

*Urea 20% cream is co-packaged with fluocinolone acetonide 0.01% as part of the NoxiPak Kit. It is used as a keratolytic.

**Cetaphil cleanser lotion is co-packaged with fluocinolone acetonide 0.01% as part of the Xilapak Kit. It is used as a cleanser.

FDA-Approved Indications (continued)

Drug	Manufacturer	Indications
Medium Potency		
betamethasone dipropionate cream, lotion ^{20,21}	generic	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses in patients 13 years and older
betamethasone dipropionate (Sernivo™) ²²	Promius	Treatment of mild to moderate plaque psoriasis in patients 18 years of age or older
betamethasone valerate (Luxiq®) ²³	generic, Mylan,	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses of the scalp
betamethasone valerate ²⁴	generic	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
clocortolone pivalate (Cloderm®) ²⁵	Dr. Reddy*, Promius	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
fluocinolone acetonide (Synalar®) ²⁶	generic, Medimetriks	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
flurandrenolide (Cordran®, Nolix™) ^{27,28,29,30}	generic, Aqua, Artesa	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
flurandrenolide (Cordran® Tape) ³¹	Allergan	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
fluticasone propionate (Cutivate®) ^{32,33,34}	generic, Sandoz	Cream, Ointment: Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses and atopic dermatitis Lotion: Relief of the inflammatory and pruritic manifestations of atopic dermatitis in patients 3 months of age and older
hydrocortisone butyrate (Locoid® / Lipocream) ³⁵	generic, Valeant/Bausch	Treatment of mild to moderate atopic dermatitis in patients 3 months to 18 years of age
hydrocortisone probutate (Pandel®) ³⁶	Pharmaderm/Sand	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses in patients 18 years of age and older
hydrocortisone valerate ³⁷	generic	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses in adult patients
mometasone furoate (Elocon®) ³⁸	generic, Merck Sharpe & Dohme	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses in patients 2 years of age or older
prednicarbate (Dermatop®) ³⁹	generic, Valeant/Bausch	Relief of the inflammatory and pruritic manifestations of corticosteroid responsive dermatoses
triamcinolone acetonide (Dermasorb™ TA, Kenalog®, Trianex™, Triderm®) ^{40,41,42,43}	generic, Promius, Ranbaxy/Sun, Crown Labs, Upsher-Smith	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses

*Available as authorized generic (AG).

FDA-Approved Indications (continued)

Drug	Manufacturer	Indications
Medium Potency (continued)		
triamcinolone acetone/dimethicone (DermacinRx® Silapak, Dermawerx SDS, Nutria Rx, Sanadermr, Sure Result Tac, Pak, Tri-Sila) ^{44, 45}	generic, Genpak, International, Nucare, Patchwerx, PureTek, Shoreline	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
triamcinolone acetone/dimethicone/silicone (Whytederm TDPak, Whytederm Trilasil Pak) ⁴⁶	Whyteman Labs	
triamcinolone acetone/silicone (DermacinRx® Silazone™) ⁴⁷	generic, PureTek	
triamcinolone acetone/silicone (Dermazone, Silazone-II™) ^{48, 49}	generic, PureTek	
triamcinolone acetone/silicone (Silalite Pak™) ⁵⁰	Shoreline	
triamcinolone acetone ointment/dimethicone (Ellzia Pak™) ⁵¹	PureTek	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
High Potency		
amcinonide ⁵²	generic	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses in patients 13 years and older
betamethasone dipropionate ointment ⁵³	generic	
betamethasone dipropionate augmented cream (Diprolene® AF) ⁵⁴	generic, Merck	
clobetasol propionate (Impoiz™) ⁵⁵	Encore/Promius	Treatment of moderate to severe plaque psoriasis in patients 18 years of age and older
desoximetasone (Topicort®, Topicort® topical spray) ^{56,57}	generic, Taro	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses Topicort topical spray: Only approved for treatment of plaque psoriasis in patients 18 years of age or older
diflorasone diacetate cream (Apexicon® E, Psorcon®) ^{58,59}	Sandoz, Taro	
fluocinonide ⁶⁰	generic	
fluocinonide (Vanos™) ⁶¹	generic, Valeant	
halcinonide (Halog®) ⁶²	Ranbaxy/Sun	
triamcinolone acetone (Triderm®) ^{63,64,65,66}	generic, Crown Labs	

FDA-Approved Indications (continued)

Drug	Manufacturer	Indications
Very High Potency		
betamethasone dipropionate augmented gel, lotion, ointment (Diprolene) ^{67,68,69}	generic, Merck	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses in patients 13 years of age and older.
clobetasol propionate (Clobex [®] , Clodan [™]) ^{70,71}	generic, Galderma, Medimetrix	Lotion: Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses Shampoo: Treatment of moderate to severe forms of scalp psoriasis Spray: Treatment of moderate to severe plaque psoriasis affecting up to 20% of body surface area
clobetasol propionate (Cormax [®] , Temovate [®] , Temovate [®] E) ^{72,73,74}	generic, Sandoz, Valeant	Cream, gel, ointment: Short-term treatment of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses Solution: Short-term treatment of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses of the scalp
diflorasone diacetate ointment ⁷⁵	generic	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
clobetasol propionate (Olux [®] , Olux-E [®]) ⁷⁶	generic, Prestium/Mylan	Short-term treatment of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses of the scalp and short-term treatment of mild to moderate plaque psoriasis of non-scalp regions
halobetasol propionate cream, ointment (Ultravate [®]) ⁷⁷	generic, Ranbaxy/Sun	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
halobetasol propionate cream, ointment (Ultravate [®] X) ⁷⁸	Ranbaxy/Sun	Relief of inflammatory and pruritic manifestations of corticosteroid-responsive dermatoses
halobetasol propionate foam (Lexette [®]) ^{79,80}	Mayne	Topical treatment of plaque psoriasis in adults
halobetasol propionate lotion (Bryhali [™]) ⁸¹	Valeant/Bausch	Topical treatment of plaque psoriasis in adults
halobetasol propionate lotion (Ultravate) ⁸²	Ranbaxy/Sun	Topical treatment of plaque psoriasis in adults

OVERVIEW

Topical corticosteroids are used for a variety of inflammatory skin conditions.

Atopic dermatitis (AD) is a chronic, inflammatory dermatologic condition. The skin becomes pruritic and inflamed, causing swelling, cracking, weeping, crusting, and scaling. AD is often referred to as “eczema.” It commonly occurs in patients affected by asthma and/or allergic rhinitis and is associated with elevated serum IgE levels. Usually diagnosed before the age of 5 years, AD can occur at any age, but occurs most frequently in children.⁸³

Psoriasis is another inflammatory skin condition. Plaque psoriasis is the most common type of psoriasis which appears as patches of raised, reddish skin covered by silvery-white scale. These patches, or plaques, frequently form on the elbows, knees, lower back, and scalp. Controlling the signs and symptoms typically requires lifelong therapy.^{84,85}

Seborrheic dermatitis is an inflammatory disorder affecting areas of the head and trunk, where sebaceous glands are most prominent. Scalp seborrhea varies from mild dandruff to dense scale, while facial and trunk seborrhea is characterized by a powdery or greasy scale in skin folds and along hair margins.⁸⁶

Pharmacotherapy choices for these conditions typically include emollients and topical corticosteroids.⁸⁷ Emollients remain the cornerstone of any AD pharmacotherapeutic regimen; they restore the skin barrier function. Topical corticosteroids are the standard of care to which other treatments are compared. The selected medication and potency should depend on medication efficacy, severity of disease, location and surface area of affected skin, intended duration of treatment, medication vehicle, patient preference, and the age of the patient. For short-term durations of treatment, high potency medications have greater efficacy when compared to less potent medications. However, highly potent topical corticosteroids do have an increased risk of side effects. Dermatologic effects, such as striae, atrophy, and tachyphylaxis, as well as potential non-dermatologic effects on linear growth rate, bone density, and hypothalamic-pituitary-adrenal (HPA) axis suppression, limit the long-term use of these agents. Additionally, the increased incidences of adverse dermatologic effects are positively correlated with the medication's frequency and duration of use. The true efficacy and risk of long-term topical corticosteroid use is unknown, since most clinical trials only involving short-term studies. Furthermore, the American Academy of Dermatology (AAD) recommend continued therapy be supervised by the prescriber and, once a clinical response is demonstrated, a gradual reduction in utilization is appropriate.⁸⁸ Non-pharmacologic therapies, such as irritant avoidance and dietary intervention, have also been recommended, but these measures have not demonstrated consistent, beneficial results.

PHARMACOLOGY⁸⁹

Topical corticosteroids mimic compounds that are secreted by the adrenal cortex. Their anti-inflammatory, antipruritic, and vasoconstrictive effects make them effective treatments in dermatological conditions. The exact mechanisms of action for the topical corticosteroids are not completely understood. Corticosteroids are thought to induce phospholipase A2 inhibitory proteins, or lipocortins, which control the biosynthesis of mediators of inflammation, such as prostaglandins and leukotrienes, by inhibiting the release of arachidonic acid. Substitution of a fluorine atom, an acetonide group, omission of the hydroxyl group, or esterification of a hydroxyl group in certain positions on the cortisol molecule increases anti-inflammatory activity. Based on this, corticosteroids are classified by potency. In this review, low, medium, high, and very high classifications are used to differentiate among the corticosteroids. There are differing compendia listings for corticosteroid potencies.

PHARMACOKINETICS⁹⁰

The extent of topical absorption of corticosteroids is dependent on factors such as drug vehicle, skin integrity, use of occlusive dressings, use of more potent corticosteroids, use over large areas, and prolonged use. Areas where the stratum corneum is thin, such as the eyelids, genitalia, and face, also increase the risk for further absorption. The presence of skin disease processes, such as inflammation, may increase cutaneous absorption. Systemically absorbed corticosteroids are metabolized in the liver primarily, and excreted by the kidneys. Some corticosteroids and their metabolites are excreted into the bile.

CONTRAINDICATIONS/WARNINGS^{91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106,107,108,109,110,111,112,113,114,115,116,117,118,119,120,121,122,123,124,125,126,127,128,129,130,131,132}

Corticosteroids are contraindicated in patients who have known hypersensitivities to any active or inactive ingredient in their prescribed preparation.

Hypothalamic-pituitary-adrenal (HPA) axis suppression, manifestations of Cushing's syndrome (high blood levels of cortisol), hyperglycemia, glucosuria, and growth retardation in children can result from the systemic absorption of topical corticosteroids. If these effects are seen, the medications should be discontinued, applied less frequently, or substituted for a less potent topical corticosteroid. Patients who apply corticosteroids to a large surface area should periodically be evaluated by cortisol or adrenocorticotropic hormone (ACTH) stimulation tests. Recovery of the HPA axis is generally prompt and complete upon discontinuation of the corticosteroid.

Topical corticosteroids should not be used in the treatment of rosacea or perioral dermatitis. They also should not be used on the face, groin, or in the axillae because those areas are more prone to atrophic changes during corticosteroid therapy. Increased intraocular pressure, cataracts, and glaucoma have been reported in patients who use topical corticosteroids near the eyes. Topical corticosteroids should be discontinued if irritation develops; local adverse reactions may occur.

Allergic contact dermatitis may occur with corticosteroids.

Fluocinolone acetonide (Derma-Smoothe/FS) contains 48% refined peanut oil NF and should be used with caution in peanut-sensitive patients. Therapy should be immediately discontinued if signs of hypersensitivity are present, or disease exacerbations occur.

When appropriate, antifungals or antibacterials should be applied to dermatological infections.¹³³ If a response is not seen in a reasonable amount of time, specific to the drug being used, the topical corticosteroid should be discontinued until the infection is controlled.

Foam products are flammable; patients should avoid fire, flame, or smoking during and immediately following application.

DRUG

INTERACTIONS^{134,135,136,137,138,139,140,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,169,170,171,172,173,174,175}

Drug interactions are not typically addressed in labeling of topical corticosteroids. However, in general, the risk of drug interactions with topical corticosteroids is low.¹⁷⁶ To avoid the potential for reduced effectiveness and potential interactions, administration of other topical agents should be separated from the topical corticosteroid.

ADVERSE EFFECTS^{177,178,179,180,181,182,183,184,185,186,187,188,189,190,191,192,193,194,195,196,197,198,199,200,201,202,203,204,205,206,207,208,209,210,211,212,213,214,215,216,217,218,219,220,221,222,223,224,225,226,227,228,229,230,231,232,233,234}

Drug	Burning	Dryness	Folliculitis	Itching	Irritation
Low Potency					
alclometasone dipropionate	1-2	2	nr	1-2	2
desonide (Desonate)	1	reported	reported	< 1	reported
desonide (Desowen)	reported	nr	nr	reported	reported
desonide (Tridesilon)	≈ 1	reported	≈ 1	nr	≈ 1
desonide (Verdeso)	3	nr	nr	nr	reported
fluocinolone acetonide (Capex Shampoo)	nr	nr	nr	nr	nr
fluocinolone acetonide (Derma-Smoothe/FS)	5 (body oil) 5.2 (scalp oil)	nr	2 (body oil) 1.7 (scalp oil)	5 (body oil) 5.2 (scalp oil)	5 (body oil) 5.2 (scalp oil)
fluocinolone acetonide (Synalar, NoxiPak Kit, Xilapak Kit)	reported	reported	reported	reported	reported
hydrocortisone (Advanced Allergy Collection Kit, Ala-Cort, Ala-Scalp, Anti-Itch , Aqua Glycolic HC, Beta HC, Cortaid, Cortisone, Cortizone, Dermarest Eczema, Dermasorb HC, Hydro Skin, MiCort HC, Noble Formula HC, Scalacort, Scalacort-DK Kit, Scalpicin, Texacort, Vanicream)	reported	reported	reported	reported	reported
hydrocortisone/aloe vera (Cortisone Plus Aloe, Nucort, QC Anti-Itch with Aloe, SM Hydrocortisone-Aloe, SM Hydrocortisone Plus)	reported	reported	reported	reported	reported

Adverse effects data are reported as percentages and are obtained from prescribing information, therefore should not be considered comparative data or all-inclusive. nr = not reported

Adverse Effects (continued)

Drug	Burning	Dryness	Folliculitis	Itching	Irritation
Medium Potency					
betamethasone dipropionate (Sernivo)	4.5	reported	< 1	6	reported
betamethasone valerate (Luxiq)	2-44	reported	reported	2-44	reported
betamethasone valerate	reported	reported	reported	reported	reported
clocortolone pivalate (Cloderm)	reported	reported	reported	reported	reported
fluocinolone acetonide (Synalar)	reported	reported	reported	reported	reported
flurandrenolide (Cordran, Nolix)	reported	reported	reported	reported	reported
flurandrenolide (Cordran Tape)	reported	reported	reported	reported	reported
fluticasone propionate (Cutivate)	0.6-2	0.5-7	0.5-1	1-2.9	1-2.9
hydrocortisone butyrate (Locoid/ Lipocream)	nr	nr	nr	2	1
hydrocortisone probutate (Pandel)	1.8	reported	reported	reported	reported
hydrocortisone valerate	reported	2	reported	2-6	1
mometasone furoate (Elocon)	1.6	nr	nr	1.6	nr
prednicarbate (Dermatop)	reported	reported	reported	reported	reported
triamcinolone acetonide (Dermasorb TA, Kenalog, Trianex, Triderm)	reported	reported	reported	reported	reported
triamcinolone acetonide cream/ dimethicone (DermacinRx SilaPak, Dermawerx SDS, Nutria Rx, Sanadermr, Sure Result Tac, Pak, Tri-Sila)	reported	reported	reported	reported	reported
triamcinolone acetonide cream/ dimethicone/ silicone (Whytederm TDPak, Whytederm Trilasil Pak)	reported	reported	reported	reported	reported
triamcinolone acetonide cream/silicone (DermacinRx Silazone, Dermazone, Silalite Pak, Silazone-II)	reported	reported	reported	reported	reported
triamcinolone acetonide ointment/ dimethicone (Ellzia Pak)	reported	reported	reported	reported	reported

Adverse effects data are reported as percentages and are obtained from prescribing information, therefore should not be considered comparative data or all-inclusive. nr = not reported

Adverse Effects (continued)

Drug	Burning	Dryness	Folliculitis	Itching	Irritation
High Potency					
amcinonide	reported	reported	reported	reported	reported
betamethasone dipropionate	reported	reported	reported	reported	reported
betamethasone dipropionate augmented (Diprolene AF)	reported	reported	< 1	< 1	reported
clobetasol propionate (Impoyz)	nr	reported	nr	nr	reported
desoximetasone (Topicort)	< 1	reported	< 1	reported	reported
desoximetasone (Topicort Topical Spray)	nr	2.7	< 1	2	2.7
diflorasone diacetate cream (Apexicon E, Psorcon)	nr	nr	nr	nr	nr
fluocinonide	nr	nr	reported	reported	nr
fluocinonide (Vanos)	1.8-2.3	reported	nr	reported	reported
halcinonide (Halog)	nr	nr	nr	nr	nr
triamcinolone acetonide (Triderm)	reported	reported	reported	reported	reported
Very High Potency					
betamethasone dipropionate augmented gel, ointment (Diprolene AF)	reported	reported	reported	reported	reported
clobetasol propionate (Clobex)	reported; 40 (spray)	1-2	reported	0.5-3	1
clobetasol propionate (Clodan shampoo)	reported	reported	reported	reported	reported
clobetasol propionate (Cormax, Temovate/Temovate E)	0.5-10	reported	< 2	< 2	< 2
clobetasol propionate (Olux , Olux-E)	10	< 1	nr	< 2	< 2
diflorasone diacetate ointment	nr	nr	nr	nr	nr
halobetasol propionate (Ultravate, Ultravate X)	1.6-4.4	reported	reported	4.4	nr
halobetasol propionate (Bryhali)	reported	reported	nr	reported	reported
halobetasol propionate foam (Lexette)	12	nr	nr	nr	reported

Adverse effects data are reported as percentages and are obtained from prescribing information, therefore should not be considered comparative data or all-inclusive. nr = not reported

Local adverse effects occur more frequently with the use of occlusive dressings, and may be more likely to occur with prolonged use or higher potency agents.

Additionally, adverse effects are reported with the general use of topical corticosteroids and may occur more frequently with the use of occlusive dressings and include burning, itching, irritation, dryness, folliculitis, hypertrichosis, perioral dermatitis, allergic contact dermatitis, hypertrichosis, acneiform eruptions, hypopigmentation, secondary infection, skin atrophy, striae, and miliaria. While product-

specific adverse event rates may not be available, these events are known to occur with topical corticosteroids. These may be irreversible.

Corticosteroids in gel formulations can cause dryness and irritation to the skin. Their use is usually limited to the scalp and beard areas.

SPECIAL POPULATIONS^{235,236,237,238,239,240,241,242,243,244,245,246,247,248,249,250,251,252,253,254,255,256,257,258,259,260,261,262,263,264,265,266,267,268,269,270,271,272,273,274,275,276,277}

Pediatrics

Pediatric patients may be susceptible to higher incidences of corticosteroid-induced hypothalamic-pituitary-adrenal (HPA) axis suppression, Cushing’s syndrome, and increased intracranial pressure because of a larger skin surface area: body weight ratio.

Pediatric Age	Drug
≥ 3 months	desonide (Verdeso, Desonate); fluocinolone acetonide (Derma-Smoothe/FS body oil); fluticasone (Cutivate) cream/lotion; hydrocortisone butyrate (Locoid/ Lipocream)
≥ 1 year	alclometasone
≥ 2 years	mometasone (Elocon)
≥ 12 years	fluocinonide (Vanos); halobetasol (Ultravate cream, ointment); clobetasol (Temovate, Olux, Cormax)
≥ 13 years	betamethasone dipropionate (Diprolene AF)

Safety and efficacy of mometasone furoate 0.1% cream in children (greater than 2 years old) beyond 3 weeks have not been established. Clocortolone (Cloderm), desoximetasone (Topicort, Topicort Topical Spray), flurandrenolide (Cordran, Cordran Tape, Nolix), triamcinolone acetonide/dimethicone (DermacinRx Silapak, Ellzia Pak), triamcinolone acetonide/silicone (DermacinRx Silazone, Dermazone, Silazone-II, Silalite Pak) use in pediatrics should be limited to the least amount compatible with an effective therapeutic regimen. Hydrocortisone butyrate (Locoid/Lipocream) is not approved for pediatric use with the corticosteroid-dermatoses indication.

The safety and effectiveness of all other products have not been established in pediatric patients.

Pregnancy

All topical corticosteroid products are Pregnancy Category C. halobetasol propionate lotion (Ultravate, Bryhali), halobetasol propionate foam (Lexette), and clobetasol propionate cream (Impoyz) have not been assigned a Pregnancy Category, but there are no data on these agents in pregnant women. The labeling for betamethasone dipropionate (Diprolene, Diprolene AF), clobetasol foam (Olux, Olux-E), clobetasol spray (Clobex), desonide (Verdeso), and diflorasone (Psorcon) were updated to comply with the Pregnancy and Lactation Labeling Rule (PLLR) and advises that there are not available data for use in pregnant women to inform of a drug-related adverse effects on the fetus. Topical corticosteroids should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.

DOSAGES 278,279,280,281,282,283,284,285,286,287,288,289,290,291,292,293,294,295,296,297,298,299,300,301,302,303,304,305,306,307,308,309,310,311,312,313,314,315,316,317,318,319,320,321,322,323,324,325,326,327,328,329

Drug	Dose	Dosage Forms
Low Potency		
alclometasone dipropionate	Apply to affected skin 2 or 3 times daily; treatment should be limited to 3 weeks	0.05% cream, ointment
desonide (Desonate)	Apply to affected skin twice daily; treatment should not exceed 4 weeks (Verdeso Desonide cream and ointment can be applied 2 to 4 times daily and the lotion can be applied 2 to 3 times daily (Tridesilon should not be used for more than 2 weeks, unless directed by a physician)	0.05% gel
desonide (Desowen)		0.05% cream
desonide (Tridesilon)		0.05% lotion, ointment (generic only)
desonide (Verdeso)		0.05% cream
desonide (Verdeso)		0.05% foam
fluocinolone acetonide (Capex Shampoo)	Apply 1 ounce to scalp daily for 5 minutes, then rinse	0.01% shampoo
fluocinolone acetonide (Derma-Smoothe/FS)	Body oil: Adults: Apply thin film to the affected areas 3 times daily Pediatric: Apply thin film to moistened skin twice daily for up to 4 weeks Scalp oil: Dampen hair and then apply to scalp and cover overnight or a minimum of 4 hours before washing off	0.01% body oil, scalp oil
fluocinolone acetonide (Synalar, Synalar TS)	Applied to the affected skin as a thin film from 2 to 4 times daily depending on the severity of the condition.	0.01% cream (generic only) 0.01% solution 0.01% solution kit (60 mL fluocinolone acetonide 0.01% topical solution and 454 grams Rehyla® Hair & Body Cleanser) (Synalar TS Solution Kit)
fluocinolone acetonide (XilaPak Kit)	Apply cleanser lotion to the affected area followed by fluocinolone acetonide solution and rub into skin until completely absorbed; then cover with silicone tape Apply twice daily or as directed by a physician	60 mL of 0.01% topical solution co-packaged with 4 oz of Cetaphil cleanser lotion and silicone tape
fluocinolone acetonide/urea (NoxiPak Kit)	Apply fluocinolone to the affected area and rub into skin until completely absorbed; then apply urea cream and rub into skin until completely absorbed; then cover with silicone tape Apply twice daily or as directed by a physician	60 mL of 0.01% topical solution co-packaged with 85 g of 20% urea cream and silicone tape

Dosages (continued)

Drug	Dose	Dosage Forms
Low Potency (continued)		
hydrocortisone (Advanced Allergy Collection Kit, Ala-Cort, Ala-Scalp, Anti-Itch, Aqua Glycol HC Kit, Aquanil, Beta HC, Cortaid, Cortisone, Dermarest Eczema, Dermasorb HC Complete Kit, MiCort HC, Noble Formula HC, Scalacort, Scalp Relief, Scalpicin, Soothing Care; Texacort, Vanicream)	Apply to affected skin 2 to 4 times daily Cleansing Shampoo: Massage moderate amount into a wet scalp and leave on scalp 2 to 3 minutes or apply liberally to all areas of the body and lather; then rinse thoroughly	0.5% cream, ointment (OTC) 1% cream, gel, lotion, spray, ointment, solution (OTC) 2% lotion 2% lotion and cleansing shampoo kit 2.5% cream, lotion, ointment, solution
hydrocortisone/aloe vera (Cortisone Plus Aloe, Nucort, QC Anti-Itch with Aloe, SM Hydrocortisone-Aloe, SM Hydrocortisone Plus)	For itching of skin irritation, inflammation, and rashes (adults and children 2 years of age and older): Apply to affected area not more than 3 to 4 times daily For external anal and genital itching (adults): Clean the affected area with mild soap and warm water and rinse thoroughly gently dry by patting or blotting with toilet tissue or soft cloth before applying apply to affected area not more than 3 to 4 times daily	0.5% cream (OTC) 1% cream (OTC) 1% lotion
Medium Potency		
betamethasone dipropionate	Apply to affected skin once or twice daily	0.05% cream
betamethasone dipropionate	Apply to affected skin twice daily	0.05% lotion
betamethasone dipropionate (Sernivo)	Apply to affected skin twice daily; treatment beyond 4 weeks is not recommended	0.05% spray/pump
betamethasone valerate (Luxiq)	Apply to scalp twice daily; occlusive dressings should not be used unless directed by physician	0.12% foam
betamethasone valerate	Apply to affected skin 2 to 4 times daily	0.1% cream, lotion, ointment
clocortolone pivalate (Cloderm)	Apply to affected skin 3 times daily	0.1% cream
fluocinolone acetonide (Synalar)	Apply to affected skin 2 to 4 times daily	0.025% cream, ointment cream kit contains 120 grams fluocinolone acetonide 0.025% topical cream and 255 grams Keradan™ Cream (Synalar Cream Kit) ointment kit contains 120 grams fluocinolone acetonide 0.025% topical ointment and 255 grams Keradan™ Moisturizing Cream (Synalar Ointment Kit)
flurandrenolide (Cordran, Nolix)	Apply to affected skin 2 to 3 times daily	0.025% cream (Cordran only) 0.05% cream, lotion, ointment
flurandrenolide (Cordran Tape)	Apply tape to affected skin every 12 to 24 hours	4 mcg/cm ² tape

Dosages (continued)

Drug	Dose	Dosage Forms
Medium Potency (continued)		
fluticasone propionate (Beser*, Cutivate)	Ointment: Apply to affected skin twice daily Cream: Apply to affected skin once or twice daily Lotion: Apply to affected skin once daily Treatment should be limited to 4 weeks	0.05% ointment (generic only) 0.05% cream, lotion lotion kit contains 0.05% fluticasone lotion 60 mL and Keradan Moisturizing Cream 255 g (Beser Lotion Kit)
hydrocortisone butyrate (Locoid / Lipocream)	Apply to affected skin 2 to 3 times daily; treatment should be limited to 2 weeks	0.1% cream, lotion, ointment, solution
hydrocortisone probutate (Pandel)	Apply to affected skin once or twice daily; if no improvement is seen within 2 weeks, reassessment of diagnosis may be necessary; occlusive dressings should not be used unless directed by physician	0.1% cream
hydrocortisone valerate	Apply to affected skin 2 to 3 times daily; occlusive dressings should not be used unless directed by a physician	0.2% cream, ointment
mometasone furoate (Elocon)	Apply to affected skin once daily; treatment should be limited to 3 weeks	0.1% cream 0.1% ointment, solution (generic only)
prednicarbate (Dermatop)	Apply to affected skin twice daily	0.1% cream (emollient) 0.1% ointment
triamcinolone acetonide (Dermasorb TA, Kenalog, Trianex, Triderm)	Apply to affected skin 2 to 4 times daily Apply to affected skin 2 to 3 times daily (Dermasorb TA and Triderm)	0.025% cream, lotion, ointment (generic only) 0.05% Trianex ointment 0.5% cream, ointment (generic only) 0.1% cream 0.1% lotion, ointment (generic only) 0.1% Dermasorb TA cream and emollient cream kit 0.147 gm/1 gm topical spray
triamcinolone acetonide/ dimethicone (Ellzia Pak)	Apply triamcinolone acetonide to affected area 2 to 3 times daily Apply dimethicone cream liberally as needed	Ellzia Pak: 0.1% Kit (80 gm of 0.1% triamcinolone acetonide ointment, 118 mL of 5% dimethicone)
triamcinolone acetonide/ dimethicone/silicone (DermacinRx SilaPak, Dermawerx SDS, NutriaRx Cream Pak, SanadermRx, Sure Result Tac Pak, Tri-Sila Kit)	Apply triamcinolone acetonide to affected area 2 to 3 times daily, depending on severity; Apply dimethicone cream liberally as needed; Silicone tape to be applied to wound or scar as needed or as directed by physician; Tape to be removed, area washed, and new tape applied at least every 24 hours	0.1% Kit (80 gm of 0.1% triamcinolone acetonide cream, 118 mL of 5% dimethicone, 1 roll silicone tape)
triamcinolone acetonide/ dimethicone/silicone (Whytederm TDPak, Whytederm Trilasil Pak)	Apply triamcinolone acetonide to affected area 2 to 3 times daily, depending on severity; Apply dimethicone cream liberally as needed; Silicone tape to be applied to wound or scar as needed or as directed by physician; Tape to be removed, area washed, and new tape applied at least every 24 hours	0.1% Kit (80 gm of 0.1% triamcinolone acetonide cream, 118 mL of 2% dimethicone, 1 roll silicone tape)

*Beser is a branded generic product.

Dosages (continued)

Drug	Dose	Dosage Forms
Medium Potency (continued)		
triamcinolone acetonide/ dimethicone/silicone (Whytederm TDPak, Whytederm Trilasil Pak)	Apply triamcinolone acetonide to affected area 2 to 3 times daily, depending on severity; Apply dimethicone cream liberally as needed; Silicone tape to be applied to wound or scar as needed or as directed by physician; Tape to be removed, area washed, and new tape applied at least every 24 hours	0.1% Kit (80 gm of 0.1% triamcinolone acetonide cream, 118 mL of 2% dimethicone, 1 roll silicone tape)
triamcinolone acetonide/ silicone (DermacinRx Silazone)	Apply triamcinolone acetonide to affected area 2 to 3 times daily, depending on severity; Apply silicone (Silazone) sheet for 4 to 8 hours to ensure no adverse reactions; if none, apply to clean skin nightly and remove each morning (replace weekly); continue using silicone for approximately 3 to 6 months as directed	0.1% Kit (80 gm of 0.1% triamcinolone acetonide cream, silicone gel sheet: 5 per kit)
triamcinolone acetonide/ silicone (Dermazone, Silazone-II)	Apply triamcinolone acetonide to affected area 2 to 3 times daily, depending on severity; Apply silicone (Silazone) sheet for 4 to 8 hours to ensure no adverse reactions; if none, apply to clean skin nightly and remove each morning (replace weekly); Continue using silicone for approximately 3 to 6 months as directed	0.1% Kit (80 gm of 0.1% triamcinolone acetonide cream, silicone gel sheet: 3 per kit)
triamcinolone acetonide/ silicone (Silalite Pak)	Apply triamcinolone acetonide to affected area 2 to 3 times daily Apply silicone (Silapure®) sheet for 4 to 8 hours to ensure no adverse reactions; if none, apply to clean skin nightly before bed and remove each morning; most treatment periods will last for 2 months; may continue using silicone for approximately 3 to 6 months as directed	0.1% Kit (80 gm of 0.1% ointment, silicone gel sheet: 15 per kit)
High Potency		
amcinonide	Apply to affected skin 2 to 3 times daily	0.1% cream, lotion
betamethasone dipropionate	Apply to affected skin once to twice daily	0.05% ointment
betamethasone dipropionate augmented (Diprolene AF)	Apply to affected skin once or twice daily; total dose should not exceed 50 g or mL per week; treatment should be limited to 2 weeks; occlusive dressings should not be used	0.05% cream
clobetasol propionate (Impoyz)	Apply a thin layer to affected areas twice daily for up to 2 consecutive weeks. Do not exceed 50 g per week.	0.025% cream
desoximetasone (Topicort*)	Apply to affected skin twice daily	0.05% cream, gel, ointment 0.25% cream, ointment
desoximetasone (Topicort Topical Spray*)	Plaque psoriasis: apply as a thin film to the affected skin twice daily; rub in gently; occlusive dressings should not be used unless directed by a physician. Treatment beyond 4 weeks is not recommended.	0.25% spray
diflorasone diacetate (Apexicon E, Psorcon)	Apply to affected skin twice daily	0.05% cream 0.05% ointment (generic only)

*Topicort and Topicort Topical Spray are branded generic products.

Dosages (continued)

Drug	Dose	Dosage Forms
High Potency (continued)		
fluocinonide	Apply to affected skin 1 to 4 times daily	0.05% cream, gel, ointment, solution
fluocinonide (Vanos)	Apply to affected skin once or twice daily; total dose should not exceed 60 g per week; treatment should be limited to 2 weeks	0.1% cream
halcinonide (Halog)	Apply to affected skin 1 to 3 times daily	0.1% cream, ointment
triamcinolone acetonide (Triderm)	Apply to affected skin 2 to 3 times daily	0.5% cream 0.5% ointment (generic only)
Very High Potency		
betamethasone dipropionate augmented (Diprolene)	Apply to affected skin once or twice daily; total dose should not exceed 50 g or mL per week; treatment should be limited to 2 weeks; occlusive dressings should not be used	0.05% gel, lotion (generic only) 0.05% ointment
clobetasol propionate (Clobex, Clodan shampoo)	Apply lotion or spray to affected skin twice daily; total dose should not exceed 50 g or 1.75 ounces per week; treatment should be limited to 2 weeks (4 weeks for moderate to severe plaque psoriasis); apply shampoo to dry scalp once daily and rinse after 15 minutes	0.05% lotion, shampoo, spray Clodan Kit contains (clobetasol propionate [Clodan] 0.05% shampoo and Rehyla® Hair & Body Cleanser)
clobetasol propionate (Cormax, Temovate/Temovate E)	Apply to affected skin twice daily; total dose should not exceed 50 g or mL per week; treatment should be limited to 2 weeks	0.05% cream, ointment 0.05% gel, solution (generic only)
clobetasol propionate (Olux/Olux-E)	Apply to affected skin twice daily; total dose should not exceed 50 g per week; treatment should be limited to 2 weeks	0.05% foam
halobetasol propionate (Ultravate)	Cream, Ointment: Apply to affected skin once or twice daily; Lotion: Apply a thin layer to affected areas twice daily Total dose for any formulation should not exceed 50 g per week; treatment should be limited to 2 weeks; occlusive dressings should not be used	0.05% cream, ointment 0.05% lotion (brand only)
halobetasol propionate (Ultravate X)	Apply to affected skin once or twice daily; total dose should not exceed 50 g per week; treatment should be limited to 2 weeks; occlusive dressings should not be used	Ultravate X 0.05% cream, ointment (packaged with a tube of 10% ammonium lactate topical cream)
halobetasol propionate (Bryhali)	Apply a thin layer to affected areas once daily. Treatment beyond 8 weeks is not recommended, and the total dosage should not exceed approximately 50 g per week. Discontinue treatment if control is achieved before 8 weeks. Do not use with occlusive dressings unless directed by a physician.	0.01% lotion
halobetasol propionate (Lexette)	Apply to affected skin twice daily, rubbing in gently; total dose should not exceed 50 g per week; treatment should be limited to 2 weeks	0.05% foam

Once atopic dermatitis is stabilized with daily treatment, studies have shown that intermittent therapy with more potent topical corticosteroids can be as effective as daily therapy with a mild topical corticosteroid.^{330,331} During intermittent treatment, use of emollients is recommended on days that steroids are not applied.

CLINICAL TRIALS

Search Strategy

Articles were identified through searches performed on PubMed and review of information sent by manufacturers. Search strategy included the FDA-approved use of all drugs in this class. Randomized, controlled, comparative trials are considered the most relevant in this category. Studies included for analysis in the review were published in English, performed with human participants, and randomly allocated participants to comparison groups. In addition, studies must contain clearly stated, predetermined outcome measure(s) of known or probable clinical importance, use data analysis techniques consistent with the study question, and include follow-up (endpoint assessment) of at least 80% of participants entering the investigation. Despite some inherent bias found in all studies including those sponsored and/or funded by pharmaceutical manufacturers, the studies in this therapeutic class review were determined to have results or conclusions that do not suggest systematic error in their experimental study design. While the potential influence of manufacturer sponsorship and/or funding must be considered, the studies in this review have also been evaluated for validity and importance.

alclometasone dipropionate versus hydrocortisone butyrate (Locoid)

In a double-blind, parallel-group trial, alclometasone dipropionate 0.05% cream or hydrocortisone butyrate 0.1% cream were applied twice daily for 2 weeks to 40 children (5 to 11 years old) with atopic dermatitis.³³² Improvement in erythema, induration, and pruritus averaged 76% for alclometasone dipropionate and 70% for hydrocortisone butyrate. Two patients in the alclometasone dipropionate group and 1 in the hydrocortisone butyrate group reported mild stinging.

clobetasol propionate (Cormax, Temovate) versus betamethasone dipropionate (Diprolene)

A double-blind study compared the effectiveness of clobetasol propionate 0.05% ointment and betamethasone dipropionate 0.05% ointment twice daily in 130 patients with moderate to severe signs of psoriasis for 2 weeks.³³³ Both drugs were well tolerated. Significantly more patients showed greater improvement when treated with clobetasol propionate. Follow-up evaluation 2 weeks after the treatment period showed longer remissions with clobetasol propionate use ($p < 0.001$).

fluocinolone acetonide (Synalar) versus betamethasone dipropionate (Diprolene)

In a double-blind, randomized study, 62 patients with psoriasis or eczema were treated with betamethasone dipropionate 0.05% cream or fluocinolone acetonide 0.025% cream twice daily for 3 weeks.³³⁴ Both preparations were effective, well tolerated, and cosmetically acceptable. Of the patients treated with betamethasone dipropionate, 57% were rated as being “much better” in the overall assessment of response at the end of the trial period compared to only 25% of fluocinolone acetonide patients.

fluticasone propionate (Cutivate) versus betamethasone dipropionate (Diprolene)

A randomized, double-blind, parallel-group study compared the safety, tolerability, and efficacy of fluticasone propionate 0.005% ointment and betamethasone dipropionate 0.05% ointment twice daily in 92 patients with moderate to severe eczema.³³⁵ Statistically significant improvement in the severity of signs and symptoms was found as early as 2 weeks following treatment initiation in both groups. There was no significant difference between the treatments following 2 or 4 weeks of therapy with regard to almost all efficacy variables. Both treatments were well tolerated and showed minimal suppression of the hypothalamic-pituitary-adrenal (HPA) axis as evidenced by morning plasma cortisol concentration determinations.

The efficacy, safety, and tolerability of fluticasone propionate 0.005% ointment and betamethasone dipropionate 0.05% ointment were compared in a 12-week, randomized, double-blind, parallel-group study of 74 patients with moderate to severe psoriasis.³³⁶ Fluticasone propionate was not significantly different from betamethasone dipropionate at day 15 ($p=0.147$), at the end of treatment analysis ($p=0.245$), or after 4 weeks ($p=0.154$). Neither medication resulted in any abnormal laboratory values, including plasma cortisol levels, over the 12-week safety study period. Both medications were well tolerated.

fluticasone propionate (Cutivate) versus hydrocortisone butyrate (Locoid)

In a randomized, double-blind, parallel-group study involving 120 patients, the safety and tolerability of fluticasone propionate 0.05% cream and hydrocortisone butyrate 0.1% cream in the treatment of moderate to severe eczema were compared.³³⁷ Fluticasone propionate was found to be similar in efficacy to hydrocortisone butyrate after 4 weeks. One hydrocortisone butyrate patient's eczema was severely exacerbated by drug therapy over the 12-week safety study, but the drugs were otherwise well tolerated. Plasma cortisol monitoring revealed minimal HPA axis suppression.

The efficacy and safety of fluticasone propionate 0.005% ointment and hydrocortisone butyrate 0.1% ointment twice daily were compared in 113 adult patients with moderate to severe psoriasis in a double-blind, randomized, parallel study.³³⁸ Efficacy assessments were made at weekly intervals for up to 4 weeks. Fluticasone propionate was found to be therapeutically superior to hydrocortisone butyrate, as well as safe and well tolerated. Its onset of action was rapid, and no systemic adverse effects occurred.

fluticasone propionate (Cutivate) versus hydrocortisone butyrate (Locoid) versus hydrocortisone

Two randomized, parallel-group, double-blind studies in children ages 2 to 14 years old evaluated fluticasone propionate 0.05% cream with either hydrocortisone 1% cream ($n=137$) or hydrocortisone butyrate 0.1% cream ($n=129$) for both acute and maintenance treatment of moderate to severe atopic dermatitis.³³⁹ Treatments were applied twice daily for 2 to 4 weeks, and thereafter as needed for up to 12 weeks. The primary outcome measure, Total Atopic Dermatitis Score, showed improvement in disease severity following treatment with fluticasone propionate compared with either hydrocortisone or hydrocortisone butyrate for acute treatment ($p<0.001$ versus hydrocortisone; $p=0.042$ versus hydrocortisone butyrate) and maintenance treatment ($p=0.006$ versus hydrocortisone; $p=0.042$ versus

hydrocortisone butyrate). In both studies, treatments were equally well tolerated with no visible signs of skin atrophy.

halobetasol propionate (Ultravate) versus betamethasone dipropionate (Diprolene)

In a double-blind, parallel-group, comparative trial, 104 patients with severe, localized plaque psoriasis were given halobetasol propionate 0.05% ointment or betamethasone dipropionate 0.05% ointment.³⁴⁰ Halobetasol dipropionate demonstrated an 88.7% success rate assessed as “healed” or “marked improvement” compared to 78.5% for betamethasone dipropionate ointment. Healing was observed within 24 days of the start of treatment in 40% and 25% of the patients who received halobetasol propionate and betamethasone dipropionate ointments, respectively. Tolerability was acceptable for both agents after 4 weeks of treatment. Patients preferred halobetasol propionate ointment over betamethasone dipropionate ointment based on cosmetic acceptability and ease of application.

halobetasol propionate (Ultravate) versus clobetasol dipropionate (Cormax, Temovate) versus betamethasone dipropionate (Diprolene)

In 2 double-blind, parallel-group, multicenter trials, halobetasol propionate 0.05% cream was compared with clobetasol propionate 0.05% cream and betamethasone dipropionate 0.05% cream in 264 patients with acute severe exacerbations of atopic dermatitis.³⁴¹ The efficacy of halobetasol propionate and betamethasone dipropionate was similar with regard to the success rate, as indicated by ratings of “healed” and “marked improvement” (88% versus 90%, respectively) and by an onset of therapeutic effect within 3 days of the start of treatment (40% versus 39%). The efficacy of halobetasol propionate and clobetasol propionate was also similar with regard to success rates (89% versus 93%, respectively) and an onset of therapeutic effect within 3 days of the start of treatment (41% versus 38%). Dryness of the skin and itching at the site of application were the reported adverse effects, but the creams were all well tolerated.

halobetasol propionate (Ultravate) versus betamethasone valerate (Beta-Val)

In a double-blind, parallel-group comparative trial, 84 patients with severe, localized plaque psoriasis were given halobetasol propionate 0.05% ointment or betamethasone valerate 0.1% ointment.³⁴² Halobetasol propionate proved significantly superior to betamethasone valerate with respect to the success rate, as indicated by ratings of “healed” or “marked improvement” (88.1% versus 64.3%; $p=0.02$). The therapeutic effect was observed within 5 days of the initiation of treatment in 76% and 67% of the patients treated with halobetasol propionate and betamethasone valerate, respectively. Both ointments were well tolerated.

hydrocortisone butyrate (Locoid) versus hydrocortisone

A randomized, double-blind study compared the efficacy of hydrocortisone butyrate 0.1% cream with hydrocortisone 1% cream in 40 children suffering from atopic dermatitis.³⁴³ The medications were applied twice daily for a maximum of 4 weeks. Complete clearance of skin symptoms was found in 36% of the hydrocortisone butyrate patients and in 23% of the hydrocortisone patients following 2 weeks of therapy and in 60% and 30%, respectively, after 4 weeks of treatment, a statistically significant difference. No serious adverse events were reported during the study.

hydrocortisone butyrate (Locoid) versus fluticasone dipropionate (Cutivate), prednicarbate (Dermatop) versus and mometasone furoate (Elocon)

A randomized, double-blind clinical trial involving 89 subjects with atopic dermatitis compared the safety, efficacy, and cosmetic acceptability of hydrocortisone butyrate 0.1% cream, fluticasone propionate 0.05% cream, prednicarbate 0.1% cream, and mometasone furoate 0.1% cream.³⁴⁴ Treatments were self-administered twice daily for 2 weeks. Investigator ratings of signs and the patient ratings of signs and symptoms indicated comparable efficacy of all 4 treatments.

halobetasol propionate lotion (Bryhali) versus halobetasol propionate cream (Ultravate)

In a multicenter, double-blind, parallel-group, phase 2 clinical trial the safety, tolerability, and efficacy of halobetasol propionate lotion was compared to halobetasol propionate cream in 150 adult patients.³⁴⁵ All participants had moderate-to-severe plaque psoriasis, defined as an investigator global assessment (IGA) score of 3 or 4 and covering $\geq 3\%$ to $\leq 12\%$ of BSA, excluding the face, scalp, palms, soles, groin, axillae, and intertriginous areas. Patients were randomized to halobetasol lotion (n=60), halobetasol cream (n=57), vehicle lotion (n=17), or vehicle cream (N=16), which were applied once daily for 2 weeks. Halobetasol lotion demonstrated Class 1 clearance of plaque psoriasis at 8 weeks. At week 2, halobetasol lotion delivered similar clearance with 80% less halobetasol exposure compared to halobetasol cream. As measured by a percentage of the applied dose, halobetasol lotion was also found to penetrate the skin 3 times more efficiently than halobetasol cream.

SUMMARY

Topical corticosteroids are effective in the treatment of dermatoses. Clinical data suggest that the efficacy of the topical corticosteroids is relative to their potency and individual agents within a potency category are not distinguishable from each other. Once the disease is under control, it may be possible to decrease the frequency of application of these agents in order to avoid long-term adverse effects.

REFERENCES

- 1 Alclometasone [package insert]. Mahwah, NJ; Glenmark Pharmaceuticals; September 2014. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=63e635e0-65d8-4b30-9f2a-ab16deba90bd>. Accessed April 29, 2019.
- 2 Desonate [package insert]. Wayne, NJ; Bayer; July 2014.
- 3 Desowen. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=a7e5f030-b849-4805-94e6-f45631eaa37f>. Accessed April 29, 2019.
- 4 Tridesilon. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=30d60cbc-fba8-7209-e054-00144ff8d46c>. Accessed April 29, 2019.
- 5 Verdeso [package insert]. San Antonio, TX; Almirall; April 2019.
- 6 Capex Shampoo [package insert]. Fort Worth, TX; Galderma; December 2015.
- 7 Derma-Smoother/FS [package insert]. Manasquan, NJ; Royal; January 2014.
- 8 Synalar [package insert]. Fairfield, NJ; Medimetriks; November 2016.
- 9 Synalar TS [package insert]. Fairfield, NJ; Medimetriks; April 2017. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=b48f3e2f-f92d-41b1-8e99-08f0b72c4672>. Accessed April 29, 2019.
- 10 Xilapak [package insert]. Peoria, AZ; Solutech; November 2017.
- 11 NoxiPak Kit [package insert]. Peoria, AZ; Solutech; November 2017.
- 12 Texacort [package insert]. Doylestown, PA; Mission; March 2012.
- 13 Dermasorb HC. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=eaaf8c06-6aac-4488-a4be-2f8912e30363>. Accessed April 29, 2019.
- 14 Ala-Cort. Available at: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=de000081-a245-4f6b-9e7c-e47d84b82338&type=display>.

Accessed April 29, 2019.

15 MiCort HC [package insert]. Roswell, GA; Sebelia; December 2017.

16 QC Anti-itch cream. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=a47b4b0b-e78d-43b2-bc70-a4777186ab63>. Accessed April 15, 2019.

17 Cortisone Plus Aloe Maximum Strength. Available at: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=6f087a47-36f7-4a9c-aa45-8d174bc3212f&type=display>. Accessed April 15, 2019.

18 QC Anti-itch with Aloe-Hydrocortisone. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=0040e12e-c59c-43af-954f-163bdc42c956>. Accessed April 15, 2019.

19 SM Hydrocortisone-Aloe. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=e9180433-4e6e-40d9-807b-1e3dd8c22e0d>. Accessed April 17, 2019.

20 Betamethasone dipropionate cream [package insert]. Parsippany, NJ; Actavis; June 2015. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ab332791-461b-4396-9b46-7f00bc04c087>. Accessed May 3, 2019.

21 Betamethasone dipropionate lotion [package insert]. Bronx, NY; Perrigo; February 2018. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=e6018480-7788-472d-a2d1-ccccffcd258e>. Accessed May 3, 2019.

22 Sernivo [package insert]. Princeton, NJ; Promius; November 2018.

23 Luxiq. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=4a7c165f-034f-431a-a210-b5973fda9f10>. Accessed May 3, 2019.

24 Betamethasone valerate. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=0b386ccc-a2d4-4d18-a2d7-e46ff894c674>. Accessed May 3, 2019.

25 Cloderm [package insert]. Charleston, SC; Epi Health; May 3, 2019.

26 Synalar [package insert]. Fairfield, NJ; Medimetriks; November 2016.

27 Cordran Cream and Ointment [package insert]. Corona, CA; Aqua; June 2014.

28 Cordran Lotion [package insert]. Corona, CA; Aqua; July 2016.

29 Nolix Cream [package insert]. Austin TX; Artesa; August 2017.

30 Nolix Lotion: Available at: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=50212234-8595-0ac7-e054-00144ff8d46c&type=display>. Accessed May 3, 2019.

31 Cordran Tape [package insert]. St Paul, MN; Allergan; May 2018.

32 Cutivate Cream [package insert]. Pittsburgh, PA; PharmaDerm; June 2012.

33 Cutivate Ointment [package insert]. Pittsburgh, PA; PharmaDerm; February 2015.

34 Cutivate Lotion [package insert]. Pittsburgh, PA; PharmaDerm; August 2018.

35 Locoid [package insert]. Cranford, NJ; Onset Dermatologics; November 2014.

36 Pandel [package insert]. Duluth, GA; PharmaDerm; March 2019.

37 Hydrocortisone valerate. Available at: <https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=HYDROCORTISONE+VALERATE&pagesize=50&page=1&audience=consumer>. Accessed May 7, 2019.

38 Elocon [package insert]. Whitehall Station, NJ; Merck; May 2018.

39 Dermatop. Available at: <https://medlibrary.org/lib/rx/meds/dermatop-2/>. Accessed May 6, 2019.

40 Dermasorb TA [package insert]. Johnson City, TN; Crown; November 2013.

41 Kenalog Spray [package insert]. Cranbury, NJ; Sun; May 2018.

42 Triderm Cream [package insert]. Johnson City, TN; Crown; Updated September 2017.

43 Trianex. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=cde13809-a606-12ca-aece-f2ae594baa71>. Accessed May 6, 2019.

44 DermacinRx SilaPak [package insert]. San Fernando, CA; PureTek; August 2015.

45 Dermawerx SDS. Available at: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=2b698784-a57e-0df4-e054-00144ff88e88&type=display>. Accessed May 7, 2019.

46 Whytederm. Available at: <https://medlibrary.org/lib/rx/meds/whytederm-tdpak/page/2/>. Accessed May 7, 2019.

47 DermacinRx Silazone [package insert]. San Fernando, CA; PureTek; December 2015.

48 Silazone-II. Available at: <https://fdb.rxlist.com/drugs/drug-171078-Silazone-II+topical.aspx?drugid=171078&drugname=Silazone-II+topical&source=0>. Accessed May 7, 2019.

49 Dermazone. Available at: <https://www.drugs.com/pro/dermazone.html>. Accessed May 7, 2019.

50 Silalite Pak. Available at: <https://medlibrary.org/lib/rx/meds/silalite-pak/>. Accessed May 7, 2019.

51 Ellzia Pak. San Fernando, CA; PureTek; April 2016.

52 Amcinonide. Available at: <https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=amcinonide>. Accessed May 7, 2019.

53 Diprolene ointment [package insert]. Whitehouse Station, NJ; Merck; March, 2018.

54 Diprolene AF [package insert]. Whitehouse Station, NJ; Merck; May 2019.

55 Impozz [package insert]. San Antonio, TX; Promius; November 2017.

56 Topicort [package insert]. Hawthorne, NY; Taro; January 2016.

57 Topicort Topical Spray [package insert]. Hawthorne, NY; Taro; December 2015.

58 Psorcon [package insert]. Kalamazoo, MI; Dermik; October 2017.

59 Apexicon E [package insert]. Melville, NY; PharmaDerm; February 2018. Available at: www.apexicon.com. Accessed May 7, 2019.

60 Fluocinonide. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=b0bc89a9-c9d5-4adb-9785-2d4487c4c656>. Accessed May 7, 2019.

61 Vanos [package insert]. Scottsdale, AZ; Medicis; May 2017.

62 Halog [package insert]. Princeton, NJ; Ranbaxy; May 2018.

63 Dermasorb TA [package insert]. Johnson City, TN; Crown; November 2013.

64 Kenalog Spray [package insert]. Cranbury, NJ; Sun; May 2018.

- 65 Triderm Cream [package insert]. Johnson City, TN; Crown; Updated September 2017.
- 66 Trialex. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=cde13809-a606-12ca-aece-f2ae594baa71>. Accessed May 6, 2019.
- 67 Diprolene ointment [package insert]. Whitehouse Station, NJ; Merck; March, 2018.
- 68 Diprolene lotion [package insert]. Whitehouse Station, NJ; Merck; March, 2018.
- 69 Betamethasone dipropionate gel [package insert]. Hawthorne, NY; Taro; February 2016. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=e041ceb2-8bda-4703-b663-804e7b462e32>. Accessed May 7, 2019.
- 70 Clobex [package insert]. Fort Worth, TX; Galderma; December 2018.
- 71 Cloderm [package insert]. Charleston, SC; Epi Health; May 3, 2019.
- 72 Temovate [package insert]. Pittsburgh, PA; GlaxoSmithKline; April 2012.
- 73 Cormax [package insert]. Corona, CA; Watson; January 2010.
- 74 Temovate E. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=5b408bbb-5b3c-4b96-85b7-1a08e4b0f049>. Accessed May 7, 2019.
- 75 Psorcon [package insert]. Kalamazoo, MI; Dermik; October 2017.
- 76 Olux [package insert]. Morgantown, WV; Mylan; April 2018.
- 77 Ultravate [package insert]. Princeton, NJ; Bristol Myers Squibb; August 2012.
- 78 Ultravate X. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=b73836e9-7ccc-41bb-b4ef-65ad2d865085>. Accessed May 7, 2019.
- 79 Halobetasol propionate topical foam [package insert]. Easton, MA; Pharmasol; May 2018.
- 80 Lexette. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=d5d0d307-37ad-4714-ba3f-5343672bc0e7&audience=consumer>. Accessed May 9, 2019.
- 81 Bryhali [package insert]. Bridgewater, NJ; Valeant; November 2018.
- 82 Ultravate lotion [package insert]. Jacksonville, FL; Ranbaxy; March 2018.
- 83 Eichenfield LF, Tom LT, Berger TG, et al. Guidelines of care for the management of atopic dermatitis. J Am Acad Dermatol 2014; 71(1):116-132. Available at: <https://www.aad.org/practicecenter/quality/clinical-guidelines>. Accessed June 12, 2019.
- 84 National Psoriasis Foundation. Available at: <https://www.psoriasis.org/about-psoriasis>. Accessed May 7, 2019.
- 85 Menter A, Korman NJ, Elmets CA, et al. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 3. Guidelines of care for the management and treatment of psoriasis with topical therapies. J Am Acad Dermatol. 2009; 60(4):643-59. Available at: <https://www.aad.org/practicecenter/quality/clinical-guidelines>. Accessed June 12, 2019.
- 86 American Academy of Dermatology. Available at: <https://www.aad.org/dermatology-a-to-z/diseases-and-treatments/g---t/seborrheic-dermatitis>. Accessed May 9, 2019.
- 87 Eichenfield LF, Tom LT, Berger TG, et al. Guidelines of care for the management of atopic dermatitis. J Am Acad Dermatol 2014; 71(1):116-132. Available at: <https://www.aad.org/practicecenter/quality/clinical-guidelines>. Accessed June 12, 2019.
- 88 Menter A, Korman NJ, Elmets CA, et al. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 3. Guidelines of care for the management and treatment of psoriasis with topical therapies. J Am Acad Dermatol. 2009; 60(4):643-59. Available at: <https://www.aad.org/practicecenter/quality/clinical-guidelines>. Accessed June 12, 2019.
- 89 Available at: www.clinicalpharmacology.com. Accessed May 7, 2019.
- 90 Available at: www.clinicalpharmacology.com. Accessed May 7, 2019.
- 91 Alclometasone [package insert]. Mahwah, NJ; Glenmark Pharmaceuticals; September 2014. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=63e635e0-65d8-4b30-9f2a-ab16deba90bd>. Accessed April 29, 2019.
- 92 Desonate [package insert]. Wayne, NJ; Bayer; July 2014.
- 93 Available at: www.clinicalpharmacology.com. Accessed May 7, 2019.
- 94 Verdeso [package insert]. San Antonio, TX; Almirall; April 2019.
- 95 Texacort [package insert]. Doylestown, PA; Mission; March 2012.
- 96 Luxiq [package insert]. Morgantown, WV; Mylan; April 2018.
- 97 Cloderm [package insert]. Charleston, SC; Epi Health; May 3, 2019.
- 98 Synalar [package insert]. Fairfield, NJ; Medimetriks; April 2017.
- 99 Cordran/SP [package insert]. Corona, CA; Aqua; August 2013.
- 100 Cordran Tape [package insert]. St Paul, MN; Allergan; May 2018
- 101 Nolix Cream [package insert]. Austin TX; Artesa; August 2017.
- 102 Cutivate [package insert]. Pittsburgh, PA; PharmaDerm; February 2015.
- 103 Pandel [package insert]. Duluth, GA; PharmaDerm; March 2019.
- 104 Topicort [package insert]. Hawthorne, NY; Taro; January 2016.
- 105 Locoid [package insert]. Cranford, NJ; Onset Dermatologics; November 2014.
- 106 Hydrocortisone valerate. Available at: <https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=HYDROCORTISONE+VALERATE&pagesize=50&page=1&audience=consumer>. Accessed May 7, 2019.
- 107 Elocon [package insert]. Whitehall Station, NJ; Merck; May 2018.
- 108 Diprolene AF [package insert]. Whitehouse Station, NJ; Merck; May 2019.
- 109 Capex Shampoo [package insert]. Fort Worth, TX; Galderma; December 2015.
- 110 Derma-Smoothe/FS [package insert]. Sanford, FL; Hill Dermaceuticals; January 2014.
- 111 Derma-Smoothe/FS [package insert]. Sanford, FL; Hill Dermaceuticals; January 2014.
- 112 Vanos [package insert]. Scottsdale, AZ; Medicis; May 2017.
- 113 Halog [package insert]. Princeton, NJ; Ranbaxy; May 2018.
- 114 Clobex [package insert]. Fort Worth, TX; Galderma; December 2018.
- 115 Temovate [package insert]. Pittsburgh, PA; GlaxoSmithKline; April 2012.

-
- 116 Cormax [package insert]. Corona, CA; Watson; January 2010.
- 117 Olux [package insert]. Morgantown, WV; Mylan; April 2018.
- 118 Ultravate [package insert]. Princeton, NJ; Bristol Myers Squibb; August 2012.
- 119 Momexin [package insert]. Charleston, SC; JSJ; December 2011.
- 120 Menter A, Korman NJ, Elmets CA, et al. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 3. Guidelines of care for the management and treatment of psoriasis with topical therapies. *J Am Acad Dermatol.* 2009; 60(4):643-59. Available at: <https://www.aad.org/practicecenter/quality/clinical-guidelines>. Accessed June 12, 2019.
- 121 DermacinRx SilaPak [package insert]. San Fernando, CA; PureTek; August 2015.
- 122 DermacinRx Silazone [package insert]. San Fernando, CA; PureTek; December 2015.
- 123 Sernivo [package insert]. Princeton, NJ; Promius; February 2016.
- 124 Ultravate lotion [package insert]. Jacksonville, FL; Ranbaxy; March 2018.
- 125 NoxiPak Kit [package insert]. Peoria, AZ; Solutech; November 2017.
- 126 Xilapak [package insert]. Peoria, AZ; Solutech; November 2017.
- 127 MiCort HC [package insert]. Roswell, GA; Sebelia; December 2017.
- 128 Tridesilon. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=30d60cbc-fba8-7209-e054-00144ff8d46c>. Accessed April 29, 2019.
- 129 Ellzia Pak. San Fernando, CA; PureTek; December 2016.
- 130 Impoyz [package insert]. San Antonio, TX; Promius; November 2017.
- 131 Halobetasol propionate topical foam [package insert]. Easton, MA; Pharmasol; May 2018.
- 132 Bryhali [package insert]. Bridgewater, NJ; Valeant; November 2018.
- 133 Available at: www.clinicalpharmacology.com. Accessed September 24, 2018.
- 134 Alclometasone [package insert]. Mahwah, NJ; Glenmark Pharmaceuticals; September 2014. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=63e635e0-65d8-4b30-9f2a-ab16deba90bd>. Accessed April 29, 2019.
- 135 Desonate [package insert]. Wayne, NJ; Bayer; July 2014.
- 136 Available at: www.clinicalpharmacology.com. Accessed May 7, 2019.
- 137 Verdeso [package insert]. San Antonio, TX; Almirall; April 2019.
- 138 Texacort [package insert]. Doylestown, PA; Mission; March 2012.
- 139 Luxiq [package insert]. Morgantown, WV; Mylan; April 2018.
- 140 Cloderm [package insert]. Charleston, SC; Epi Health; May 3, 2019.
- 141 Synalar [package insert]. Fairfield, NJ; Medimetriks; April 2017.
- 142 Cordran/SP [package insert]. Corona, CA; Aqua; August 2013.
- 143 Cordran Tape [package insert]. St Paul, MN; Allergan; May 2018
- 144 Nolix Cream [package insert]. Austin TX; Artesa; August 2017.
- 145 Cutivate [package insert]. Pittsburgh, PA; PharmaDerm; February 2015.
- 146 Pandel [package insert]. Duluth, GA; PharmaDerm; March 2019.
- 147 Topicort [package insert]. Hawthorne, NY; Taro; January 2016.
- 148 Locoid [package insert]. Cranford, NJ; Onset Dermatologics; November 2014.
- 149 Hydrocortisone valerate. Available at: <https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=HYDROCORTISONE+VALERATE&pagesize=50&page=1&audience=consumer>. Accessed May 7, 2019.
- 150 Elocon [package insert]. Whitehall Station, NJ; Merck; May 2018.
- 151 Diprolene AF [package insert]. Whitehouse Station, NJ; Merck; May 2019.
- 152 Capex Shampoo [package insert]. Fort Worth, TX; Galderma; December 2015.
- 153 Derma-Smoothe/FS [package insert]. Sanford, FL; Hill Dermaceuticals; January 2014.
- 154 Derma-Smoothe/FS [package insert]. Sanford, FL; Hill Dermaceuticals; January 2014.
- 155 Vanos [package insert]. Scottsdale, AZ; Medicis; May 2017.
- 156 Halog [package insert]. Princeton, NJ; Ranbaxy; May 2018.
- 157 Clobex [package insert]. Fort Worth, TX; Galderma; December 2018.
- 158 Temovate [package insert]. Pittsburgh, PA; GlaxoSmithKline; April 2012.
- 159 Cormax [package insert]. Corona, CA; Watson; January 2010.
- 160 Olux [package insert]. Morgantown, WV; Mylan; April 2018.
- 161 Ultravate [package insert]. Princeton, NJ; Bristol Myers Squibb; August 2012.
- 162 Momexin [package insert]. Charleston, SC; JSJ; December 2011.
- 163 Menter A, Korman NJ, Elmets CA, et al. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 3. Guidelines of care for the management and treatment of psoriasis with topical therapies. *J Am Acad Dermatol.* 2009; 60(4):643-59. Available at: <https://www.aad.org/practicecenter/quality/clinical-guidelines>. Accessed June 12, 2019.
- 164 DermacinRx SilaPak [package insert]. San Fernando, CA; PureTek; August 2015.
- 165 DermacinRx Silazone [package insert]. San Fernando, CA; PureTek; December 2015.
- 166 Sernivo [package insert]. Princeton, NJ; Promius; February 2016.
- 167 Ultravate lotion [package insert]. Jacksonville, FL; Ranbaxy; March 2018.
- 168 NoxiPak Kit [package insert]. Peoria, AZ; Solutech; November 2017.
- 169 Xilapak [package insert]. Peoria, AZ; Solutech; November 2017.
- 170 MiCort HC [package insert]. Roswell, GA; Sebelia; December 2017.
-

- 171 Tridesilon. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=30d60cbc-fba8-7209-e054-00144ff8d46c>. Accessed April 29, 2019.
- 172 Ellzia Pak. San Fernando, CA; PureTek; December 2016.
- 173 Impoyz [package insert]. San Antonio, TX; Promius; November 2017.
- 174 Halobetasol propionate topical foam [package insert]. Easton, MA; Pharmasol; May 2018.
- 175 Bryhali [package insert]. Bridgewater, NJ; Valeant; November 2018.
- 176 Coondoo A, Chattopadhyay C. Drug interactions in dermatology: what the dermatologist should know. *Indian J Dermatol*. 2013 Jul-Aug; 58(4): 249–254.
- 177 Alclometasone [package insert]. Mahwah, NJ; Glenmark Pharmaceuticals; September 2014. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=63e635e0-65d8-4b30-9f2a-ab16deba90bd>. Accessed April 29, 2019.
- 178 Desonate [package insert]. Wayne, NJ; Bayer; July 2014.
- 179 Desowen. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=a7e5f030-b849-4805-94e6-f45631eaa37f>. Accessed April 29, 2019.
- 180 Verdeso [package insert]. San Antonio, TX; Almirall; April 2019.
- 181 Capex Shampoo [package insert]. Fort Worth, TX; Galderma; December 2015.
- 182 Derma-Smoothe/FS [package insert]. Sanford, FL; Hill Dermaceuticals; January 2014.
- 183 Texacort [package insert]. Doylestown, PA; Mission; March 2012.
- 184 Ala-Cort. Available at: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=de000081-a245-4f6b-9e7c-e47d84b82338&type=display>. Accessed May 7, 2019.
- 185 Pediaiderm HC [package insert]. Raleigh, NC; Arbor; October 2013.
- 186 Pediaiderm TA. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ccfbdc06-b18b-4291-9497-8d005bca9591>. Accessed May 6, 2019..
- 187 Luxiq [package insert]. Morgantown, WV; Mylan; April 2018.
- 188 Betamethasone valerate. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=0b386ccc-a2d4-4d18-a2d7-e46ff894c674>. Accessed September 24, 2018.
- 189 Cloderm [package insert]. Charleston, SC; Epi Health; May 3, 2019.
- 190 Synalar. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=5af2e4c1-082b-48a0-aae7-72d4a68cbb2d>. Accessed May 3, 2019.
- 191 Cordran Cream and Ointment [package insert]. Corona, CA; Aqua; June 2014.
- 192 Cordran Lotion [package insert]. Corona, CA; Aqua; July 2016.
- 193 Cordran Tape [package insert]. St Paul, MN; Allergan; May 2018
- 194 Nolix Cream [package insert]. Austin TX; Artesa; August 2017.
- 195 Nolix Lotion: Available at: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=50212234-8595-0ac7-e054-00144ff8d46c&type=display>. Accessed May 3, 2019.
- 196 Cutivate [package insert]. Pittsburgh, PA; PharmaDerm; February 2015.
- 197 Locoid [package insert]. Cranford, NJ; Onset Dermatologics; November 2014.
- 198 Pandel [package insert]. Duluth, GA; PharmaDerm; March 2019.
- 199 Hydrocortisone valerate. Available at: <https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=HYDROCORTISONE+VALERATE&pagesize=50&page=1&audience=consumer>. Accessed May 7, 2019.
- 200 Elocon [package insert]. Whitehall Station, NJ; Merck; May 2018.
- 201 Dermatop. Available at: <https://medlibrary.org/lib/rx/meds/dermatop-2/>. Accessed May 6, 2019.
- 202 Amcinonide. Available at: <https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=amcinonide>. Accessed May 7, 2019.
- 203 Diprolene ointment [package insert]. Whitehouse Station, NJ; Merck; March, 2018.
- 204 Diprolene AF [package insert]. Whitehouse Station, NJ; Merck; May 2019.
- 205 Topicort [package insert]. Hawthorne, NY; Taro; January 2016.
- 206 Topicort Topical Spray [package insert]. Hawthorne, NY; Taro; December 2015.
- 207 Fluocinonide. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=b0bc89a9-c9d5-4adb-9785-2d4487c4c656>. Accessed September 24, 2018.
- 208 Vanos [package insert]. Scottsdale, AZ; Medicis; May 2017.
- 209 Halog [package insert]. Princeton, NJ; Ranbaxy; May 2018.
- 210 Trianex. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=cde13809-a606-12ca-aece-f2ae594baa71>. May 6, 2019.
- 211 Triderm. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=2c7fee2c-6f57-4de4-8803-98c0b31b07c3>. Accessed May 9, 2019. 2018.
- 212 DermacinRx SilaPak [package insert]. San Fernando, CA; PureTek; June 2015.
- 213 Clobex [package insert]. Fort Worth, TX; Galderma; December 2018.
- 214 Cloderm [package insert]. Charleston, SC; Epi Health; May 2019.
- 215 Temovate [package insert]. Pittsburgh, PA; GlaxoSmithKline; April 2012.
- 216 Cormax [package insert]. Corona, CA; Watson; January 2010.
- 217 Temovate E [package insert]. Melville, NY; Melville, NY; November 2014.
- 218 Olux [package insert]. Morgantown, WV; Mylan; April 2018.
- 219 Psorcon [package insert]. Kalamazoo, MI; Dermik; October 2017.
- 220 Ultravate [package insert]. Princeton, NJ; Bristol Myers Squibb; August 2012.
- 221 DermacinRx Silazone [package insert]. San Fernando, CA; PureTek; December 2015.

222 Silazone-II. Available at: <https://fdb.rxlist.com/drugs/drug-171078-Silazone-II+topical.aspx?drugid=171078&drugname=Silazone-II+topical&source=0>. Accessed May 7, 2019.

223 Sernivo [package insert]. Princeton, NJ; Promius; February 2016.

224 Ultravate lotion [package insert]. Jacksonville, FL; Ranbaxy; March 2018.

225 NoxiPak Kit [package insert]. Peoria, AZ; Solutech; November 2017.

226 Xilapak [package insert]. Peoria, AZ; Solutech; November 2017.

227 MiCort HC [package insert]. Roswell, GA; Sebela; December 2017.

228 Tridesilon. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=30d60cbc-fba8-7209-e054-00144ff8d46c>. Accessed April 29, 2019.

229 Ellzia Pak. San Fernando, CA; PureTek; December 2016.

230 Impoyz [package insert]. San Antonio, TX; Promius; November 2017.

231 Silalite Pak. Available at: <https://medlibrary.org/lib/rx/meds/silalite-pak/>. Accessed May 7, 2019.

232 Halobetasol propionate topical foam [package insert]. Easton, MA; Pharmasol; May 2018.

233 Hydrocortisone with Aloe. Available at: <https://www.drugs.com/cdi/hydrocortisone-with-aloee-cream-gel-and-ointment.html>. Accessed May 8, 2019.

234 Bryhali [package insert]. Bridgewater, NJ; Valeant; November 2018.

235 Alclometasone [package insert]. Mahwah, NJ; Glenmark Pharmaceuticals; September 2014. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=63e635e0-65d8-4b30-9f2a-ab16deba90bd>. Accessed April 29, 2019.

236 Desonate [package insert]. Wayne, NJ; Bayer; July 2014.

237 Verdeso [package insert]. San Antonio, TX; Almirall; April 2019.

238 Texacort [package insert]. Doylestown, PA; Mission; March 2012.

239 Luxiq [package insert]. Morgantown, WV; Mylan; April 2018.

240 Cloderm [package insert]. Charleston, SC; Epi Health; May 2019.

241 Synalar [package insert]. Fairfield, NJ; Medimetriks; April 2017.

242 Cordran/SP [package insert]. Corona, CA; Aqua; August 2013.

243 Cordran Tape [package insert]. St Paul, MN; Allergan; May 2018.

244 Nolix Cream [package insert]. Austin TX; Artesa; August 2017.

245 Cutivate [package insert]. Pittsburgh, PA; GlaxoSmithKline; February 2015.

246 Locoid [package insert]. Cranford, NJ; Onset Dermatologics; November 2014.

247 Pandel [package insert]. Duluth, GA; PharmaDerm; March 2019.

248 Topicort [package insert]. Hawthorne, NY; Taro; January 2016.

249 Hydrocortisone valerate. Available at: <https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=HYDROCORTISONE+VALERATE&pagesize=50&page=1&audience=consumer>. Accessed May 7, 2019.

250 Elocon [package insert]. Whitehall Station, NJ; Merck; May 2018.

251 Diprolene AF [package insert]. Whitehouse Station, NJ; Merck; May 2019.

252 Topicort [package insert]. Hawthorne, NY; Taro; January 2016.

253 Capex Shampoo [package insert]. Fort Worth, TX; Galderma; December 2015.

254 Derma-Smoothe/FS [package insert]. Sanford, FL; Hill Dermaceuticals; January 2014.

255 Derma-Smoothe/FS [package insert]. Sanford, FL; Hill Dermaceuticals; January 2010.

256 Vanos [package insert]. Scottsdale, AZ; Medicis; December 2011.

257 Halog [package insert]. Princeton, NJ; Ranbaxy; May 2018.

258 Clobex [package insert]. Fort Worth, TX; Galderma; December 2018.

259 Temovate [package insert]. Pittsburgh, PA; GlaxoSmithKline October 2008.

260 Cormax [package insert]. Corona, CA; Watson; January 2010.

261 Olux [package insert]. Morgantown, WV; Mylan; April 2018.

262 Ultravate [package insert]. Princeton, NJ; Bristol Myers Squibb; August 2012.

263 Momexin [package insert]. Charleston, SC; JSJ; December 2011.

264 Topicort Topical Spray [package insert]. Hawthorne, NY; Taro; December 2015.

265 DermacinRx SilaPak [package insert]. San Fernando, CA; PureTek; June 2015.

266 DermacinRx Silazone [package insert]. San Fernando, CA; PureTek; December 2015.

267 Silazone-II. Available at: <https://fdb.rxlist.com/drugs/drug-171078-Silazone-II+topical.aspx?drugid=171078&drugname=Silazone-II+topical&source=0>. Accessed May 7, 2019.

268 Sernivo [package insert]. Princeton, NJ; Promius; February 2016.

269 Ultravate lotion [package insert]. Jacksonville, FL; Ranbaxy; March 2018.

270 MiCort HC [package insert]. Roswell, GA; Sebela; December 2017.

271 Tridesilon. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=30d60cbc-fba8-7209-e054-00144ff8d46c>. Accessed April 29, 2019.

272 Ellzia Pak. San Fernando, CA; PureTek; December 2016.

273 Impoyz [package insert]. San Antonio, TX; Promius; November 2017.

274 Silalite Pak. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ed5d4e2e-a8c2-4218-9f14-8f2dbab7c3fc>. Accessed October 2, 2018.

275 Halobetasol propionate topical foam [package insert]. Easton, MA; Pharmasol; May 2018.

276 Bryhali [package insert]. Bridgewater, NJ; Valeant; November 2018.

277 Bryhali. Available at: <https://www.bryhali.com/hcp>. Accessed April 22, 2019.

278 Available at: www.clinicalpharmacology.com. Accessed September 24, 2018.

279 Derma-Smoothe/FS [package insert]. Sanford, FL; Hill Dermaceuticals; January 2014.

280 Synalar [package insert]. Fairfield, NJ; Medimetriks; April 2017.

281 Synalar TS [package insert]. Fairfield, NJ; Medimetriks; December 2017. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=b48f3e2f-f92d-41b1-8e99-08f0b72c4672>. Accessed May 3, 2019.

282 Xilapak [package insert]. Peoria, AZ; Solutech; November 2017.

283 NoxiPak Kit [package insert]. Peoria, AZ; Solutech; November 2017.

284 Dermasorb HC. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=eaaf8c06-6aac-4488-a4be-2f8912e30363>. Accessed April 29, 2019.

285 Betamethasone dipropionate cream [package insert]. Parsippany, NJ; Actavis; June 2015. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=ab332791-461b-4396-9b46-7f00bc04c087>. Accessed May 7, 2019.

286 Betamethasone dipropionate lotion [package insert]. Bronx, NY; Perrigo; February 2018. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=e6018480-7788-472d-a2d1-ccccffcd258e>. Accessed May 7, 2019.

287 Sernivo [package insert]. Princeton, NJ; Promius; February 2016.

288 Topicort Topical Spray [package insert]. Hawthorne, NY; Taro; December 2015.

289 Dermasorb TA. Available at: <https://dailymed.nlm.nih.gov/dailymed/index.cfm>
<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=5b1d1510-118f-4b82-9119-386d572971d2>. Accessed May 7, 2019.

290 DermacinRx SilaPak [package insert]. San Fernando, CA; PureTek; August 2015.

291 DermacinRx Silazone [package insert]. San Fernando, CA; PureTek; December 2015.

292 Silazone-II. Available at: <https://fdbrxlist.com/drugs/drug-171078-Silazone-II+topical.aspx?drugid=171078&drugname=Silazone-II+topical&source=0>. Accessed May 7, 2019.

293 Psorcon [package insert]. Dermik Laboratories; January 2009.

294 Alclometasone [package insert]. Mahwah, NJ; Glenmark Pharmaceuticals; September 2014. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=63e635e0-65d8-4b30-9f2a-ab16deba90bd>. Accessed April 29, 2019.

295 Desonate [package insert]. Wayne, NJ; Bayer; July 2014.

296 Verdeso [package insert]. San Antonio, TX; Almirall; April 2019.

297 Texacort [package insert]. Doylestown, PA; Mission; March 2012.

298 Luxiq [package insert]. Morgantown, WV; Mylan; April 2018.

299 Cloderm [package insert]. Charleston, SC; Epi Health; May 2019.

300 Synalar [package insert]. Fairfield, NJ; Medimetriks; April 2017.

301 Cordran/SP [package insert]. Corona, CA; Aqua; August 2013.

302 Cordran Tape [package insert]. St Paul, MN; Allergan; May 2018.

303 Nolix Cream [package insert]. Austin TX; Artesa; August 2017.

304 Nolix Lotion: Available at: <https://dailymed.nlm.nih.gov/dailymed/fda/fdaDrugXsl.cfm?setid=50212234-8595-0ac7-e054-00144ff8d46c&type=display>. Accessed May 3, 2019.

305 Cutivate [package insert]. Pittsburgh, PA; PharmaDerm; February 2015.

306 Pandel [package insert]. Duluth, GA; PharmaDerm; March 2019.

307 Topicort [package insert]. Hawthorne, NY; Taro; January 2016.

308 Locoid [package insert]. Cranford, NJ; Onset Dermatologics; November 2014.

309 Hydrocortisone valerate. Available at: <https://dailymed.nlm.nih.gov/dailymed/search.cfm?labeltype=all&query=HYDROCORTISONE+VALERATE&pagesize=50&page=1&audience=consumer>. Accessed May 7, 2019.

310 Elocon [package insert]. Whitehall Station, NJ; Merck; May 2018.

311 Diprolene AF [package insert]. Whitehouse Station, NJ; Merck; May 2019.

312 Capex Shampoo [package insert]. Fort Worth, TX; Galderma; December 2015.

313 Vanos [package insert]. Scottsdale, AZ; Medicis; May 2017.

314 Halog [package insert]. Princeton, NJ; Ranbaxy; May 2018.

315 Clobex [package insert]. Fort Worth, TX; Galderma; December 2018.

316 Temovate [package insert]. Pittsburgh, PA; GlaxoSmithKline; April 2012.

317 Cormax [package insert]. Corona, CA; Watson; January 2010.

318 Olux [package insert]. Morgantown, WV; Mylan; April 2018.

319 Ultravate [package insert]. Princeton, NJ; Bristol Myers Squibb; August 2012.

320 Momexin [package insert]. Charleston, SC; JSJ; December 2011.

321 Ultravate lotion [package insert]. Jacksonville, FL; Ranbaxy; March 2018.

322 MiCort HC [package insert]. Roswell, GA; Sebela; December 2017.

323 Tridesilon. Available at: <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=30d60cbc-fba8-7209-e054-00144ff8d46c>. Accessed April 29, 2019.

324 Elzia Pak. San Fernando, CA; PureTek; December 2016.

325 Impoyz [package insert]. San Antonio, TX; Promius; November 2017.

326 Silalite Pak. Available at: <https://medlibrary.org/lib/rx/meds/silalite-pak/>. Accessed May 7, 2019.

327 Halobetasol propionate topical foam [package insert]. Easton, MA; Pharmasol; May 2018.

328 Hydrocortisone with Aloe. Available at: <https://www.drugs.com/cdi/hydrocortisone-with-aloe-cream-gel-and-ointment.html>. Accessed May 8, 2019.

329 Bryhali lotion [package insert]. Bridgewater, NJ; Valeant; November 2018.

-
- 330 Thomas KS, Armstrong S, Avery A, et al. Randomized controlled trial of short bursts of a potent topical corticosteroid versus prolonged use of a mild preparation for children with mild or moderate atopic eczema. *BMJ*. 2002; 324(7340):768.
- 331 Hanifin J, Gupta AK, Rajagopalan R. Intermittent dosing of fluticasone propionate cream for reducing the risk of relapse in atopic dermatitis patients. *Br J Dermatol*. 2002; 147(3):528-537.
- 332 Lassus A. Clinical comparison of alclometasone dipropionate cream 0.05% with hydrocortisone butyrate cream 0.1% in the treatment of atopic dermatitis in children. *J Int Med Res*. 1983; 11(5):315-319.
- 333 Jacobson C, Cornell RC, Savin RC. A comparison of clobetasol propionate 0.05 percent ointment and an optimized betamethasone dipropionate 0.05 percent ointment in the treatment of psoriasis. *Cutis*. 1986; 37(3):213-220.
- 334 Afzelius HW, Jacobsen KU. A double-blind controlled trial of betamethasone dipropionate 0.05% (Diproderm) in comparison with fluocinolone acetonide 0.025% (Synalar) in psoriasis and other steroid-responsive dermatoses. *J Int Med Res*. 1979; 7(5):411-414.
- 335 Delescluse J, van der Endt JD. A comparison of the safety, tolerability, and efficacy of fluticasone propionate ointment, 0.005%, and betamethasone-17,21-dipropionate ointment, 0.05%, in the treatment of eczema. *Cutis*. 1996; 57(2 Suppl):32-38.
- 336 Roberts DT. Comparison of fluticasone propionate ointment, 0.005%, and betamethasone-17, 21-dipropionate ointment, 0.05%, in the treatment of psoriasis. *Cutis*. 1996; 57(2 Suppl):27-31.
- 337 Juhlin L. Comparison of fluticasone propionate cream, 0.05%, and hydrocortisone-17-butyrate cream, 0.1%, in the treatment of eczema. *Cutis*. 1996; 57(2 Suppl):51-56.
- 338 Nurnberger FG. A comparison of fluticasone propionate ointment, 0.005%, and hydrocortisone-17-butyrate ointment, 0.1%, in the treatment of psoriasis. *Cutis*. 1996; 57(2 Suppl):39-44.
- 339 Kirkup ME, Birchall NM, Weinberg EG, et al. Acute and maintenance treatment of atopic dermatitis in children - two comparative studies with fluticasone propionate (0.05%) cream. *J Dermatolog Treat*. 2003; 14(3):141-148.
- 340 Mensing H, Korsukewitz G, Yawalkar S. A double-blind, multicenter comparison between 0.05% halobetasol propionate ointment and 0.05% betamethasone dipropionate ointment in chronic plaque psoriasis. *J Am Acad Dermatol*. 1991; 25(6 Pt 2):1149-1152.
- 341 Yawalkar SJ, Schwerzmann L. Double-blind, comparative clinical trials with halobetasol propionate cream in patients with atopic dermatitis. *J Am Acad Dermatol*. 1991; 25(6 Pt 2):1163-1166.
- 342 Blum G, Yawalkar S. A comparative, multicenter, double blind trial of 0.05% halobetasol propionate ointment and 0.1% betamethasone valerate ointment in the treatment of patients with chronic, localized plaque psoriasis. *J Am Acad Dermatol*. 1991; 25(6 Pt 2):1153-1156.
- 343 Veien NK, Hattel T, Justesen O, et al. Hydrocortisone 17-butyrate (Locoid) 0.1% cream versus hydrocortisone (Uniderm) 1% cream in the treatment of children suffering from atopic dermatitis. *J Int Med Res*. 1984; 12(5):310-313.
- 344 Fowler JF Jr, Fransway AF, Jackson JM, et al. Hydrocortisone butyrate 0.1% cream in the treatment of chronic dermatitis. *Cutis*. 2005; 75(2):125-131.
- 345 Bryhali. Available at: <https://www.bryhali.com/hcp/>. Accessed May 3, 2019.