
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



BORDER REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	28
Miscellaneous	32
2 Prevalence Tables	38
Table B-1: All Students	39
Table B-2: Male Students	43
Table B-3: Female Students	47
Table B-4: White Non-Hispanic Students	51
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	107

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	13.7%	16.9%	29.2%	70.8%
Grade 7	6.5%	7.9%	14.6%	85.4%
Grade 8	9.6%	11.6%	22.1%	77.9%
Grade 9	12.6%	15.6%	29.1%	70.9%
Grade 10	16.1%	21.0%	36.7%	63.3%
Grade 11	18.3%	22.4%	36.7%	63.3%
Grade 12	24.7%	29.8%	44.8%	55.2%
Cigarettes?				
All	5.7%	7.7%	17.6%	82.4%
Grade 7	2.3%	3.0%	8.0%	92.0%
Grade 8	3.3%	3.9%	11.5%	88.5%
Grade 9	4.2%	5.7%	15.6%	84.4%
Grade 10	6.2%	9.0%	23.2%	76.8%
Grade 11	9.0%	12.5%	24.3%	75.7%
Grade 12	13.4%	18.0%	31.6%	68.4%
Smokeless Tobacco?				
All	2.2%	3.0%	6.4%	93.6%
Grade 7	0.8%	1.3%	2.6%	97.4%
Grade 8	1.6%	1.9%	4.0%	96.0%
Grade 9	1.9%	2.5%	6.3%	93.7%
Grade 10	2.7%	3.8%	8.6%	91.4%
Grade 11	2.4%	3.6%	6.9%	93.1%
Grade 12	4.7%	6.7%	13.3%	86.7%
Electronic Vapor Products?				
All	7.5%	11.0%	22.1%	77.9%
Grade 7	3.3%	4.9%	10.1%	89.9%
Grade 8	5.9%	8.2%	17.2%	82.8%
Grade 9	7.5%	10.9%	23.2%	76.8%
Grade 10	8.7%	14.0%	28.4%	71.6%
Grade 11	9.3%	13.8%	27.0%	73.0%
Grade 12	12.4%	18.0%	32.3%	67.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 120

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	88.2%	0.5%	1.1%	1.9%	2.3%	2.5%	3.6%
Grade 7	96.3%	0.2%	0.3%	0.6%	0.6%	0.9%	1.1%
Grade 8	93.2%	0.2%	0.5%	0.9%	1.1%	1.3%	2.9%
Grade 9	89.3%	0.2%	0.9%	1.7%	2.3%	2.7%	3.0%
Grade 10	84.5%	0.6%	1.2%	2.1%	2.5%	4.0%	5.1%
Grade 11	83.4%	0.7%	1.4%	3.1%	3.5%	3.5%	4.5%
Grade 12	76.2%	1.5%	2.8%	3.9%	5.4%	3.3%	6.9%

Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	36.8%	20.8%	6.9%	9.4%	11.5%	14.5%
Grade 7	45.8%	30.7%	7.3%	6.1%	5.4%	4.7%
Grade 8	39.4%	26.6%	7.5%	10.1%	9.0%	7.5%
Grade 9	37.0%	20.4%	7.3%	10.8%	11.7%	12.9%
Grade 10	36.5%	14.9%	7.7%	10.3%	14.4%	16.2%
Grade 11	31.2%	14.9%	6.2%	9.1%	17.0%	21.6%
Grade 12	26.4%	12.2%	4.1%	9.5%	14.6%	33.1%

Table T-4: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	72.1%	17.7%	6.6%	2.8%	0.8%
Grade 7	86.6%	9.7%	2.7%	0.6%	0.5%
Grade 8	81.4%	12.7%	4.0%	1.3%	0.6%
Grade 9	71.4%	19.2%	5.7%	2.9%	0.8%
Grade 10	67.0%	20.0%	8.9%	3.4%	0.7%
Grade 11	62.8%	22.7%	9.2%	4.4%	0.8%
Grade 12	54.1%	25.6%	12.8%	5.6%	1.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	80.0%	5.7%	3.8%	0.8%	0.8%	8.7%
Grade 7	80.8%	2.6%	1.7%	0.6%	1.3%	12.9%
Grade 8	82.1%	4.7%	2.8%	0.5%	0.6%	9.4%
Grade 9	79.7%	6.6%	4.3%	0.6%	0.9%	7.9%
Grade 10	81.3%	6.1%	4.0%	1.0%	0.9%	6.7%
Grade 11	79.6%	7.1%	4.2%	0.6%	0.4%	8.1%
Grade 12	75.3%	8.4%	6.9%	2.1%	1.0%	6.3%

Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	69.5%	18.4%	5.5%	1.4%	5.2%
	Grade 7	79.2%	12.3%	2.8%	0.9%	4.7%
	Grade 8	70.3%	17.6%	5.1%	1.3%	5.7%
	Grade 9	66.4%	20.4%	5.8%	1.9%	5.6%
	Grade 10	65.5%	21.8%	6.7%	1.4%	4.6%
	Grade 11	69.1%	18.4%	5.9%	0.8%	5.8%
	Grade 12	65.6%	20.8%	7.6%	1.7%	4.3%
Electronic Vapor Products?						
	All	60.2%	12.2%	11.3%	9.9%	6.4%
	Grade 7	72.5%	10.4%	5.5%	5.1%	6.5%
	Grade 8	61.1%	11.9%	10.8%	9.5%	6.8%
	Grade 9	56.9%	13.2%	12.8%	10.9%	6.1%
	Grade 10	54.4%	12.3%	14.3%	12.6%	6.4%
	Grade 11	58.6%	12.7%	11.7%	10.9%	6.1%
	Grade 12	56.7%	12.4%	13.2%	11.2%	6.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 5 of 120

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	29.5%	34.0%	51.1%	48.9%
Grade 7	14.1%	16.3%	31.4%	68.6%
Grade 8	21.0%	24.0%	43.1%	56.9%
Grade 9	31.3%	36.2%	54.0%	46.0%
Grade 10	36.5%	41.2%	56.8%	43.2%
Grade 11	38.2%	43.6%	60.6%	39.4%
Grade 12	43.3%	51.5%	69.3%	30.7%
Beer?				
All	12.6%	17.7%	40.3%	59.7%
Grade 7	4.3%	5.8%	23.2%	76.8%
Grade 8	8.1%	11.0%	32.7%	67.3%
Grade 9	12.2%	16.9%	42.0%	58.0%
Grade 10	15.7%	22.1%	45.9%	54.1%
Grade 11	17.6%	25.0%	49.2%	50.8%
Grade 12	23.3%	34.1%	57.3%	42.7%
Wine Coolers?				
All	10.1%	14.3%	30.9%	69.1%
Grade 7	3.3%	4.6%	14.2%	85.8%
Grade 8	6.5%	9.1%	23.5%	76.5%
Grade 9	10.4%	14.4%	33.8%	66.2%
Grade 10	12.5%	18.1%	35.1%	64.9%
Grade 11	13.8%	20.4%	39.6%	60.4%
Grade 12	17.7%	25.0%	46.6%	53.4%
Wine?				
All	8.0%	11.7%	31.2%	68.8%
Grade 7	3.7%	5.1%	16.9%	83.1%
Grade 8	5.9%	7.8%	26.0%	74.0%
Grade 9	8.1%	11.2%	33.1%	66.9%
Grade 10	9.2%	14.7%	36.1%	63.9%
Grade 11	9.0%	14.6%	36.6%	63.4%
Grade 12	14.7%	21.4%	44.5%	55.5%
Liquor?				
All	11.3%	16.2%	33.4%	66.6%
Grade 7	2.8%	4.2%	12.4%	87.6%
Grade 8	6.4%	9.3%	23.2%	76.8%
Grade 9	11.4%	15.7%	35.1%	64.9%
Grade 10	14.2%	20.8%	40.7%	59.3%
Grade 11	16.6%	23.7%	45.2%	54.8%
Grade 12	21.7%	31.7%	54.7%	45.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 120

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	66.2%	0.2%	2.4%	6.3%	9.3%	8.7%	6.9%
Grade 7	87.0%	0.2%	0.8%	1.5%	2.8%	3.1%	4.7%
Grade 8	75.5%	0.2%	1.5%	4.2%	6.5%	6.1%	6.1%
Grade 9	64.2%	0.1%	1.7%	6.9%	10.0%	9.4%	7.7%
Grade 10	58.1%	0.2%	3.6%	8.5%	10.7%	10.1%	8.7%
Grade 11	57.2%	0.3%	3.3%	7.6%	13.2%	11.1%	7.3%
Grade 12	44.8%	0.5%	5.1%	11.5%	15.7%	15.0%	7.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	64.7%	35.3%	8.0%	16.9%	10.4%
	Grade 7	81.0%	19.0%	1.9%	8.4%	8.7%
	Grade 8	71.1%	28.9%	4.4%	12.2%	12.3%
	Grade 9	62.8%	37.2%	8.2%	17.3%	11.7%
	Grade 10	59.4%	40.6%	9.6%	22.3%	8.7%
	Grade 11	56.4%	43.6%	12.0%	21.0%	10.6%
	Grade 12	50.3%	49.7%	15.5%	24.9%	9.4%
Wine Coolers						
	All	72.8%	27.2%	4.9%	15.7%	6.6%
	Grade 7	88.1%	11.9%	1.8%	5.9%	4.2%
	Grade 8	79.5%	20.5%	3.2%	10.0%	7.2%
	Grade 9	70.7%	29.3%	4.6%	17.3%	7.4%
	Grade 10	69.6%	30.4%	6.4%	18.4%	5.7%
	Grade 11	63.6%	36.4%	6.3%	22.3%	7.8%
	Grade 12	57.9%	42.1%	9.6%	25.5%	7.0%
Wine						
	All	73.1%	26.9%	2.7%	13.4%	10.7%
	Grade 7	86.0%	14.0%	0.8%	5.9%	7.4%
	Grade 8	78.3%	21.7%	2.0%	9.2%	10.6%
	Grade 9	70.4%	29.6%	2.7%	14.7%	12.2%
	Grade 10	69.8%	30.2%	3.7%	16.3%	10.2%
	Grade 11	67.8%	32.2%	3.3%	16.9%	12.0%
	Grade 12	61.7%	38.3%	5.0%	21.4%	11.9%
Liquor						
	All	69.3%	30.7%	7.5%	15.3%	8.0%
	Grade 7	89.6%	10.4%	1.2%	4.5%	4.7%
	Grade 8	79.4%	20.6%	4.2%	9.1%	7.3%
	Grade 9	67.5%	32.5%	7.3%	15.4%	9.8%
	Grade 10	62.9%	37.1%	9.7%	20.4%	7.0%
	Grade 11	57.4%	42.6%	11.3%	21.1%	10.1%
	Grade 12	48.0%	52.0%	15.0%	28.2%	8.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.0%	4.5%	2.6%	2.4%	0.9%	1.5%
Grade 7	95.4%	2.6%	0.8%	0.6%	0.2%	0.5%
Grade 8	91.8%	3.6%	2.1%	1.0%	0.5%	1.1%
Grade 9	89.2%	4.5%	1.8%	2.4%	0.7%	1.4%
Grade 10	84.1%	5.3%	3.3%	3.5%	2.0%	1.9%
Grade 11	82.7%	5.6%	4.3%	3.7%	1.0%	2.7%
Grade 12	79.8%	6.9%	4.8%	4.9%	1.5%	2.0%

Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.3%	14.2%	5.9%	10.9%	17.6%	22.1%
Grade 7	41.0%	24.0%	6.5%	8.0%	10.1%	10.5%
Grade 8	33.0%	19.2%	5.9%	11.0%	14.4%	16.4%
Grade 9	27.7%	12.4%	6.3%	11.1%	19.9%	22.6%
Grade 10	26.6%	9.3%	6.1%	11.0%	21.1%	25.8%
Grade 11	22.5%	9.7%	5.5%	12.1%	21.2%	29.1%
Grade 12	20.5%	6.8%	4.5%	13.4%	20.5%	34.3%

Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.8%	3.2%	0.6%	0.4%
Grade 7	97.2%	2.2%	0.3%	0.2%
Grade 8	96.3%	3.2%	0.2%	0.3%
Grade 9	95.3%	3.4%	0.8%	0.4%
Grade 10	95.5%	3.4%	0.8%	0.3%
Grade 11	95.4%	3.4%	0.7%	0.5%
Grade 12	94.8%	4.0%	0.7%	0.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-7: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.1
Average Days Conduct Problems Reported	
Alcohol Users	2.6
Alcohol Non-Users	0.8

Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.8%	4.1%	0.6%	0.4%
Grade 9	97.2%	2.3%	0.3%	0.2%
Grade 10	95.8%	3.5%	0.3%	0.4%
Grade 11	93.7%	4.9%	0.8%	0.6%
Grade 12	90.1%	7.7%	1.4%	0.8%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.6%	2.9%	0.3%	0.1%
Grade 7	98.1%	1.6%	0.1%	0.3%
Grade 8	97.4%	2.2%	0.2%	0.2%
Grade 9	96.0%	3.4%	0.6%	0.1%
Grade 10	96.8%	2.9%	0.1%	0.1%
Grade 11	95.5%	3.8%	0.7%	0.1%
Grade 12	95.9%	3.8%	0.3%	0.0%

Table A-9: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	49.7%	23.6%	14.5%	9.2%	3.0%
Grade 7	77.5%	14.2%	5.6%	2.1%	0.6%
Grade 8	63.9%	20.3%	9.7%	4.5%	1.6%
Grade 9	43.7%	26.2%	18.0%	9.7%	2.4%
Grade 10	39.7%	26.7%	17.7%	11.7%	4.2%
Grade 11	34.1%	28.1%	19.4%	14.3%	4.0%
Grade 12	28.5%	28.1%	19.0%	17.1%	7.3%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 10 of 120

Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	52.5%	8.9%	6.6%	9.1%	9.3%	2.5%	11.1%
Grade 7	73.0%	6.7%	4.0%	3.9%	1.9%	2.4%	8.2%
Grade 8	65.1%	9.2%	5.3%	5.7%	3.4%	2.5%	8.9%
Grade 9	47.2%	10.2%	8.5%	11.7%	7.8%	3.0%	11.6%
Grade 10	45.0%	8.8%	8.5%	11.6%	11.0%	3.0%	12.0%
Grade 11	40.5%	10.1%	6.8%	10.2%	16.1%	2.0%	14.3%
Grade 12	36.0%	8.3%	5.8%	12.5%	22.4%	1.8%	13.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	62.0%	20.9%	11.8%	3.9%	1.3%
	Grade 7	73.5%	18.4%	6.3%	1.2%	0.6%
	Grade 8	66.7%	19.5%	9.5%	3.6%	0.8%
	Grade 9	59.7%	22.6%	11.9%	4.5%	1.4%
	Grade 10	58.8%	19.8%	15.2%	4.6%	1.5%
	Grade 11	56.9%	21.7%	15.2%	4.7%	1.6%
	Grade 12	51.8%	24.2%	15.9%	5.8%	2.4%
Friends?						
	All	57.5%	18.1%	11.8%	9.3%	3.2%
	Grade 7	73.3%	19.9%	3.9%	2.4%	0.6%
	Grade 8	66.1%	19.7%	7.7%	5.0%	1.6%
	Grade 9	55.2%	19.3%	13.3%	9.5%	2.7%
	Grade 10	52.6%	16.3%	13.6%	13.2%	4.3%
	Grade 11	49.2%	17.1%	17.2%	11.7%	4.8%
	Grade 12	41.3%	13.9%	19.0%	18.3%	7.4%
A Store?						
	All	60.6%	30.7%	3.9%	3.2%	1.6%
	Grade 7	74.2%	23.2%	1.3%	0.9%	0.4%
	Grade 8	67.1%	27.7%	2.8%	1.6%	0.8%
	Grade 9	58.6%	34.2%	3.1%	3.0%	1.2%
	Grade 10	56.7%	33.6%	5.0%	3.0%	1.7%
	Grade 11	54.1%	32.9%	5.4%	5.2%	2.4%
	Grade 12	46.3%	33.2%	8.4%	7.4%	4.7%
Parties?						
	All	54.0%	14.9%	11.2%	10.7%	9.3%
	Grade 7	69.4%	18.7%	5.4%	4.1%	2.4%
	Grade 8	62.6%	16.3%	9.3%	7.1%	4.7%
	Grade 9	50.0%	15.2%	12.7%	11.9%	10.1%
	Grade 10	49.3%	12.9%	12.7%	13.4%	11.7%
	Grade 11	47.1%	11.6%	14.7%	13.9%	12.8%
	Grade 12	39.2%	12.4%	13.8%	16.5%	18.0%
Other Sources?						
	All	61.4%	22.4%	7.7%	4.8%	3.8%
	Grade 7	73.4%	19.5%	3.8%	2.3%	1.0%
	Grade 8	66.5%	21.5%	6.1%	3.5%	2.5%
	Grade 9	60.2%	23.0%	8.0%	5.3%	3.5%
	Grade 10	57.4%	23.2%	8.8%	5.6%	5.0%
	Grade 11	56.0%	22.7%	9.9%	6.0%	5.4%
	Grade 12	49.0%	25.3%	11.2%	7.2%	7.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	68.1%	11.5%	8.1%	3.0%	1.2%	8.1%
Grade 7	75.2%	6.5%	3.1%	1.6%	1.4%	12.3%
Grade 8	73.4%	8.7%	5.8%	2.0%	0.8%	9.3%
Grade 9	64.2%	14.5%	9.8%	3.4%	1.2%	6.9%
Grade 10	66.8%	12.8%	9.4%	3.6%	1.1%	6.3%
Grade 11	66.5%	12.5%	10.5%	2.7%	0.8%	7.0%
Grade 12	60.9%	14.7%	11.5%	5.0%	1.9%	6.0%

Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	55.9%	26.0%	11.4%	2.6%	4.0%
Grade 7	67.2%	18.7%	8.1%	1.8%	4.2%
Grade 8	56.6%	23.2%	13.0%	2.6%	4.6%
Grade 9	48.0%	31.1%	12.9%	3.4%	4.5%
Grade 10	52.2%	27.8%	13.4%	3.0%	3.6%
Grade 11	58.3%	25.8%	10.2%	2.4%	3.2%
Grade 12	56.2%	28.7%	10.1%	1.9%	3.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 13 of 120

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.4%	16.9%	22.8%	77.2%
Grade 7	5.4%	7.0%	8.2%	91.8%
Grade 8	9.4%	12.0%	14.8%	85.2%
Grade 9	13.2%	16.4%	21.2%	78.8%
Grade 10	17.5%	21.9%	31.1%	68.9%
Grade 11	17.9%	22.3%	31.7%	68.3%
Grade 12	22.4%	28.1%	39.8%	60.2%
Marijuana?				
All	12.8%	15.2%	21.4%	78.6%
Grade 7	4.8%	5.5%	6.8%	93.2%
Grade 8	9.0%	10.4%	13.4%	86.6%
Grade 9	12.8%	15.0%	20.0%	80.0%
Grade 10	16.5%	19.9%	29.3%	70.7%
Grade 11	16.7%	20.1%	30.3%	69.7%
Grade 12	21.7%	26.6%	38.8%	61.2%
Cocaine?				
All	2.4%	2.7%	4.2%	95.8%
Grade 7	1.1%	1.2%	1.4%	98.6%
Grade 8	1.8%	1.9%	2.6%	97.4%
Grade 9	1.9%	2.2%	3.8%	96.2%
Grade 10	3.2%	3.5%	5.1%	94.9%
Grade 11	3.6%	4.1%	6.9%	93.1%
Grade 12	3.8%	4.5%	7.8%	92.2%
Crack?				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	1.1%	1.1%	1.8%	98.2%
Hallucinogens?				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	1.2%	1.7%	3.0%	97.0%
Grade 10	1.1%	1.8%	3.0%	97.0%
Grade 11	0.8%	1.5%	3.7%	96.3%
Grade 12	2.0%	2.6%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 14 of 120

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.8%	0.9%	1.1%	98.9%
Steroids?				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	1.3%	98.7%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.7%	99.3%
Ecstasy?				
All	1.0%	1.6%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.7%	98.3%
Grade 9	0.8%	1.3%	3.5%	96.5%
Grade 10	1.9%	3.0%	4.9%	95.1%
Grade 11	1.6%	3.0%	5.4%	94.6%
Grade 12	1.6%	2.6%	5.8%	94.2%
Heroin?				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.6%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.1%	98.9%
Methamphetamine?				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.5%	0.9%	1.5%	98.5%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.8%	0.9%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 15 of 120

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	2.1%	2.9%	6.5%	93.5%
Grade 7	1.0%	1.5%	2.5%	97.5%
Grade 8	2.1%	2.7%	5.3%	94.7%
Grade 9	2.3%	3.4%	7.1%	92.9%
Grade 10	2.7%	3.6%	7.7%	92.3%
Grade 11	1.7%	3.1%	8.8%	91.2%
Grade 12	2.7%	3.6%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	83.2%	1.6%	2.0%	2.6%	3.1%	3.3%	4.1%
	Grade 7	94.8%	0.4%	0.6%	1.2%	0.9%	0.7%	1.4%
	Grade 8	89.6%	1.1%	1.2%	1.9%	1.6%	2.3%	2.3%
	Grade 9	83.8%	1.5%	1.9%	2.9%	3.2%	3.1%	3.7%
	Grade 10	77.4%	1.9%	2.8%	2.9%	4.8%	4.6%	5.7%
	Grade 11	76.2%	2.7%	2.8%	2.7%	3.5%	5.4%	6.7%
	Grade 12	70.0%	2.8%	3.7%	4.1%	6.4%	5.6%	7.3%
Cocaine?								
	All	97.2%	0.1%	0.2%	0.4%	0.6%	0.6%	0.8%
	Grade 7	99.3%	0.1%	0.1%	0.1%	0.2%	0.0%	0.2%
	Grade 8	98.0%	0.0%	0.0%	0.2%	0.6%	0.5%	0.7%
	Grade 9	97.5%	0.1%	0.1%	0.3%	0.6%	0.8%	0.7%
	Grade 10	96.5%	0.3%	0.2%	0.9%	0.8%	0.5%	0.8%
	Grade 11	95.3%	0.4%	0.1%	0.7%	1.0%	0.9%	1.5%
	Grade 12	95.0%	0.0%	0.8%	0.8%	0.6%	1.2%	1.7%
Crack?								
	All	99.3%	0.0%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.4%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 9	99.2%	0.0%	0.1%	0.2%	0.2%	0.1%	0.2%
	Grade 10	99.3%	0.1%	0.1%	0.1%	0.0%	0.2%	0.2%
	Grade 11	99.1%	0.1%	0.0%	0.1%	0.1%	0.0%	0.4%
	Grade 12	99.2%	0.0%	0.1%	0.0%	0.0%	0.4%	0.2%
Steroids?								
	All	99.5%	0.1%	0.1%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.5%	0.0%	0.1%	0.0%	0.1%	0.0%	0.3%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 9	99.4%	0.2%	0.0%	0.0%	0.1%	0.2%	0.1%
	Grade 10	99.5%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 11	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
Ecstasy?								
	All	97.5%	0.1%	0.1%	0.3%	0.5%	0.7%	0.9%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 8	98.9%	0.0%	0.0%	0.1%	0.2%	0.4%	0.4%
	Grade 9	97.5%	0.1%	0.1%	0.2%	0.6%	0.8%	0.8%
	Grade 10	96.2%	0.2%	0.2%	0.5%	0.9%	0.8%	1.2%
	Grade 11	95.4%	0.0%	0.1%	0.7%	1.2%	1.1%	1.5%
	Grade 12	96.1%	0.1%	0.0%	0.4%	0.6%	1.2%	1.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 120

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 8	99.5%	0.0%	0.0%	0.1%	0.2%	0.0%	0.1%
	Grade 9	99.7%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 10	99.4%	0.1%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 11	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%
Methamphetamine?								
	All	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.3%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.4%	0.3%	0.3%
	Grade 9	99.1%	0.0%	0.0%	0.1%	0.2%	0.2%	0.4%
	Grade 10	99.4%	0.0%	0.2%	0.1%	0.1%	0.1%	0.2%
	Grade 11	99.3%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
	Grade 12	99.0%	0.0%	0.0%	0.0%	0.3%	0.3%	0.4%
Synthetic Marijuana?								
	All	95.5%	0.2%	0.2%	0.6%	0.9%	1.0%	1.6%
	Grade 7	97.9%	0.1%	0.1%	0.3%	0.4%	0.4%	0.7%
	Grade 8	96.3%	0.1%	0.3%	0.7%	0.8%	0.6%	1.2%
	Grade 9	95.0%	0.1%	0.2%	0.6%	1.1%	1.4%	1.7%
	Grade 10	95.0%	0.2%	0.3%	0.7%	0.7%	1.6%	1.4%
	Grade 11	94.5%	0.2%	0.4%	0.4%	1.2%	1.3%	2.1%
	Grade 12	93.7%	0.5%	0.1%	0.6%	0.9%	1.1%	3.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	33.9%	20.2%	6.7%	8.6%	11.7%	19.0%
	Grade 7	45.0%	33.0%	6.6%	5.4%	5.1%	5.0%
	Grade 8	37.2%	27.4%	7.9%	8.3%	8.8%	10.5%
	Grade 9	33.1%	17.6%	7.6%	8.4%	13.1%	20.2%
	Grade 10	31.2%	14.1%	5.8%	10.6%	14.2%	24.1%
	Grade 11	26.7%	13.2%	6.3%	9.7%	15.8%	28.2%
	Grade 12	25.1%	10.5%	4.8%	10.2%	15.9%	33.5%
Cocaine?							
	All	43.1%	27.9%	9.4%	7.8%	5.0%	6.8%
	Grade 7	49.9%	35.9%	7.2%	3.9%	1.5%	1.6%
	Grade 8	44.0%	33.6%	10.0%	5.5%	3.3%	3.6%
	Grade 9	44.0%	27.2%	9.5%	9.1%	5.0%	5.4%
	Grade 10	42.1%	22.8%	10.0%	9.9%	7.1%	8.2%
	Grade 11	37.6%	23.6%	9.6%	9.3%	8.7%	11.1%
	Grade 12	37.0%	19.7%	11.0%	9.9%	6.7%	15.7%
Crack?							
	All	46.5%	28.7%	9.8%	6.6%	3.7%	4.6%
	Grade 7	53.7%	34.7%	6.4%	2.6%	1.5%	1.2%
	Grade 8	46.2%	33.3%	10.0%	4.8%	2.9%	2.7%
	Grade 9	46.5%	28.5%	9.6%	8.0%	3.1%	4.2%
	Grade 10	45.3%	24.8%	11.6%	8.2%	5.3%	4.9%
	Grade 11	42.5%	25.5%	10.1%	9.6%	5.7%	6.6%
	Grade 12	42.6%	21.7%	12.1%	7.5%	5.5%	10.6%
Steroids?							
	All	48.9%	28.4%	8.7%	6.5%	3.9%	3.7%
	Grade 7	54.5%	32.5%	6.4%	3.5%	1.6%	1.5%
	Grade 8	48.0%	32.5%	8.8%	5.4%	2.8%	2.4%
	Grade 9	48.6%	28.7%	8.3%	6.7%	4.5%	3.3%
	Grade 10	49.1%	24.8%	9.4%	7.7%	4.6%	4.4%
	Grade 11	46.0%	25.6%	9.6%	8.7%	5.8%	4.3%
	Grade 12	45.7%	23.2%	10.5%	8.0%	4.7%	7.9%
Ecstasy?							
	All	53.1%	23.9%	7.5%	5.6%	4.7%	5.2%
	Grade 7	64.1%	27.0%	4.9%	2.0%	0.8%	1.2%
	Grade 8	57.1%	26.8%	7.8%	4.0%	2.2%	2.2%
	Grade 9	53.5%	24.8%	6.9%	5.6%	5.1%	4.2%
	Grade 10	48.9%	21.2%	9.0%	8.0%	5.6%	7.3%
	Grade 11	44.1%	21.7%	8.5%	8.8%	9.0%	8.0%
	Grade 12	44.9%	19.1%	8.9%	7.3%	7.5%	12.3%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 19 of 120

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	53.0%	27.6%	8.7%	4.9%	2.6%	3.3%
	Grade 7	60.3%	29.6%	5.5%	2.4%	1.1%	1.2%
	Grade 8	53.8%	30.8%	8.5%	3.3%	1.5%	2.1%
	Grade 9	53.8%	26.9%	8.7%	5.1%	2.9%	2.6%
	Grade 10	51.4%	25.7%	10.4%	6.3%	2.8%	3.4%
	Grade 11	48.4%	25.9%	9.6%	6.9%	4.5%	4.6%
	Grade 12	46.8%	25.2%	10.5%	6.5%	3.2%	7.7%
Methamphetamine?							
	All	54.3%	27.1%	7.8%	4.7%	2.7%	3.4%
	Grade 7	62.6%	29.0%	4.8%	1.7%	0.9%	0.9%
	Grade 8	55.1%	30.2%	7.3%	3.7%	1.8%	2.0%
	Grade 9	54.4%	27.1%	6.8%	5.4%	3.1%	3.1%
	Grade 10	52.7%	25.0%	10.0%	6.2%	2.6%	3.5%
	Grade 11	48.6%	25.6%	10.1%	6.0%	5.2%	4.5%
	Grade 12	49.1%	23.7%	9.7%	5.7%	3.2%	8.6%
Synthetic Marijuana?							
	All	50.2%	22.4%	6.4%	6.0%	5.9%	9.1%
	Grade 7	61.8%	26.1%	4.5%	3.0%	1.7%	2.9%
	Grade 8	52.9%	26.2%	6.4%	5.1%	4.0%	5.4%
	Grade 9	48.8%	23.2%	6.6%	6.2%	6.5%	8.7%
	Grade 10	48.0%	18.9%	6.7%	8.5%	7.8%	10.0%
	Grade 11	43.1%	19.5%	8.2%	6.3%	9.1%	13.8%
	Grade 12	42.7%	16.8%	6.4%	7.8%	7.9%	18.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	93.0%	4.2%	1.1%	1.8%
Grade 7	97.2%	1.9%	0.5%	0.4%
Grade 8	95.0%	3.2%	1.0%	0.8%
Grade 9	92.0%	4.5%	1.4%	2.1%
Grade 10	89.9%	6.5%	1.2%	2.4%
Grade 11	92.0%	4.5%	1.0%	2.5%
Grade 12	90.3%	5.5%	1.4%	2.8%
Attended Class While High from Use of Some Other Drug?				
All	96.9%	2.2%	0.4%	0.6%
Grade 7	98.1%	1.3%	0.1%	0.4%
Grade 8	98.1%	1.4%	0.2%	0.3%
Grade 9	95.6%	3.2%	0.5%	0.8%
Grade 10	96.4%	2.5%	0.4%	0.7%
Grade 11	96.4%	2.5%	0.5%	0.6%
Grade 12	96.9%	1.8%	0.5%	0.8%

Table D-5: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.5
Marijuana Non-Users	3.4
Average Days Conduct Problems Reported	
Marijuana Users	3.9
Marijuana Non-Users	1.1

Percentages have been weighted to reflect proportions within the population.

Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.3%	3.2%	0.5%	0.9%
Grade 9	97.4%	1.9%	0.2%	0.6%
Grade 10	96.0%	3.1%	0.4%	0.5%
Grade 11	94.4%	3.6%	0.8%	1.2%
Grade 12	91.6%	5.6%	1.2%	1.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	97.0%	2.3%	0.4%	0.2%
Grade 7	98.5%	1.2%	0.1%	0.2%
Grade 8	97.0%	2.5%	0.2%	0.3%
Grade 9	96.5%	2.5%	0.8%	0.2%
Grade 10	97.0%	2.3%	0.5%	0.2%
Grade 11	96.5%	2.8%	0.4%	0.2%
Grade 12	96.4%	2.8%	0.5%	0.2%

Table D-7: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	59.0%	19.3%	10.6%	7.9%	3.2%
Grade 7	81.3%	11.3%	4.6%	1.7%	1.1%
Grade 8	69.2%	16.2%	7.0%	5.0%	2.5%
Grade 9	56.7%	20.7%	10.7%	8.3%	3.5%
Grade 10	47.6%	23.7%	14.5%	10.7%	3.5%
Grade 11	46.3%	23.2%	15.4%	12.0%	3.1%
Grade 12	42.9%	23.5%	14.9%	12.3%	6.4%

Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	64.7%	6.5%	4.6%	5.0%	5.1%	3.0%	11.0%
Grade 7	83.3%	3.6%	1.5%	1.0%	1.0%	1.7%	8.0%
Grade 8	75.7%	4.9%	3.1%	2.9%	2.0%	2.5%	8.9%
Grade 9	62.2%	7.8%	6.1%	5.2%	3.4%	3.5%	11.8%
Grade 10	57.7%	7.5%	5.2%	7.3%	6.1%	4.5%	11.8%
Grade 11	51.5%	8.1%	6.0%	7.3%	9.3%	3.5%	14.3%
Grade 12	47.8%	7.7%	6.5%	8.6%	13.8%	2.8%	12.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 22 of 120

Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.7%	4.9%	4.5%	1.3%	1.5%	8.2%
Grade 7	80.8%	2.2%	1.8%	0.7%	1.6%	12.9%
Grade 8	81.7%	3.2%	3.6%	0.7%	1.3%	9.4%
Grade 9	79.6%	5.8%	5.1%	1.3%	1.5%	6.6%
Grade 10	78.8%	5.8%	5.0%	2.1%	1.7%	6.5%
Grade 11	79.1%	6.3%	5.5%	1.2%	1.0%	6.9%
Grade 12	77.1%	6.6%	7.3%	1.8%	1.5%	5.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	62.8%	13.0%	9.6%	10.2%	4.5%
	Grade 7	81.3%	7.6%	3.7%	3.1%	4.4%
	Grade 8	68.9%	11.4%	8.5%	6.1%	5.2%
	Grade 9	58.2%	16.9%	9.1%	10.8%	5.0%
	Grade 10	54.2%	15.4%	12.4%	13.8%	4.1%
	Grade 11	56.1%	12.7%	13.0%	13.8%	4.3%
	Grade 12	52.9%	12.8%	13.7%	17.2%	3.5%
Cocaine?						
	All	86.9%	6.7%	1.0%	0.9%	4.5%
	Grade 7	89.6%	4.7%	0.5%	0.8%	4.4%
	Grade 8	86.4%	6.6%	1.2%	0.6%	5.3%
	Grade 9	85.3%	7.5%	1.1%	1.4%	4.7%
	Grade 10	85.3%	8.5%	1.1%	0.8%	4.3%
	Grade 11	87.9%	6.1%	1.2%	0.6%	4.3%
	Grade 12	88.0%	7.0%	0.8%	0.7%	3.6%
Crack?						
	All	87.9%	5.6%	0.7%	0.7%	5.0%
	Grade 7	88.7%	4.6%	0.8%	0.8%	5.1%
	Grade 8	86.4%	5.9%	1.1%	0.5%	6.0%
	Grade 9	86.3%	6.7%	0.5%	1.2%	5.3%
	Grade 10	87.8%	6.6%	0.7%	0.6%	4.3%
	Grade 11	90.0%	4.4%	0.8%	0.3%	4.5%
	Grade 12	90.3%	4.9%	0.4%	0.6%	3.8%
Ecstasy?						
	All	83.5%	6.8%	1.6%	1.1%	7.0%
	Grade 7	86.4%	3.8%	0.7%	0.6%	8.5%
	Grade 8	82.5%	5.8%	1.4%	0.7%	9.5%
	Grade 9	82.6%	7.1%	2.0%	1.5%	6.8%
	Grade 10	81.1%	10.1%	1.7%	1.5%	5.6%
	Grade 11	84.9%	7.1%	1.9%	0.9%	5.2%
	Grade 12	84.2%	8.2%	1.8%	0.9%	4.8%
Steroids?						
	All	80.4%	9.6%	2.6%	1.1%	6.3%
	Grade 7	82.9%	7.2%	2.3%	0.8%	6.9%
	Grade 8	78.7%	9.4%	3.1%	1.2%	7.6%
	Grade 9	79.6%	10.3%	2.0%	1.5%	6.6%
	Grade 10	77.7%	12.5%	3.2%	1.3%	5.4%
	Grade 11	83.2%	8.4%	2.2%	0.9%	5.2%
	Grade 12	81.3%	10.1%	3.1%	0.6%	4.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 24 of 120

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	88.2%	4.6%	0.6%	0.6%	5.9%
	Grade 7	87.3%	4.2%	0.8%	0.5%	7.2%
	Grade 8	85.7%	5.3%	0.9%	0.6%	7.4%
	Grade 9	87.5%	5.2%	0.5%	0.8%	6.0%
	Grade 10	89.0%	4.9%	0.6%	0.6%	4.9%
	Grade 11	91.0%	3.4%	0.3%	0.5%	4.7%
	Grade 12	91.0%	3.8%	0.5%	0.4%	4.3%
Methamphetamine?						
	All	88.6%	4.1%	0.6%	0.6%	6.0%
	Grade 7	87.9%	3.4%	0.7%	0.6%	7.3%
	Grade 8	86.4%	4.5%	1.0%	0.5%	7.7%
	Grade 9	87.8%	5.1%	0.5%	0.8%	5.8%
	Grade 10	90.0%	3.7%	0.6%	0.7%	4.9%
	Grade 11	90.9%	3.1%	0.4%	0.5%	5.1%
	Grade 12	90.8%	3.8%	0.7%	0.5%	4.3%
Synthetic Marijuana?						
	All	83.3%	7.0%	1.8%	1.5%	6.4%
	Grade 7	86.5%	4.6%	1.1%	1.1%	6.7%
	Grade 8	80.8%	7.0%	2.5%	1.4%	8.3%
	Grade 9	82.0%	7.4%	2.0%	1.9%	6.7%
	Grade 10	82.2%	8.7%	2.0%	1.7%	5.4%
	Grade 11	85.6%	6.5%	1.5%	1.4%	5.1%
	Grade 12	83.8%	8.0%	1.8%	1.1%	5.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.8%	10.2%	14.9%	85.1%
Grade 7	6.5%	8.3%	12.1%	87.9%
Grade 8	7.8%	10.0%	14.3%	85.7%
Grade 9	9.0%	11.5%	16.4%	83.6%
Grade 10	7.7%	10.1%	15.7%	84.3%
Grade 11	6.5%	9.7%	13.9%	86.1%
Grade 12	9.2%	11.5%	16.5%	83.5%
Codeine Cough Syrup?				
All	5.0%	6.7%	10.7%	89.3%
Grade 7	3.6%	4.7%	8.2%	91.8%
Grade 8	4.7%	6.6%	10.1%	89.9%
Grade 9	5.8%	7.2%	11.2%	88.8%
Grade 10	4.9%	6.5%	11.2%	88.8%
Grade 11	4.5%	7.0%	10.3%	89.7%
Grade 12	6.4%	8.9%	13.7%	86.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.1%	1.6%	2.6%	97.4%
Grade 7	0.3%	0.6%	1.0%	99.0%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	1.1%	1.7%	3.0%	97.0%
Grade 10	1.1%	1.7%	2.6%	97.4%
Grade 11	1.5%	2.2%	3.5%	96.5%
Grade 12	2.3%	3.3%	4.8%	95.2%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.3%	2.0%	3.1%	96.9%
Grade 7	0.5%	0.7%	0.9%	99.1%
Grade 8	0.6%	1.1%	1.8%	98.2%
Grade 9	1.8%	2.3%	3.5%	96.5%
Grade 10	1.4%	2.5%	4.2%	95.8%
Grade 11	1.7%	2.7%	4.2%	95.8%
Grade 12	1.9%	3.0%	4.5%	95.5%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.7%	1.0%	1.9%	98.1%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.8%	1.1%	2.5%	97.5%
Grade 10	0.7%	0.9%	1.6%	98.4%
Grade 11	0.7%	1.4%	2.3%	97.7%
Grade 12	1.7%	2.0%	2.8%	97.2%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.5%	4.6%	7.5%	92.5%
Grade 7	4.0%	4.8%	7.2%	92.8%
Grade 8	3.7%	4.7%	7.8%	92.2%
Grade 9	4.6%	6.4%	9.9%	90.1%
Grade 10	3.3%	3.7%	6.9%	93.1%
Grade 11	2.1%	3.5%	5.9%	94.1%
Grade 12	2.4%	2.8%	4.6%	95.4%

Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.7%	2.2%	3.7%	96.3%
Grade 7	1.6%	2.0%	3.7%	96.3%
Grade 8	1.4%	2.1%	3.9%	96.1%
Grade 9	2.1%	2.7%	4.3%	95.7%
Grade 10	1.6%	2.0%	3.6%	96.4%
Grade 11	1.7%	2.1%	3.6%	96.4%
Grade 12	1.4%	1.6%	2.2%	97.8%

Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.9%	12.0%	3.3%	1.6%	7.2%
Grade 7	79.1%	8.6%	3.0%	1.6%	7.7%
Grade 8	73.9%	12.4%	3.9%	1.6%	8.2%
Grade 9	73.2%	13.8%	2.9%	1.9%	8.2%
Grade 10	74.9%	13.6%	3.5%	1.6%	6.3%
Grade 11	79.5%	9.8%	3.2%	1.6%	5.9%
Grade 12	77.2%	13.0%	3.8%	0.8%	5.3%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.6%	7.3%	13.2%	86.8%
Grade 7	7.0%	8.5%	13.2%	86.8%
Grade 8	5.6%	7.3%	14.4%	85.6%
Grade 9	6.6%	8.7%	14.6%	85.4%
Grade 10	4.9%	6.2%	13.0%	87.0%
Grade 11	3.7%	5.0%	9.8%	90.2%
Grade 12	4.4%	6.2%	12.1%	87.9%
Spray Paint?				
All	0.6%	0.9%	2.7%	97.3%
Grade 7	0.6%	0.9%	2.3%	97.7%
Grade 8	0.6%	0.7%	2.8%	97.2%
Grade 9	0.9%	1.2%	3.2%	96.8%
Grade 10	0.8%	0.8%	3.0%	97.0%
Grade 11	0.4%	0.7%	2.3%	97.7%
Grade 12	0.3%	0.7%	2.2%	97.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.3%	1.9%	5.4%	94.6%
Grade 7	2.0%	2.9%	5.9%	94.1%
Grade 8	1.6%	2.2%	6.7%	93.3%
Grade 9	1.6%	2.3%	6.5%	93.5%
Grade 10	0.8%	1.2%	5.0%	95.0%
Grade 11	0.9%	1.3%	3.9%	96.1%
Grade 12	0.3%	0.9%	2.8%	97.2%
Computer Dusting Sprays?				
All	0.6%	0.8%	1.8%	98.2%
Grade 7	0.7%	0.9%	1.4%	98.6%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.6%	0.9%	1.9%	98.1%
Grade 10	0.7%	1.1%	3.0%	97.0%
Grade 11	0.4%	0.7%	1.3%	98.7%
Grade 12	0.5%	0.8%	2.0%	98.0%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.8%	2.7%	6.5%	93.5%
Grade 7	2.5%	3.2%	6.7%	93.3%
Grade 8	2.1%	2.8%	6.0%	94.0%
Grade 9	1.5%	2.7%	7.4%	92.6%
Grade 10	1.3%	2.2%	6.3%	93.7%
Grade 11	1.1%	1.9%	5.1%	94.9%
Grade 12	2.2%	3.6%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	1.0%	1.4%	2.0%	98.0%
Grade 8	0.4%	0.7%	1.5%	98.5%
Grade 9	0.6%	1.0%	1.9%	98.1%
Grade 10	0.4%	0.4%	1.3%	98.7%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.3%	0.8%	99.2%
Toluene, Paint Thinner, or Other Solvents?				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	0.7%	1.0%	1.9%	98.1%
Grade 10	0.2%	0.3%	1.3%	98.7%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.3%	0.9%	99.1%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.8%	1.2%	2.5%	97.5%
Grade 7	1.1%	1.5%	2.5%	97.5%
Grade 8	0.9%	1.2%	2.7%	97.3%
Grade 9	1.0%	1.6%	3.3%	96.7%
Grade 10	0.7%	0.8%	2.6%	97.4%
Grade 11	0.6%	0.9%	1.5%	98.5%
Grade 12	0.4%	0.8%	1.3%	98.7%
Other Aerosols/Sprays?				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	1.0%	1.5%	3.1%	96.9%
Grade 8	0.9%	1.2%	2.3%	97.7%
Grade 9	0.6%	1.0%	2.2%	97.8%
Grade 10	0.4%	0.6%	1.8%	98.2%
Grade 11	0.2%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.5%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.3%	0.1%	0.2%	0.3%	0.5%	0.5%	1.2%
Grade 7	96.5%	0.2%	0.3%	0.6%	0.7%	0.9%	0.7%
Grade 8	96.6%	0.1%	0.4%	0.4%	0.6%	0.6%	1.4%
Grade 9	97.5%	0.0%	0.2%	0.2%	0.5%	0.3%	1.3%
Grade 10	97.5%	0.0%	0.1%	0.4%	0.4%	0.4%	1.2%
Grade 11	98.3%	0.1%	0.0%	0.1%	0.2%	0.5%	0.8%
Grade 12	97.8%	0.0%	0.0%	0.1%	0.3%	0.2%	1.6%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	88.5%	6.3%	3.6%	1.7%
Grade 7	88.3%	5.8%	4.0%	1.9%
Grade 8	87.3%	7.4%	3.7%	1.7%
Grade 9	87.5%	5.9%	4.7%	2.0%
Grade 10	88.4%	6.3%	3.5%	1.8%
Grade 11	91.2%	5.8%	1.9%	1.2%
Grade 12	89.7%	6.5%	2.7%	1.0%

Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.7%	0.9%	0.1%	0.2%
Grade 7	98.4%	1.2%	0.0%	0.4%
Grade 8	98.5%	1.4%	0.1%	0.1%
Grade 9	98.6%	1.0%	0.3%	0.2%
Grade 10	99.0%	0.5%	0.1%	0.5%
Grade 11	98.9%	0.9%	0.1%	0.1%
Grade 12	99.2%	0.5%	0.0%	0.3%

Percentages have been weighted to reflect proportions within the population.

Table I-5: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.9
Inhalant Non-Users	3.5
Average Days Conduct Problems Reported	
Inhalant Users	4.5
Inhalant Non-Users	1.4

Table I-6: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	90.5%	6.7%	1.8%	0.7%	0.2%
Grade 7	91.0%	6.8%	1.7%	0.4%	0.1%
Grade 8	89.9%	7.2%	1.8%	0.9%	0.3%
Grade 9	89.0%	7.5%	2.2%	1.1%	0.1%
Grade 10	90.6%	6.6%	1.9%	0.7%	0.1%
Grade 11	93.1%	4.6%	1.7%	0.4%	0.2%
Grade 12	91.0%	6.6%	1.4%	0.5%	0.5%

Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.7%	11.5%	3.3%	1.2%	6.3%
Grade 7	77.9%	10.2%	3.7%	1.4%	6.9%
Grade 8	72.9%	14.3%	4.4%	1.4%	6.9%
Grade 9	76.8%	11.7%	3.8%	1.4%	6.3%
Grade 10	77.8%	12.0%	3.2%	1.2%	5.7%
Grade 11	81.5%	9.7%	2.0%	0.6%	6.2%
Grade 12	82.3%	9.9%	1.6%	0.7%	5.5%

Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.4%	16.7%	4.3%	5.5%	7.6%	18.6%
Grade 7	50.9%	22.5%	4.1%	3.6%	5.7%	13.3%
Grade 8	45.9%	19.9%	3.5%	5.3%	8.1%	17.3%
Grade 9	48.2%	16.3%	4.7%	6.3%	6.6%	17.9%
Grade 10	47.7%	13.2%	4.2%	5.4%	9.1%	20.3%
Grade 11	44.6%	13.2%	5.8%	6.8%	9.2%	20.4%
Grade 12	45.8%	11.7%	3.3%	5.6%	8.3%	25.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 31 of 120

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	53.6%
	Grade 7	56.7%
	Grade 8	49.3%
	Grade 9	45.8%
	Grade 10	57.7%
	Grade 11	62.0%
	Grade 12	57.7%
An Assembly Program		
	All	50.6%
	Grade 7	55.7%
	Grade 8	57.5%
	Grade 9	44.6%
	Grade 10	46.1%
	Grade 11	51.0%
	Grade 12	49.8%
Guidance Counselor		
	All	41.2%
	Grade 7	46.4%
	Grade 8	46.8%
	Grade 9	34.1%
	Grade 10	38.5%
	Grade 11	41.1%
	Grade 12	42.1%
School Nurse		
	All	26.5%
	Grade 7	31.3%
	Grade 8	27.7%
	Grade 9	23.0%
	Grade 10	24.3%
	Grade 11	25.9%
	Grade 12	27.6%
Science or Social Studies Class		
	All	33.4%
	Grade 7	31.1%
	Grade 8	29.1%
	Grade 9	34.2%
	Grade 10	37.1%
	Grade 11	34.5%
	Grade 12	36.3%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 32 of 120

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	22.3%
	Grade 7	19.8%
	Grade 8	19.1%
	Grade 9	22.0%
	Grade 10	23.0%
	Grade 11	26.2%
	Grade 12	26.2%
An Invited School Guest		
	All	41.5%
	Grade 7	41.8%
	Grade 8	43.5%
	Grade 9	38.1%
	Grade 10	40.3%
	Grade 11	43.9%
	Grade 12	43.9%
Another Source at School		
	All	35.8%
	Grade 7	33.8%
	Grade 8	34.9%
	Grade 9	36.5%
	Grade 10	34.2%
	Grade 11	39.6%
	Grade 12	36.9%
Any School Source		
	All	74.5%
	Grade 7	77.1%
	Grade 8	75.6%
	Grade 9	71.1%
	Grade 10	75.1%
	Grade 11	75.9%
	Grade 12	73.6%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	48.7%
	Grade 7	58.9%
	Grade 8	51.3%
	Grade 9	42.8%
	Grade 10	46.4%
	Grade 11	46.6%
	Grade 12	47.0%
School Nurse		
	All	30.8%
	Grade 7	40.4%
	Grade 8	33.7%
	Grade 9	26.6%
	Grade 10	28.6%
	Grade 11	28.3%
	Grade 12	26.0%
Another Adult In School		
	All	49.6%
	Grade 7	54.0%
	Grade 8	50.4%
	Grade 9	45.3%
	Grade 10	49.8%
	Grade 11	50.2%
	Grade 12	49.9%
Counselor/Program Outside-School		
	All	46.0%
	Grade 7	50.3%
	Grade 8	47.5%
	Grade 9	43.6%
	Grade 10	44.7%
	Grade 11	44.7%
	Grade 12	45.6%
Your Parents		
	All	72.0%
	Grade 7	78.2%
	Grade 8	73.1%
	Grade 9	69.9%
	Grade 10	73.0%
	Grade 11	69.2%
	Grade 12	67.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 34 of 120

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	61.8%
	Grade 7	69.5%
	Grade 8	63.2%
	Grade 9	59.7%
	Grade 10	60.4%
	Grade 11	58.4%
	Grade 12	57.8%
Your Friends		
	All	59.8%
	Grade 7	51.6%
	Grade 8	58.9%
	Grade 9	61.4%
	Grade 10	62.6%
	Grade 11	64.7%
	Grade 12	61.4%
Another Adult		
	All	63.9%
	Grade 7	65.0%
	Grade 8	64.4%
	Grade 9	66.1%
	Grade 10	63.9%
	Grade 11	63.6%
	Grade 12	57.5%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	8.5%
	Grade 7	6.9%
	Grade 8	8.8%
	Grade 9	8.7%
	Grade 10	9.7%
	Grade 11	7.9%
	Grade 12	8.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 35 of 120

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	7.5%	24.4%	24.6%	31.2%	12.2%
Grade 7	9.1%	20.2%	22.2%	31.5%	17.0%
Grade 8	7.1%	21.3%	22.4%	32.9%	16.2%
Grade 9	7.3%	27.6%	24.2%	31.5%	9.4%
Grade 10	9.0%	23.8%	25.9%	30.7%	10.6%
Grade 11	6.0%	25.8%	28.5%	30.5%	9.1%
Grade 12	6.1%	27.9%	26.5%	29.2%	10.4%
Sometimes Carry Weapons?					
All	84.0%	10.3%	3.6%	1.3%	0.9%
Grade 7	88.3%	8.6%	1.9%	0.8%	0.4%
Grade 8	85.4%	9.4%	3.0%	1.4%	0.8%
Grade 9	80.9%	12.4%	4.6%	1.1%	1.0%
Grade 10	86.0%	8.8%	3.2%	1.2%	0.7%
Grade 11	82.9%	10.6%	4.0%	1.4%	1.1%
Grade 12	80.7%	11.0%	5.1%	1.9%	1.4%
Care About Making Good Grades?					
All	2.9%	14.4%	24.5%	38.0%	20.2%
Grade 7	2.6%	14.8%	24.0%	33.4%	25.3%
Grade 8	2.9%	10.9%	25.4%	37.8%	23.0%
Grade 9	2.8%	16.1%	24.0%	39.5%	17.6%
Grade 10	4.0%	15.7%	25.9%	36.8%	17.7%
Grade 11	2.7%	12.9%	22.2%	44.1%	18.2%
Grade 12	2.4%	16.5%	26.2%	36.6%	18.4%
Belong/Want to Belong to a Gang?					
All	79.6%	12.9%	4.8%	1.8%	0.9%
Grade 7	81.9%	11.7%	4.3%	1.5%	0.6%
Grade 8	79.4%	13.1%	4.6%	1.7%	1.1%
Grade 9	76.2%	15.4%	5.1%	2.5%	0.8%
Grade 10	79.9%	12.7%	5.1%	1.6%	0.7%
Grade 11	80.2%	11.5%	5.3%	2.2%	0.9%
Grade 12	82.7%	11.1%	4.0%	1.0%	1.2%
Wish They Could Drop Out of School?					
All	56.4%	25.7%	11.7%	4.3%	1.9%
Grade 7	65.7%	19.5%	7.8%	5.0%	2.0%
Grade 8	60.5%	24.4%	9.2%	3.8%	2.1%
Grade 9	50.9%	29.4%	14.0%	4.0%	1.8%
Grade 10	53.4%	28.0%	12.1%	4.7%	1.8%
Grade 11	54.3%	25.4%	13.9%	4.7%	1.7%
Grade 12	53.5%	26.8%	13.5%	4.1%	2.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 36 of 120

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.7%	11.2%	0.8%	0.3%	0.9%
Grade 7	86.8%	10.9%	1.0%	0.4%	0.9%
Grade 8	86.4%	11.6%	0.9%	0.3%	0.8%
Grade 9	86.0%	11.3%	0.9%	0.2%	1.6%
Grade 10	88.0%	10.3%	0.5%	0.5%	0.8%
Grade 11	86.2%	12.1%	0.9%	0.3%	0.6%
Grade 12	87.5%	11.2%	0.6%	0.2%	0.5%
Out In Your Neighborhood?					
All	38.0%	48.7%	8.6%	1.8%	3.0%
Grade 7	35.6%	48.9%	9.9%	1.9%	3.7%
Grade 8	39.0%	47.8%	8.1%	1.9%	3.1%
Grade 9	36.3%	50.0%	8.4%	1.4%	4.0%
Grade 10	37.8%	49.3%	8.9%	1.7%	2.4%
Grade 11	40.4%	47.3%	8.7%	2.1%	1.4%
Grade 12	40.6%	48.0%	7.5%	1.8%	2.2%
At School?					
All	39.0%	45.0%	7.8%	3.9%	4.3%
Grade 7	49.5%	36.1%	6.7%	3.7%	4.0%
Grade 8	42.2%	43.3%	6.4%	3.5%	4.5%
Grade 9	28.9%	50.8%	9.8%	4.3%	6.3%
Grade 10	36.7%	47.6%	7.6%	4.0%	4.2%
Grade 11	38.7%	48.2%	7.2%	3.0%	2.8%
Grade 12	42.3%	42.1%	8.5%	4.9%	2.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.7%	16.9%	29.2%	70.8%
Grade 7	6.5%	7.9%	14.6%	85.4%
Grade 8	9.6%	11.6%	22.1%	77.9%
Grade 9	12.6%	15.6%	29.1%	70.9%
Grade 10	16.1%	21.0%	36.7%	63.3%
Grade 11	18.3%	22.4%	36.7%	63.3%
Grade 12	24.7%	29.8%	44.8%	55.2%
Any Alcohol Product				
All	29.5%	34.0%	51.1%	48.9%
Grade 7	14.1%	16.3%	31.4%	68.6%
Grade 8	21.0%	24.0%	43.1%	56.9%
Grade 9	31.3%	36.2%	54.0%	46.0%
Grade 10	36.5%	41.2%	56.8%	43.2%
Grade 11	38.2%	43.6%	60.6%	39.4%
Grade 12	43.3%	51.5%	69.3%	30.7%
Any Illicit Drug				
All	13.4%	16.9%	22.8%	77.2%
Grade 7	5.4%	7.0%	8.2%	91.8%
Grade 8	9.4%	12.0%	14.8%	85.2%
Grade 9	13.2%	16.4%	21.2%	78.8%
Grade 10	17.5%	21.9%	31.1%	68.9%
Grade 11	17.9%	22.3%	31.7%	68.3%
Grade 12	22.4%	28.1%	39.8%	60.2%
Any Prescription Drug				
All	7.8%	10.2%	14.9%	85.1%
Grade 7	6.5%	8.3%	12.1%	87.9%
Grade 8	7.8%	10.0%	14.3%	85.7%
Grade 9	9.0%	11.5%	16.4%	83.6%
Grade 10	7.7%	10.1%	15.7%	84.3%
Grade 11	6.5%	9.7%	13.9%	86.1%
Grade 12	9.2%	11.5%	16.5%	83.5%
Any Inhalant				
All	5.6%	7.3%	13.2%	86.8%
Grade 7	7.0%	8.5%	13.2%	86.8%
Grade 8	5.6%	7.3%	14.4%	85.6%
Grade 9	6.6%	8.7%	14.6%	85.4%
Grade 10	4.9%	6.2%	13.0%	87.0%
Grade 11	3.7%	5.0%	9.8%	90.2%
Grade 12	4.4%	6.2%	12.1%	87.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 39 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	11.0%	22.1%	77.9%
Grade 7	3.3%	4.9%	10.1%	89.9%
Grade 8	5.9%	8.2%	17.2%	82.8%
Grade 9	7.5%	10.9%	23.2%	76.8%
Grade 10	8.7%	14.0%	28.4%	71.6%
Grade 11	9.3%	13.8%	27.0%	73.0%
Grade 12	12.4%	18.0%	32.3%	67.7%
Marijuana				
All	12.8%	15.2%	21.4%	78.6%
Grade 7	4.8%	5.5%	6.8%	93.2%
Grade 8	9.0%	10.4%	13.4%	86.6%
Grade 9	12.8%	15.0%	20.0%	80.0%
Grade 10	16.5%	19.9%	29.3%	70.7%
Grade 11	16.7%	20.1%	30.3%	69.7%
Grade 12	21.7%	26.6%	38.8%	61.2%
Marijuana Only				
All	5.8%	7.4%	11.8%	88.2%
Grade 7	2.2%	2.7%	3.6%	96.4%
Grade 8	3.9%	4.7%	6.8%	93.2%
Grade 9	5.5%	7.2%	10.6%	89.4%
Grade 10	7.4%	9.8%	17.3%	82.7%
Grade 11	7.4%	9.0%	16.4%	83.6%
Grade 12	11.2%	14.0%	22.5%	77.5%
Cocaine or Crack				
All	2.6%	2.9%	4.5%	95.5%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	2.0%	2.1%	2.8%	97.2%
Grade 9	2.1%	2.5%	4.1%	95.9%
Grade 10	3.4%	3.7%	5.4%	94.6%
Grade 11	3.9%	4.3%	7.1%	92.9%
Grade 12	4.0%	4.7%	8.2%	91.8%
Cocaine				
All	2.4%	2.7%	4.2%	95.8%
Grade 7	1.1%	1.2%	1.4%	98.6%
Grade 8	1.8%	1.9%	2.6%	97.4%
Grade 9	1.9%	2.2%	3.8%	96.2%
Grade 10	3.2%	3.5%	5.1%	94.9%
Grade 11	3.6%	4.1%	6.9%	93.1%
Grade 12	3.8%	4.5%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 40 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.9%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	1.1%	1.1%	1.8%	98.2%
Hallucinogens				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	1.2%	1.7%	3.0%	97.0%
Grade 10	1.1%	1.8%	3.0%	97.0%
Grade 11	0.8%	1.5%	3.7%	96.3%
Grade 12	2.0%	2.6%	5.1%	94.9%
Synthetic Cathinones				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.8%	0.9%	1.1%	98.9%
Steroids				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	1.3%	98.7%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.7%	99.3%
Ecstasy				
All	1.0%	1.6%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.7%	98.3%
Grade 9	0.8%	1.3%	3.5%	96.5%
Grade 10	1.9%	3.0%	4.9%	95.1%
Grade 11	1.6%	3.0%	5.4%	94.6%
Grade 12	1.6%	2.6%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.6%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.1%	98.9%
Synthetic Marijuana				
All	2.1%	2.9%	6.5%	93.5%
Grade 7	1.0%	1.5%	2.5%	97.5%
Grade 8	2.1%	2.7%	5.3%	94.7%
Grade 9	2.3%	3.4%	7.1%	92.9%
Grade 10	2.7%	3.6%	7.7%	92.3%
Grade 11	1.7%	3.1%	8.8%	91.2%
Grade 12	2.7%	3.6%	9.4%	90.6%
Methamphetamine				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.5%	0.9%	1.5%	98.5%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.8%	0.9%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 42 of 120

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.5%	18.8%	31.1%	68.9%
Grade 7	7.8%	9.3%	16.4%	83.6%
Grade 8	9.2%	11.5%	22.7%	77.3%
Grade 9	14.3%	16.8%	30.4%	69.6%
Grade 10	18.0%	23.4%	39.0%	61.0%
Grade 11	20.0%	24.1%	38.6%	61.4%
Grade 12	31.4%	37.3%	50.1%	49.9%
Any Alcohol Product				
All	27.6%	32.1%	48.7%	51.3%
Grade 7	13.0%	15.3%	31.2%	68.8%
Grade 8	18.9%	22.3%	41.2%	58.8%
Grade 9	29.7%	33.7%	50.2%	49.8%
Grade 10	32.4%	37.6%	52.7%	47.3%
Grade 11	36.4%	42.5%	59.8%	40.2%
Grade 12	43.8%	52.2%	67.4%	32.6%
Any Illicit Drug				
All	14.7%	17.8%	23.9%	76.1%
Grade 7	5.6%	7.3%	8.6%	91.4%
Grade 8	9.5%	11.9%	15.1%	84.9%
Grade 9	13.9%	16.7%	21.3%	78.7%
Grade 10	18.4%	21.9%	32.0%	68.0%
Grade 11	19.9%	23.4%	34.4%	65.6%
Grade 12	28.2%	34.2%	44.9%	55.1%
Any Prescription Drug				
All	7.5%	10.0%	14.8%	85.2%
Grade 7	6.2%	8.1%	12.3%	87.7%
Grade 8	6.6%	8.8%	13.3%	86.7%
Grade 9	8.1%	11.0%	15.4%	84.6%
Grade 10	7.4%	9.9%	16.0%	84.0%
Grade 11	7.6%	10.4%	14.3%	85.7%
Grade 12	10.0%	12.8%	18.5%	81.5%
Any Inhalant				
All	5.2%	7.0%	12.7%	87.3%
Grade 7	5.8%	7.6%	11.6%	88.4%
Grade 8	4.5%	6.7%	13.6%	86.4%
Grade 9	6.5%	8.5%	13.4%	86.6%
Grade 10	5.2%	6.4%	13.7%	86.3%
Grade 11	3.9%	5.2%	10.1%	89.9%
Grade 12	4.3%	6.5%	13.4%	86.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 43 of 120

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.5%	12.3%	24.0%	76.0%
Grade 7	4.0%	5.8%	12.1%	87.9%
Grade 8	5.6%	8.4%	17.9%	82.1%
Grade 9	7.8%	10.7%	23.3%	76.7%
Grade 10	10.7%	16.3%	31.4%	68.6%
Grade 11	11.1%	15.6%	30.0%	70.0%
Grade 12	15.5%	23.0%	37.5%	62.5%
Marijuana				
All	13.8%	16.2%	22.7%	77.3%
Grade 7	4.9%	5.6%	6.8%	93.2%
Grade 8	9.1%	10.3%	13.5%	86.5%
Grade 9	13.3%	15.7%	20.6%	79.4%
Grade 10	17.0%	19.8%	30.3%	69.7%
Grade 11	18.3%	21.9%	33.4%	66.6%
Grade 12	27.1%	32.1%	43.8%	56.2%
Marijuana Only				
All	6.1%	7.4%	11.9%	88.1%
Grade 7	2.3%	2.7%	3.3%	96.7%
Grade 8	4.0%	4.7%	7.2%	92.8%
Grade 9	5.1%	6.6%	9.7%	90.3%
Grade 10	6.7%	8.4%	16.4%	83.6%
Grade 11	7.8%	9.3%	17.7%	82.3%
Grade 12	14.1%	16.8%	24.7%	75.3%
Cocaine or Crack				
All	3.3%	3.7%	5.2%	94.8%
Grade 7	1.1%	1.2%	1.5%	98.5%
Grade 8	1.6%	1.8%	2.6%	97.4%
Grade 9	3.1%	3.1%	4.6%	95.4%
Grade 10	4.5%	4.9%	6.6%	93.4%
Grade 11	5.2%	5.9%	8.5%	91.5%
Grade 12	6.2%	7.4%	10.8%	89.2%
Cocaine				
All	3.1%	3.5%	5.0%	95.0%
Grade 7	0.9%	1.1%	1.3%	98.7%
Grade 8	1.5%	1.6%	2.2%	97.8%
Grade 9	3.0%	3.1%	4.5%	95.5%
Grade 10	4.4%	4.7%	6.4%	93.6%
Grade 11	4.7%	5.4%	8.0%	92.0%
Grade 12	6.1%	7.4%	10.7%	89.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.9%	1.0%	1.4%	98.6%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	0.8%	0.9%	1.2%	98.8%
Grade 10	0.6%	0.8%	1.2%	98.8%
Grade 11	1.4%	1.4%	1.6%	98.4%
Grade 12	1.5%	1.6%	2.2%	97.8%
Hallucinogens				
All	1.3%	1.8%	3.1%	96.9%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.6%	0.9%	1.6%	98.4%
Grade 9	1.7%	2.1%	3.3%	96.7%
Grade 10	1.2%	2.3%	3.8%	96.2%
Grade 11	1.0%	1.9%	3.9%	96.1%
Grade 12	2.8%	3.7%	6.7%	93.3%
Synthetic Cathinones				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.6%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.9%	98.1%
Grade 10	0.3%	0.6%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	1.2%	1.3%	1.9%	98.1%
Steroids				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.6%	0.7%	1.5%	98.5%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.4%	0.6%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.2%	0.4%	0.9%	99.1%
Ecstasy				
All	1.1%	1.7%	3.5%	96.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.9%	1.3%	3.5%	96.5%
Grade 10	2.4%	4.0%	6.2%	93.8%
Grade 11	1.7%	2.9%	5.4%	94.6%
Grade 12	1.7%	2.7%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.3%	0.7%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.8%	0.8%	1.6%	98.4%
Synthetic Marijuana				
All	2.1%	3.1%	7.1%	92.9%
Grade 7	1.0%	1.5%	2.7%	97.3%
Grade 8	1.6%	2.4%	5.1%	94.9%
Grade 9	2.3%	3.6%	8.2%	91.8%
Grade 10	3.1%	4.4%	8.4%	91.6%
Grade 11	1.7%	3.1%	10.3%	89.7%
Grade 12	3.3%	4.3%	9.7%	90.3%
Methamphetamine				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	0.6%	0.7%	1.6%	98.4%
Grade 10	0.4%	0.9%	1.5%	98.5%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	1.3%	1.4%	2.2%	97.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.8%	14.8%	27.3%	72.7%
Grade 7	5.1%	6.3%	12.6%	87.4%
Grade 8	10.0%	11.7%	21.6%	78.4%
Grade 9	10.8%	14.2%	27.5%	72.5%
Grade 10	14.1%	18.5%	34.3%	65.7%
Grade 11	16.2%	20.5%	34.7%	65.3%
Grade 12	18.3%	22.6%	39.9%	60.1%
Any Alcohol Product				
All	31.2%	35.6%	53.3%	46.7%
Grade 7	15.2%	17.3%	31.4%	68.6%
Grade 8	23.5%	26.0%	44.9%	55.1%
Grade 9	32.3%	38.0%	57.2%	42.8%
Grade 10	41.0%	45.1%	61.4%	38.6%
Grade 11	40.2%	44.8%	61.6%	38.4%
Grade 12	42.2%	50.4%	70.7%	29.3%
Any Illicit Drug				
All	12.2%	15.9%	21.5%	78.5%
Grade 7	5.1%	6.5%	7.8%	92.2%
Grade 8	9.2%	12.1%	14.3%	85.7%
Grade 9	12.2%	15.6%	20.8%	79.2%
Grade 10	16.6%	21.8%	30.1%	69.9%
Grade 11	16.0%	21.1%	29.1%	70.9%
Grade 12	17.2%	22.7%	35.2%	64.8%
Any Prescription Drug				
All	8.2%	10.4%	15.0%	85.0%
Grade 7	6.8%	8.5%	11.9%	88.1%
Grade 8	9.1%	11.4%	15.5%	84.5%
Grade 9	9.7%	11.8%	17.1%	82.9%
Grade 10	7.9%	10.2%	15.5%	84.5%
Grade 11	5.4%	9.1%	13.7%	86.3%
Grade 12	8.7%	10.5%	14.8%	85.2%
Any Inhalant				
All	6.0%	7.4%	13.5%	86.5%
Grade 7	8.3%	9.3%	14.8%	85.2%
Grade 8	6.7%	8.0%	15.0%	85.0%
Grade 9	6.8%	8.6%	15.3%	84.7%
Grade 10	4.6%	6.0%	12.3%	87.7%
Grade 11	3.4%	4.7%	9.6%	90.4%
Grade 12	4.4%	5.8%	10.9%	89.1%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 47 of 120

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.4%	9.7%	20.2%	79.8%
Grade 7	2.5%	3.6%	7.9%	92.1%
Grade 8	6.2%	8.1%	16.7%	83.3%
Grade 9	7.4%	11.1%	22.7%	77.3%
Grade 10	6.5%	11.5%	25.3%	74.7%
Grade 11	6.9%	11.5%	23.7%	76.3%
Grade 12	9.6%	13.5%	27.9%	72.1%
Marijuana				
All	11.8%	14.2%	20.0%	80.0%
Grade 7	4.8%	5.2%	6.6%	93.4%
Grade 8	9.0%	10.5%	13.1%	86.9%
Grade 9	11.9%	13.9%	18.9%	81.1%
Grade 10	16.1%	20.1%	28.3%	71.7%
Grade 11	15.2%	18.4%	27.3%	72.7%
Grade 12	16.9%	21.8%	34.2%	65.8%
Marijuana Only				
All	5.6%	7.2%	11.6%	88.4%
Grade 7	2.2%	2.5%	3.7%	96.3%
Grade 8	3.7%	4.8%	6.4%	93.6%
Grade 9	5.5%	7.1%	10.8%	89.2%
Grade 10	8.2%	11.3%	18.4%	81.6%
Grade 11	7.1%	8.8%	15.2%	84.8%
Grade 12	8.7%	11.5%	20.4%	79.6%
Cocaine or Crack				
All	1.9%	2.2%	3.8%	96.2%
Grade 7	1.5%	1.5%	1.6%	98.4%
Grade 8	2.4%	2.4%	3.1%	96.9%
Grade 9	1.3%	1.9%	3.6%	96.4%
Grade 10	2.2%	2.4%	4.1%	95.9%
Grade 11	2.6%	2.7%	5.8%	94.2%
Grade 12	2.0%	2.3%	5.8%	94.2%
Cocaine				
All	1.6%	1.9%	3.5%	96.5%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	2.2%	2.2%	2.9%	97.1%
Grade 9	0.9%	1.5%	3.2%	96.8%
Grade 10	1.9%	2.2%	3.6%	96.4%
Grade 11	2.6%	2.7%	5.8%	94.2%
Grade 12	1.6%	1.8%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	1.0%	1.0%	1.2%	98.8%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.7%	0.7%	1.5%	98.5%
Hallucinogens				
All	0.7%	1.0%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	0.8%	1.3%	2.8%	97.2%
Grade 10	0.9%	1.2%	2.1%	97.9%
Grade 11	0.5%	0.9%	3.4%	96.6%
Grade 12	1.3%	1.6%	3.6%	96.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.8%	1.2%	98.8%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.4%	99.6%
Grade 12	0.5%	0.5%	0.5%	99.5%
Ecstasy				
All	0.9%	1.6%	3.2%	96.8%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.7%	1.0%	1.9%	98.1%
Grade 9	0.7%	1.4%	3.5%	96.5%
Grade 10	1.5%	1.9%	3.6%	96.4%
Grade 11	1.6%	3.1%	5.4%	94.6%
Grade 12	1.4%	2.5%	5.9%	94.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.6%	99.4%
Synthetic Marijuana				
All	2.1%	2.8%	6.1%	93.9%
Grade 7	1.1%	1.6%	2.4%	97.6%
Grade 8	2.5%	3.0%	5.5%	94.5%
Grade 9	2.4%	3.2%	6.2%	93.8%
Grade 10	2.2%	2.7%	7.0%	93.0%
Grade 11	1.7%	3.1%	7.4%	92.6%
Grade 12	2.2%	3.0%	9.2%	90.8%
Methamphetamine				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.9%	1.0%	1.7%	98.3%
Grade 9	0.1%	0.4%	1.2%	98.8%
Grade 10	0.7%	0.9%	1.5%	98.5%
Grade 11	0.2%	0.2%	0.8%	99.2%
Grade 12	0.3%	0.5%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 50 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.4%	12.9%	21.6%	78.4%
Grade 7	7.2%	7.8%	9.9%	90.1%
Grade 8	5.1%	7.5%	13.7%	86.3%
Grade 9	3.2%	7.6%	12.7%	87.3%
Grade 10	7.8%	18.7%	42.6%	57.4%
Grade 11	16.6%	20.7%	33.7%	66.3%
Grade 12	36.8%	38.7%	58.3%	41.7%
Any Alcohol Product				
All	21.4%	26.9%	45.0%	55.0%
Grade 7	15.5%	17.1%	25.2%	74.8%
Grade 8	12.4%	15.8%	38.5%	61.5%
Grade 9	15.1%	27.7%	45.9%	54.1%
Grade 10	25.5%	28.9%	62.5%	37.5%
Grade 11	39.8%	45.5%	67.8%	32.2%
Grade 12	50.1%	55.2%	64.2%	35.8%
Any Illicit Drug				
All	8.3%	12.0%	16.3%	83.8%
Grade 7	6.0%	6.3%	8.9%	91.1%
Grade 8	5.6%	7.9%	9.3%	90.7%
Grade 9	4.5%	10.4%	10.4%	89.6%
Grade 10	15.0%	20.5%	30.6%	69.4%
Grade 11	12.2%	17.5%	26.3%	73.7%
Grade 12	19.1%	25.9%	40.0%	60.0%
Any Prescription Drug				
All	6.6%	9.8%	15.2%	84.8%
Grade 7	5.5%	7.8%	11.9%	88.1%
Grade 8	7.2%	11.3%	16.6%	83.4%
Grade 9	3.9%	3.9%	12.1%	87.9%
Grade 10	2.8%	8.8%	14.9%	85.1%
Grade 11	6.0%	13.0%	17.5%	82.5%
Grade 12	20.3%	24.3%	26.7%	73.3%
Any Inhalant				
All	5.5%	7.0%	11.6%	88.4%
Grade 7	6.3%	9.2%	10.6%	89.4%
Grade 8	5.9%	5.9%	12.7%	87.3%
Grade 9	3.9%	4.7%	9.0%	91.0%
Grade 10	3.2%	5.4%	7.5%	92.5%
Grade 11	11.7%	13.2%	16.0%	84.0%
Grade 12	1.2%	3.7%	18.3%	81.7%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 51 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	9.7%	17.2%	82.8%
Grade 7	5.1%	5.8%	6.3%	93.7%
Grade 8	2.0%	5.5%	10.8%	89.2%
Grade 9	3.2%	7.6%	12.0%	88.0%
Grade 10	5.6%	9.9%	40.4%	59.6%
Grade 11	12.8%	18.7%	21.9%	78.1%
Grade 12	24.1%	26.0%	43.4%	56.6%
Marijuana				
All	7.2%	10.5%	14.9%	85.1%
Grade 7	4.7%	5.0%	6.6%	93.4%
Grade 8	4.9%	6.1%	8.6%	91.4%
Grade 9	2.9%	8.5%	8.5%	91.5%
Grade 10	13.8%	19.4%	30.0%	70.0%
Grade 11	10.7%	16.0%	26.3%	73.7%
Grade 12	19.1%	24.7%	38.8%	61.2%
Marijuana Only				
All	3.5%	5.5%	9.1%	90.9%
Grade 7	2.8%	3.1%	3.5%	96.5%
Grade 8	0.5%	1.7%	3.9%	96.1%
Grade 9	1.7%	6.4%	6.4%	93.6%
Grade 10	4.8%	6.2%	16.2%	83.8%
Grade 11	6.3%	9.4%	18.3%	81.7%
Grade 12	12.7%	14.0%	25.1%	74.9%
Cocaine or Crack				
All	1.6%	2.1%	2.3%	97.7%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.8%	1.4%	1.6%	98.4%
Grade 9	2.1%	2.1%	2.1%	97.9%
Grade 10	2.9%	2.9%	2.9%	97.1%
Grade 11	0.0%	1.6%	3.2%	96.8%
Grade 12	1.9%	3.9%	4.5%	95.5%
Cocaine				
All	1.4%	1.8%	2.2%	97.8%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	2.3%	2.3%	2.3%	97.7%
Grade 11	0.0%	1.6%	3.2%	96.8%
Grade 12	1.9%	3.9%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	1.0%	1.3%	98.7%
Grade 7	1.8%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.9%	3.9%	96.1%
Hallucinogens				
All	0.6%	0.9%	2.6%	97.4%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.6%	0.6%	3.3%	96.7%
Grade 11	1.6%	2.9%	6.1%	93.9%
Grade 12	2.5%	4.5%	10.2%	89.8%
Synthetic Cathinones				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.4%	1.4%	98.6%
Grade 9	0.0%	0.0%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.9%	1.9%	98.1%
Steroids				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.6%	1.1%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	1.5%	2.4%	4.9%	95.1%
Grade 11	1.6%	4.0%	5.6%	94.4%
Grade 12	0.0%	1.9%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.9%	1.1%	1.7%	98.3%
Grade 7	1.2%	1.2%	2.5%	97.5%
Grade 8	2.5%	3.3%	3.3%	96.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.9%	96.1%
Synthetic Marijuana				
All	0.8%	1.2%	2.6%	97.4%
Grade 7	1.2%	1.2%	1.2%	98.8%
Grade 8	0.8%	1.4%	3.3%	96.7%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	1.8%	2.4%	10.4%	89.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	2.4%	4.4%	95.6%
Methamphetamine				
All	0.1%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.8%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	1.9%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.2%	10.7%	28.6%	71.4%
Grade 7	7.7%	7.7%	9.4%	90.6%
Grade 8	7.1%	7.1%	18.5%	81.5%
Grade 9	2.0%	2.0%	35.2%	64.8%
Grade 10	0.0%	0.0%	23.3%	76.7%
Grade 11	8.0%	8.0%	37.3%	62.7%
Grade 12	44.1%	57.3%	62.4%	37.6%
Any Alcohol Product				
All	24.9%	28.5%	48.0%	52.0%
Grade 7	13.6%	17.7%	26.1%	73.9%
Grade 8	17.9%	17.9%	26.6%	73.4%
Grade 9	41.5%	41.5%	69.2%	30.8%
Grade 10	18.2%	35.5%	65.6%	34.4%
Grade 11	23.7%	31.7%	68.1%	31.9%
Grade 12	28.4%	28.4%	40.0%	60.0%
Any Illicit Drug				
All	12.6%	14.9%	21.9%	78.1%
Grade 7	3.4%	9.4%	9.4%	90.6%
Grade 8	1.9%	7.1%	9.4%	90.6%
Grade 9	8.7%	8.7%	19.8%	80.2%
Grade 10	6.1%	6.1%	23.3%	76.7%
Grade 11	16.2%	16.2%	31.0%	69.0%
Grade 12	62.4%	62.4%	62.4%	37.6%
Any Prescription Drug				
All	10.6%	11.6%	21.2%	78.8%
Grade 7	1.7%	1.7%	9.9%	90.1%
Grade 8	12.1%	14.0%	19.0%	81.0%
Grade 9	16.4%	16.4%	24.8%	75.2%
Grade 10	18.0%	18.0%	18.0%	82.0%
Grade 11	4.3%	9.4%	12.8%	87.2%
Grade 12	6.9%	6.9%	49.7%	50.3%
Any Inhalant				
All	6.6%	8.5%	11.9%	88.1%
Grade 7	7.2%	14.8%	16.5%	83.5%
Grade 8	7.1%	7.1%	18.0%	82.0%
Grade 9	9.6%	9.6%	9.6%	90.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	4.8%	4.8%	95.2%
Grade 12	11.7%	11.7%	16.7%	83.3%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 55 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	8.2%	20.8%	79.2%
Grade 7	1.7%	1.7%	3.4%	96.6%
Grade 8	5.2%	5.2%	9.4%	90.6%
Grade 9	2.1%	2.1%	24.9%	75.1%
Grade 10	0.0%	0.0%	24.8%	75.2%
Grade 11	4.8%	4.8%	25.1%	74.9%
Grade 12	44.1%	50.7%	55.8%	44.2%
Marijuana				
All	12.6%	12.6%	19.6%	80.4%
Grade 7	3.4%	3.4%	3.4%	96.6%
Grade 8	1.9%	1.9%	4.2%	95.8%
Grade 9	8.7%	8.7%	19.8%	80.2%
Grade 10	6.1%	6.1%	23.3%	76.7%
Grade 11	16.2%	16.2%	31.0%	69.0%
Grade 12	62.4%	62.4%	62.4%	37.6%
Marijuana Only				
All	7.9%	7.9%	14.8%	85.2%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	0.0%	0.0%	2.3%	97.7%
Grade 9	8.7%	8.7%	19.8%	80.2%
Grade 10	0.0%	0.0%	17.2%	82.8%
Grade 11	11.4%	11.4%	26.2%	73.8%
Grade 12	39.1%	39.1%	39.1%	60.9%
Cocaine or Crack				
All	0.5%	1.5%	2.2%	97.8%
Grade 7	0.0%	6.0%	6.0%	94.0%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.6%	93.4%
Cocaine				
All	0.5%	1.5%	2.2%	97.8%
Grade 7	0.0%	6.0%	6.0%	94.0%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	6.6%	93.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	1.5%	98.5%
Grade 7	0.0%	0.0%	6.0%	94.0%
Grade 8	0.0%	0.0%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	1.0%	1.5%	98.5%
Grade 7	1.7%	1.7%	1.7%	98.3%
Grade 8	0.0%	0.0%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	6.6%	6.6%	93.4%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.5%	0.5%	3.0%	97.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.3%	2.3%	7.4%	92.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	4.8%	95.2%
Grade 12	0.0%	0.0%	6.6%	93.4%
Ecstasy				
All	0.6%	0.6%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	6.1%	93.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	5.1%	5.1%	11.7%	88.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	1.2%	1.7%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	4.8%	95.2%
Grade 12	6.6%	11.7%	11.7%	88.3%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.0%	17.2%	29.6%	70.4%
Grade 7	6.5%	7.9%	15.0%	85.0%
Grade 8	9.9%	11.9%	22.7%	77.3%
Grade 9	13.1%	16.2%	29.7%	70.3%
Grade 10	16.5%	21.1%	36.6%	63.4%
Grade 11	18.5%	22.7%	36.9%	63.1%
Grade 12	24.3%	29.4%	44.3%	55.7%
Any Alcohol Product				
All	29.8%	34.3%	51.5%	48.5%
Grade 7	14.1%	16.2%	31.9%	68.1%
Grade 8	21.6%	24.5%	43.5%	56.5%
Grade 9	31.4%	36.1%	54.2%	45.8%
Grade 10	37.0%	41.6%	56.6%	43.4%
Grade 11	38.4%	43.7%	60.4%	39.6%
Grade 12	43.3%	51.6%	69.7%	30.3%
Any Illicit Drug				
All	13.7%	17.1%	23.1%	76.9%
Grade 7	5.3%	7.0%	8.2%	91.8%
Grade 8	9.6%	12.2%	15.1%	84.9%
Grade 9	13.7%	16.6%	21.7%	78.3%
Grade 10	17.6%	22.0%	31.1%	68.9%
Grade 11	18.2%	22.5%	32.0%	68.0%
Grade 12	22.1%	27.9%	39.6%	60.4%
Any Prescription Drug				
All	7.9%	10.2%	14.9%	85.1%
Grade 7	6.6%	8.4%	12.2%	87.8%
Grade 8	7.8%	10.0%	14.2%	85.8%
Grade 9	9.3%	11.9%	16.9%	83.1%
Grade 10	7.7%	10.0%	15.7%	84.3%
Grade 11	6.4%	9.4%	13.7%	86.3%
Grade 12	8.9%	11.1%	15.9%	84.1%
Any Inhalant				
All	5.5%	7.2%	13.2%	86.8%
Grade 7	7.0%	8.4%	13.3%	86.7%
Grade 8	5.5%	7.3%	14.4%	85.6%
Grade 9	6.5%	8.7%	14.8%	85.2%
Grade 10	4.9%	6.2%	13.2%	86.8%
Grade 11	3.4%	4.7%	9.7%	90.3%
Grade 12	4.5%	6.3%	12.0%	88.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 59 of 120

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.5%	11.1%	22.4%	77.6%
Grade 7	3.2%	4.8%	10.4%	89.6%
Grade 8	6.1%	8.4%	17.7%	82.3%
Grade 9	7.7%	11.1%	23.8%	76.2%
Grade 10	8.8%	14.1%	27.9%	72.1%
Grade 11	9.3%	13.8%	27.2%	72.8%
Grade 12	11.8%	17.6%	31.8%	68.2%
Marijuana				
All	13.1%	15.5%	21.8%	78.2%
Grade 7	4.8%	5.5%	6.9%	93.1%
Grade 8	9.3%	10.6%	13.7%	86.3%
Grade 9	13.3%	15.5%	20.7%	79.3%
Grade 10	16.6%	20.0%	29.3%	70.7%
Grade 11	17.0%	20.3%	30.6%	69.4%
Grade 12	21.4%	26.4%	38.6%	61.4%
Marijuana Only				
All	5.9%	7.4%	12.0%	88.0%
Grade 7	2.2%	2.7%	3.6%	96.4%
Grade 8	4.1%	4.9%	7.0%	93.0%
Grade 9	5.6%	7.2%	10.8%	89.2%
Grade 10	7.6%	10.0%	17.4%	82.6%
Grade 11	7.4%	8.9%	16.2%	83.8%
Grade 12	10.8%	13.7%	22.2%	77.8%
Cocaine or Crack				
All	2.7%	3.0%	4.6%	95.4%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	2.1%	2.1%	2.9%	97.1%
Grade 9	2.2%	2.6%	4.3%	95.7%
Grade 10	3.3%	3.7%	5.4%	94.6%
Grade 11	4.1%	4.5%	7.4%	92.6%
Grade 12	4.2%	4.8%	8.3%	91.7%
Cocaine				
All	2.5%	2.8%	4.3%	95.7%
Grade 7	1.0%	1.1%	1.3%	98.7%
Grade 8	1.8%	1.9%	2.6%	97.4%
Grade 9	2.0%	2.3%	4.0%	96.0%
Grade 10	3.2%	3.5%	5.1%	94.9%
Grade 11	3.8%	4.2%	7.1%	92.9%
Grade 12	3.9%	4.6%	7.9%	92.1%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 60 of 120

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.8%	0.8%	1.3%	98.7%
Grade 12	1.1%	1.1%	1.8%	98.2%
Hallucinogens				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.9%	1.7%	98.3%
Grade 9	1.3%	1.8%	3.2%	96.8%
Grade 10	1.1%	1.8%	3.0%	97.0%
Grade 11	0.7%	1.4%	3.7%	96.3%
Grade 12	2.0%	2.5%	5.0%	95.0%
Synthetic Cathinones				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.8%	0.8%	1.1%	98.9%
Steroids				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.4%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.6%	0.9%	99.1%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.4%	0.7%	99.3%
Ecstasy				
All	1.1%	1.7%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.8%	1.8%	98.2%
Grade 9	0.8%	1.4%	3.7%	96.3%
Grade 10	2.0%	3.0%	4.9%	95.1%
Grade 11	1.6%	3.0%	5.5%	94.5%
Grade 12	1.6%	2.6%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	0.2%	0.2%	1.0%	99.0%
Grade 12	0.5%	0.5%	1.0%	99.0%
Synthetic Marijuana				
All	2.1%	3.0%	6.8%	93.2%
Grade 7	1.0%	1.5%	2.6%	97.4%
Grade 8	2.1%	2.7%	5.4%	94.6%
Grade 9	2.5%	3.6%	7.6%	92.4%
Grade 10	2.7%	3.6%	7.6%	92.4%
Grade 11	1.8%	3.2%	9.2%	90.8%
Grade 12	2.8%	3.6%	9.6%	90.4%
Methamphetamine				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.5%	98.5%
Grade 10	0.6%	0.9%	1.5%	98.5%
Grade 11	0.3%	0.4%	1.1%	98.9%
Grade 12	0.8%	0.9%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 62 of 120

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	8.0%	11.1%	21.8%	78.2%
Grade 7	2.6%	4.1%	8.7%	91.3%
Grade 8	3.4%	5.6%	11.8%	88.2%
Grade 9	7.5%	10.1%	20.0%	80.0%
Grade 10	9.9%	15.0%	30.1%	69.9%
Grade 11	9.4%	14.0%	28.9%	71.1%
Grade 12	19.9%	23.5%	41.5%	58.5%
Any Alcohol Product				
All	23.7%	27.9%	47.9%	52.1%
Grade 7	10.3%	11.8%	26.8%	73.2%
Grade 8	11.3%	13.9%	37.5%	62.5%
Grade 9	25.8%	29.0%	49.2%	50.8%
Grade 10	30.1%	36.3%	54.5%	45.5%
Grade 11	32.5%	38.1%	59.5%	40.5%
Grade 12	40.8%	49.0%	71.7%	28.3%
Any Illicit Drug				
All	8.7%	11.1%	15.7%	84.3%
Grade 7	2.8%	4.5%	5.2%	94.8%
Grade 8	3.3%	4.2%	6.5%	93.5%
Grade 9	9.2%	10.3%	12.7%	87.3%
Grade 10	11.6%	14.2%	22.5%	77.5%
Grade 11	10.3%	14.6%	22.2%	77.8%
Grade 12	18.9%	25.5%	35.5%	64.5%
Any Prescription Drug				
All	8.3%	10.3%	13.5%	86.5%
Grade 7	7.2%	9.3%	12.4%	87.6%
Grade 8	7.6%	9.8%	11.9%	88.1%
Grade 9	10.7%	11.0%	14.5%	85.5%
Grade 10	7.2%	9.4%	12.5%	87.5%
Grade 11	6.9%	10.6%	14.9%	85.1%
Grade 12	8.9%	11.9%	15.9%	84.1%
Any Inhalant				
All	3.2%	4.2%	9.3%	90.7%
Grade 7	4.7%	5.3%	10.3%	89.7%
Grade 8	3.3%	4.3%	9.8%	90.2%
Grade 9	1.9%	2.8%	7.5%	92.5%
Grade 10	2.9%	4.4%	9.8%	90.2%
Grade 11	2.1%	2.7%	7.2%	92.8%
Grade 12	4.4%	6.2%	12.2%	87.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 63 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	4.4%	7.4%	16.9%	83.1%
Grade 7	1.1%	2.9%	6.4%	93.6%
Grade 8	2.0%	4.3%	8.8%	91.2%
Grade 9	4.9%	7.2%	16.8%	83.2%
Grade 10	5.6%	9.8%	23.3%	76.7%
Grade 11	4.2%	8.8%	21.0%	79.0%
Grade 12	10.2%	14.5%	31.7%	68.3%
Marijuana				
All	8.2%	9.9%	14.8%	85.2%
Grade 7	2.6%	3.0%	4.1%	95.9%
Grade 8	2.9%	3.7%	5.7%	94.3%
Grade 9	8.5%	9.6%	12.6%	87.4%
Grade 10	10.7%	12.7%	21.6%	78.4%
Grade 11	10.1%	12.1%	20.0%	80.0%
Grade 12	18.2%	24.1%	34.3%	65.7%
Marijuana Only				
All	4.2%	5.2%	8.9%	91.1%
Grade 7	1.4%	1.8%	2.4%	97.6%
Grade 8	1.4%	1.6%	3.6%	96.4%
Grade 9	4.1%	4.8%	6.7%	93.3%
Grade 10	5.9%	7.3%	14.5%	85.5%
Grade 11	5.4%	6.6%	11.8%	88.2%
Grade 12	9.0%	12.4%	20.5%	79.5%
Cocaine or Crack				
All	1.4%	1.5%	2.6%	97.4%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	1.1%	1.1%	1.6%	98.4%
Grade 9	2.0%	2.1%	2.7%	97.3%
Grade 10	1.7%	1.7%	2.5%	97.5%
Grade 11	1.6%	1.9%	4.4%	95.6%
Grade 12	1.5%	1.9%	5.2%	94.8%
Cocaine				
All	1.2%	1.3%	2.4%	97.6%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.9%	0.9%	1.3%	98.7%
Grade 9	2.0%	2.1%	2.7%	97.3%
Grade 10	1.7%	1.7%	2.5%	97.5%
Grade 11	1.2%	1.4%	3.9%	96.1%
Grade 12	1.1%	1.4%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.5%	0.5%	99.5%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.5%	0.5%	1.1%	98.9%
Hallucinogens				
All	0.9%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	1.6%	1.6%	2.7%	97.3%
Grade 10	1.0%	1.4%	2.5%	97.5%
Grade 11	0.2%	0.4%	2.7%	97.3%
Grade 12	2.6%	2.8%	4.3%	95.7%
Synthetic Cathinones				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.6%	1.6%	1.6%	98.4%
Steroids				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.2%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.3%	0.3%	0.4%	99.6%
Ecstasy				
All	0.7%	1.1%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.5%	0.7%	99.3%
Grade 9	0.3%	0.3%	2.7%	97.3%
Grade 10	1.5%	1.8%	3.5%	96.5%
Grade 11	0.4%	2.1%	3.3%	96.7%
Grade 12	2.3%	3.3%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.1%	0.1%	0.6%	99.4%
Synthetic Marijuana				
All	1.0%	1.4%	3.6%	96.4%
Grade 7	0.3%	1.0%	1.7%	98.3%
Grade 8	1.2%	1.2%	1.6%	98.4%
Grade 9	1.0%	1.4%	3.7%	96.3%
Grade 10	0.7%	0.7%	3.4%	96.6%
Grade 11	1.2%	1.2%	3.7%	96.3%
Grade 12	2.1%	3.0%	9.0%	91.0%
Methamphetamine				
All	0.1%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.6%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.3%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.1%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 66 of 120

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.0%	18.2%	30.7%	69.3%
Grade 7	7.7%	9.3%	16.5%	83.5%
Grade 8	11.3%	13.3%	23.9%	76.1%
Grade 9	13.8%	16.9%	31.4%	68.6%
Grade 10	17.9%	22.9%	38.2%	61.8%
Grade 11	20.3%	24.3%	38.4%	61.6%
Grade 12	25.4%	31.0%	45.1%	54.9%
Any Alcohol Product				
All	30.4%	35.1%	51.2%	48.8%
Grade 7	15.0%	17.7%	32.0%	68.0%
Grade 8	23.1%	26.2%	43.9%	56.1%
Grade 9	32.4%	38.0%	55.1%	44.9%
Grade 10	38.8%	42.6%	57.0%	43.0%
Grade 11	39.0%	44.6%	60.3%	39.7%
Grade 12	42.7%	50.9%	67.1%	32.9%
Any Illicit Drug				
All	14.2%	18.0%	24.0%	76.0%
Grade 7	6.0%	7.6%	8.9%	91.1%
Grade 8	10.5%	13.6%	16.3%	83.7%
Grade 9	13.8%	17.8%	23.3%	76.7%
Grade 10	18.8%	23.8%	32.9%	67.1%
Grade 11	19.0%	23.3%	33.5%	66.5%
Grade 12	23.5%	28.9%	40.1%	59.9%
Any Prescription Drug				
All	7.6%	10.0%	15.0%	85.0%
Grade 7	6.2%	7.7%	11.7%	88.3%
Grade 8	7.5%	9.6%	14.1%	85.9%
Grade 9	8.7%	11.9%	17.3%	82.7%
Grade 10	7.3%	9.5%	16.0%	84.0%
Grade 11	6.4%	9.4%	13.3%	86.7%
Grade 12	9.5%	11.2%	16.8%	83.2%
Any Inhalant				
All	6.1%	8.0%	14.0%	86.0%
Grade 7	7.7%	9.6%	14.3%	85.7%
Grade 8	6.0%	7.9%	15.0%	85.0%
Grade 9	7.6%	10.0%	16.1%	83.9%
Grade 10	5.1%	6.4%	13.4%	86.6%
Grade 11	3.8%	4.9%	9.9%	90.1%
Grade 12	4.8%	6.6%	12.4%	87.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.2%	11.9%	23.1%	76.9%
Grade 7	4.0%	5.7%	11.1%	88.9%
Grade 8	7.0%	9.3%	18.9%	81.1%
Grade 9	8.2%	11.8%	24.7%	75.3%
Grade 10	9.5%	15.3%	29.3%	70.7%
Grade 11	10.6%	14.5%	28.1%	71.9%
Grade 12	12.8%	18.9%	32.5%	67.5%
Marijuana				
All	13.6%	16.3%	22.5%	77.5%
Grade 7	5.4%	6.2%	7.6%	92.4%
Grade 8	10.1%	11.5%	14.7%	85.3%
Grade 9	13.5%	16.2%	21.7%	78.3%
Grade 10	17.8%	21.8%	31.0%	69.0%
Grade 11	17.6%	21.2%	32.4%	67.6%
Grade 12	23.1%	28.0%	39.4%	60.6%
Marijuana Only				
All	6.2%	7.8%	12.3%	87.7%
Grade 7	2.4%	3.0%	3.9%	96.1%
Grade 8	4.3%	5.3%	7.4%	92.6%
Grade 9	6.0%	7.9%	11.7%	88.3%
Grade 10	7.9%	10.6%	17.9%	82.1%
Grade 11	7.3%	9.0%	16.9%	83.1%
Grade 12	12.2%	14.7%	22.7%	77.3%
Cocaine or Crack				
All	2.7%	3.0%	4.7%	95.3%
Grade 7	1.3%	1.4%	1.7%	98.3%
Grade 8	2.0%	2.2%	2.8%	97.2%
Grade 9	1.8%	2.3%	3.9%	96.1%
Grade 10	4.1%	4.5%	6.4%	93.6%
Grade 11	4.3%	4.8%	7.8%	92.2%
Grade 12	4.3%	5.1%	8.5%	91.5%
Cocaine				
All	2.5%	2.8%	4.4%	95.6%
Grade 7	1.2%	1.3%	1.5%	98.5%
Grade 8	2.0%	2.1%	2.7%	97.3%
Grade 9	1.5%	1.9%	3.5%	96.5%
Grade 10	3.9%	4.3%	6.1%	93.9%
Grade 11	4.0%	4.6%	7.5%	92.5%
Grade 12	4.1%	4.8%	8.3%	91.7%

Percentages have been weighted to reflect proportions within the population.

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.7%	0.8%	1.1%	98.9%
Grade 9	0.6%	0.7%	1.1%	98.9%
Grade 10	0.8%	0.9%	1.6%	98.4%
Grade 11	0.9%	0.9%	1.4%	98.6%
Grade 12	1.1%	1.1%	1.5%	98.5%
Hallucinogens				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	1.3%	1.6%	3.0%	97.0%
Grade 10	1.0%	1.5%	2.9%	97.1%
Grade 11	0.9%	1.8%	3.8%	96.2%
Grade 12	1.9%	2.7%	5.2%	94.8%
Synthetic Cathinones				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.5%	0.5%	0.8%	99.2%
Steroids				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.2%	0.6%	1.1%	98.9%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.2%	0.4%	0.7%	99.3%
Grade 12	0.4%	0.5%	0.7%	99.3%
Ecstasy				
All	1.1%	1.7%	3.4%	96.6%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.8%	1.9%	98.1%
Grade 9	0.9%	1.6%	3.5%	96.5%
Grade 10	1.8%	2.9%	5.1%	94.9%
Grade 11	2.0%	3.1%	6.0%	94.0%
Grade 12	1.5%	2.5%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 69 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.2%	0.3%	1.2%	98.8%
Grade 12	0.7%	0.7%	0.9%	99.1%
Synthetic Marijuana				
All	2.3%	3.3%	7.3%	92.7%
Grade 7	1.3%	1.7%	2.8%	97.2%
Grade 8	2.2%	3.1%	6.2%	93.8%
Grade 9	2.5%	3.7%	7.8%	92.2%
Grade 10	3.1%	4.2%	8.8%	91.2%
Grade 11	1.8%	3.4%	10.4%	89.6%
Grade 12	2.9%	4.0%	9.4%	90.6%
Methamphetamine				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.5%	98.5%
Grade 9	0.3%	0.6%	1.5%	98.5%
Grade 10	0.5%	0.9%	1.5%	98.5%
Grade 11	0.4%	0.4%	1.4%	98.6%
Grade 12	0.9%	1.0%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 70 of 120

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.9%	14.8%	25.3%	74.7%
Grade 7	5.4%	6.9%	12.3%	87.7%
Grade 8	8.3%	10.1%	19.2%	80.8%
Grade 9	11.5%	14.2%	24.7%	75.3%
Grade 10	13.0%	18.2%	33.4%	66.6%
Grade 11	15.0%	18.4%	31.3%	68.7%
Grade 12	23.5%	28.3%	40.8%	59.2%
Any Alcohol Product				
All	27.4%	31.5%	47.6%	52.4%
Grade 7	12.8%	15.1%	29.2%	70.8%
Grade 8	19.5%	22.3%	40.8%	59.2%
Grade 9	29.1%	33.0%	49.1%	50.9%
Grade 10	34.5%	38.5%	53.2%	46.8%
Grade 11	36.0%	41.2%	57.7%	42.3%
Grade 12	41.6%	50.0%	67.1%	32.9%
Any Illicit Drug				
All	11.2%	14.1%	18.8%	81.2%
Grade 7	3.8%	5.4%	6.3%	93.7%
Grade 8	7.1%	9.4%	11.8%	88.2%
Grade 9	11.5%	14.1%	17.4%	82.6%
Grade 10	15.2%	18.8%	26.4%	73.6%
Grade 11	14.6%	18.3%	26.7%	73.3%
Grade 12	20.3%	25.3%	34.8%	65.2%
Any Prescription Drug				
All	6.8%	8.9%	12.8%	87.2%
Grade 7	6.1%	7.6%	10.8%	89.2%
Grade 8	6.9%	9.0%	12.5%	87.5%
Grade 9	7.2%	9.2%	12.8%	87.2%
Grade 10	7.0%	9.0%	14.8%	85.2%
Grade 11	6.1%	9.2%	12.2%	87.8%
Grade 12	7.4%	9.8%	15.0%	85.0%
Any Inhalant				
All	5.3%	6.9%	12.6%	87.4%
Grade 7	6.4%	7.8%	12.6%	87.4%
Grade 8	5.5%	7.2%	14.3%	85.7%
Grade 9	5.9%	8.0%	13.6%	86.4%
Grade 10	4.7%	6.3%	12.5%	87.5%
Grade 11	3.7%	4.6%	9.4%	90.6%
Grade 12	4.5%	6.2%	11.4%	88.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.7%	10.1%	19.8%	80.2%
Grade 7	2.4%	3.9%	7.9%	92.1%
Grade 8	5.1%	7.1%	15.2%	84.8%
Grade 9	7.3%	10.5%	20.4%	79.6%
Grade 10	7.9%	13.6%	26.7%	73.3%
Grade 11	8.4%	12.7%	25.1%	74.9%
Grade 12	11.1%	16.9%	29.9%	70.1%
Marijuana				
All	10.6%	12.6%	17.5%	82.5%
Grade 7	3.4%	4.0%	5.1%	94.9%
Grade 8	6.7%	7.7%	10.3%	89.7%
Grade 9	11.1%	13.1%	16.4%	83.6%
Grade 10	14.2%	17.1%	24.9%	75.1%
Grade 11	13.2%	15.9%	25.1%	74.9%
Grade 12	19.5%	23.6%	33.9%	66.1%
Marijuana Only				
All	4.8%	6.1%	9.5%	90.5%
Grade 7	1.4%	1.9%	2.5%	97.5%
Grade 8	2.8%	3.4%	5.2%	94.8%
Grade 9	4.4%	5.8%	7.6%	92.4%
Grade 10	7.1%	8.8%	15.0%	85.0%
Grade 11	6.5%	8.0%	14.3%	85.7%
Grade 12	9.7%	12.1%	19.7%	80.3%
Cocaine or Crack				
All	2.2%	2.5%	3.8%	96.2%
Grade 7	1.0%	1.2%	1.3%	98.7%
Grade 8	1.8%	1.8%	2.3%	97.7%
Grade 9	2.0%	2.4%	4.1%	95.9%
Grade 10	2.8%	3.1%	4.1%	95.9%
Grade 11	3.0%	3.2%	5.8%	94.2%
Grade 12	3.8%	4.6%	7.1%	92.9%
Cocaine				
All	2.0%	2.3%	3.6%	96.4%
Grade 7	0.9%	1.1%	1.2%	98.8%
Grade 8	1.5%	1.6%	2.0%	98.0%
Grade 9	1.7%	2.0%	3.8%	96.2%
Grade 10	2.6%	2.9%	3.9%	96.1%
Grade 11	2.8%	3.0%	5.6%	94.4%
Grade 12	3.8%	4.6%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 72 of 120

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.8%	1.1%	98.9%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	0.8%	0.8%	0.9%	99.1%
Grade 10	0.5%	0.6%	1.0%	99.0%
Grade 11	0.7%	0.7%	1.3%	98.7%
Grade 12	1.0%	1.1%	1.8%	98.2%
Hallucinogens				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.9%	1.3%	2.4%	97.6%
Grade 10	0.9%	1.3%	2.1%	97.9%
Grade 11	0.5%	1.2%	2.4%	97.6%
Grade 12	1.7%	2.0%	4.5%	95.5%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.7%	0.8%	1.3%	98.7%
Steroids				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.6%	0.8%	1.3%	98.7%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.5%	0.6%	0.9%	99.1%
Ecstasy				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.5%	1.0%	3.3%	96.7%
Grade 10	1.7%	2.4%	3.9%	96.1%
Grade 11	0.9%	2.0%	3.8%	96.2%
Grade 12	0.8%	1.9%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.2%	1.2%	98.8%
Grade 12	0.6%	0.6%	1.1%	98.9%
Synthetic Marijuana				
All	1.7%	2.3%	5.5%	94.5%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	1.9%	2.2%	4.5%	95.5%
Grade 9	1.9%	2.6%	6.3%	93.7%
Grade 10	2.1%	2.5%	6.0%	94.0%
Grade 11	1.5%	2.7%	7.5%	92.5%
Grade 12	2.4%	3.3%	8.1%	91.9%
Methamphetamine				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.7%	0.8%	1.4%	98.6%
Grade 11	0.3%	0.4%	1.3%	98.7%
Grade 12	1.1%	1.3%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 74 of 120

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.1%	20.7%	36.6%	63.4%
Grade 7	8.6%	10.0%	19.3%	80.7%
Grade 8	12.5%	14.9%	28.3%	71.7%
Grade 9	14.8%	18.4%	37.3%	62.7%
Grade 10	21.3%	25.7%	42.6%	57.4%
Grade 11	23.5%	29.0%	46.1%	53.9%
Grade 12	26.9%	32.3%	51.9%	48.1%
Any Alcohol Product				
All	33.2%	38.4%	57.4%	42.6%
Grade 7	16.4%	18.3%	35.7%	64.3%
Grade 8	24.2%	27.6%	47.6%	52.4%
Grade 9	35.5%	42.1%	62.6%	37.4%
Grade 10	39.9%	45.7%	63.1%	36.9%
Grade 11	42.0%	47.8%	66.1%	33.9%
Grade 12	45.6%	53.8%	72.9%	27.1%
Any Illicit Drug				
All	17.5%	21.9%	30.1%	69.9%
Grade 7	8.3%	10.1%	12.0%	88.0%
Grade 8	14.0%	17.3%	20.9%	79.1%
Grade 9	15.8%	20.2%	27.9%	72.1%
Grade 10	21.6%	27.2%	39.0%	61.0%
Grade 11	24.1%	29.4%	40.8%	59.2%
Grade 12	26.0%	33.0%	48.6%	51.4%
Any Prescription Drug				
All	9.8%	12.6%	18.6%	81.4%
Grade 7	7.3%	9.7%	15.2%	84.8%
Grade 8	9.4%	11.9%	17.6%	82.4%
Grade 9	12.4%	15.6%	23.2%	76.8%
Grade 10	8.8%	11.8%	17.4%	82.6%
Grade 11	7.2%	10.8%	17.3%	82.7%
Grade 12	12.4%	14.5%	18.9%	81.1%
Any Inhalant				
All	6.1%	7.7%	14.2%	85.8%
Grade 7	7.9%	9.6%	14.3%	85.7%
Grade 8	5.8%	7.5%	14.5%	85.5%
Grade 9	8.0%	9.8%	16.5%	83.5%
Grade 10	5.3%	6.1%	14.0%	86.0%
Grade 11	3.4%	5.2%	10.4%	89.6%
Grade 12	4.1%	6.1%	13.3%	86.7%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 75 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.9%	12.6%	26.7%	73.3%
Grade 7	4.9%	6.8%	14.6%	85.4%
Grade 8	7.6%	10.3%	21.4%	78.6%
Grade 9	8.1%	11.5%	28.5%	71.5%
Grade 10	10.0%	14.8%	31.3%	68.7%
Grade 11	10.9%	15.7%	30.9%	69.1%
Grade 12	14.2%	19.6%	36.5%	63.5%
Marijuana				
All	16.9%	20.2%	28.6%	71.4%
Grade 7	7.6%	8.4%	10.2%	89.8%
Grade 8	13.8%	15.9%	19.8%	80.2%
Grade 9	15.4%	18.1%	26.1%	73.9%
Grade 10	20.5%	24.7%	36.9%	63.1%
Grade 11	23.1%	27.6%	39.9%	60.1%
Grade 12	25.5%	31.7%	47.3%	52.7%
Marijuana Only				
All	7.8%	9.8%	16.2%	83.8%
Grade 7	3.9%	4.3%	5.7%	94.3%
Grade 8	6.1%	7.6%	10.4%	89.6%
Grade 9	7.4%	9.5%	15.9%	84.1%
Grade 10	7.9%	11.5%	21.4%	78.6%
Grade 11	9.3%	11.0%	20.3%	79.7%
Grade 12	13.8%	17.3%	27.6%	72.4%
Cocaine or Crack				
All	3.1%	3.5%	5.6%	94.4%
Grade 7	1.5%	1.5%	1.8%	98.2%
Grade 8	2.4%	2.6%	3.8%	96.2%
Grade 9	2.3%	2.6%	3.9%	96.1%
Grade 10	4.3%	4.7%	7.6%	92.4%
Grade 11	5.5%	6.5%	9.5%	90.5%
Grade 12	4.2%	4.8%	9.8%	90.2%
Cocaine				
All	2.9%	3.3%	5.3%	94.7%
Grade 7	1.2%	1.3%	1.6%	98.4%
Grade 8	2.3%	2.4%	3.6%	96.4%
Grade 9	2.2%	2.6%	3.8%	96.2%
Grade 10	4.2%	4.4%	7.0%	93.0%
Grade 11	5.2%	6.2%	9.2%	90.8%
Grade 12	3.7%	4.3%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 76 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.3%	98.7%
Grade 7	0.9%	1.1%	1.1%	98.9%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.7%	1.0%	1.7%	98.3%
Grade 11	0.9%	0.9%	1.0%	99.0%
Grade 12	0.9%	0.9%	1.7%	98.3%
Hallucinogens				
All	1.3%	1.9%	3.7%	96.3%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.7%	1.0%	2.2%	97.8%
Grade 9	1.8%	2.3%	4.2%	95.8%
Grade 10	1.4%	2.7%	4.4%	95.6%
Grade 11	1.2%	1.9%	5.6%	94.4%
Grade 12	2.5%	3.5%	6.2%	93.8%
Synthetic Cathinones				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	1.0%	1.0%	1.0%	99.0%
Steroids				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.7%	1.8%	98.2%
Grade 8	0.1%	0.2%	1.1%	98.9%
Grade 9	0.2%	0.6%	0.7%	99.3%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.5%	99.5%
Ecstasy				
All	1.6%	2.4%	4.6%	95.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.6%	0.9%	2.5%	97.5%
Grade 9	1.3%	2.0%	3.9%	96.1%
Grade 10	2.4%	4.1%	6.7%	93.3%
Grade 11	3.0%	4.8%	8.2%	91.8%
Grade 12	2.8%	3.6%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.8%	1.0%	99.0%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.7%	1.2%	98.8%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.8%	99.2%
Synthetic Marijuana				
All	2.7%	4.0%	8.5%	91.5%
Grade 7	1.8%	2.4%	3.9%	96.1%
Grade 8	2.5%	3.7%	7.0%	93.0%
Grade 9	3.1%	4.7%	8.3%	91.7%
Grade 10	3.6%	5.3%	10.7%	89.3%
Grade 11	2.1%	3.8%	11.5%	88.5%
Grade 12	2.9%	3.9%	11.4%	88.6%
Methamphetamine				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.6%	0.9%	1.9%	98.1%
Grade 9	0.6%	1.1%	2.1%	97.9%
Grade 10	0.3%	1.1%	1.7%	98.3%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.3%	0.4%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 78 of 120

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.9%	15.0%	27.4%	72.6%
Grade 7	5.3%	6.5%	12.6%	87.4%
Grade 8	8.1%	10.1%	20.0%	80.0%
Grade 9	11.1%	14.2%	28.1%	71.9%
Grade 10	13.2%	17.4%	33.5%	66.5%
Grade 11	17.3%	21.0%	35.8%	64.2%
Grade 12	22.2%	27.6%	43.2%	56.8%
Any Alcohol Product				
All	27.9%	32.2%	50.1%	49.9%
Grade 7	12.6%	14.4%	29.8%	70.2%
Grade 8	18.8%	21.5%	40.9%	59.1%
Grade 9	30.1%	34.8%	54.0%	46.0%
Grade 10	34.3%	38.6%	54.8%	45.2%
Grade 11	37.6%	43.3%	61.2%	38.8%
Grade 12	42.6%	50.5%	69.9%	30.1%
Any Illicit Drug				
All	11.5%	14.6%	20.5%	79.5%
Grade 7	4.0%	5.2%	6.3%	93.7%
Grade 8	7.8%	10.0%	12.7%	87.3%
Grade 9	11.2%	13.9%	18.5%	81.5%
Grade 10	14.8%	19.2%	27.9%	72.1%
Grade 11	16.6%	20.5%	30.6%	69.4%
Grade 12	20.0%	25.4%	37.9%	62.1%
Any Prescription Drug				
All	7.7%	10.0%	14.2%	85.8%
Grade 7	6.5%	8.3%	11.9%	88.1%
Grade 8	7.3%	9.4%	13.6%	86.4%
Grade 9	9.1%	11.5%	15.7%	84.3%
Grade 10	7.5%	9.8%	15.3%	84.7%
Grade 11	6.2%	9.3%	12.7%	87.3%
Grade 12	9.3%	11.6%	16.0%	84.0%
Any Inhalant				
All	4.8%	6.3%	11.9%	88.1%
Grade 7	6.3%	7.2%	11.6%	88.4%
Grade 8	4.7%	6.3%	13.1%	86.9%
Grade 9	5.9%	7.9%	13.3%	86.7%
Grade 10	4.6%	5.7%	12.0%	88.0%
Grade 11	2.8%	3.9%	9.0%	91.0%
Grade 12	3.4%	5.4%	10.9%	89.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 79 of 120

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.5%	9.9%	20.6%	79.4%
Grade 7	2.7%	4.1%	8.5%	91.5%
Grade 8	5.1%	7.2%	15.6%	84.4%
Grade 9	6.7%	10.0%	22.4%	77.6%
Grade 10	7.5%	11.7%	25.6%	74.4%
Grade 11	8.8%	13.1%	26.6%	73.4%
Grade 12	10.6%	16.7%	30.6%	69.4%
Marijuana				
All	11.0%	13.2%	19.2%	80.8%
Grade 7	3.5%	4.1%	5.3%	94.7%
Grade 8	7.5%	8.7%	11.5%	88.5%
Grade 9	10.9%	12.7%	17.2%	82.8%
Grade 10	14.0%	17.4%	26.2%	73.8%
Grade 11	15.4%	18.6%	29.2%	70.8%
Grade 12	19.4%	24.1%	37.0%	63.0%
Marijuana Only				
All	5.2%	6.6%	11.1%	88.9%
Grade 7	1.7%	2.1%	2.8%	97.2%
Grade 8	3.5%	4.3%	6.4%	93.6%
Grade 9	4.8%	5.9%	9.3%	90.7%
Grade 10	6.8%	9.1%	16.3%	83.7%
Grade 11	7.0%	8.4%	16.3%	83.7%
Grade 12	10.6%	13.5%	22.6%	77.4%
Cocaine or Crack				
All	2.1%	2.3%	3.7%	96.3%
Grade 7	1.1%	1.2%	1.3%	98.7%
Grade 8	1.6%	1.7%	2.3%	97.7%
Grade 9	1.4%	1.8%	3.0%	97.0%
Grade 10	2.1%	2.4%	4.0%	96.0%
Grade 11	3.8%	4.0%	6.6%	93.4%
Grade 12	3.4%	4.0%	7.6%	92.4%
Cocaine				
All	1.9%	2.2%	3.5%	96.5%
Grade 7	0.9%	1.0%	1.1%	98.9%
Grade 8	1.4%	1.5%	2.0%	98.0%
Grade 9	1.4%	1.7%	2.9%	97.1%
Grade 10	2.1%	2.4%	3.8%	96.2%
Grade 11	3.5%	3.7%	6.3%	93.7%
Grade 12	3.2%	3.8%	7.2%	92.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.6%	0.6%	1.0%	99.0%
Grade 12	1.1%	1.1%	1.8%	98.2%
Hallucinogens				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	0.8%	1.2%	2.4%	97.6%
Grade 10	1.0%	1.5%	2.5%	97.5%
Grade 11	0.7%	1.0%	2.5%	97.5%
Grade 12	1.4%	2.0%	4.4%	95.6%
Synthetic Cathinones				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.7%	0.7%	1.0%	99.0%
Steroids				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.5%	0.8%	1.2%	98.8%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.7%	99.3%
Ecstasy				
All	0.8%	1.2%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	0.6%	0.9%	2.9%	97.1%
Grade 10	1.6%	2.2%	3.9%	96.1%
Grade 11	1.3%	2.3%	4.3%	95.7%
Grade 12	1.1%	1.9%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.5%	0.5%	1.0%	99.0%
Synthetic Marijuana				
All	1.5%	2.3%	5.6%	94.4%
Grade 7	0.6%	1.0%	1.9%	98.1%
Grade 8	1.7%	2.1%	4.3%	95.7%
Grade 9	1.7%	2.6%	6.1%	93.9%
Grade 10	1.9%	2.8%	6.2%	93.8%
Grade 11	1.4%	2.4%	8.2%	91.8%
Grade 12	2.2%	3.1%	8.4%	91.6%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.9%	1.0%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 82 of 120

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.6%	27.8%	40.0%	60.0%
Grade 7	16.0%	18.9%	30.0%	70.0%
Grade 8	18.6%	21.1%	33.6%	66.4%
Grade 9	21.7%	24.4%	36.8%	63.2%
Grade 10	28.7%	38.0%	52.0%	48.0%
Grade 11	23.6%	29.7%	41.0%	59.0%
Grade 12	37.4%	40.8%	52.6%	47.4%
Any Alcohol Product				
All	38.7%	44.1%	57.0%	43.0%
Grade 7	26.6%	31.4%	44.3%	55.7%
Grade 8	32.7%	37.8%	55.8%	44.2%
Grade 9	38.8%	43.6%	54.8%	45.2%
Grade 10	47.5%	53.1%	64.6%	35.4%
Grade 11	42.5%	46.1%	58.7%	41.3%
Grade 12	47.2%	56.3%	67.1%	32.9%
Any Illicit Drug				
All	24.4%	30.4%	36.6%	63.4%
Grade 7	15.6%	20.4%	22.8%	77.2%
Grade 8	17.7%	22.7%	26.4%	73.6%
Grade 9	23.6%	30.1%	36.3%	63.7%
Grade 10	31.2%	36.1%	47.6%	52.4%
Grade 11	26.7%	33.0%	39.5%	60.5%
Grade 12	35.6%	44.0%	52.1%	47.9%
Any Prescription Drug				
All	9.2%	11.7%	19.2%	80.8%
Grade 7	6.5%	8.2%	13.6%	86.4%
Grade 8	11.4%	13.6%	19.2%	80.8%
Grade 9	10.0%	12.7%	21.4%	78.6%
Grade 10	9.5%	11.9%	18.8%	81.2%
Grade 11	8.2%	12.3%	21.6%	78.4%
Grade 12	8.1%	10.4%	19.4%	80.6%
Any Inhalant				
All	10.0%	12.6%	20.3%	79.7%
Grade 7	13.0%	17.6%	24.8%	75.2%
Grade 8	10.4%	13.3%	21.7%	78.3%
Grade 9	10.9%	13.2%	21.2%	78.8%
Grade 10	7.5%	10.0%	21.0%	79.0%
Grade 11	8.1%	10.4%	13.8%	86.2%
Grade 12	9.1%	10.0%	17.1%	82.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.8%	17.7%	31.3%	68.7%
Grade 7	7.5%	10.7%	22.5%	77.5%
Grade 8	10.6%	14.3%	26.2%	73.8%
Grade 9	13.1%	16.5%	30.2%	69.8%
Grade 10	13.6%	25.8%	41.7%	58.3%
Grade 11	11.9%	16.9%	28.6%	71.4%
Grade 12	21.6%	24.9%	41.7%	58.3%
Marijuana				
All	23.2%	27.2%	34.4%	65.6%
Grade 7	14.5%	16.1%	18.5%	81.5%
Grade 8	17.4%	19.4%	23.5%	76.5%
Grade 9	22.2%	27.8%	35.1%	64.9%
Grade 10	29.5%	33.4%	45.7%	54.3%
Grade 11	25.4%	29.2%	38.1%	61.9%
Grade 12	34.2%	40.9%	50.5%	49.5%
Marijuana Only				
All	9.6%	12.3%	16.9%	83.1%
Grade 7	6.4%	7.3%	9.3%	90.7%
Grade 8	6.6%	7.9%	10.7%	89.3%
Grade 9	10.1%	14.8%	18.4%	81.6%
Grade 10	10.8%	13.9%	23.0%	77.0%
Grade 11	10.7%	12.9%	17.8%	82.2%
Grade 12	14.3%	17.1%	23.9%	76.1%
Cocaine or Crack				
All	5.5%	6.2%	8.7%	91.3%
Grade 7	2.5%	2.9%	3.4%	96.6%
Grade 8	3.8%	4.3%	5.8%	94.2%
Grade 9	5.4%	5.6%	9.1%	90.9%
Grade 10	9.3%	10.0%	12.3%	87.7%
Grade 11	4.6%	6.7%	10.8%	89.2%
Grade 12	7.9%	9.5%	12.3%	87.7%
Cocaine				
All	5.2%	5.9%	8.4%	91.6%
Grade 7	2.3%	2.8%	3.2%	96.8%
Grade 8	3.5%	3.8%	5.3%	94.7%
Grade 9	5.2%	5.4%	8.9%	91.1%
Grade 10	8.9%	9.1%	11.4%	88.6%
Grade 11	4.6%	6.7%	10.8%	89.2%
Grade 12	7.6%	9.2%	12.0%	88.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.3%	1.5%	2.4%	97.6%
Grade 7	1.3%	1.7%	2.5%	97.5%
Grade 8	1.8%	2.1%	2.9%	97.1%
Grade 9	0.4%	0.4%	1.7%	98.3%
Grade 10	1.7%	2.4%	3.2%	96.8%
Grade 11	2.1%	2.1%	2.5%	97.5%
Grade 12	1.0%	1.3%	1.9%	98.1%
Hallucinogens				
All	2.3%	3.2%	6.0%	94.0%
Grade 7	0.9%	0.9%	1.7%	98.3%
Grade 8	1.1%	1.9%	4.6%	95.4%
Grade 9	3.7%	4.4%	5.8%	94.2%
Grade 10	1.3%	2.8%	5.8%	94.2%
Grade 11	0.7%	3.3%	10.2%	89.8%
Grade 12	5.0%	5.7%	8.9%	91.1%
Synthetic Cathinones				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.5%	1.1%	1.3%	98.7%
Grade 9	0.2%	0.2%	2.0%	98.0%
Grade 10	0.3%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	1.6%	1.9%	1.9%	98.1%
Steroids				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	1.0%	1.0%	3.3%	96.7%
Grade 8	0.3%	1.1%	1.8%	98.2%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	2.2%	2.2%	2.9%	97.1%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.3%	0.6%	1.0%	99.0%
Ecstasy				
All	2.1%	3.9%	7.0%	93.0%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.9%	3.5%	96.5%
Grade 9	1.9%	3.9%	7.2%	92.8%
Grade 10	3.4%	6.8%	10.4%	89.6%
Grade 11	3.4%	6.3%	10.6%	89.4%
Grade 12	4.3%	6.8%	11.7%	88.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.9%	1.2%	1.8%	98.2%
Grade 7	0.4%	0.9%	1.3%	98.7%
Grade 8	1.7%	2.9%	3.4%	96.6%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	1.8%	1.8%	1.9%	98.1%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.9%	0.9%	1.6%	98.4%
Synthetic Marijuana				
All	5.0%	6.5%	12.3%	87.7%
Grade 7	3.8%	4.8%	7.4%	92.6%
Grade 8	4.3%	5.3%	9.2%	90.8%
Grade 9	5.8%	7.9%	12.9%	87.1%
Grade 10	6.0%	7.4%	16.1%	83.9%
Grade 11	4.1%	6.6%	13.2%	86.8%
Grade 12	5.6%	6.3%	16.0%	84.0%
Methamphetamine				
All	0.9%	1.5%	2.7%	97.3%
Grade 7	1.2%	1.2%	2.5%	97.5%
Grade 8	1.1%	2.0%	3.0%	97.0%
Grade 9	0.3%	1.6%	3.4%	96.6%
Grade 10	1.4%	1.8%	2.6%	97.4%
Grade 11	1.3%	1.4%	2.1%	97.9%
Grade 12	0.2%	0.6%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	168,981	50.3%
Female	167,083	49.7%
Frequency Missing	2,574	

Hispanic or Latino

Q5a	Frequency	Percent
No	17,778	5.3%
Yes	316,638	94.7%
Frequency Missing	4,222	

Grade

Q2	Frequency	Percent
Grade 7	59,410	17.6%
Grade 8	63,207	18.7%
Grade 9	81,514	24.1%
Grade 10	48,325	14.3%
Grade 11	44,300	13.1%
Grade 12	40,853	12.1%
Frequency Missing	1,029	

Ethnicity

Q5b	Frequency	Percent
American Indian	8,785	3.0%
Asian American	873	0.3%
African American	8,027	2.8%
Pacific Islander	649	0.2%
White	156,896	54.1%
Other	86,741	29.9%
More Than One Race	28,079	9.7%
Frequency Missing	48,589	

Live with Both Parents

Q3	Frequency	Percent
No	118,893	35.5%
Yes	215,798	64.5%
Frequency Missing	3,947	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	1,932	0.6%
Mostly D's	4,947	1.6%
Mostly C's	48,506	16.0%
Mostly B's	170,945	56.5%
Mostly A's	75,976	25.1%
Frequency Missing	36,331	

Age

Q4	Frequency	Percent
11 Or Younger	538	0.2%
12	24,551	7.3%
13	55,740	16.5%
14	67,032	19.9%
15	64,756	19.2%
16	49,389	14.7%
17	44,722	13.3%
18	25,939	7.7%
19 Or Older	4,339	1.3%
Frequency Missing	1,632	

Do You Have a Job

Q7	Frequency	Percent
No	271,313	89.1%
Yes	33,227	10.9%
Frequency Missing	34,098	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	43,388	14.4%
Yes	174,674	58.0%
Don't Know	83,137	27.6%
Frequency Missing	37,438	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	241,238	91.5%
Yes	22,436	8.5%
Frequency Missing	74,963	

Participate in School Athletics (UTL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	144,164	49.9%
Yes	144,654	50.1%
Frequency Missing	49,820	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	213,843	79.9%
Yes	53,660	20.1%
Frequency Missing	71,135	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	215,912	79.4%
Yes	56,028	20.6%
Frequency Missing	66,697	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	201,014	75.8%
Yes	64,271	24.2%
Frequency Missing	73,352	

Participate in School Choir

Q9c	Frequency	Percent
No	241,727	91.8%
Yes	21,461	8.2%
Frequency Missing	75,449	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	182,780	66.9%
Yes	90,248	33.1%
Frequency Missing	65,609	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	242,939	92.0%
Yes	21,216	8.0%
Frequency Missing	74,482	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	211,086	79.0%
Yes	56,002	21.0%
Frequency Missing	71,550	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	291,511	86.7%
Somewhat Safe	37,790	11.2%
Not Very Safe	2,746	0.8%
Not Safe At All	1,038	0.3%
Don't Know	3,174	0.9%
Frequency Missing	2,377	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School Or Less	45,528	14.3%
Some High School	53,309	16.7%
Finished High School	64,570	20.3%
Some College	37,829	11.9%
Finished College	44,218	13.9%
Post-Secondary	28,332	8.9%
Don't Know Or N/A	44,652	14.0%
Frequency Missing	20,200	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	126,689	38.0%
Somewhat Safe	162,571	48.7%
Not Very Safe	28,677	8.6%
Not Safe At All	5,879	1.8%
Don't Know	9,901	3.0%
Frequency Missing	4,921	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	177,762	62.2%
Yes	108,006	37.8%
Frequency Missing	52,870	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	130,342	39.0%
Somewhat Safe	150,162	45.0%
Not Very Safe	26,081	7.8%
Not Safe At All	12,939	3.9%
Don't Know	14,396	4.3%
Frequency Missing	4,717	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	25,016	7.5%
A Few	81,546	24.4%
Some	82,208	24.6%
Most	104,359	31.2%
All	40,914	12.2%
Frequency Missing	4,593	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School Or Less	44,216	14.0%
Some High School	53,324	16.9%
Finished High School	67,586	21.4%
Some College	31,626	10.0%
Finished College	34,002	10.8%
Post-Secondary	23,046	7.3%
Don't Know Or N/A	61,508	19.5%
Frequency Missing	23,329	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	9,632	2.9%
A Few	48,245	14.4%
Some	81,979	24.5%
Most	126,783	38.0%
All	67,333	20.2%
Frequency Missing	4,666	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	184,610	56.4%
A Few	84,201	25.7%
Some	38,154	11.7%
Most	14,180	4.3%
All	6,248	1.9%
Frequency Missing	11,245	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	315,542	94.6%
In Your Lifetime	11,710	3.5%
Since School Began	1,963	0.6%
In The Past Month	4,418	1.3%
Frequency Missing	5,006	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	277,909	84.0%
A Few	34,003	10.3%
Some	11,977	3.6%
Most	4,150	1.3%
All	2,871	0.9%
Frequency Missing	7,728	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	324,654	98.2%
In Your Lifetime	3,135	0.9%
Since School Began	956	0.3%
In The Past Month	1,843	0.6%
Frequency Missing	8,049	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	265,304	79.6%
A Few	42,949	12.9%
Some	15,875	4.8%
Most	6,090	1.8%
All	2,930	0.9%
Frequency Missing	5,490	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	311,580	93.5%
In Your Lifetime	12,444	3.7%
Since School Began	3,060	0.9%
In The Past Month	6,034	1.8%
Frequency Missing	5,520	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	325,337	97.3%
In Your Lifetime	6,085	1.8%
Since School Began	843	0.3%
In The Past Month	2,110	0.6%
Frequency Missing	4,263	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	326,431	98.5%
In Your Lifetime	2,601	0.8%
Since School Began	765	0.2%
In The Past Month	1,675	0.5%
Frequency Missing	7,167	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	327,672	98.6%
In Your Lifetime	2,274	0.7%
Since School Began	694	0.2%
In The Past Month	1,548	0.5%
Frequency Missing	6,449	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	308,991	93.6%
In Your Lifetime	11,309	3.4%
Since School Began	2,773	0.8%
In The Past Month	7,159	2.2%
Frequency Missing	8,405	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	323,820	97.5%
In Your Lifetime	4,288	1.3%
Since School Began	1,219	0.4%
In The Past Month	2,761	0.8%
Frequency Missing	6,549	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	210,811	64.5%
In Your Lifetime	56,515	17.3%
Since School Began	17,269	5.3%
In The Past Month	42,355	13.0%
Frequency Missing	11,686	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	249,744	75.5%
In Your Lifetime	33,337	10.1%
Since School Began	14,106	4.3%
In The Past Month	33,752	10.2%
Frequency Missing	7,699	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	326,434	98.0%
In Your Lifetime	3,461	1.0%
Since School Began	962	0.3%
In The Past Month	2,095	0.6%
Frequency Missing	5,686	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	240,238	73.8%
In Your Lifetime	46,242	14.2%
Since School Began	12,377	3.8%
In The Past Month	26,769	8.2%
Frequency Missing	13,011	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	274,568	82.4%
In Your Lifetime	32,996	9.9%
Since School Began	6,771	2.0%
In The Past Month	19,058	5.7%
Frequency Missing	5,244	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	234,251	70.8%
In Your Lifetime	42,390	12.8%
Since School Began	16,506	5.0%
In The Past Month	37,841	11.4%
Frequency Missing	7,650	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	320,575	96.3%
In Your Lifetime	6,613	2.0%
Since School Began	1,720	0.5%
In The Past Month	3,936	1.2%
Frequency Missing	5,794	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	320,605	96.3%
In Your Lifetime	7,830	2.4%
Since School Began	1,522	0.5%
In The Past Month	2,956	0.9%
Frequency Missing	5,726	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	327,881	99.2%
In Your Lifetime	1,523	0.5%
Since School Began	289	0.1%
In The Past Month	788	0.2%
Frequency Missing	8,157	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	260,112	77.9%
In Your Lifetime	37,219	11.1%
Since School Began	11,815	3.5%
In The Past Month	24,936	7.5%
Frequency Missing	4,555	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	323,262	97.3%
In Your Lifetime	4,334	1.3%
Since School Began	1,372	0.4%
In The Past Month	3,182	1.0%
Frequency Missing	6,487	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	267,107	80.1%
In Your Lifetime	33,829	10.1%
Since School Began	9,963	3.0%
In The Past Month	22,604	6.8%
Frequency Missing	5,135	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	329,895	99.3%
In Your Lifetime	1,066	0.3%
Since School Began	235	0.1%
In The Past Month	1,000	0.3%
Frequency Missing	6,440	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	329,052	99.2%
In Your Lifetime	1,493	0.4%
Since School Began	463	0.1%
In The Past Month	769	0.2%
Frequency Missing	6,861	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	312,887	94.1%
In Your Lifetime	12,084	3.6%
Since School Began	2,069	0.6%
In The Past Month	5,585	1.7%
Frequency Missing	6,011	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	320,645	96.9%
In Your Lifetime	5,516	1.7%
Since School Began	1,660	0.5%
In The Past Month	2,973	0.9%
Frequency Missing	7,843	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	295,798	89.3%
In Your Lifetime	13,056	3.9%
Since School Began	5,870	1.8%
In The Past Month	16,453	5.0%
Frequency Missing	7,461	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	330,003	99.3%
In Your Lifetime	1,244	0.4%
Since School Began	267	0.1%
In The Past Month	880	0.3%
Frequency Missing	6,244	

**Recent Prescription Drug Use - Percocets
Etc**

Q17b	Frequency	Percent
Never Heard/Used	322,137	97.4%
In Your Lifetime	3,256	1.0%
Since School Began	1,759	0.5%
In The Past Month	3,650	1.1%
Frequency Missing	7,836	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	329,529	99.1%
In Your Lifetime	1,494	0.4%
Since School Began	318	0.1%
In The Past Month	1,342	0.4%
Frequency Missing	5,955	

**Recent Prescription Drug Use -
Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	320,574	96.9%
In Your Lifetime	3,629	1.1%
Since School Began	2,172	0.7%
In The Past Month	4,285	1.3%
Frequency Missing	7,977	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	324,171	98.1%
In Your Lifetime	2,780	0.8%
Since School Began	927	0.3%
In The Past Month	2,415	0.7%
Frequency Missing	8,345	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	249,071	75.8%
1-2 Times	49,606	15.1%
3-10 Times	21,033	6.4%
11+ Times	8,979	2.7%
Frequency Missing	9,948	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	305,695	92.5%
In Your Lifetime	9,408	2.8%
Since School Began	3,526	1.1%
In The Past Month	11,709	3.5%
Frequency Missing	8,299	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	324,802	98.0%
1-2 Times	4,776	1.4%
3-10 Times	1,297	0.4%
11+ Times	453	0.1%
Frequency Missing	7,309	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	318,297	96.3%
In Your Lifetime	4,993	1.5%
Since School Began	1,631	0.5%
In The Past Month	5,479	1.7%
Frequency Missing	8,237	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	290,937	88.0%
1-2 Times	19,038	5.8%
3-10 Times	8,843	2.7%
11+ Times	11,842	3.6%
Frequency Missing	7,978	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	304,608	92.1%
1-2 Times	16,260	4.9%
3-10 Times	5,796	1.8%
11+ Times	4,153	1.3%
Frequency Missing	7,820	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	324,872	97.9%
1-2 Times	4,647	1.4%
3-10 Times	1,346	0.4%
11+ Times	890	0.3%
Frequency Missing	6,882	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 95 of 120

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	329,056	99.4%
1-2 Times	1,571	0.5%
3-10 Times	207	0.1%
11+ Times	351	0.1%
Frequency Missing	7,454	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never Heard/None	194,819	59.0%
A Few	63,733	19.3%
Some	35,018	10.6%
Most	25,922	7.9%
All	10,532	3.2%
Frequency Missing	8,612	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never Heard/None	238,517	72.1%
A Few	58,412	17.7%
Some	21,949	6.6%
Most	9,185	2.8%
All	2,726	0.8%
Frequency Missing	7,849	

Difficult to Get Tobacco

Q21a	Frequency	Percent
Never Heard Of	119,980	36.8%
Impossible	67,855	20.8%
Very Difficult	22,383	6.9%
Somewhat Diff	30,589	9.4%
Somewhat Easy	37,547	11.5%
Very Easy	47,294	14.5%
Frequency Missing	12,989	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never Heard/None	164,094	49.7%
A Few	77,728	23.6%
Some	47,961	14.5%
Most	30,337	9.2%
All	9,867	3.0%
Frequency Missing	8,651	

Difficult to Get Alcohol

Q21b	Frequency	Percent
Never Heard Of	95,100	29.3%
Impossible	46,110	14.2%
Very Difficult	19,142	5.9%
Somewhat Diff	35,494	10.9%
Somewhat Easy	57,058	17.6%
Very Easy	71,685	22.1%
Frequency Missing	14,049	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never Heard/None	298,990	90.5%
A Few	22,122	6.7%
Some	6,063	1.8%
Most	2,385	0.7%
All	687	0.2%
Frequency Missing	8,391	

Difficult to Get Inhalants

Q21c	Frequency	Percent
Never Heard Of	153,884	47.4%
Impossible	54,049	16.7%
Very Difficult	13,823	4.3%
Somewhat Diff	17,798	5.5%
Somewhat Easy	24,740	7.6%
Very Easy	60,324	18.6%
Frequency Missing	14,019	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Marijuana

Q21d	Frequency	Percent
Never Heard Of	110,049	33.9%
Impossible	65,577	20.2%
Very Difficult	21,782	6.7%
Somewhat Diff	27,825	8.6%
Somewhat Easy	38,126	11.7%
Very Easy	61,608	19.0%
Frequency Missing	13,670	

Difficult to Get Ecstasy

Q21i	Frequency	Percent
Never Heard Of	171,610	53.1%
Impossible	77,392	23.9%
Very Difficult	24,189	7.5%
Somewhat Diff	18,224	5.6%
Somewhat Easy	15,106	4.7%
Very Easy	16,825	5.2%
Frequency Missing	15,290	

Difficult to Get Cocaine

Q21e	Frequency	Percent
Never Heard Of	139,626	43.1%
Impossible	90,470	27.9%
Very Difficult	30,618	9.4%
Somewhat Diff	25,200	7.8%
Somewhat Easy	16,336	5.0%
Very Easy	22,035	6.8%
Frequency Missing	14,351	

Difficult to Get Heroin

Q21j	Frequency	Percent
Never Heard Of	172,693	53.0%
Impossible	89,852	27.6%
Very Difficult	28,300	8.7%
Somewhat Diff	15,873	4.9%
Somewhat Easy	8,334	2.6%
Very Easy	10,613	3.3%
Frequency Missing	12,972	

Difficult to Get Crack

Q21f	Frequency	Percent
Never Heard Of	150,877	46.5%
Impossible	93,131	28.7%
Very Difficult	31,736	9.8%
Somewhat Diff	21,493	6.6%
Somewhat Easy	12,044	3.7%
Very Easy	14,877	4.6%
Frequency Missing	14,480	

Difficult to Get Methamphetamine

Q21k	Frequency	Percent
Never Heard Of	176,968	54.3%
Impossible	88,277	27.1%
Very Difficult	25,447	7.8%
Somewhat Diff	15,315	4.7%
Somewhat Easy	8,760	2.7%
Very Easy	11,154	3.4%
Frequency Missing	12,717	

Difficult to Get Steroids

Q21h	Frequency	Percent
Never Heard Of	158,573	48.9%
Impossible	92,243	28.4%
Very Difficult	28,103	8.7%
Somewhat Diff	20,976	6.5%
Somewhat Easy	12,562	3.9%
Very Easy	11,905	3.7%
Frequency Missing	14,276	

Difficult to Get Synthetic Marijuana

Q21l	Frequency	Percent
Never Heard Of	163,648	50.2%
Impossible	72,891	22.4%
Very Difficult	20,839	6.4%
Somewhat Diff	19,507	6.0%
Somewhat Easy	19,145	5.9%
Very Easy	29,685	9.1%
Frequency Missing	12,923	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 97 of 120

How Often Normally Use Tobacco

Q22a	Frequency	Percent
Every Day	1,525	0.5%
Several Times/Wk	3,542	1.1%
Several Times/Mo	6,148	1.9%
About Once/Month	7,649	2.3%
About Once/Year	8,127	2.5%
Less than Once/Year	11,895	3.6%
Never Used	290,522	88.2%
Frequency Missing	9,230	

How Often Normally Use Marijuana

Q22d	Frequency	Percent
Every Day	5,307	1.6%
Several Times/Wk	6,568	2.0%
Several Times/Mo	8,395	2.6%
About Once/Month	10,276	3.1%
About Once/Year	10,940	3.3%
Less than Once/Year	13,623	4.1%
Never Used	273,635	83.2%
Frequency Missing	9,893	

How Often Normally Use Alcohol

Q22b	Frequency	Percent
Every Day	746	0.2%
Several Times/Wk	7,838	2.4%
Several Times/Mo	20,676	6.3%
About Once/Month	30,300	9.3%
About Once/Year	28,406	8.7%
Less than Once/Year	22,692	6.9%
Never Used	216,427	66.2%
Frequency Missing	11,553	

How Often Normally Use Cocaine

Q22e	Frequency	Percent
Every Day	405	0.1%
Several Times/Wk	624	0.2%
Several Times/Mo	1,389	0.4%
About Once/Month	1,991	0.6%
About Once/Year	2,090	0.6%
Less than Once/Year	2,794	0.8%
Never Used	320,409	97.2%
Frequency Missing	8,936	

How Often Normally Use Inhalants

Q22c	Frequency	Percent
Every Day	263	0.1%
Several Times/Wk	599	0.2%
Several Times/Mo	1,054	0.3%
About Once/Month	1,530	0.5%
About Once/Year	1,608	0.5%
Less than Once/Year	3,843	1.2%
Never Used	320,546	97.3%
Frequency Missing	9,195	

How Often Normally Use Crack

Q22f	Frequency	Percent
Every Day	113	0.0%
Several Times/Wk	261	0.1%
Several Times/Mo	272	0.1%
About Once/Month	316	0.1%
About Once/Year	448	0.1%
Less than Once/Year	830	0.3%
Never Used	327,103	99.3%
Frequency Missing	9,295	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Steroids

Q22h	Frequency	Percent
Every Day	185	0.1%
Several Times/Wk	178	0.1%
Several Times/Mo	49	0.0%
About Once/Month	275	0.1%
About Once/Year	323	0.1%
Less than Once/Year	532	0.2%
Never Used	327,356	99.5%
Frequency Missing	9,740	

How Often Normally Use Methamphetamine

Q22k	Frequency	Percent
Every Day	66	0.0%
Several Times/Wk	163	0.0%
Several Times/Mo	164	0.0%
About Once/Month	544	0.2%
About Once/Year	597	0.2%
Less than Once/Year	913	0.3%
Never Used	326,838	99.3%
Frequency Missing	9,352	

How Often Normally Use Ecstasy

Q22i	Frequency	Percent
Every Day	188	0.1%
Several Times/Wk	228	0.1%
Several Times/Mo	947	0.3%
About Once/Month	1,757	0.5%
About Once/Year	2,268	0.7%
Less than Once/Year	2,881	0.9%
Never Used	320,320	97.5%
Frequency Missing	10,048	

How Often Normally Use Synthetic Marijuana

Q22l	Frequency	Percent
Every Day	517	0.2%
Several Times/Wk	747	0.2%
Several Times/Mo	1,851	0.6%
About Once/Month	2,831	0.9%
About Once/Year	3,445	1.0%
Less than Once/Year	5,289	1.6%
Never Used	314,204	95.5%
Frequency Missing	9,754	

How Often Normally Use Heroin

Q22j	Frequency	Percent
Every Day	162	0.0%
Several Times/Wk	58	0.0%
Several Times/Mo	153	0.0%
About Once/Month	253	0.1%
About Once/Year	176	0.1%
Less than Once/Year	501	0.2%
Never Used	328,013	99.6%
Frequency Missing	9,320	

Amount of Beer at One Time

Q23a	Frequency	Percent
Never Drink This	211,122	64.7%
12+ Drinks	8,852	2.7%
9-11 Drinks	5,156	1.6%
5-8 Drinks	12,012	3.7%
3-4 Drinks	17,898	5.5%
2 Drinks	16,510	5.1%
1 Drink	20,744	6.4%
Less than 1 Drink	33,929	10.4%
Frequency Missing	12,415	

Percentages and frequencies have been weighted to reflect proportions within the population.

Amount of Wine Coolers at One Time

Q23b	Frequency	Percent
Never Drink This	238,693	72.8%
12+ Drinks	5,256	1.6%
9-11 Drinks	3,538	1.1%
5-8 Drinks	7,400	2.3%
3-4 Drinks	16,715	5.1%
2 Drinks	15,261	4.7%
1 Drink	19,635	6.0%
Less than 1 Drink	21,535	6.6%
Frequency Missing	10,604	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q24a	Frequency	Percent
Never 5+ At Time	180,411	56.2%
0 Days	102,373	31.9%
1 Day	14,571	4.5%
2 Days	8,332	2.6%
3 To 5 Days	7,858	2.4%
6 To 9 Days	2,918	0.9%
10 Or More Days	4,797	1.5%
Frequency Missing	17,377	

Amount of Wine at One Time

Q23c	Frequency	Percent
Never Drink This	237,198	73.1%
12+ Drinks	2,898	0.9%
9-11 Drinks	1,581	0.5%
5-8 Drinks	4,341	1.3%
3-4 Drinks	9,392	2.9%
2 Drinks	12,001	3.7%
1 Drink	22,160	6.8%
Less than 1 Drink	34,735	10.7%
Frequency Missing	14,332	

Get Alcoholic Beverages from Home

Q25a	Frequency	Percent
Do Not Drink	202,477	62.0%
Never	68,421	20.9%
Seldom	38,708	11.8%
Most Of The Time	12,807	3.9%
Always	4,300	1.3%
Frequency Missing	11,926	

Amount of Liquor at One Time

Q23d	Frequency	Percent
Never Drink This	227,149	69.3%
12+ Drinks	7,930	2.4%
9-11 Drinks	5,190	1.6%
5-8 Drinks	11,353	3.5%
3-4 Drinks	17,357	5.3%
2 Drinks	15,345	4.7%
1 Drink	17,525	5.3%
Less than 1 Drink	26,082	8.0%
Frequency Missing	10,706	

Get Alcoholic Beverages from Friends

Q25b	Frequency	Percent
Do Not Drink	187,476	57.5%
Never	58,993	18.1%
Seldom	38,585	11.8%
Most Of The Time	30,315	9.3%
Always	10,419	3.2%
Frequency Missing	12,849	

Get Alcoholic Beverages from a Store

Q25c	Frequency	Percent
Do Not Drink	196,585	60.6%
Never	99,514	30.7%
Seldom	12,807	3.9%
Most Of The Time	10,403	3.2%
Always	5,296	1.6%
Frequency Missing	14,033	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages at Parties

Q25d	Frequency	Percent
Do Not Drink	175,745	54.0%
Never	48,479	14.9%
Seldom	36,351	11.2%
Most Of The Time	34,731	10.7%
Always	30,338	9.3%
Frequency Missing	12,993	

Dangerous for Kids to Use Inhalants

Q26c	Frequency	Percent
Very	254,184	77.7%
Somewhat	37,612	11.5%
Not Very	10,842	3.3%
Not At All	3,853	1.2%
Don't Know	20,692	6.3%
Frequency Missing	11,455	

Get Alcoholic Beverages from Other Sources

Q25e	Frequency	Percent
Do Not Drink	198,332	61.4%
Never	72,258	22.4%
Seldom	24,761	7.7%
Most Of The Time	15,450	4.8%
Always	12,301	3.8%
Frequency Missing	15,535	

Dangerous for Kids to Use Marijuana

Q26d	Frequency	Percent
Very	205,755	62.8%
Somewhat	42,525	13.0%
Not Very	31,459	9.6%
Not At All	33,303	10.2%
Don't Know	14,821	4.5%
Frequency Missing	10,775	

Dangerous for Kids to Use Tobacco

Q26a	Frequency	Percent
Very	227,903	69.5%
Somewhat	60,454	18.4%
Not Very	18,081	5.5%
Not At All	4,428	1.4%
Don't Know	17,008	5.2%
Frequency Missing	10,764	

Dangerous for Kids to Use Cocaine

Q26e	Frequency	Percent
Very	284,871	86.9%
Somewhat	22,099	6.7%
Not Very	3,208	1.0%
Not At All	2,841	0.9%
Don't Know	14,730	4.5%
Frequency Missing	10,889	

Dangerous for Kids to Use Alcohol

Q26b	Frequency	Percent
Very	182,789	55.9%
Somewhat	84,924	26.0%
Not Very	37,412	11.4%
Not At All	8,565	2.6%
Don't Know	13,097	4.0%
Frequency Missing	11,850	

Dangerous for Kids to Use Crack

Q26f	Frequency	Percent
Very	288,015	87.9%
Somewhat	18,495	5.6%
Not Very	2,410	0.7%
Not At All	2,334	0.7%
Don't Know	16,259	5.0%
Frequency Missing	11,126	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Ecstasy

Q26g	Frequency	Percent
Very	273,207	83.5%
Somewhat	22,369	6.8%
Not Very	5,213	1.6%
Not At All	3,452	1.1%
Don't Know	22,862	7.0%
Frequency Missing	11,534	

Dangerous for Kids to Use Synthetic Marijuana

Q26k	Frequency	Percent
Very	272,576	83.3%
Somewhat	22,800	7.0%
Not Very	6,018	1.8%
Not At All	4,781	1.5%
Don't Know	21,072	6.4%
Frequency Missing	11,390	

Dangerous for Kids to Use Steroids

Q26h	Frequency	Percent
Very	262,821	80.4%
Somewhat	31,474	9.6%
Not Very	8,457	2.6%
Not At All	3,544	1.1%
Don't Know	20,452	6.3%
Frequency Missing	11,890	

Dangerous for Kids to Use Any Prescription

Q26l	Frequency	Percent
Very	248,780	75.9%
Somewhat	39,329	12.0%
Not Very	10,917	3.3%
Not At All	5,198	1.6%
Don't Know	23,525	7.2%
Frequency Missing	10,889	

Dangerous for Kids to Use Heroin

Q26i	Frequency	Percent
Very	289,569	88.2%
Somewhat	15,078	4.6%
Not Very	2,011	0.6%
Not At All	1,967	0.6%
Don't Know	19,510	5.9%
Frequency Missing	10,502	

Dangerous for Kids to Use Electronic Vapor Products

Q26m	Frequency	Percent
Very	197,865	60.2%
Somewhat	40,031	12.2%
Not Very	37,018	11.3%
Not At All	32,502	9.9%
Don't Know	21,009	6.4%
Frequency Missing	10,212	

Dangerous for Kids to Use Methamphetamine

Q26j	Frequency	Percent
Very	290,717	88.6%
Somewhat	13,337	4.1%
Not Very	2,097	0.6%
Not At All	2,058	0.6%
Don't Know	19,782	6.0%
Frequency Missing	10,646	

Days Skipped Since September

Q27a	Frequency	Percent
None	270,616	82.4%
1-3 Days	40,194	12.2%
4-9 Days	9,037	2.8%
10+ Days	8,427	2.6%
Frequency Missing	10,363	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Days Ill Since September

Q27b	Frequency	Percent
None	120,871	37.0%
1-3 Days	161,765	49.5%
4-9 Days	33,695	10.3%
10+ Days	10,556	3.2%
Frequency Missing	11,751	

Trouble with Friends Because of Drinking

Q28a	Frequency	Percent
None	316,458	96.6%
1-3 Times	9,460	2.9%
4-9 Times	1,133	0.3%
10+ Times	399	0.1%
Frequency Missing	11,187	

Other Reason For Days Missed Since September

Q27c	Frequency	Percent
None	143,830	44.3%
1-3 Days	148,775	45.8%
4-9 Days	23,002	7.1%
10+ Days	9,316	2.9%
Frequency Missing	13,714	

Driven a Car After a Good Bit to Drink

Q28b	Frequency	Percent
None	313,975	96.1%
1-3 Times	10,191	3.1%
4-9 Times	1,493	0.5%
10+ Times	1,149	0.4%
Frequency Missing	11,829	

Sent to Principal/Dean Since September

Q27d	Frequency	Percent
None	291,303	88.8%
1-3 Days	27,403	8.4%
4-9 Days	5,529	1.7%
10+ Days	3,681	1.1%
Frequency Missing	10,722	

Trouble with Friends Because of Drug Use

Q28c	Frequency	Percent
None	316,539	97.0%
1-3 Times	7,552	2.3%
4-9 Times	1,390	0.4%
10+ Times	748	0.2%
Frequency Missing	12,408	

Someone Called Home Since September

Q27e	Frequency	Percent
None	290,675	88.7%
1-3 Days	28,978	8.8%
4-9 Days	4,345	1.3%
10+ Days	3,571	1.1%
Frequency Missing	11,069	

Driven a Car While High from Drugs

Q28d	Frequency	Percent
None	314,381	96.4%
1-3 Times	7,988	2.4%
4-9 Times	1,455	0.4%
10+ Times	2,233	0.7%
Frequency Missing	12,580	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days Drunk on Alcohol Since Sept

Q29a	Frequency	Percent
None	313,015	95.8%
1-3 Days	10,581	3.2%
4-9 Days	1,914	0.6%
10+ Days	1,188	0.4%
Frequency Missing	11,939	

Alcohol Use at Parties This School Year

Q30a	Frequency	Percent
Never	171,586	52.5%
Seldom	29,224	8.9%
Half The Time	21,452	6.6%
Most Of The Time	29,663	9.1%
Always	30,252	9.3%
Don't Know	8,250	2.5%
Didn't Attend	36,215	11.1%
Frequency Missing	11,997	

Class Days High on Marijuana Since Sept

Q29b	Frequency	Percent
None	303,086	93.0%
1-3 Days	13,607	4.2%
4-9 Days	3,586	1.1%
10+ Days	5,724	1.8%
Frequency Missing	12,634	

Drug Use at Parties This School Year

Q30b	Frequency	Percent
Never	210,816	64.7%
Seldom	21,129	6.5%
Half The Time	15,114	4.6%
Most Of The Time	16,293	5.0%
Always	16,789	5.1%
Don't Know	9,903	3.0%
Didn't Attend	36,013	11.0%
Frequency Missing	12,580	

Class Days High on Inhalants Since Sept

Q29c	Frequency	Percent
None	320,896	98.7%
1-3 Days	3,084	0.9%
4-9 Days	365	0.1%
10+ Days	799	0.2%
Frequency Missing	13,494	

Sought Help for Drug/Alcohol Problem

Q31	Frequency	Percent
No	259,200	91.5%
Yes	23,942	8.5%
Frequency Missing	55,496	

Class Days High on Other Drug(s)

Q29d	Frequency	Percent
None	315,372	96.9%
1-3 Days	7,034	2.2%
4-9 Days	1,158	0.4%
10+ Days	1,922	0.6%
Frequency Missing	13,152	

Would Seek Help from School Counselor

Q32a	Frequency	Percent
No	165,072	51.3%
Yes	156,951	48.7%
Frequency Missing	16,615	

Percentages and frequencies have been weighted to reflect proportions within the population.

Would Seek Help from School Nurse

Q32b	Frequency	Percent
No	221,570	69.2%
Yes	98,495	30.8%
Frequency Missing	18,572	

Would Seek Help from Another Adult

Q32g	Frequency	Percent
No	115,930	36.1%
Yes	204,825	63.9%
Frequency Missing	17,883	

Would Seek Help from Another Adult in School

Q32c	Frequency	Percent
No	161,068	50.4%
Yes	158,624	49.6%
Frequency Missing	18,946	

Would Seek Help from Counselor or Program Outside School

Q32h	Frequency	Percent
No	172,929	54.0%
Yes	147,569	46.0%
Frequency Missing	18,139	

Would Seek Help from Parents

Q32d	Frequency	Percent
No	90,094	28.0%
Yes	232,231	72.0%
Frequency Missing	16,313	

Would Not Seek Help

Q32i	Frequency	Percent
No	246,918	78.8%
Yes	66,415	21.2%
Frequency Missing	25,305	

Would Seek Help from a Medical Doctor

Q32e	Frequency	Percent
No	122,109	38.2%
Yes	197,180	61.8%
Frequency Missing	19,349	

Drug/Alcohol Info–School Health Class

Q33a	Frequency	Percent
No	143,343	46.4%
Yes	165,916	53.6%
Frequency Missing	29,379	

Would Seek Help from Friends

Q32f	Frequency	Percent
No	128,442	40.2%
Yes	191,354	59.8%
Frequency Missing	18,841	

Drug/Alcohol Info–School Assembly Program

Q33b	Frequency	Percent
No	152,132	49.4%
Yes	156,060	50.6%
Frequency Missing	30,445	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug/Alcohol Info–School Guidance Counselor

Q33c	Frequency	Percent
No	180,838	58.8%
Yes	126,466	41.2%
Frequency Missing	31,333	

Drug/Alcohol Info–Another School Source

Q33h	Frequency	Percent
No	196,270	64.2%
Yes	109,638	35.8%
Frequency Missing	32,730	

Drug/Alcohol Info–School Nurse

Q33d	Frequency	Percent
No	225,047	73.5%
Yes	80,959	26.5%
Frequency Missing	32,632	

Parents Feel About Kids Using Tobacco

Q34a	Frequency	Percent
Strongly Disapprove	260,601	80.0%
Mild Disapprove	18,712	5.7%
Neither	12,487	3.8%
Mildly Approve	2,747	0.8%
Strongly Approve	2,752	0.8%
Don't Know	28,345	8.7%
Frequency Missing	12,994	

Drug/Alcohol Info–Science or Social Studies Class

Q33e	Frequency	Percent
No	203,289	66.6%
Yes	102,104	33.4%
Frequency Missing	33,245	

Parents Feel About Kids Drinking Alcohol

Q34b	Frequency	Percent
Strongly Disapprove	221,585	68.1%
Mild Disapprove	37,467	11.5%
Neither	26,364	8.1%
Mildly Approve	9,636	3.0%
Strongly Approve	3,808	1.2%
Don't Know	26,360	8.1%
Frequency Missing	13,418	

Drug/Alcohol Info–School Student Group or Club

Q33f	Frequency	Percent
No	237,501	77.7%
Yes	68,244	22.3%
Frequency Missing	32,893	

Parents Feel About Kids Using Marijuana

Q34c	Frequency	Percent
Strongly Disapprove	259,472	79.7%
Mild Disapprove	15,818	4.9%
Neither	14,795	4.5%
Mildly Approve	4,076	1.3%
Strongly Approve	4,758	1.5%
Don't Know	26,553	8.2%
Frequency Missing	13,164	

Drug/Alcohol Info–Invited School Guest

Q33g	Frequency	Percent
No	179,576	58.5%
Yes	127,623	41.5%
Frequency Missing	31,438	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 106 of 120

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

