
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2018



NON-BORDER REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	29
Miscellaneous	33
2 Prevalence Tables	39
Table B-1: All Students	40
Table B-2: Male Students	44
Table B-3: Female Students	48
Table B-4: White Non-Hispanic Students	52
Table B-5: African American Non-Hispanic Students	56
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	111

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in non-border regions of the state. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	16.8%	20.4%	30.6%	69.4%
Grade 7	5.6%	6.9%	13.7%	86.3%
Grade 8	9.1%	11.4%	20.9%	79.1%
Grade 9	15.3%	19.4%	29.9%	70.1%
Grade 10	20.2%	25.0%	35.7%	64.3%
Grade 11	23.3%	27.8%	40.3%	59.7%
Grade 12	30.9%	36.2%	47.8%	52.2%
Cigarettes?				
All	3.8%	5.9%	13.0%	87.0%
Grade 7	1.2%	1.6%	5.3%	94.7%
Grade 8	1.7%	3.0%	8.1%	91.9%
Grade 9	3.4%	5.1%	11.7%	88.3%
Grade 10	4.3%	6.5%	15.2%	84.8%
Grade 11	5.1%	7.9%	18.2%	81.8%
Grade 12	8.2%	12.5%	21.8%	78.2%
Smokeless Tobacco?				
All	2.8%	4.0%	7.4%	92.6%
Grade 7	0.7%	1.0%	3.3%	96.7%
Grade 8	1.4%	2.4%	4.7%	95.3%
Grade 9	2.5%	3.5%	7.0%	93.0%
Grade 10	3.5%	5.3%	9.0%	91.0%
Grade 11	3.9%	5.3%	9.8%	90.2%
Grade 12	5.2%	7.1%	12.0%	88.0%
Electronic Vapor Products?				
All	13.0%	17.2%	26.6%	73.4%
Grade 7	3.2%	4.7%	10.0%	90.0%
Grade 8	5.8%	8.5%	16.6%	83.4%
Grade 9	12.4%	16.7%	26.1%	73.9%
Grade 10	15.7%	20.9%	31.9%	68.1%
Grade 11	18.3%	23.8%	36.4%	63.6%
Grade 12	25.6%	31.9%	43.2%	56.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 126

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.1%	1.4%	1.3%	1.7%	2.4%	2.3%	3.9%
Grade 7	95.9%	0.1%	0.2%	0.4%	0.8%	1.1%	1.6%
Grade 8	92.6%	0.4%	0.5%	1.0%	1.4%	1.5%	2.7%
Grade 9	88.6%	0.8%	1.0%	1.4%	2.4%	2.1%	3.7%
Grade 10	84.6%	1.9%	1.4%	1.8%	3.4%	2.4%	4.5%
Grade 11	81.8%	2.2%	2.4%	2.5%	2.9%	3.2%	4.9%
Grade 12	76.0%	3.4%	2.5%	3.5%	4.3%	3.7%	6.6%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.4	10.9	11.5	12.5	13.3	14.0	14.9

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.3%	19.9%	7.3%	9.5%	14.5%	20.5%
Grade 7	38.4%	33.2%	7.9%	7.4%	7.5%	5.6%
Grade 8	32.1%	26.9%	9.2%	9.6%	11.9%	10.3%
Grade 9	28.3%	20.5%	7.9%	10.5%	15.1%	17.6%
Grade 10	26.1%	16.6%	7.2%	11.8%	16.8%	21.5%
Grade 11	23.7%	11.6%	6.4%	10.2%	20.7%	27.3%
Grade 12	19.0%	7.4%	4.5%	7.5%	15.8%	45.8%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	70.0%	18.0%	7.4%	3.7%	0.9%
Grade 7	87.0%	9.4%	2.7%	0.8%	0.2%
Grade 8	81.2%	13.1%	3.6%	1.8%	0.3%
Grade 9	70.9%	17.2%	7.5%	3.7%	0.7%
Grade 10	64.6%	20.5%	9.3%	4.6%	1.0%
Grade 11	58.4%	24.4%	10.2%	5.4%	1.7%
Grade 12	53.3%	25.7%	12.4%	6.9%	1.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.1%	7.7%	6.1%	0.9%	0.6%	6.6%
Grade 7	85.6%	2.7%	2.1%	0.4%	0.6%	8.6%
Grade 8	83.8%	4.6%	3.5%	0.9%	0.6%	6.6%
Grade 9	78.5%	7.9%	5.7%	0.7%	0.6%	6.6%
Grade 10	76.2%	8.3%	7.2%	0.9%	0.5%	6.8%
Grade 11	74.6%	10.0%	8.0%	1.1%	0.7%	5.6%
Grade 12	67.6%	14.1%	11.4%	1.6%	0.4%	4.9%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	60.3%	24.3%	8.4%	1.9%	5.1%
	Grade 7	76.5%	15.1%	3.3%	0.6%	4.6%
	Grade 8	68.1%	20.2%	5.3%	1.1%	5.3%
	Grade 9	57.2%	25.2%	9.7%	2.2%	5.7%
	Grade 10	54.9%	27.4%	10.2%	2.1%	5.5%
	Grade 11	52.7%	29.6%	10.1%	2.5%	5.1%
	Grade 12	49.6%	30.1%	13.2%	3.0%	4.1%
Electronic Vapor Products?						
	All	53.3%	12.8%	15.2%	12.2%	6.5%
	Grade 7	70.9%	11.9%	6.6%	4.5%	6.0%
	Grade 8	61.9%	12.9%	10.5%	8.1%	6.7%
	Grade 9	49.2%	12.5%	16.6%	15.0%	6.6%
	Grade 10	46.3%	13.7%	19.1%	13.7%	7.2%
	Grade 11	45.6%	13.4%	20.4%	15.1%	5.5%
	Grade 12	42.8%	12.4%	19.6%	18.5%	6.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	28.4%	34.0%	51.4%	48.6%
Grade 7	14.6%	16.9%	34.4%	65.6%
Grade 8	20.3%	24.1%	42.9%	57.1%
Grade 9	27.1%	31.8%	50.0%	50.0%
Grade 10	31.8%	38.5%	55.1%	44.9%
Grade 11	34.3%	43.0%	61.5%	38.5%
Grade 12	46.8%	54.7%	69.4%	30.6%
Beer?				
All	11.5%	17.6%	39.3%	60.7%
Grade 7	3.7%	5.6%	24.9%	75.1%
Grade 8	6.7%	10.3%	33.1%	66.9%
Grade 9	10.0%	16.2%	36.9%	63.1%
Grade 10	13.6%	20.3%	42.0%	58.0%
Grade 11	14.1%	23.2%	47.0%	53.0%
Grade 12	23.7%	34.0%	56.1%	43.9%
Wine Coolers?				
All	9.7%	15.1%	32.2%	67.8%
Grade 7	2.7%	4.1%	15.5%	84.5%
Grade 8	5.8%	8.6%	22.6%	77.4%
Grade 9	7.7%	12.4%	30.2%	69.8%
Grade 10	11.4%	16.9%	36.7%	63.3%
Grade 11	12.6%	21.0%	41.4%	58.6%
Grade 12	20.7%	31.6%	51.6%	48.4%
Wine?				
All	8.1%	13.3%	33.7%	66.3%
Grade 7	3.3%	4.8%	19.8%	80.2%
Grade 8	5.2%	8.3%	25.3%	74.7%
Grade 9	6.8%	11.8%	33.0%	67.0%
Grade 10	8.5%	14.6%	36.5%	63.5%
Grade 11	9.8%	17.3%	41.6%	58.4%
Grade 12	16.6%	26.4%	50.5%	49.5%
Liquor?				
All	12.4%	18.6%	35.4%	64.6%
Grade 7	3.1%	4.5%	15.1%	84.9%
Grade 8	6.2%	9.7%	23.4%	76.6%
Grade 9	10.1%	16.2%	33.9%	66.1%
Grade 10	14.2%	22.1%	40.5%	59.5%
Grade 11	16.6%	25.3%	47.2%	52.8%
Grade 12	28.0%	38.2%	58.4%	41.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 126

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	61.7%	0.2%	1.7%	6.5%	11.6%	9.8%	8.4%
Grade 7	81.8%	0.1%	0.4%	1.3%	4.2%	5.2%	6.9%
Grade 8	73.6%	0.1%	0.7%	3.3%	6.3%	7.6%	8.4%
Grade 9	64.6%	0.3%	1.7%	5.6%	10.6%	9.1%	8.2%
Grade 10	56.6%	0.4%	2.0%	7.4%	14.4%	10.9%	8.4%
Grade 11	49.2%	0.3%	2.7%	9.4%	16.5%	12.9%	9.0%
Grade 12	38.1%	0.2%	3.5%	13.9%	19.9%	14.3%	10.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	64.4%	35.6%	6.9%	16.8%	11.9%
	Grade 7	78.4%	21.6%	1.5%	8.0%	12.2%
	Grade 8	71.0%	29.0%	3.1%	12.5%	13.4%
	Grade 9	66.5%	33.5%	5.5%	15.8%	12.3%
	Grade 10	61.6%	38.4%	8.6%	18.3%	11.5%
	Grade 11	57.2%	42.8%	10.5%	21.7%	10.6%
	Grade 12	47.8%	52.2%	14.3%	26.9%	10.9%
Wine Coolers						
	All	70.7%	29.3%	5.4%	16.8%	7.1%
	Grade 7	87.1%	12.9%	1.0%	6.2%	5.8%
	Grade 8	80.0%	20.0%	2.2%	10.3%	7.4%
	Grade 9	72.3%	27.7%	4.3%	15.2%	8.1%
	Grade 10	66.6%	33.4%	7.0%	18.8%	7.6%
	Grade 11	61.4%	38.6%	7.5%	24.4%	6.6%
	Grade 12	52.3%	47.7%	11.8%	28.8%	7.1%
Wine						
	All	70.2%	29.8%	2.3%	15.2%	12.2%
	Grade 7	83.0%	17.0%	0.6%	6.2%	10.1%
	Grade 8	78.7%	21.3%	1.3%	8.8%	11.2%
	Grade 9	70.8%	29.2%	1.8%	13.8%	13.5%
	Grade 10	67.1%	32.9%	2.7%	17.3%	12.8%
	Grade 11	63.3%	36.7%	2.8%	21.5%	12.4%
	Grade 12	54.6%	45.4%	5.4%	26.4%	13.6%
Liquor						
	All	66.6%	33.4%	8.1%	16.9%	8.4%
	Grade 7	86.5%	13.5%	1.2%	5.1%	7.2%
	Grade 8	79.3%	20.7%	3.1%	9.0%	8.7%
	Grade 9	68.4%	31.6%	6.9%	15.5%	9.2%
	Grade 10	61.3%	38.7%	9.8%	20.3%	8.6%
	Grade 11	55.1%	44.9%	12.0%	24.1%	8.8%
	Grade 12	43.4%	56.6%	17.7%	31.0%	7.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 8 of 126

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.7%	4.2%	2.3%	2.4%	0.9%	1.5%
Grade 7	96.4%	1.8%	0.8%	0.3%	0.2%	0.6%
Grade 8	94.3%	2.4%	1.0%	1.1%	0.3%	0.9%
Grade 9	90.4%	3.6%	2.3%	1.7%	0.7%	1.2%
Grade 10	87.2%	4.6%	2.5%	2.9%	1.2%	1.6%
Grade 11	84.9%	5.8%	3.2%	3.0%	0.9%	2.2%
Grade 12	76.6%	7.8%	4.7%	6.0%	2.1%	2.9%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.1	10.5	11.3	12.3	13.2	14.0	14.8

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	22.1%	13.4%	5.7%	11.0%	19.3%	28.5%
Grade 7	33.5%	24.2%	7.7%	9.9%	12.4%	12.3%
Grade 8	26.3%	18.2%	7.1%	11.5%	17.5%	19.5%
Grade 9	21.1%	13.4%	5.7%	10.2%	19.2%	30.5%
Grade 10	19.6%	10.0%	5.4%	11.8%	20.9%	32.3%
Grade 11	16.9%	7.5%	3.6%	10.8%	23.6%	37.7%
Grade 12	12.6%	4.6%	4.4%	12.3%	23.8%	42.2%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.2%	2.8%	0.5%	0.4%
Grade 7	97.6%	1.8%	0.5%	0.1%
Grade 8	97.2%	2.3%	0.3%	0.3%
Grade 9	95.3%	3.6%	0.4%	0.6%
Grade 10	95.5%	3.4%	0.4%	0.6%
Grade 11	96.4%	2.6%	0.6%	0.4%
Grade 12	95.0%	3.4%	1.2%	0.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 126

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.2
Average Days Conduct Problems Reported	
Alcohol Users	2.3
Alcohol Non-Users	0.8

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.7%	3.4%	0.4%	0.5%
Grade 9	97.6%	1.9%	0.3%	0.3%
Grade 10	96.7%	2.6%	0.3%	0.4%
Grade 11	95.5%	3.6%	0.5%	0.3%
Grade 12	92.3%	5.9%	0.6%	1.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.3%	3.2%	0.4%	0.2%
Grade 7	98.4%	1.4%	0.1%	0.1%
Grade 8	97.4%	2.3%	0.2%	0.1%
Grade 9	96.0%	3.2%	0.5%	0.3%
Grade 10	95.5%	3.9%	0.3%	0.3%
Grade 11	95.4%	4.1%	0.5%	0.1%
Grade 12	94.3%	4.8%	0.7%	0.3%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	49.0%	23.7%	13.9%	10.4%	3.1%
Grade 7	76.3%	16.0%	5.2%	2.0%	0.4%
Grade 8	64.2%	21.2%	9.2%	4.4%	1.0%
Grade 9	48.5%	24.8%	14.8%	9.6%	2.3%
Grade 10	40.8%	26.5%	17.5%	12.4%	2.7%
Grade 11	31.4%	28.4%	19.4%	15.8%	5.1%
Grade 12	26.5%	25.9%	19.0%	20.6%	8.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 10 of 126

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	50.5%	7.3%	5.5%	8.2%	10.0%	1.8%	16.8%
Grade 7	71.7%	5.2%	3.5%	3.5%	2.2%	2.4%	11.5%
Grade 8	64.3%	8.0%	4.9%	4.2%	3.5%	2.3%	12.8%
Grade 9	49.7%	8.6%	6.7%	8.3%	6.2%	2.0%	18.5%
Grade 10	44.7%	7.5%	6.8%	10.2%	11.5%	1.1%	18.2%
Grade 11	35.2%	7.3%	6.2%	11.4%	16.9%	1.5%	21.5%
Grade 12	32.2%	7.2%	4.9%	13.1%	22.6%	0.9%	19.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	59.6%	15.6%	16.4%	5.6%	2.8%
	Grade 7	72.5%	15.1%	9.4%	2.3%	0.7%
	Grade 8	66.9%	14.9%	13.3%	3.5%	1.4%
	Grade 9	61.8%	15.0%	14.4%	5.7%	3.1%
	Grade 10	57.4%	15.8%	17.9%	6.1%	2.9%
	Grade 11	51.6%	15.6%	20.9%	7.4%	4.4%
	Grade 12	43.0%	17.7%	24.5%	9.9%	4.9%
Friends?						
	All	60.3%	16.1%	11.1%	9.5%	3.1%
	Grade 7	77.2%	17.3%	3.5%	1.6%	0.4%
	Grade 8	70.2%	18.1%	6.7%	3.8%	1.1%
	Grade 9	63.4%	15.7%	10.5%	8.0%	2.4%
	Grade 10	56.0%	15.9%	12.1%	12.3%	3.7%
	Grade 11	49.4%	14.4%	17.0%	14.9%	4.3%
	Grade 12	40.4%	14.4%	18.7%	19.1%	7.4%
A Store?						
	All	62.9%	29.5%	3.6%	2.6%	1.3%
	Grade 7	77.4%	20.6%	1.2%	0.5%	0.3%
	Grade 8	71.8%	24.9%	2.0%	0.8%	0.5%
	Grade 9	65.4%	29.0%	3.2%	1.8%	0.6%
	Grade 10	59.6%	32.2%	3.9%	3.0%	1.3%
	Grade 11	54.1%	34.7%	5.3%	3.9%	1.9%
	Grade 12	44.7%	38.1%	6.9%	6.6%	3.7%
Parties?						
	All	58.7%	14.7%	9.6%	9.8%	7.1%
	Grade 7	73.8%	16.0%	5.5%	3.1%	1.6%
	Grade 8	67.4%	15.6%	8.4%	5.4%	3.1%
	Grade 9	61.7%	14.1%	9.0%	9.7%	5.6%
	Grade 10	55.3%	14.2%	10.3%	11.5%	8.6%
	Grade 11	49.9%	12.6%	12.0%	14.1%	11.4%
	Grade 12	39.4%	15.6%	13.4%	17.0%	14.5%
Other Sources?						
	All	63.7%	21.6%	7.3%	4.1%	3.3%
	Grade 7	76.3%	16.8%	4.4%	1.6%	0.9%
	Grade 8	70.7%	18.9%	5.6%	2.8%	2.0%
	Grade 9	66.3%	19.7%	6.4%	3.8%	3.8%
	Grade 10	61.2%	21.9%	8.0%	4.9%	4.0%
	Grade 11	55.2%	24.9%	10.1%	5.0%	4.8%
	Grade 12	48.2%	29.6%	10.1%	7.2%	4.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 12 of 126

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	61.8%	14.6%	12.5%	3.9%	1.0%	6.2%
Grade 7	76.2%	8.4%	4.7%	1.6%	0.8%	8.3%
Grade 8	71.4%	10.3%	8.2%	2.5%	0.9%	6.8%
Grade 9	62.2%	14.7%	12.9%	3.1%	1.0%	6.1%
Grade 10	57.5%	17.3%	13.7%	4.3%	0.8%	6.4%
Grade 11	53.9%	18.7%	16.3%	5.0%	1.1%	5.1%
Grade 12	45.6%	20.1%	21.1%	7.8%	1.3%	4.2%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	48.8%	30.0%	14.5%	2.5%	4.2%
Grade 7	61.5%	23.4%	9.3%	1.4%	4.4%
Grade 8	52.3%	27.0%	14.0%	2.4%	4.3%
Grade 9	47.3%	29.6%	15.5%	3.1%	4.5%
Grade 10	44.6%	32.1%	15.6%	2.8%	4.9%
Grade 11	44.2%	33.4%	15.5%	3.2%	3.7%
Grade 12	40.5%	36.5%	17.7%	2.2%	3.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.5%	17.7%	23.2%	76.8%
Grade 7	4.0%	6.0%	8.2%	91.8%
Grade 8	7.8%	10.4%	13.4%	86.6%
Grade 9	13.5%	17.8%	22.2%	77.8%
Grade 10	14.5%	19.1%	25.8%	74.2%
Grade 11	19.1%	24.7%	33.2%	66.8%
Grade 12	25.0%	31.6%	41.2%	58.8%
Marijuana?				
All	13.2%	16.0%	21.9%	78.1%
Grade 7	3.7%	4.6%	6.5%	93.5%
Grade 8	7.5%	8.9%	12.1%	87.9%
Grade 9	13.3%	15.9%	20.6%	79.4%
Grade 10	14.3%	17.7%	24.7%	75.3%
Grade 11	18.4%	22.5%	31.9%	68.1%
Grade 12	24.8%	29.9%	40.2%	59.8%
Cocaine?				
All	1.0%	1.3%	2.2%	97.8%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.7%	0.8%	1.3%	98.7%
Grade 9	1.0%	1.2%	1.9%	98.1%
Grade 10	0.9%	1.1%	2.1%	97.9%
Grade 11	1.3%	1.5%	3.0%	97.0%
Grade 12	2.3%	2.9%	5.2%	94.8%
Crack?				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.2%	0.3%	0.8%	99.2%
Hallucinogens?				
All	0.8%	1.5%	3.1%	96.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	0.9%	1.4%	2.6%	97.4%
Grade 10	0.9%	1.6%	3.7%	96.3%
Grade 11	1.3%	2.4%	4.6%	95.4%
Grade 12	1.5%	3.3%	7.3%	92.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 14 of 126

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.5%	99.5%
Steroids?				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.6%	1.5%	98.5%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.2%	0.4%	1.6%	98.4%
Grade 11	0.6%	0.7%	1.8%	98.2%
Grade 12	0.4%	0.5%	1.3%	98.7%
Ecstasy?				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.9%	1.3%	2.0%	98.0%
Grade 10	0.6%	1.0%	2.3%	97.7%
Grade 11	0.8%	1.3%	2.9%	97.1%
Grade 12	0.9%	1.8%	4.1%	95.9%
Heroin?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.4%	99.6%
Methamphetamine?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.3%	0.5%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	0.9%	1.4%	3.3%	96.7%
Grade 7	0.5%	0.8%	1.4%	98.6%
Grade 8	0.9%	1.5%	2.7%	97.3%
Grade 9	1.4%	1.9%	4.0%	96.0%
Grade 10	1.0%	1.5%	3.5%	96.5%
Grade 11	1.1%	1.6%	4.1%	95.9%
Grade 12	0.7%	1.2%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 16 of 126

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	81.5%	1.7%	2.1%	3.2%	3.8%	3.7%	4.1%
	Grade 7	95.4%	0.3%	0.2%	0.7%	1.0%	0.8%	1.4%
	Grade 8	90.3%	0.5%	0.8%	1.5%	2.4%	2.0%	2.4%
	Grade 9	82.6%	1.7%	2.4%	3.2%	3.3%	3.4%	3.6%
	Grade 10	79.2%	2.1%	2.4%	3.5%	4.3%	4.4%	4.3%
	Grade 11	73.0%	2.1%	2.5%	4.5%	5.8%	5.9%	6.2%
	Grade 12	64.0%	3.6%	4.7%	6.5%	6.7%	6.7%	7.7%
Cocaine?								
	All	98.5%	0.0%	0.1%	0.1%	0.3%	0.4%	0.6%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.3%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 9	98.9%	0.0%	0.0%	0.1%	0.3%	0.3%	0.4%
	Grade 10	98.6%	0.1%	0.1%	0.1%	0.2%	0.4%	0.5%
	Grade 11	98.2%	0.0%	0.2%	0.1%	0.2%	0.4%	0.8%
	Grade 12	96.0%	0.0%	0.2%	0.2%	0.8%	1.4%	1.5%
Crack?								
	All	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 11	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
Steroids?								
	All	99.3%	0.1%	0.0%	0.1%	0.1%	0.1%	0.4%
	Grade 7	99.3%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 8	99.2%	0.1%	0.0%	0.2%	0.0%	0.2%	0.4%
	Grade 9	99.5%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
	Grade 10	99.3%	0.1%	0.0%	0.0%	0.1%	0.1%	0.4%
	Grade 11	99.2%	0.1%	0.0%	0.0%	0.2%	0.1%	0.4%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.0%	0.2%	0.6%
Ecstasy?								
	All	98.5%	0.0%	0.1%	0.2%	0.3%	0.5%	0.5%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.3%	0.0%	0.0%	0.1%	0.1%	0.2%	0.2%
	Grade 9	98.3%	0.1%	0.0%	0.4%	0.3%	0.5%	0.4%
	Grade 10	98.3%	0.0%	0.1%	0.3%	0.4%	0.5%	0.5%
	Grade 11	97.7%	0.0%	0.1%	0.1%	0.3%	0.8%	1.0%
	Grade 12	96.9%	0.0%	0.2%	0.3%	0.5%	0.8%	1.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 126

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 9	99.5%	0.1%	0.0%	0.0%	0.1%	0.2%	0.1%
	Grade 10	99.6%	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Methamphetamine?								
	All	99.5%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 9	99.4%	0.0%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 10	99.4%	0.1%	0.0%	0.0%	0.2%	0.0%	0.2%
	Grade 11	99.3%	0.1%	0.0%	0.1%	0.1%	0.1%	0.3%
	Grade 12	99.1%	0.1%	0.0%	0.0%	0.1%	0.2%	0.5%
Synthetic Marijuana?								
	All	97.8%	0.1%	0.1%	0.3%	0.4%	0.5%	0.8%
	Grade 7	99.1%	0.0%	0.0%	0.2%	0.2%	0.3%	0.2%
	Grade 8	98.3%	0.0%	0.1%	0.3%	0.4%	0.4%	0.5%
	Grade 9	97.0%	0.1%	0.4%	0.3%	0.3%	0.8%	1.0%
	Grade 10	97.5%	0.1%	0.0%	0.3%	0.4%	0.6%	1.1%
	Grade 11	97.6%	0.1%	0.0%	0.3%	0.6%	0.6%	0.8%
	Grade 12	97.4%	0.0%	0.1%	0.0%	0.3%	0.6%	1.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 18 of 126

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.5	12.4	13.1	13.9	14.6	15.2
Cocaine	14.9	11.1	12.6	13.6	14.5	15.5	15.9
Crack	13.1	11.2	11.2	12.4	12.6	14.9	15.1
Steroids	12.4	10.4	11.5	12.1	12.5	14.2	14.7
Ecstasy	14.7	11.7	12.7	13.5	14.4	15.3	16.1
Heroin	12.5	10.7	11.0	12.7	13.0	13.4	14.8
Methamphetamine	13.8	11.1	12.0	13.5	13.9	15.2	14.8
Synthetic Marijuana	13.6	11.4	12.4	13.1	13.8	14.5	14.5

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Non-Border Report

2018

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?						
All	27.1%	22.1%	7.8%	9.3%	12.7%	21.1%
Grade 7	39.9%	38.2%	8.1%	4.7%	4.5%	4.6%
Grade 8	32.3%	32.3%	9.3%	8.1%	8.3%	9.6%
Grade 9	25.1%	21.3%	8.4%	10.5%	13.5%	21.1%
Grade 10	23.7%	16.0%	7.0%	11.4%	15.9%	25.9%
Grade 11	21.2%	11.7%	7.2%	10.5%	18.1%	31.3%
Grade 12	17.6%	9.3%	6.0%	10.9%	17.7%	38.5%
Cocaine?						
All	37.6%	33.5%	12.6%	7.8%	4.2%	4.3%
Grade 7	44.2%	43.4%	7.0%	3.1%	1.0%	1.3%
Grade 8	39.5%	40.6%	10.2%	4.8%	2.4%	2.3%
Grade 9	36.1%	33.7%	13.1%	7.5%	4.7%	4.9%
Grade 10	35.8%	30.1%	14.9%	9.5%	4.7%	5.0%
Grade 11	35.5%	26.8%	16.5%	9.9%	5.7%	5.5%
Grade 12	33.6%	23.5%	14.8%	13.1%	7.3%	7.7%
Crack?						
All	39.6%	34.5%	13.0%	6.6%	3.1%	3.2%
Grade 7	46.1%	42.1%	6.6%	2.9%	1.1%	1.2%
Grade 8	41.0%	40.7%	10.2%	4.1%	2.0%	2.0%
Grade 9	36.9%	35.1%	12.8%	7.3%	4.1%	3.9%
Grade 10	37.8%	31.7%	15.0%	7.8%	3.7%	4.0%
Grade 11	38.5%	28.7%	17.1%	7.7%	3.9%	4.1%
Grade 12	36.8%	26.5%	17.5%	10.6%	4.4%	4.2%
Steroids?						
All	41.0%	32.5%	12.3%	7.1%	3.5%	3.5%
Grade 7	47.4%	39.6%	6.4%	3.5%	1.7%	1.4%
Grade 8	42.4%	37.8%	9.8%	4.9%	2.7%	2.4%
Grade 9	38.8%	32.7%	12.4%	7.7%	4.2%	4.2%
Grade 10	39.8%	30.1%	13.5%	8.7%	3.8%	4.1%
Grade 11	39.3%	27.6%	15.8%	8.6%	4.2%	4.6%
Grade 12	37.4%	25.3%	17.5%	9.9%	4.9%	4.9%
Ecstasy?						
All	47.9%	28.7%	10.1%	5.8%	3.7%	3.7%
Grade 7	60.7%	31.0%	4.5%	2.0%	1.0%	0.8%
Grade 8	54.0%	32.4%	7.3%	3.0%	1.6%	1.7%
Grade 9	45.7%	29.8%	10.3%	5.9%	3.8%	4.4%
Grade 10	44.4%	28.4%	11.7%	6.6%	3.8%	5.0%
Grade 11	42.0%	26.2%	13.3%	7.8%	5.7%	5.0%
Grade 12	37.9%	23.4%	15.0%	10.7%	6.9%	6.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 126

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	44.3%	35.3%	11.7%	4.2%	2.0%	2.5%
	Grade 7	52.2%	38.0%	5.6%	2.1%	1.0%	1.0%
	Grade 8	47.3%	39.2%	7.9%	3.0%	1.4%	1.3%
	Grade 9	42.2%	35.9%	11.6%	5.1%	2.1%	3.1%
	Grade 10	41.5%	34.4%	13.5%	4.5%	2.5%	3.5%
	Grade 11	41.3%	32.7%	15.6%	4.6%	2.5%	3.3%
	Grade 12	40.1%	30.3%	17.4%	6.5%	2.5%	3.1%
Methamphetamine?							
	All	46.7%	33.1%	11.1%	4.2%	2.2%	2.8%
	Grade 7	56.8%	34.3%	5.1%	1.7%	1.1%	0.9%
	Grade 8	50.6%	36.1%	7.3%	2.9%	1.6%	1.4%
	Grade 9	43.9%	34.6%	10.9%	5.1%	2.3%	3.2%
	Grade 10	43.4%	32.1%	13.1%	5.1%	2.5%	3.9%
	Grade 11	42.8%	31.5%	14.4%	4.9%	2.5%	3.9%
	Grade 12	40.9%	28.6%	17.1%	5.7%	3.5%	4.2%
Synthetic Marijuana?							
	All	47.0%	27.7%	8.9%	6.1%	4.7%	5.6%
	Grade 7	58.0%	31.9%	5.0%	2.1%	1.4%	1.5%
	Grade 8	50.5%	32.6%	7.6%	3.6%	2.5%	3.2%
	Grade 9	44.2%	28.0%	8.5%	7.4%	5.5%	6.5%
	Grade 10	43.8%	26.1%	9.7%	7.7%	5.7%	7.1%
	Grade 11	43.1%	24.2%	10.8%	7.5%	6.8%	7.6%
	Grade 12	40.9%	21.7%	12.8%	9.1%	6.9%	8.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	93.1%	3.9%	1.3%	1.7%
Grade 7	97.5%	1.8%	0.4%	0.3%
Grade 8	95.8%	2.9%	0.5%	0.8%
Grade 9	92.4%	4.3%	1.5%	1.8%
Grade 10	91.8%	4.6%	1.4%	2.3%
Grade 11	91.9%	4.5%	1.5%	2.0%
Grade 12	88.2%	5.9%	2.5%	3.3%
Attended Class While High from Use of Some Other Drug?				
All	97.1%	1.9%	0.5%	0.5%
Grade 7	98.8%	0.8%	0.2%	0.2%
Grade 8	97.9%	1.3%	0.2%	0.5%
Grade 9	96.1%	2.3%	0.8%	0.8%
Grade 10	96.1%	2.7%	0.8%	0.4%
Grade 11	97.2%	1.8%	0.4%	0.5%
Grade 12	96.3%	2.3%	0.8%	0.6%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.4
Marijuana Non-Users	3.5
Average Days Conduct Problems Reported	
Marijuana Users	3.3
Marijuana Non-Users	1.0

Percentages have been weighted to reflect proportions within the population.

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.6%	4.0%	0.9%	1.5%
Grade 9	96.9%	2.3%	0.3%	0.4%
Grade 10	95.7%	2.9%	0.7%	0.7%
Grade 11	93.2%	4.4%	1.0%	1.4%
Grade 12	87.4%	7.0%	1.7%	3.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.6%	2.8%	0.4%	0.2%
Grade 7	98.3%	1.5%	0.2%	0.1%
Grade 8	97.4%	2.1%	0.3%	0.1%
Grade 9	96.0%	3.2%	0.5%	0.4%
Grade 10	95.5%	4.0%	0.3%	0.2%
Grade 11	96.2%	3.1%	0.4%	0.3%
Grade 12	95.6%	3.4%	0.7%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	57.3%	19.2%	11.0%	9.5%	2.9%
Grade 7	83.2%	9.9%	3.6%	2.6%	0.7%
Grade 8	73.1%	15.2%	6.1%	4.3%	1.3%
Grade 9	55.0%	20.9%	10.9%	10.4%	3.0%
Grade 10	49.4%	22.0%	13.8%	11.2%	3.5%
Grade 11	41.1%	24.7%	16.3%	14.0%	4.0%
Grade 12	36.6%	23.9%	17.3%	16.6%	5.6%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	59.8%	5.7%	4.2%	5.8%	5.8%	1.9%	16.8%
Grade 7	80.9%	2.9%	1.2%	1.0%	0.8%	1.7%	11.6%
Grade 8	74.9%	3.9%	2.5%	2.3%	1.6%	2.2%	12.6%
Grade 9	58.8%	5.7%	4.4%	5.9%	4.2%	2.4%	18.6%
Grade 10	53.4%	7.3%	6.0%	6.7%	6.7%	1.7%	18.2%
Grade 11	44.8%	7.7%	5.5%	9.2%	9.4%	1.9%	21.4%
Grade 12	40.8%	7.0%	6.5%	11.2%	13.9%	1.3%	19.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.3%	7.0%	7.2%	2.0%	1.3%	6.2%
Grade 7	85.3%	2.1%	2.4%	0.8%	0.8%	8.6%
Grade 8	83.4%	4.0%	4.4%	1.2%	1.0%	6.1%
Grade 9	76.1%	7.2%	7.6%	1.9%	1.1%	6.1%
Grade 10	73.3%	7.2%	8.5%	2.9%	1.5%	6.5%
Grade 11	70.6%	10.5%	9.6%	2.6%	1.7%	5.0%
Grade 12	66.9%	12.0%	12.1%	2.6%	1.9%	4.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	55.4%	13.7%	12.8%	13.3%	4.8%
	Grade 7	79.3%	8.6%	4.5%	3.2%	4.5%
	Grade 8	67.5%	13.1%	8.1%	6.8%	4.5%
	Grade 9	52.2%	16.5%	12.4%	13.6%	5.3%
	Grade 10	46.4%	16.3%	15.9%	16.3%	5.2%
	Grade 11	43.8%	13.9%	18.8%	18.9%	4.5%
	Grade 12	38.2%	14.3%	19.0%	24.0%	4.5%
Cocaine?						
	All	87.1%	5.9%	0.9%	0.5%	5.6%
	Grade 7	89.8%	4.3%	0.6%	0.3%	5.0%
	Grade 8	88.2%	5.5%	0.9%	0.4%	5.0%
	Grade 9	85.2%	6.4%	1.2%	0.9%	6.3%
	Grade 10	85.2%	6.9%	0.9%	0.5%	6.4%
	Grade 11	87.4%	5.9%	0.8%	0.8%	5.1%
	Grade 12	86.6%	6.3%	0.8%	0.4%	6.0%
Crack?						
	All	88.1%	4.8%	0.7%	0.5%	6.0%
	Grade 7	89.9%	3.9%	0.6%	0.3%	5.4%
	Grade 8	88.4%	4.9%	0.7%	0.4%	5.6%
	Grade 9	86.0%	5.3%	0.9%	0.8%	6.9%
	Grade 10	86.5%	5.8%	0.6%	0.4%	6.6%
	Grade 11	89.2%	4.3%	0.7%	0.6%	5.3%
	Grade 12	88.8%	4.2%	0.6%	0.2%	6.2%
Ecstasy?						
	All	81.3%	7.3%	1.8%	0.7%	8.8%
	Grade 7	85.2%	4.1%	0.7%	0.2%	9.8%
	Grade 8	83.1%	6.0%	1.3%	0.5%	9.1%
	Grade 9	79.6%	7.8%	1.8%	1.2%	9.6%
	Grade 10	79.6%	9.2%	2.0%	0.6%	8.7%
	Grade 11	80.7%	8.2%	2.7%	1.0%	7.5%
	Grade 12	79.2%	9.2%	2.7%	0.7%	8.2%
Steroids?						
	All	76.2%	12.0%	3.5%	1.0%	7.2%
	Grade 7	81.9%	8.6%	2.2%	0.5%	6.8%
	Grade 8	78.7%	11.0%	2.4%	0.9%	7.0%
	Grade 9	72.8%	13.4%	4.9%	1.4%	7.5%
	Grade 10	72.9%	13.9%	3.7%	1.1%	8.3%
	Grade 11	75.3%	12.5%	4.2%	1.3%	6.6%
	Grade 12	75.3%	12.7%	3.8%	0.9%	7.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	88.4%	3.9%	0.6%	0.5%	6.6%
	Grade 7	88.4%	3.7%	0.5%	0.3%	7.1%
	Grade 8	87.7%	4.5%	0.7%	0.4%	6.7%
	Grade 9	86.9%	4.5%	0.8%	0.7%	7.1%
	Grade 10	87.5%	4.3%	0.7%	0.6%	6.9%
	Grade 11	90.3%	3.1%	0.4%	0.5%	5.7%
	Grade 12	90.1%	3.0%	0.5%	0.2%	6.3%
Methamphetamine?						
	All	88.0%	3.9%	0.7%	0.5%	7.1%
	Grade 7	87.9%	3.6%	0.4%	0.3%	7.7%
	Grade 8	87.5%	3.8%	0.7%	0.4%	7.5%
	Grade 9	85.8%	4.6%	1.0%	0.8%	7.8%
	Grade 10	87.4%	4.4%	0.6%	0.4%	7.2%
	Grade 11	90.0%	3.2%	0.6%	0.6%	5.6%
	Grade 12	89.8%	3.2%	0.6%	0.2%	6.3%
Synthetic Marijuana?						
	All	80.5%	7.6%	2.4%	1.2%	8.4%
	Grade 7	85.5%	4.5%	1.3%	0.5%	8.2%
	Grade 8	82.9%	6.7%	1.9%	0.9%	7.6%
	Grade 9	76.4%	9.4%	3.1%	1.9%	9.2%
	Grade 10	77.8%	9.3%	3.0%	1.2%	8.8%
	Grade 11	80.2%	7.9%	2.5%	1.6%	7.8%
	Grade 12	80.0%	7.9%	2.6%	0.9%	8.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.1%	10.7%	18.8%	81.2%
Grade 7	6.1%	8.2%	15.0%	85.0%
Grade 8	7.2%	9.5%	16.2%	83.8%
Grade 9	8.0%	11.8%	19.4%	80.6%
Grade 10	7.0%	11.5%	20.1%	79.9%
Grade 11	6.8%	10.7%	20.7%	79.3%
Grade 12	7.7%	12.6%	22.7%	77.3%
Codeine Cough Syrup?				
All	3.8%	6.5%	12.8%	87.2%
Grade 7	3.5%	5.4%	10.4%	89.6%
Grade 8	4.4%	6.4%	11.6%	88.4%
Grade 9	4.7%	7.8%	14.1%	85.9%
Grade 10	3.5%	6.6%	13.4%	86.6%
Grade 11	3.4%	6.4%	13.4%	86.6%
Grade 12	3.0%	6.5%	13.9%	86.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.0%	2.1%	4.0%	96.0%
Grade 7	0.5%	0.8%	1.4%	98.6%
Grade 8	0.8%	1.4%	2.0%	98.0%
Grade 9	1.3%	2.1%	3.6%	96.4%
Grade 10	1.1%	2.3%	4.9%	95.1%
Grade 11	1.1%	2.9%	5.6%	94.4%
Grade 12	1.5%	3.4%	7.7%	92.3%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.6%	2.7%	5.4%	94.6%
Grade 7	0.6%	0.9%	1.6%	98.4%
Grade 8	1.4%	1.9%	3.3%	96.7%
Grade 9	2.3%	3.6%	5.7%	94.3%
Grade 10	1.8%	3.3%	6.9%	93.1%
Grade 11	1.6%	2.9%	6.5%	93.5%
Grade 12	2.0%	3.8%	9.0%	91.0%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.6%	2.6%	4.7%	95.3%
Grade 7	0.7%	0.9%	1.5%	98.5%
Grade 8	0.8%	1.1%	2.2%	97.8%
Grade 9	2.0%	2.7%	4.2%	95.8%
Grade 10	1.7%	3.1%	5.4%	94.6%
Grade 11	2.1%	3.3%	6.8%	93.2%
Grade 12	3.0%	5.0%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.1%	4.3%	8.1%	91.9%
Grade 7	3.3%	4.3%	8.7%	91.3%
Grade 8	3.1%	4.3%	8.0%	92.0%
Grade 9	3.5%	4.8%	8.6%	91.4%
Grade 10	2.8%	4.4%	7.8%	92.2%
Grade 11	3.0%	4.0%	7.7%	92.3%
Grade 12	2.8%	3.8%	7.6%	92.4%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.2%	1.8%	3.4%	96.6%
Grade 7	1.3%	2.0%	3.8%	96.2%
Grade 8	1.5%	2.2%	3.7%	96.3%
Grade 9	1.6%	2.4%	4.0%	96.0%
Grade 10	0.9%	1.5%	3.2%	96.8%
Grade 11	1.1%	1.4%	2.8%	97.2%
Grade 12	0.8%	1.0%	2.4%	97.6%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.1%	13.2%	3.6%	1.3%	6.8%
Grade 7	81.7%	8.5%	2.4%	0.8%	6.5%
Grade 8	77.9%	11.0%	3.3%	1.1%	6.8%
Grade 9	72.2%	13.9%	4.6%	2.1%	7.3%
Grade 10	71.9%	15.7%	3.9%	1.0%	7.6%
Grade 11	73.9%	14.6%	3.7%	1.8%	5.9%
Grade 12	71.9%	16.6%	3.8%	1.0%	6.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.0%	5.6%	11.6%	88.4%
Grade 7	4.9%	6.4%	12.7%	87.3%
Grade 8	5.6%	7.6%	13.9%	86.1%
Grade 9	4.6%	6.4%	13.2%	86.8%
Grade 10	2.7%	4.1%	9.5%	90.5%
Grade 11	2.7%	4.2%	9.9%	90.1%
Grade 12	3.1%	4.3%	9.7%	90.3%
Spray Paint?				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.5%	0.6%	1.8%	98.2%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.4%	0.7%	2.5%	97.5%
Grade 10	0.3%	0.5%	1.3%	98.7%
Grade 11	0.2%	0.7%	1.8%	98.2%
Grade 12	0.4%	0.6%	1.4%	98.6%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.4%	4.4%	95.6%
Grade 7	1.1%	1.9%	5.6%	94.4%
Grade 8	1.3%	2.0%	5.7%	94.3%
Grade 9	1.2%	1.8%	5.7%	94.3%
Grade 10	0.6%	0.8%	2.8%	97.2%
Grade 11	0.7%	0.8%	3.5%	96.5%
Grade 12	0.6%	0.7%	2.4%	97.6%
Computer Dusting Sprays?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.5%	0.8%	1.7%	98.3%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.5%	0.7%	0.9%	99.1%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.5%	2.3%	5.8%	94.2%
Grade 7	1.6%	2.3%	6.3%	93.7%
Grade 8	1.9%	2.9%	6.3%	93.7%
Grade 9	1.4%	2.4%	6.9%	93.1%
Grade 10	1.3%	2.1%	4.8%	95.2%
Grade 11	0.7%	1.5%	5.0%	95.0%
Grade 12	1.7%	2.4%	5.4%	94.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 126

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.6%	1.3%	98.7%
Grade 8	0.3%	0.7%	1.4%	98.6%
Grade 9	0.3%	0.4%	1.2%	98.8%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.5%	0.6%	1.2%	98.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.5%	1.2%	98.8%
Grade 10	0.3%	0.4%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.5%	0.6%	1.0%	99.0%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.9%	1.1%	2.1%	97.9%
Grade 8	1.0%	1.2%	2.2%	97.8%
Grade 9	0.5%	0.9%	2.4%	97.6%
Grade 10	0.5%	0.6%	1.4%	98.6%
Grade 11	0.6%	0.8%	1.9%	98.1%
Grade 12	0.6%	0.7%	1.1%	98.9%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.6%	0.8%	1.8%	98.2%
Grade 8	0.6%	0.8%	1.9%	98.1%
Grade 9	0.5%	0.8%	1.7%	98.3%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.1%	0.3%	1.0%	99.0%
Grade 12	0.5%	0.6%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 126

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.2%	0.1%	0.1%	0.3%	0.5%	0.6%	1.2%
Grade 7	96.4%	0.1%	0.3%	0.4%	0.6%	0.8%	1.5%
Grade 8	96.4%	0.1%	0.1%	0.6%	0.6%	1.1%	1.1%
Grade 9	96.6%	0.1%	0.2%	0.4%	0.6%	0.3%	1.8%
Grade 10	98.2%	0.1%	0.0%	0.2%	0.3%	0.3%	0.8%
Grade 11	97.6%	0.1%	0.0%	0.2%	0.5%	0.6%	0.9%
Grade 12	98.3%	0.0%	0.1%	0.1%	0.2%	0.2%	1.0%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	90.4%	5.8%	2.7%	1.0%
Grade 7	88.8%	6.9%	3.1%	1.2%
Grade 8	88.7%	6.7%	3.7%	0.9%
Grade 9	88.6%	6.6%	3.5%	1.3%
Grade 10	92.3%	5.1%	1.9%	0.7%
Grade 11	92.3%	4.3%	2.4%	1.0%
Grade 12	92.7%	5.1%	1.1%	1.0%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.6	10.6	11.2	11.1	12.1	12.3	13.9

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.2%	0.5%	0.1%	0.2%
Grade 7	99.2%	0.5%	0.2%	0.1%
Grade 8	98.9%	0.7%	0.2%	0.2%
Grade 9	98.9%	0.7%	0.1%	0.3%
Grade 10	99.0%	0.6%	0.1%	0.3%
Grade 11	99.7%	0.2%	0.0%	0.1%
Grade 12	99.6%	0.1%	0.1%	0.2%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.4
Inhalant Non-Users	3.6
Average Days Conduct Problems Reported	
Inhalant Users	3.4
Inhalant Non-Users	1.2

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.3%	4.8%	1.3%	0.4%	0.2%
Grade 7	92.5%	5.8%	1.3%	0.3%	0.2%
Grade 8	92.7%	5.3%	1.4%	0.6%	0.1%
Grade 9	91.9%	5.6%	1.6%	0.5%	0.4%
Grade 10	93.7%	4.8%	0.9%	0.5%	0.1%
Grade 11	94.1%	4.1%	1.4%	0.3%	0.2%
Grade 12	95.5%	3.0%	1.2%	0.2%	0.1%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	71.5%	14.3%	4.9%	1.5%	7.8%
Grade 7	76.1%	12.1%	3.9%	1.1%	6.8%
Grade 8	72.9%	13.5%	5.2%	1.2%	7.1%
Grade 9	67.7%	15.8%	6.1%	2.3%	8.1%
Grade 10	69.1%	16.4%	5.0%	1.5%	8.0%
Grade 11	71.3%	13.4%	4.9%	1.6%	8.7%
Grade 12	71.5%	15.0%	3.8%	1.4%	8.3%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	40.8%	16.4%	4.1%	5.5%	9.0%	24.2%
Grade 7	47.1%	24.9%	4.3%	4.6%	6.2%	12.9%
Grade 8	42.1%	21.3%	4.4%	4.9%	8.5%	18.8%
Grade 9	38.3%	16.6%	4.1%	5.7%	9.6%	25.8%
Grade 10	39.0%	14.2%	4.1%	6.1%	9.9%	26.6%
Grade 11	39.4%	11.6%	3.9%	5.5%	10.4%	29.2%
Grade 12	37.9%	7.8%	3.8%	6.3%	9.7%	34.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 32 of 126

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	37.4%
	Grade 7	34.7%
	Grade 8	45.4%
	Grade 9	39.6%
	Grade 10	38.2%
	Grade 11	35.1%
	Grade 12	30.5%
An Assembly Program		
	All	39.4%
	Grade 7	44.4%
	Grade 8	46.7%
	Grade 9	40.3%
	Grade 10	37.1%
	Grade 11	34.0%
	Grade 12	32.3%
Guidance Counselor		
	All	24.6%
	Grade 7	33.2%
	Grade 8	33.1%
	Grade 9	23.7%
	Grade 10	20.6%
	Grade 11	18.2%
	Grade 12	16.8%
School Nurse		
	All	14.8%
	Grade 7	20.5%
	Grade 8	17.3%
	Grade 9	13.8%
	Grade 10	13.5%
	Grade 11	11.0%
	Grade 12	11.7%
Science or Social Studies Class		
	All	25.6%
	Grade 7	30.7%
	Grade 8	25.7%
	Grade 9	26.6%
	Grade 10	23.3%
	Grade 11	23.7%
	Grade 12	22.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 33 of 126

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	13.4%
	Grade 7	12.7%
	Grade 8	12.1%
	Grade 9	14.6%
	Grade 10	13.8%
	Grade 11	13.4%
	Grade 12	13.7%
An Invited School Guest		
	All	25.6%
	Grade 7	29.1%
	Grade 8	33.2%
	Grade 9	24.9%
	Grade 10	23.1%
	Grade 11	22.2%
	Grade 12	20.2%
Another Source at School		
	All	27.7%
	Grade 7	30.1%
	Grade 8	30.3%
	Grade 9	28.6%
	Grade 10	26.7%
	Grade 11	26.1%
	Grade 12	23.5%
Any School Source		
	All	63.2%
	Grade 7	67.5%
	Grade 8	72.2%
	Grade 9	63.6%
	Grade 10	61.8%
	Grade 11	58.3%
	Grade 12	53.8%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	39.1%
	Grade 7	52.7%
	Grade 8	45.7%
	Grade 9	38.5%
	Grade 10	32.3%
	Grade 11	32.9%
	Grade 12	30.0%
School Nurse		
	All	23.2%
	Grade 7	34.8%
	Grade 8	26.3%
	Grade 9	22.2%
	Grade 10	19.3%
	Grade 11	17.8%
	Grade 12	16.9%
Another Adult In School		
	All	42.0%
	Grade 7	50.1%
	Grade 8	46.2%
	Grade 9	41.5%
	Grade 10	37.1%
	Grade 11	38.2%
	Grade 12	37.8%
Counselor/Program Outside-School		
	All	39.9%
	Grade 7	47.1%
	Grade 8	43.7%
	Grade 9	39.6%
	Grade 10	36.2%
	Grade 11	37.2%
	Grade 12	34.1%
Your Parents		
	All	70.3%
	Grade 7	80.2%
	Grade 8	74.9%
	Grade 9	69.3%
	Grade 10	66.4%
	Grade 11	66.6%
	Grade 12	62.2%
<hr/>		

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 35 of 126

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
<hr/>		
A Medical Doctor		
All		57.5%
Grade 7		68.6%
Grade 8		64.1%
Grade 9		55.1%
Grade 10		50.3%
Grade 11		53.5%
Grade 12		51.3%
Your Friends		
All		64.2%
Grade 7		52.6%
Grade 8		59.5%
Grade 9		64.7%
Grade 10		67.4%
Grade 11		71.3%
Grade 12		71.8%
Another Adult		
All		59.5%
Grade 7		63.2%
Grade 8		62.6%
Grade 9		60.4%
Grade 10		57.6%
Grade 11		57.1%
Grade 12		55.1%
<hr/>		

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
<hr/>		
All		6.1%
Grade 7		6.2%
Grade 8		6.3%
Grade 9		7.0%
Grade 10		5.5%
Grade 11		6.0%
Grade 12		5.1%
<hr/>		

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 36 of 126

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	4.9%	20.0%	22.4%	38.7%	13.9%
Grade 7	6.2%	18.2%	18.9%	36.9%	19.9%
Grade 8	5.4%	20.0%	21.1%	37.7%	15.8%
Grade 9	5.1%	20.5%	23.2%	38.2%	13.1%
Grade 10	4.5%	21.5%	23.6%	38.0%	12.5%
Grade 11	4.1%	20.2%	23.8%	40.6%	11.4%
Grade 12	4.2%	19.8%	24.3%	41.9%	9.8%
Sometimes Carry Weapons?					
All	77.4%	14.4%	4.9%	2.2%	1.1%
Grade 7	86.5%	9.4%	2.3%	1.0%	0.8%
Grade 8	82.3%	11.0%	4.0%	1.9%	0.8%
Grade 9	75.8%	15.1%	5.8%	2.1%	1.2%
Grade 10	75.2%	15.5%	5.5%	2.7%	1.2%
Grade 11	73.0%	16.9%	5.7%	3.2%	1.2%
Grade 12	69.6%	19.5%	6.7%	2.6%	1.7%
Care About Making Good Grades?					
All	2.0%	10.6%	23.1%	43.7%	20.5%
Grade 7	2.6%	12.3%	23.5%	37.5%	24.0%
Grade 8	2.1%	10.7%	24.6%	40.2%	22.4%
Grade 9	2.3%	10.8%	24.4%	44.5%	17.9%
Grade 10	1.7%	10.4%	23.2%	44.7%	20.1%
Grade 11	1.6%	9.2%	21.3%	48.3%	19.7%
Grade 12	1.6%	10.0%	21.1%	48.6%	18.6%
Belong/Want to Belong to a Gang?					
All	85.2%	9.9%	2.9%	1.1%	0.9%
Grade 7	85.7%	10.4%	2.4%	0.9%	0.7%
Grade 8	83.9%	10.9%	3.3%	1.2%	0.8%
Grade 9	81.1%	11.7%	3.9%	2.1%	1.2%
Grade 10	84.5%	10.3%	3.5%	0.9%	0.8%
Grade 11	87.6%	8.2%	2.5%	1.0%	0.7%
Grade 12	89.4%	6.8%	1.9%	0.6%	1.3%
Wish They Could Drop Out of School?					
All	50.2%	29.3%	12.0%	5.2%	3.3%
Grade 7	60.2%	24.6%	9.1%	4.2%	1.9%
Grade 8	54.7%	27.8%	10.6%	5.1%	1.8%
Grade 9	44.4%	32.6%	13.9%	5.6%	3.6%
Grade 10	44.5%	32.6%	13.6%	5.7%	3.7%
Grade 11	46.9%	30.3%	13.5%	5.0%	4.4%
Grade 12	50.0%	27.8%	11.8%	5.6%	4.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 37 of 126

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.2%	12.1%	0.8%	0.3%	0.6%
Grade 7	85.9%	12.2%	0.7%	0.5%	0.6%
Grade 8	85.1%	13.4%	0.7%	0.2%	0.6%
Grade 9	85.0%	13.3%	0.7%	0.3%	0.7%
Grade 10	86.2%	12.2%	0.9%	0.2%	0.5%
Grade 11	87.7%	10.6%	0.7%	0.3%	0.6%
Grade 12	87.5%	10.4%	0.9%	0.5%	0.8%
Out In Your Neighborhood?					
All	47.2%	43.6%	5.7%	1.2%	2.3%
Grade 7	39.8%	47.3%	8.2%	1.7%	3.0%
Grade 8	40.1%	48.4%	7.3%	1.5%	2.7%
Grade 9	46.4%	45.0%	5.0%	1.1%	2.5%
Grade 10	50.4%	41.6%	5.2%	0.8%	2.0%
Grade 11	54.2%	39.4%	3.9%	0.9%	1.6%
Grade 12	54.6%	38.6%	4.2%	1.2%	1.5%
At School?					
All	35.8%	47.4%	9.1%	4.2%	3.5%
Grade 7	41.3%	43.2%	8.4%	3.3%	3.8%
Grade 8	36.3%	47.8%	8.7%	3.6%	3.6%
Grade 9	31.5%	50.7%	9.4%	4.2%	4.3%
Grade 10	31.9%	49.0%	10.7%	4.9%	3.5%
Grade 11	35.3%	47.3%	9.2%	5.3%	2.7%
Grade 12	38.7%	46.3%	8.4%	3.9%	2.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 38 of 126

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.8%	20.4%	30.6%	69.4%
Grade 7	5.6%	6.9%	13.7%	86.3%
Grade 8	9.1%	11.4%	20.9%	79.1%
Grade 9	15.3%	19.4%	29.9%	70.1%
Grade 10	20.2%	25.0%	35.7%	64.3%
Grade 11	23.3%	27.8%	40.3%	59.7%
Grade 12	30.9%	36.2%	47.8%	52.2%
Any Alcohol Product				
All	28.4%	34.0%	51.4%	48.6%
Grade 7	14.6%	16.9%	34.4%	65.6%
Grade 8	20.3%	24.1%	42.9%	57.1%
Grade 9	27.1%	31.8%	50.0%	50.0%
Grade 10	31.8%	38.5%	55.1%	44.9%
Grade 11	34.3%	43.0%	61.5%	38.5%
Grade 12	46.8%	54.7%	69.4%	30.6%
Any Illicit Drug				
All	13.5%	17.7%	23.2%	76.8%
Grade 7	4.0%	6.0%	8.2%	91.8%
Grade 8	7.8%	10.4%	13.4%	86.6%
Grade 9	13.5%	17.8%	22.2%	77.8%
Grade 10	14.5%	19.1%	25.8%	74.2%
Grade 11	19.1%	24.7%	33.2%	66.8%
Grade 12	25.0%	31.6%	41.2%	58.8%
Any Prescription Drug				
All	7.1%	10.7%	18.8%	81.2%
Grade 7	6.1%	8.2%	15.0%	85.0%
Grade 8	7.2%	9.5%	16.2%	83.8%
Grade 9	8.0%	11.8%	19.4%	80.6%
Grade 10	7.0%	11.5%	20.1%	79.9%
Grade 11	6.8%	10.7%	20.7%	79.3%
Grade 12	7.7%	12.6%	22.7%	77.3%
Any Inhalant				
All	4.0%	5.6%	11.6%	88.4%
Grade 7	4.9%	6.4%	12.7%	87.3%
Grade 8	5.6%	7.6%	13.9%	86.1%
Grade 9	4.6%	6.4%	13.2%	86.8%
Grade 10	2.7%	4.1%	9.5%	90.5%
Grade 11	2.7%	4.2%	9.9%	90.1%
Grade 12	3.1%	4.3%	9.7%	90.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.0%	17.2%	26.6%	73.4%
Grade 7	3.2%	4.7%	10.0%	90.0%
Grade 8	5.8%	8.5%	16.6%	83.4%
Grade 9	12.4%	16.7%	26.1%	73.9%
Grade 10	15.7%	20.9%	31.9%	68.1%
Grade 11	18.3%	23.8%	36.4%	63.6%
Grade 12	25.6%	31.9%	43.2%	56.8%
Marijuana				
All	13.2%	16.0%	21.9%	78.1%
Grade 7	3.7%	4.6%	6.5%	93.5%
Grade 8	7.5%	8.9%	12.1%	87.9%
Grade 9	13.3%	15.9%	20.6%	79.4%
Grade 10	14.3%	17.7%	24.7%	75.3%
Grade 11	18.4%	22.5%	31.9%	68.1%
Grade 12	24.8%	29.9%	40.2%	59.8%
Marijuana Only				
All	8.0%	10.3%	15.2%	84.8%
Grade 7	2.1%	2.9%	4.3%	95.7%
Grade 8	4.2%	5.3%	7.8%	92.2%
Grade 9	8.3%	10.2%	14.4%	85.6%
Grade 10	8.5%	11.4%	17.6%	82.4%
Grade 11	11.7%	14.9%	22.9%	77.1%
Grade 12	14.9%	19.0%	27.4%	72.6%
Cocaine or Crack				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	1.1%	1.3%	2.0%	98.0%
Grade 10	1.0%	1.1%	2.2%	97.8%
Grade 11	1.4%	1.7%	3.1%	96.9%
Grade 12	2.4%	3.0%	5.4%	94.6%
Cocaine				
All	1.0%	1.3%	2.2%	97.8%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.7%	0.8%	1.3%	98.7%
Grade 9	1.0%	1.2%	1.9%	98.1%
Grade 10	0.9%	1.1%	2.1%	97.9%
Grade 11	1.3%	1.5%	3.0%	97.0%
Grade 12	2.3%	2.9%	5.2%	94.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 41 of 126

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.2%	0.3%	0.8%	99.2%
Hallucinogens				
All	0.8%	1.5%	3.1%	96.9%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	0.9%	1.4%	2.6%	97.4%
Grade 10	0.9%	1.6%	3.7%	96.3%
Grade 11	1.3%	2.4%	4.6%	95.4%
Grade 12	1.5%	3.3%	7.3%	92.7%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.5%	99.5%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.6%	1.5%	98.5%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	0.4%	0.6%	1.4%	98.6%
Grade 10	0.2%	0.4%	1.6%	98.4%
Grade 11	0.6%	0.7%	1.8%	98.2%
Grade 12	0.4%	0.5%	1.3%	98.7%
Ecstasy				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.9%	1.3%	2.0%	98.0%
Grade 10	0.6%	1.0%	2.3%	97.7%
Grade 11	0.8%	1.3%	2.9%	97.1%
Grade 12	0.9%	1.8%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.4%	3.3%	96.7%
Grade 7	0.5%	0.8%	1.4%	98.6%
Grade 8	0.9%	1.5%	2.7%	97.3%
Grade 9	1.4%	1.9%	4.0%	96.0%
Grade 10	1.0%	1.5%	3.5%	96.5%
Grade 11	1.1%	1.6%	4.1%	95.9%
Grade 12	0.7%	1.2%	4.3%	95.7%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.3%	0.5%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 43 of 126

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.3%	21.8%	31.8%	68.2%
Grade 7	6.4%	7.5%	14.2%	85.8%
Grade 8	8.9%	11.6%	22.3%	77.7%
Grade 9	16.1%	20.3%	29.7%	70.3%
Grade 10	21.9%	26.3%	35.7%	64.3%
Grade 11	25.0%	29.4%	42.5%	57.5%
Grade 12	36.0%	41.0%	52.4%	47.6%
Any Alcohol Product				
All	26.7%	31.9%	49.6%	50.4%
Grade 7	13.4%	16.0%	34.6%	65.4%
Grade 8	18.8%	22.7%	43.2%	56.8%
Grade 9	23.8%	28.8%	45.9%	54.1%
Grade 10	30.5%	35.9%	53.6%	46.4%
Grade 11	33.0%	40.9%	58.5%	41.5%
Grade 12	45.8%	52.6%	67.0%	33.0%
Any Illicit Drug				
All	13.4%	17.2%	22.9%	77.1%
Grade 7	3.9%	5.4%	7.8%	92.2%
Grade 8	7.3%	9.9%	13.4%	86.6%
Grade 9	12.7%	16.6%	21.3%	78.7%
Grade 10	14.3%	19.1%	25.5%	74.5%
Grade 11	18.8%	24.3%	32.5%	67.5%
Grade 12	26.4%	31.8%	42.0%	58.0%
Any Prescription Drug				
All	7.2%	10.9%	19.7%	80.3%
Grade 7	5.7%	8.1%	14.6%	85.4%
Grade 8	7.0%	9.6%	16.3%	83.7%
Grade 9	8.4%	12.0%	19.8%	80.2%
Grade 10	6.9%	11.7%	21.2%	78.8%
Grade 11	7.4%	11.3%	22.6%	77.4%
Grade 12	7.9%	13.3%	24.9%	75.1%
Any Inhalant				
All	3.7%	5.1%	11.3%	88.7%
Grade 7	3.9%	4.9%	10.8%	89.2%
Grade 8	4.9%	6.9%	13.4%	86.6%
Grade 9	4.6%	6.3%	12.9%	87.1%
Grade 10	2.3%	3.9%	9.2%	90.8%
Grade 11	2.9%	4.0%	10.5%	89.5%
Grade 12	3.2%	4.2%	10.4%	89.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.7%	18.0%	27.4%	72.6%
Grade 7	3.9%	5.3%	10.6%	89.4%
Grade 8	5.4%	8.5%	17.1%	82.9%
Grade 9	13.1%	17.6%	25.7%	74.3%
Grade 10	15.8%	20.9%	31.4%	68.6%
Grade 11	19.0%	24.5%	38.0%	62.0%
Grade 12	28.4%	35.5%	46.6%	53.4%
Marijuana				
All	12.9%	15.6%	21.6%	78.4%
Grade 7	3.5%	4.1%	6.2%	93.8%
Grade 8	7.0%	8.5%	12.2%	87.8%
Grade 9	12.4%	14.8%	19.7%	80.3%
Grade 10	13.9%	17.6%	24.4%	75.6%
Grade 11	18.1%	21.7%	31.3%	68.7%
Grade 12	26.1%	30.5%	41.0%	59.0%
Marijuana Only				
All	7.5%	9.5%	14.5%	85.5%
Grade 7	2.1%	2.6%	4.2%	95.8%
Grade 8	3.5%	4.7%	7.6%	92.4%
Grade 9	7.7%	9.5%	13.8%	86.2%
Grade 10	9.0%	12.1%	18.1%	81.9%
Grade 11	10.1%	13.0%	20.8%	79.2%
Grade 12	14.5%	17.5%	26.0%	74.0%
Cocaine or Crack				
All	1.1%	1.4%	2.7%	97.3%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.7%	1.4%	98.6%
Grade 9	0.9%	0.9%	1.9%	98.1%
Grade 10	0.8%	1.0%	2.0%	98.0%
Grade 11	1.6%	2.0%	4.1%	95.9%
Grade 12	2.9%	3.9%	6.9%	93.1%
Cocaine				
All	1.0%	1.3%	2.5%	97.5%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.7%	0.7%	1.7%	98.3%
Grade 10	0.7%	0.9%	1.9%	98.1%
Grade 11	1.6%	2.0%	4.0%	96.0%
Grade 12	2.8%	3.8%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 45 of 126

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.7%	99.3%
Hallucinogens				
All	1.0%	1.8%	3.7%	96.3%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.2%	0.7%	1.4%	98.6%
Grade 9	0.7%	1.1%	2.7%	97.3%
Grade 10	1.2%	1.6%	3.6%	96.4%
Grade 11	1.9%	3.3%	5.7%	94.3%
Grade 12	2.1%	4.6%	9.7%	90.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
Steroids				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.5%	0.6%	1.7%	98.3%
Grade 8	0.4%	0.7%	1.5%	98.5%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.3%	1.5%	98.5%
Grade 11	0.8%	0.9%	1.5%	98.5%
Grade 12	0.6%	0.9%	1.6%	98.4%
Ecstasy				
All	0.6%	1.0%	2.2%	97.8%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.8%	1.2%	2.2%	97.8%
Grade 10	0.5%	0.7%	1.7%	98.3%
Grade 11	1.2%	1.8%	3.8%	96.2%
Grade 12	0.7%	1.9%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.1%	0.3%	99.7%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.3%	3.2%	96.8%
Grade 7	0.3%	0.5%	1.2%	98.8%
Grade 8	1.1%	1.6%	3.0%	97.0%
Grade 9	1.2%	1.8%	3.8%	96.2%
Grade 10	0.8%	1.0%	2.7%	97.3%
Grade 11	1.1%	1.6%	4.1%	95.9%
Grade 12	1.0%	1.4%	4.9%	95.1%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.6%	0.6%	1.0%	99.0%
Grade 12	0.4%	0.5%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 47 of 126

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.3%	19.1%	29.5%	70.5%
Grade 7	4.8%	6.3%	13.2%	86.8%
Grade 8	9.3%	11.3%	19.6%	80.4%
Grade 9	14.6%	18.7%	30.4%	69.6%
Grade 10	18.4%	23.8%	35.8%	64.2%
Grade 11	21.7%	26.4%	38.6%	61.4%
Grade 12	26.2%	31.9%	43.6%	56.4%
Any Alcohol Product				
All	30.2%	36.1%	53.3%	46.7%
Grade 7	15.7%	18.0%	34.3%	65.7%
Grade 8	21.9%	25.6%	42.7%	57.3%
Grade 9	30.7%	35.0%	54.5%	45.5%
Grade 10	33.3%	41.1%	56.8%	43.2%
Grade 11	36.2%	45.6%	64.8%	35.2%
Grade 12	47.7%	56.7%	71.3%	28.7%
Any Illicit Drug				
All	13.8%	18.2%	23.5%	76.5%
Grade 7	4.1%	6.7%	8.5%	91.5%
Grade 8	8.4%	11.0%	13.4%	86.6%
Grade 9	14.5%	19.1%	23.4%	76.6%
Grade 10	14.9%	19.0%	25.7%	74.3%
Grade 11	19.5%	25.2%	34.2%	65.8%
Grade 12	23.9%	31.4%	40.3%	59.7%
Any Prescription Drug				
All	7.1%	10.4%	18.0%	82.0%
Grade 7	6.4%	8.3%	15.5%	84.5%
Grade 8	7.4%	9.5%	16.0%	84.0%
Grade 9	7.8%	11.7%	19.1%	80.9%
Grade 10	7.2%	11.2%	18.8%	81.2%
Grade 11	6.3%	10.2%	18.9%	81.1%
Grade 12	7.5%	11.9%	20.5%	79.5%
Any Inhalant				
All	4.4%	6.1%	11.9%	88.1%
Grade 7	5.9%	7.7%	14.5%	85.5%
Grade 8	6.4%	8.4%	14.5%	85.5%
Grade 9	4.7%	6.6%	13.6%	86.4%
Grade 10	3.1%	4.4%	9.7%	90.3%
Grade 11	2.6%	4.4%	9.3%	90.7%
Grade 12	3.0%	4.5%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 48 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.3%	16.4%	25.9%	74.1%
Grade 7	2.6%	4.2%	9.4%	90.6%
Grade 8	6.3%	8.7%	16.3%	83.7%
Grade 9	11.8%	16.1%	26.9%	73.1%
Grade 10	15.4%	20.9%	32.2%	67.8%
Grade 11	17.7%	23.2%	35.0%	65.0%
Grade 12	23.1%	28.8%	40.1%	59.9%
Marijuana				
All	13.6%	16.5%	22.1%	77.9%
Grade 7	4.0%	5.1%	6.8%	93.2%
Grade 8	8.1%	9.4%	12.0%	88.0%
Grade 9	14.4%	17.1%	21.8%	78.2%
Grade 10	14.9%	17.6%	24.6%	75.4%
Grade 11	18.8%	23.3%	32.6%	67.4%
Grade 12	23.7%	29.4%	39.4%	60.6%
Marijuana Only				
All	8.5%	11.0%	15.9%	84.1%
Grade 7	2.2%	3.2%	4.5%	95.5%
Grade 8	4.9%	5.8%	8.0%	92.0%
Grade 9	8.9%	11.0%	15.2%	84.8%
Grade 10	8.3%	10.8%	17.0%	83.0%
Grade 11	13.2%	16.9%	25.1%	74.9%
Grade 12	15.4%	20.4%	28.7%	71.3%
Cocaine or Crack				
All	1.2%	1.4%	2.1%	97.9%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.3%	1.3%	1.7%	98.3%
Grade 9	1.3%	1.7%	2.1%	97.9%
Grade 10	1.1%	1.3%	2.4%	97.6%
Grade 11	1.3%	1.3%	2.2%	97.8%
Grade 12	2.0%	2.3%	3.9%	96.1%
Cocaine				
All	1.1%	1.3%	1.9%	98.1%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	1.0%	1.1%	1.4%	98.6%
Grade 9	1.3%	1.7%	2.0%	98.0%
Grade 10	1.1%	1.2%	2.1%	97.9%
Grade 11	1.0%	1.1%	2.0%	98.0%
Grade 12	1.8%	2.2%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 49 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.2%	0.3%	0.9%	99.1%
Hallucinogens				
All	0.6%	1.1%	2.5%	97.5%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	1.0%	1.7%	2.6%	97.4%
Grade 10	0.6%	1.3%	3.5%	96.5%
Grade 11	0.7%	1.5%	3.5%	96.5%
Grade 12	1.0%	2.1%	5.1%	94.9%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.4%	99.6%
Steroids				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.7%	1.3%	98.7%
Grade 8	0.7%	0.9%	1.6%	98.4%
Grade 9	0.5%	0.7%	1.8%	98.2%
Grade 10	0.2%	0.5%	1.8%	98.2%
Grade 11	0.4%	0.6%	2.1%	97.9%
Grade 12	0.1%	0.2%	1.1%	98.9%
Ecstasy				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.9%	1.3%	1.8%	98.2%
Grade 10	0.7%	1.3%	2.8%	97.2%
Grade 11	0.4%	0.8%	2.1%	97.9%
Grade 12	1.1%	1.8%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 50 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.1%	0.3%	99.7%
Synthetic Marijuana				
All	1.0%	1.5%	3.4%	96.6%
Grade 7	0.6%	1.1%	1.5%	98.5%
Grade 8	0.8%	1.4%	2.5%	97.5%
Grade 9	1.6%	1.9%	4.1%	95.9%
Grade 10	1.2%	2.0%	4.5%	95.5%
Grade 11	1.2%	1.7%	4.2%	95.8%
Grade 12	0.4%	1.0%	3.8%	96.2%
Methamphetamine				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.6%	1.0%	99.0%
Grade 10	0.1%	0.5%	0.9%	99.1%
Grade 11	0.4%	0.5%	0.8%	99.2%
Grade 12	0.2%	0.4%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.4%	24.1%	33.5%	66.5%
Grade 7	4.5%	5.5%	12.5%	87.5%
Grade 8	10.4%	12.7%	21.4%	78.6%
Grade 9	16.1%	21.1%	31.0%	69.0%
Grade 10	26.2%	30.6%	39.9%	60.1%
Grade 11	29.1%	33.7%	44.6%	55.4%
Grade 12	36.5%	41.5%	51.8%	48.2%
Any Alcohol Product				
All	29.0%	35.1%	53.1%	46.9%
Grade 7	12.3%	14.5%	32.7%	67.3%
Grade 8	20.3%	24.1%	43.9%	56.1%
Grade 9	24.5%	31.0%	48.2%	51.8%
Grade 10	32.9%	40.0%	57.7%	42.3%
Grade 11	35.6%	45.5%	64.4%	35.6%
Grade 12	49.2%	56.4%	72.2%	27.8%
Any Illicit Drug				
All	11.8%	16.3%	21.8%	78.2%
Grade 7	1.4%	2.9%	4.9%	95.1%
Grade 8	4.7%	6.4%	8.7%	91.3%
Grade 9	9.9%	15.0%	19.6%	80.4%
Grade 10	13.1%	17.9%	24.5%	75.5%
Grade 11	18.4%	25.0%	33.4%	66.6%
Grade 12	23.4%	30.8%	40.6%	59.4%
Any Prescription Drug				
All	6.9%	10.9%	19.1%	80.9%
Grade 7	6.7%	9.2%	14.9%	85.1%
Grade 8	5.9%	8.8%	16.2%	83.8%
Grade 9	7.0%	11.5%	18.5%	81.5%
Grade 10	7.4%	12.5%	20.6%	79.4%
Grade 11	6.2%	9.9%	21.0%	79.0%
Grade 12	8.4%	13.7%	23.6%	76.4%
Any Inhalant				
All	3.2%	4.9%	11.2%	88.8%
Grade 7	3.8%	5.2%	11.9%	88.1%
Grade 8	5.1%	7.2%	12.4%	87.6%
Grade 9	3.0%	4.9%	12.0%	88.0%
Grade 10	2.4%	3.7%	9.7%	90.3%
Grade 11	2.3%	3.6%	10.1%	89.9%
Grade 12	3.0%	5.1%	11.0%	89.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.0%	20.4%	29.3%	70.7%
Grade 7	2.6%	4.1%	9.8%	90.2%
Grade 8	7.1%	9.7%	16.7%	83.3%
Grade 9	12.8%	17.9%	27.1%	72.9%
Grade 10	20.6%	26.5%	35.1%	64.9%
Grade 11	22.8%	28.3%	40.9%	59.1%
Grade 12	30.9%	37.1%	46.8%	53.2%
Marijuana				
All	11.5%	14.6%	20.7%	79.3%
Grade 7	1.2%	2.0%	3.6%	96.4%
Grade 8	4.5%	5.3%	7.7%	92.3%
Grade 9	9.7%	12.5%	17.8%	82.2%
Grade 10	13.0%	16.5%	23.3%	76.7%
Grade 11	17.7%	22.7%	32.4%	67.6%
Grade 12	23.3%	29.1%	40.0%	60.0%
Marijuana Only				
All	6.6%	9.1%	14.3%	85.7%
Grade 7	0.7%	1.5%	2.5%	97.5%
Grade 8	2.2%	2.8%	4.8%	95.2%
Grade 9	5.6%	7.9%	12.2%	87.8%
Grade 10	7.4%	10.3%	16.6%	83.4%
Grade 11	10.1%	13.9%	22.4%	77.6%
Grade 12	13.8%	18.4%	27.8%	72.2%
Cocaine or Crack				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	1.1%	1.2%	2.5%	97.5%
Grade 11	2.2%	2.4%	4.2%	95.8%
Grade 12	2.5%	3.2%	5.3%	94.7%
Cocaine				
All	1.1%	1.3%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	1.0%	1.2%	2.4%	97.6%
Grade 11	2.2%	2.4%	4.2%	95.8%
Grade 12	2.4%	3.1%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.6%	99.4%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.2%	0.2%	1.0%	99.0%
Hallucinogens				
All	0.7%	1.6%	3.6%	96.4%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.9%	2.4%	97.6%
Grade 10	0.7%	1.9%	4.6%	95.4%
Grade 11	1.3%	2.9%	6.0%	94.0%
Grade 12	1.9%	3.9%	7.8%	92.2%
Synthetic Cathinones				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.1%	0.4%	99.6%
Steroids				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.1%	0.4%	1.2%	98.8%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.4%	0.7%	1.6%	98.4%
Grade 10	0.3%	0.3%	1.7%	98.3%
Grade 11	0.6%	1.0%	1.9%	98.1%
Grade 12	0.4%	0.8%	1.6%	98.4%
Ecstasy				
All	0.4%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.4%	0.6%	2.2%	97.8%
Grade 11	0.9%	1.5%	2.8%	97.2%
Grade 12	0.7%	1.7%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	0.6%	1.0%	2.7%	97.3%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.5%	1.2%	2.0%	98.0%
Grade 9	0.7%	1.0%	3.1%	96.9%
Grade 10	0.7%	1.0%	2.9%	97.1%
Grade 11	1.1%	1.5%	4.5%	95.5%
Grade 12	0.5%	0.7%	3.1%	96.9%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.8%	0.9%	1.3%	98.7%
Grade 12	0.4%	0.6%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 55 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.1%	12.0%	20.2%	79.8%
Grade 7	4.4%	5.1%	9.7%	90.3%
Grade 8	6.0%	8.2%	16.8%	83.2%
Grade 9	5.9%	7.7%	17.6%	82.4%
Grade 10	4.8%	9.6%	20.2%	79.8%
Grade 11	16.9%	20.1%	26.8%	73.2%
Grade 12	21.1%	27.3%	37.7%	62.3%
Any Alcohol Product				
All	22.0%	26.8%	43.2%	56.8%
Grade 7	14.9%	17.0%	31.1%	68.9%
Grade 8	17.4%	21.1%	35.2%	64.8%
Grade 9	20.6%	22.7%	41.3%	58.7%
Grade 10	23.0%	25.5%	41.7%	58.3%
Grade 11	24.3%	34.7%	56.7%	43.3%
Grade 12	37.7%	48.2%	62.1%	37.9%
Any Illicit Drug				
All	13.4%	16.7%	21.9%	78.1%
Grade 7	4.5%	6.9%	8.9%	91.1%
Grade 8	7.3%	9.3%	12.7%	87.3%
Grade 9	12.4%	15.3%	20.8%	79.2%
Grade 10	9.1%	14.4%	22.5%	77.5%
Grade 11	25.2%	28.8%	35.4%	64.6%
Grade 12	28.6%	33.0%	40.6%	59.4%
Any Prescription Drug				
All	6.4%	8.4%	17.0%	83.0%
Grade 7	5.2%	7.0%	12.9%	87.1%
Grade 8	6.8%	7.5%	14.0%	86.0%
Grade 9	6.9%	7.4%	14.9%	85.1%
Grade 10	6.0%	8.8%	17.4%	82.6%
Grade 11	6.2%	9.0%	22.5%	77.5%
Grade 12	8.1%	12.4%	23.4%	76.6%
Any Inhalant				
All	3.8%	5.3%	10.0%	90.0%
Grade 7	5.1%	6.5%	12.0%	88.0%
Grade 8	5.5%	7.0%	12.3%	87.7%
Grade 9	3.1%	3.5%	8.9%	91.1%
Grade 10	2.6%	4.0%	6.4%	93.6%
Grade 11	3.3%	7.3%	12.7%	87.3%
Grade 12	2.5%	2.7%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.3%	9.5%	17.6%	82.4%
Grade 7	1.1%	2.3%	6.3%	93.7%
Grade 8	2.9%	5.3%	12.8%	87.2%
Grade 9	5.0%	6.9%	15.3%	84.7%
Grade 10	4.2%	7.1%	17.7%	82.3%
Grade 11	11.0%	16.0%	25.3%	74.7%
Grade 12	17.6%	25.3%	35.9%	64.1%
Marijuana				
All	12.9%	15.6%	20.8%	79.2%
Grade 7	4.0%	5.1%	6.7%	93.3%
Grade 8	6.6%	7.9%	11.4%	88.6%
Grade 9	12.4%	15.2%	19.9%	80.1%
Grade 10	9.0%	13.3%	22.0%	78.0%
Grade 11	23.9%	27.3%	35.0%	65.0%
Grade 12	28.6%	32.5%	40.1%	59.9%
Marijuana Only				
All	9.7%	12.2%	16.5%	83.5%
Grade 7	2.2%	3.2%	4.7%	95.3%
Grade 8	5.4%	6.7%	9.3%	90.7%
Grade 9	11.1%	13.8%	18.5%	81.5%
Grade 10	6.9%	10.9%	18.8%	81.2%
Grade 11	17.3%	20.6%	25.2%	74.8%
Grade 12	20.4%	23.7%	29.8%	70.2%
Cocaine or Crack				
All	0.8%	0.9%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.8%	1.1%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.4%	0.6%	99.4%
Grade 11	1.3%	1.3%	1.4%	98.6%
Grade 12	2.7%	2.9%	2.9%	97.1%
Cocaine				
All	0.6%	0.8%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.9%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.3%	0.4%	99.6%
Grade 11	1.3%	1.3%	1.4%	98.6%
Grade 12	2.5%	2.7%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.5%	0.5%	99.5%
Hallucinogens				
All	0.7%	1.1%	1.6%	98.4%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	1.6%	3.5%	4.6%	95.4%
Grade 12	2.3%	3.1%	4.1%	95.9%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.2%	1.2%	1.4%	98.6%
Steroids				
All	0.4%	0.5%	1.6%	98.4%
Grade 7	1.1%	1.1%	1.9%	98.1%
Grade 8	0.3%	0.5%	1.5%	98.5%
Grade 9	0.1%	0.1%	1.5%	98.5%
Grade 10	0.5%	0.5%	1.6%	98.4%
Grade 11	0.0%	0.0%	2.7%	97.3%
Grade 12	0.3%	0.3%	0.3%	99.7%
Ecstasy				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	1.3%	1.5%	3.9%	96.1%
Grade 12	1.6%	3.0%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.3%	1.3%	1.3%	98.7%
Grade 12	0.0%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.7%	0.9%	99.1%
Grade 9	1.0%	1.0%	1.1%	98.9%
Grade 10	0.2%	0.3%	1.6%	98.4%
Grade 11	0.7%	1.4%	3.3%	96.7%
Grade 12	0.4%	0.4%	4.3%	95.7%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 59 of 126

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.6%	20.6%	32.1%	67.9%
Grade 7	6.7%	8.3%	15.5%	84.5%
Grade 8	9.3%	11.7%	21.5%	78.5%
Grade 9	17.8%	21.9%	33.8%	66.2%
Grade 10	20.3%	25.7%	37.7%	62.3%
Grade 11	21.0%	26.1%	41.6%	58.4%
Grade 12	28.5%	34.2%	47.9%	52.1%
Any Alcohol Product				
All	30.7%	36.0%	53.5%	46.5%
Grade 7	16.0%	18.6%	36.6%	63.4%
Grade 8	22.1%	25.6%	44.7%	55.3%
Grade 9	32.1%	36.4%	55.2%	44.8%
Grade 10	35.2%	42.5%	58.0%	42.0%
Grade 11	36.4%	44.0%	61.8%	38.2%
Grade 12	47.2%	55.3%	70.2%	29.8%
Any Illicit Drug				
All	15.0%	19.4%	25.1%	74.9%
Grade 7	5.7%	7.9%	10.0%	90.0%
Grade 8	10.5%	13.9%	17.2%	82.8%
Grade 9	17.0%	21.1%	25.4%	74.6%
Grade 10	17.1%	21.8%	28.1%	71.9%
Grade 11	17.9%	23.8%	33.2%	66.8%
Grade 12	24.9%	31.4%	42.1%	57.9%
Any Prescription Drug				
All	7.4%	10.9%	18.9%	81.1%
Grade 7	5.3%	7.3%	14.8%	85.2%
Grade 8	8.2%	10.5%	16.9%	83.1%
Grade 9	9.0%	13.0%	21.1%	78.9%
Grade 10	7.3%	11.7%	20.6%	79.4%
Grade 11	7.2%	11.4%	19.7%	80.3%
Grade 12	7.2%	11.6%	21.2%	78.8%
Any Inhalant				
All	4.5%	6.1%	12.0%	88.0%
Grade 7	5.6%	7.1%	13.1%	86.9%
Grade 8	6.0%	8.0%	15.2%	84.8%
Grade 9	6.0%	8.2%	14.9%	85.1%
Grade 10	3.2%	4.6%	9.8%	90.2%
Grade 11	2.7%	3.6%	8.5%	91.5%
Grade 12	2.9%	3.8%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 60 of 126

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.8%	17.2%	27.6%	72.4%
Grade 7	4.3%	5.9%	11.2%	88.8%
Grade 8	6.0%	9.0%	17.4%	82.6%
Grade 9	14.6%	19.3%	29.5%	70.5%
Grade 10	15.4%	20.9%	34.2%	65.8%
Grade 11	16.6%	22.7%	36.3%	63.7%
Grade 12	22.9%	29.2%	42.3%	57.7%
Marijuana				
All	14.8%	17.5%	23.6%	76.4%
Grade 7	5.4%	6.3%	8.4%	91.6%
Grade 8	10.3%	12.1%	15.7%	84.3%
Grade 9	16.8%	19.1%	23.7%	76.3%
Grade 10	16.9%	20.3%	27.0%	73.0%
Grade 11	17.5%	21.6%	31.5%	68.5%
Grade 12	24.5%	29.6%	41.0%	59.0%
Marijuana Only				
All	8.7%	10.9%	16.1%	83.9%
Grade 7	3.1%	3.7%	5.6%	94.4%
Grade 8	5.4%	6.7%	9.7%	90.3%
Grade 9	9.7%	11.3%	15.5%	84.5%
Grade 10	10.3%	13.2%	18.8%	81.2%
Grade 11	11.1%	14.3%	23.0%	77.0%
Grade 12	14.7%	18.6%	28.0%	72.0%
Cocaine or Crack				
All	1.3%	1.6%	2.6%	97.4%
Grade 7	0.6%	0.8%	1.0%	99.0%
Grade 8	1.1%	1.2%	1.8%	98.2%
Grade 9	1.9%	2.4%	3.0%	97.0%
Grade 10	1.0%	1.1%	2.4%	97.6%
Grade 11	1.0%	1.3%	2.8%	97.2%
Grade 12	2.3%	3.0%	5.4%	94.6%
Cocaine				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	1.0%	1.1%	1.6%	98.4%
Grade 9	1.7%	2.1%	2.8%	97.2%
Grade 10	1.0%	1.1%	2.2%	97.8%
Grade 11	0.8%	1.1%	2.6%	97.4%
Grade 12	2.2%	2.9%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.8%	0.8%	1.0%	99.0%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.3%	0.7%	99.3%
Hallucinogens				
All	0.9%	1.5%	3.2%	96.8%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.7%	1.6%	98.4%
Grade 9	1.5%	2.2%	3.7%	96.3%
Grade 10	1.2%	1.6%	3.8%	96.2%
Grade 11	1.1%	1.6%	3.6%	96.4%
Grade 12	1.1%	2.7%	6.9%	93.1%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.2%	99.8%
Steroids				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.3%	0.6%	1.4%	98.6%
Grade 8	0.8%	1.0%	1.7%	98.3%
Grade 9	0.5%	0.6%	1.3%	98.7%
Grade 10	0.1%	0.4%	1.7%	98.3%
Grade 11	0.5%	0.6%	1.5%	98.5%
Grade 12	0.4%	0.4%	1.5%	98.5%
Ecstasy				
All	0.8%	1.2%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.6%	0.8%	1.7%	98.3%
Grade 9	1.6%	2.3%	3.2%	96.8%
Grade 10	0.8%	1.4%	2.9%	97.1%
Grade 11	0.6%	1.1%	2.8%	97.2%
Grade 12	0.9%	1.7%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.7%	1.0%	99.0%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.3%	99.7%
Synthetic Marijuana				
All	1.3%	2.1%	4.2%	95.8%
Grade 7	0.7%	1.2%	2.0%	98.0%
Grade 8	1.3%	2.1%	4.0%	96.0%
Grade 9	2.2%	2.9%	5.5%	94.5%
Grade 10	1.4%	2.2%	4.4%	95.6%
Grade 11	1.3%	1.9%	4.4%	95.6%
Grade 12	0.9%	1.9%	5.1%	94.9%
Methamphetamine				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	0.9%	99.1%
Grade 9	0.6%	0.8%	1.6%	98.4%
Grade 10	0.3%	0.7%	1.0%	99.0%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.6%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 63 of 126

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.2%	16.5%	25.1%	74.9%
Grade 7	2.8%	3.5%	8.3%	91.7%
Grade 8	6.5%	9.3%	16.8%	83.2%
Grade 9	9.6%	12.3%	21.4%	78.6%
Grade 10	16.4%	20.5%	29.0%	71.0%
Grade 11	17.8%	21.7%	32.7%	67.3%
Grade 12	27.9%	33.7%	44.7%	55.3%
Any Alcohol Product				
All	23.8%	29.3%	47.4%	52.6%
Grade 7	9.5%	11.6%	27.5%	72.5%
Grade 8	16.7%	20.0%	39.7%	60.3%
Grade 9	18.1%	22.9%	41.0%	59.0%
Grade 10	26.0%	33.8%	50.4%	49.6%
Grade 11	29.9%	37.4%	58.5%	41.5%
Grade 12	44.2%	52.6%	69.9%	30.1%
Any Illicit Drug				
All	8.5%	12.0%	16.4%	83.6%
Grade 7	1.3%	2.6%	4.0%	96.0%
Grade 8	3.8%	5.8%	7.8%	92.2%
Grade 9	6.5%	9.9%	13.2%	86.8%
Grade 10	8.2%	11.1%	15.7%	84.3%
Grade 11	13.0%	17.0%	24.1%	75.9%
Grade 12	19.0%	26.6%	35.4%	64.6%
Any Prescription Drug				
All	5.2%	8.3%	14.7%	85.3%
Grade 7	4.6%	6.8%	13.4%	86.6%
Grade 8	5.8%	8.1%	13.5%	86.5%
Grade 9	4.3%	7.4%	12.0%	88.0%
Grade 10	5.5%	9.9%	15.6%	84.4%
Grade 11	6.1%	9.2%	16.8%	83.2%
Grade 12	5.0%	8.5%	17.4%	82.6%
Any Inhalant				
All	2.5%	3.9%	9.0%	91.0%
Grade 7	2.7%	4.2%	9.3%	90.7%
Grade 8	4.6%	7.4%	13.5%	86.5%
Grade 9	2.4%	3.6%	9.2%	90.8%
Grade 10	1.3%	2.1%	6.7%	93.3%
Grade 11	2.2%	3.4%	7.6%	92.4%
Grade 12	2.0%	2.7%	7.1%	92.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 64 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.0%	14.5%	22.1%	77.9%
Grade 7	1.2%	2.3%	5.8%	94.2%
Grade 8	4.8%	7.5%	13.8%	86.2%
Grade 9	8.3%	11.3%	19.0%	81.0%
Grade 10	13.7%	18.2%	26.0%	74.0%
Grade 11	14.7%	18.4%	29.6%	70.4%
Grade 12	24.3%	30.8%	40.8%	59.2%
Marijuana				
All	8.2%	10.5%	15.2%	84.8%
Grade 7	1.1%	1.6%	2.5%	97.5%
Grade 8	3.6%	4.6%	6.7%	93.3%
Grade 9	6.3%	8.0%	11.7%	88.3%
Grade 10	8.0%	9.9%	14.7%	85.3%
Grade 11	12.7%	15.1%	23.0%	77.0%
Grade 12	18.7%	24.8%	34.3%	65.7%
Marijuana Only				
All	5.3%	7.1%	11.2%	88.8%
Grade 7	0.4%	0.8%	1.6%	98.4%
Grade 8	2.1%	3.0%	4.7%	95.3%
Grade 9	3.7%	4.9%	7.8%	92.2%
Grade 10	5.6%	7.1%	11.4%	88.6%
Grade 11	9.0%	11.0%	17.8%	82.2%
Grade 12	11.9%	16.9%	25.4%	74.6%
Cocaine or Crack				
All	0.7%	1.0%	1.7%	98.3%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.6%	0.8%	1.8%	98.2%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.5%	0.9%	1.7%	98.3%
Grade 12	1.9%	2.8%	4.4%	95.6%
Cocaine				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.6%	0.6%	0.8%	99.2%
Grade 9	0.6%	0.8%	1.7%	98.3%
Grade 10	0.4%	0.6%	0.9%	99.1%
Grade 11	0.4%	0.9%	1.7%	98.3%
Grade 12	1.9%	2.7%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 65 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.5%	99.5%
Hallucinogens				
All	0.5%	1.0%	2.1%	97.9%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.4%	0.9%	1.5%	98.5%
Grade 10	0.3%	0.9%	1.9%	98.1%
Grade 11	1.0%	1.6%	2.8%	97.2%
Grade 12	1.0%	2.3%	5.2%	94.8%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.0%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.6%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.2%	0.4%	1.3%	98.7%
Grade 11	0.1%	0.2%	1.8%	98.2%
Grade 12	0.4%	0.4%	1.1%	98.9%
Ecstasy				
All	0.3%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.4%	1.0%	1.7%	98.3%
Grade 10	0.1%	0.3%	0.7%	99.3%
Grade 11	0.5%	1.0%	1.6%	98.4%
Grade 12	0.7%	1.1%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.2%	99.8%
Synthetic Marijuana				
All	0.3%	0.6%	1.7%	98.3%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.7%	1.1%	98.9%
Grade 9	0.6%	0.8%	2.2%	97.8%
Grade 10	0.4%	0.6%	1.3%	98.7%
Grade 11	0.2%	0.4%	2.2%	97.8%
Grade 12	0.2%	0.6%	2.5%	97.5%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 67 of 126

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.6%	22.5%	33.4%	66.6%
Grade 7	7.0%	8.7%	16.5%	83.5%
Grade 8	10.4%	12.7%	23.2%	76.8%
Grade 9	18.4%	23.1%	34.0%	66.0%
Grade 10	22.0%	27.4%	39.4%	60.6%
Grade 11	26.8%	31.7%	45.3%	54.7%
Grade 12	33.0%	37.8%	49.3%	50.7%
Any Alcohol Product				
All	30.7%	36.3%	53.6%	46.4%
Grade 7	17.0%	19.7%	38.1%	61.9%
Grade 8	22.5%	26.8%	45.4%	54.6%
Grade 9	31.1%	35.9%	54.4%	45.6%
Grade 10	35.1%	41.3%	57.9%	42.1%
Grade 11	37.1%	46.5%	63.4%	36.6%
Grade 12	47.7%	55.3%	69.1%	30.9%
Any Illicit Drug				
All	16.0%	20.5%	26.8%	73.2%
Grade 7	5.5%	8.0%	10.5%	89.5%
Grade 8	10.3%	13.3%	16.8%	83.2%
Grade 9	16.2%	20.9%	26.3%	73.7%
Grade 10	17.6%	22.8%	31.1%	68.9%
Grade 11	22.6%	29.1%	38.5%	61.5%
Grade 12	28.8%	35.1%	45.7%	54.3%
Any Prescription Drug				
All	8.0%	11.6%	21.0%	79.0%
Grade 7	6.9%	8.8%	16.0%	84.0%
Grade 8	8.0%	10.5%	17.8%	82.2%
Grade 9	9.4%	13.3%	22.9%	77.1%
Grade 10	8.0%	12.3%	22.0%	78.0%
Grade 11	7.0%	11.6%	23.5%	76.5%
Grade 12	9.1%	14.2%	25.4%	74.6%
Any Inhalant				
All	4.9%	6.6%	13.3%	86.7%
Grade 7	6.1%	7.5%	14.2%	85.8%
Grade 8	6.4%	8.2%	14.6%	85.4%
Grade 9	5.7%	7.9%	15.5%	84.5%
Grade 10	3.3%	4.8%	10.9%	89.1%
Grade 11	3.3%	5.1%	11.5%	88.5%
Grade 12	3.9%	5.3%	12.0%	88.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.0%	18.5%	28.9%	71.1%
Grade 7	4.4%	6.2%	12.3%	87.7%
Grade 8	6.5%	9.5%	18.2%	81.8%
Grade 9	14.4%	19.5%	29.9%	70.1%
Grade 10	16.2%	22.0%	35.0%	65.0%
Grade 11	20.7%	27.3%	40.8%	59.2%
Grade 12	26.4%	32.5%	44.5%	55.5%
Marijuana				
All	15.7%	18.7%	25.4%	74.6%
Grade 7	5.2%	6.3%	8.6%	91.4%
Grade 8	10.0%	11.5%	15.3%	84.7%
Grade 9	16.1%	19.0%	24.7%	75.3%
Grade 10	17.5%	21.3%	30.0%	70.0%
Grade 11	21.6%	26.6%	36.9%	63.1%
Grade 12	28.6%	33.3%	44.7%	55.3%
Marijuana Only				
All	9.4%	11.8%	17.4%	82.6%
Grade 7	3.0%	4.0%	5.7%	94.3%
Grade 8	5.5%	6.7%	9.7%	90.3%
Grade 9	10.3%	12.7%	17.9%	82.1%
Grade 10	10.0%	13.3%	21.0%	79.0%
Grade 11	13.4%	17.3%	25.7%	74.3%
Grade 12	17.0%	20.5%	29.6%	70.4%
Cocaine or Crack				
All	1.4%	1.6%	2.7%	97.3%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	1.2%	1.4%	2.0%	98.0%
Grade 10	1.2%	1.3%	2.8%	97.2%
Grade 11	2.0%	2.1%	3.8%	96.2%
Grade 12	2.7%	3.2%	5.9%	94.1%
Cocaine				
All	1.2%	1.5%	2.5%	97.5%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.8%	1.0%	1.6%	98.4%
Grade 9	1.1%	1.4%	1.9%	98.1%
Grade 10	1.2%	1.3%	2.6%	97.4%
Grade 11	1.9%	2.0%	3.7%	96.3%
Grade 12	2.5%	3.0%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.0%	99.0%
Hallucinogens				
All	0.9%	1.7%	3.6%	96.4%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.8%	1.4%	98.6%
Grade 9	1.0%	1.6%	2.9%	97.1%
Grade 10	1.3%	2.0%	4.9%	95.1%
Grade 11	1.4%	2.8%	5.6%	94.4%
Grade 12	1.6%	3.6%	8.5%	91.5%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
Steroids				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.5%	0.8%	1.9%	98.1%
Grade 8	0.6%	0.9%	1.7%	98.3%
Grade 9	0.5%	0.7%	1.8%	98.2%
Grade 10	0.3%	0.3%	1.6%	98.4%
Grade 11	0.7%	1.0%	1.9%	98.1%
Grade 12	0.3%	0.5%	1.5%	98.5%
Ecstasy				
All	0.7%	1.2%	2.5%	97.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	1.0%	1.3%	2.1%	97.9%
Grade 10	1.1%	1.6%	3.0%	97.0%
Grade 11	1.0%	1.5%	3.9%	96.1%
Grade 12	0.8%	2.3%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 70 of 126

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.5%	99.5%
Synthetic Marijuana				
All	1.3%	1.9%	4.1%	95.9%
Grade 7	0.6%	1.1%	1.8%	98.2%
Grade 8	1.5%	2.1%	3.7%	96.3%
Grade 9	1.6%	2.1%	4.6%	95.4%
Grade 10	1.3%	1.8%	4.4%	95.6%
Grade 11	1.6%	2.4%	5.3%	94.7%
Grade 12	0.8%	1.6%	5.4%	94.6%
Methamphetamine				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.5%	0.6%	1.0%	99.0%
Grade 12	0.1%	0.3%	1.6%	98.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 126

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.3%	17.6%	26.3%	73.7%
Grade 7	4.3%	5.4%	10.2%	89.8%
Grade 8	7.1%	8.8%	15.9%	84.1%
Grade 9	12.2%	15.6%	24.5%	75.5%
Grade 10	18.8%	23.5%	32.7%	67.3%
Grade 11	20.5%	24.6%	36.2%	63.8%
Grade 12	28.1%	33.2%	45.2%	54.8%
Any Alcohol Product				
All	25.2%	30.4%	47.1%	52.9%
Grade 7	11.9%	14.3%	31.1%	68.9%
Grade 8	17.4%	20.9%	38.2%	61.8%
Grade 9	22.6%	26.9%	44.0%	56.0%
Grade 10	29.6%	35.5%	51.7%	48.3%
Grade 11	31.8%	40.4%	58.7%	41.3%
Grade 12	44.4%	51.9%	66.0%	34.0%
Any Illicit Drug				
All	10.1%	13.7%	18.3%	81.7%
Grade 7	2.7%	4.4%	6.1%	93.9%
Grade 8	5.1%	7.2%	9.6%	90.4%
Grade 9	9.3%	13.0%	16.6%	83.4%
Grade 10	11.1%	14.6%	19.4%	80.6%
Grade 11	14.7%	19.4%	27.4%	72.6%
Grade 12	21.1%	28.0%	36.8%	63.2%
Any Prescription Drug				
All	6.2%	9.1%	16.2%	83.8%
Grade 7	5.9%	8.0%	14.4%	85.6%
Grade 8	5.9%	8.1%	14.0%	86.0%
Grade 9	6.6%	10.0%	16.4%	83.6%
Grade 10	5.7%	9.1%	15.9%	84.1%
Grade 11	5.8%	8.8%	17.9%	82.1%
Grade 12	7.1%	10.9%	19.9%	80.1%
Any Inhalant				
All	3.7%	5.0%	10.6%	89.4%
Grade 7	4.5%	5.8%	11.8%	88.2%
Grade 8	4.7%	6.6%	12.4%	87.6%
Grade 9	4.1%	5.5%	11.8%	88.2%
Grade 10	2.9%	4.2%	9.1%	90.9%
Grade 11	2.8%	3.8%	8.7%	91.3%
Grade 12	2.4%	3.5%	8.7%	91.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	15.0%	22.9%	77.1%
Grade 7	2.4%	3.8%	7.7%	92.3%
Grade 8	4.6%	6.5%	12.3%	87.7%
Grade 9	9.8%	13.9%	21.6%	78.4%
Grade 10	14.9%	20.1%	29.3%	70.7%
Grade 11	16.1%	21.1%	32.3%	67.7%
Grade 12	23.8%	30.1%	41.2%	58.8%
Marijuana				
All	9.8%	12.0%	16.9%	83.1%
Grade 7	2.5%	3.1%	4.6%	95.4%
Grade 8	4.9%	5.9%	8.3%	91.7%
Grade 9	9.1%	10.8%	14.8%	85.2%
Grade 10	11.0%	13.2%	18.4%	81.6%
Grade 11	14.0%	17.0%	25.7%	74.3%
Grade 12	20.9%	26.0%	35.9%	64.1%
Marijuana Only				
All	6.2%	7.9%	12.2%	87.8%
Grade 7	1.4%	2.0%	3.0%	97.0%
Grade 8	2.9%	3.6%	5.6%	94.4%
Grade 9	5.7%	7.2%	10.7%	89.3%
Grade 10	6.7%	8.8%	13.2%	86.8%
Grade 11	9.7%	11.8%	19.4%	80.6%
Grade 12	13.0%	17.2%	25.7%	74.3%
Cocaine or Crack				
All	0.8%	1.0%	1.7%	98.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	1.0%	1.2%	1.6%	98.4%
Grade 10	0.6%	0.7%	1.6%	98.4%
Grade 11	1.1%	1.1%	2.2%	97.8%
Grade 12	1.5%	1.9%	4.0%	96.0%
Cocaine				
All	0.7%	0.9%	1.5%	98.5%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.9%	1.0%	1.4%	98.6%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.9%	1.0%	2.0%	98.0%
Grade 12	1.4%	1.9%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.4%	99.6%
Hallucinogens				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.6%	1.0%	1.7%	98.3%
Grade 10	0.7%	1.2%	2.7%	97.3%
Grade 11	0.8%	1.6%	3.2%	96.8%
Grade 12	1.1%	2.5%	5.8%	94.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.1%	0.1%	99.9%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.1%	0.5%	1.2%	98.8%
Grade 8	0.3%	0.6%	1.5%	98.5%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.4%	1.6%	98.4%
Grade 11	0.5%	0.7%	1.8%	98.2%
Grade 12	0.3%	0.4%	0.9%	99.1%
Ecstasy				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.6%	0.8%	1.3%	98.7%
Grade 10	0.5%	0.9%	1.8%	98.2%
Grade 11	0.4%	0.8%	2.3%	97.7%
Grade 12	0.6%	1.3%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.1%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	1.0%	1.7%	98.3%
Grade 9	1.0%	1.4%	2.5%	97.5%
Grade 10	0.8%	1.1%	2.6%	97.4%
Grade 11	0.7%	1.0%	2.6%	97.4%
Grade 12	0.8%	1.0%	3.0%	97.0%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.3%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 75 of 126

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.8%	25.1%	37.6%	62.4%
Grade 7	8.0%	9.6%	20.3%	79.7%
Grade 8	12.6%	15.9%	28.9%	71.1%
Grade 9	20.2%	25.3%	38.5%	61.5%
Grade 10	22.4%	27.6%	40.6%	59.4%
Grade 11	27.5%	32.7%	46.3%	53.7%
Grade 12	34.9%	40.7%	51.7%	48.3%
Any Alcohol Product				
All	33.6%	39.7%	58.4%	41.6%
Grade 7	19.7%	22.1%	40.8%	59.2%
Grade 8	25.2%	29.5%	50.8%	49.2%
Grade 9	34.3%	39.5%	59.5%	40.5%
Grade 10	35.0%	43.0%	60.4%	39.6%
Grade 11	38.3%	47.1%	65.6%	34.4%
Grade 12	50.0%	58.3%	74.1%	25.9%
Any Illicit Drug				
All	19.3%	24.3%	31.4%	68.6%
Grade 7	6.4%	9.1%	12.1%	87.9%
Grade 8	12.6%	16.0%	20.2%	79.8%
Grade 9	20.4%	25.5%	31.4%	68.6%
Grade 10	19.8%	26.1%	35.6%	64.4%
Grade 11	26.2%	32.9%	42.2%	57.8%
Grade 12	31.1%	37.1%	47.6%	52.4%
Any Prescription Drug				
All	8.7%	13.2%	23.1%	76.9%
Grade 7	6.4%	8.7%	16.3%	83.7%
Grade 8	9.2%	11.8%	19.7%	80.3%
Grade 9	10.5%	14.9%	24.4%	75.6%
Grade 10	8.9%	15.0%	26.3%	73.7%
Grade 11	8.1%	13.6%	25.0%	75.0%
Grade 12	8.7%	15.1%	26.7%	73.3%
Any Inhalant				
All	4.6%	6.4%	13.2%	86.8%
Grade 7	5.7%	7.5%	14.4%	85.6%
Grade 8	7.0%	9.3%	16.6%	83.4%
Grade 9	5.2%	7.5%	15.2%	84.8%
Grade 10	2.5%	4.1%	10.2%	89.8%
Grade 11	2.8%	4.8%	11.6%	88.4%
Grade 12	4.1%	5.2%	10.7%	89.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 76 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.8%	20.7%	32.6%	67.4%
Grade 7	4.7%	6.4%	14.5%	85.5%
Grade 8	8.0%	12.1%	23.9%	76.1%
Grade 9	16.8%	21.6%	33.4%	66.6%
Grade 10	17.0%	22.5%	36.2%	63.8%
Grade 11	21.4%	27.9%	42.2%	57.8%
Grade 12	28.0%	34.5%	46.0%	54.0%
Marijuana				
All	18.9%	22.7%	30.0%	70.0%
Grade 7	6.0%	7.4%	10.1%	89.9%
Grade 8	12.1%	14.2%	18.7%	81.3%
Grade 9	20.3%	24.2%	30.2%	69.8%
Grade 10	19.5%	24.5%	34.2%	65.8%
Grade 11	25.3%	30.9%	41.2%	58.8%
Grade 12	30.7%	35.9%	46.6%	53.4%
Marijuana Only				
All	11.0%	14.0%	20.2%	79.8%
Grade 7	3.4%	4.6%	6.8%	93.2%
Grade 8	6.4%	8.2%	11.8%	88.2%
Grade 9	12.6%	15.3%	20.7%	79.3%
Grade 10	11.3%	15.3%	24.3%	75.7%
Grade 11	14.9%	19.7%	28.0%	72.0%
Grade 12	17.7%	21.5%	30.1%	69.9%
Cocaine or Crack				
All	1.7%	2.1%	3.5%	96.5%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	1.4%	1.6%	2.4%	97.6%
Grade 9	1.1%	1.4%	2.6%	97.4%
Grade 10	1.5%	1.7%	3.1%	96.9%
Grade 11	2.0%	2.4%	4.6%	95.4%
Grade 12	3.7%	4.7%	7.5%	92.5%
Cocaine				
All	1.6%	1.9%	3.3%	96.7%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	1.1%	1.4%	2.1%	97.9%
Grade 9	1.0%	1.3%	2.5%	97.5%
Grade 10	1.4%	1.6%	3.0%	97.0%
Grade 11	2.0%	2.4%	4.6%	95.4%
Grade 12	3.5%	4.5%	7.3%	92.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.4%	0.5%	1.4%	98.6%
Hallucinogens				
All	1.2%	2.2%	4.6%	95.4%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.4%	0.8%	1.4%	98.6%
Grade 9	1.2%	2.1%	4.1%	95.9%
Grade 10	1.2%	2.1%	5.2%	94.8%
Grade 11	1.9%	3.6%	6.7%	93.3%
Grade 12	2.1%	4.5%	9.7%	90.3%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.4%	0.4%	1.0%	99.0%
Steroids				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.7%	0.9%	2.1%	97.9%
Grade 8	0.9%	1.1%	1.8%	98.2%
Grade 9	0.5%	0.7%	2.0%	98.0%
Grade 10	0.2%	0.4%	1.7%	98.3%
Grade 11	0.7%	0.8%	1.9%	98.1%
Grade 12	0.5%	0.8%	2.0%	98.0%
Ecstasy				
All	0.9%	1.4%	3.0%	97.0%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.5%	0.9%	1.6%	98.4%
Grade 9	1.3%	2.0%	3.2%	96.8%
Grade 10	0.8%	1.1%	3.1%	96.9%
Grade 11	1.4%	2.0%	4.0%	96.0%
Grade 12	1.4%	2.6%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.9%	99.1%
Grade 12	0.1%	0.3%	0.6%	99.4%
Synthetic Marijuana				
All	1.4%	2.2%	5.1%	94.9%
Grade 7	0.9%	1.6%	2.6%	97.4%
Grade 8	1.6%	2.4%	4.6%	95.4%
Grade 9	2.1%	2.6%	6.2%	93.8%
Grade 10	1.3%	2.1%	5.0%	95.0%
Grade 11	1.8%	2.7%	6.4%	93.6%
Grade 12	0.5%	1.5%	5.9%	94.1%
Methamphetamine				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.2%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.9%	1.9%	98.1%
Grade 10	0.3%	0.7%	1.3%	98.7%
Grade 11	0.6%	0.7%	1.1%	98.9%
Grade 12	0.6%	0.8%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 79 of 126

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.4%	18.9%	28.7%	71.3%
Grade 7	4.4%	5.7%	12.1%	87.9%
Grade 8	8.1%	10.1%	19.5%	80.5%
Grade 9	12.7%	16.6%	26.3%	73.7%
Grade 10	19.1%	23.5%	34.1%	65.9%
Grade 11	22.2%	26.8%	39.4%	60.6%
Grade 12	30.5%	36.0%	47.1%	52.9%
Any Alcohol Product				
All	26.6%	32.1%	50.2%	49.8%
Grade 7	12.8%	15.0%	32.9%	67.1%
Grade 8	18.4%	21.7%	41.3%	58.7%
Grade 9	24.2%	28.8%	47.4%	52.6%
Grade 10	31.9%	38.8%	55.4%	44.6%
Grade 11	32.8%	41.8%	61.7%	38.3%
Grade 12	45.5%	53.8%	69.0%	31.0%
Any Illicit Drug				
All	11.8%	15.8%	20.9%	79.1%
Grade 7	3.0%	4.8%	6.9%	93.1%
Grade 8	6.8%	9.0%	11.9%	88.1%
Grade 9	10.9%	14.9%	18.9%	81.1%
Grade 10	12.7%	17.6%	23.4%	76.6%
Grade 11	16.6%	22.1%	30.5%	69.5%
Grade 12	24.5%	30.8%	39.6%	60.4%
Any Prescription Drug				
All	6.3%	9.7%	17.2%	82.8%
Grade 7	5.7%	7.7%	14.3%	85.7%
Grade 8	6.5%	8.7%	14.9%	85.1%
Grade 9	6.7%	10.3%	17.8%	82.2%
Grade 10	6.0%	10.2%	18.2%	81.8%
Grade 11	6.0%	9.9%	18.4%	81.6%
Grade 12	7.2%	11.6%	20.6%	79.4%
Any Inhalant				
All	3.4%	4.7%	10.5%	89.5%
Grade 7	4.0%	5.3%	11.6%	88.4%
Grade 8	5.1%	6.8%	12.7%	87.3%
Grade 9	3.4%	4.8%	10.8%	89.2%
Grade 10	2.5%	3.8%	9.3%	90.7%
Grade 11	2.3%	3.6%	9.5%	90.5%
Grade 12	2.5%	3.5%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 80 of 126

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.0%	16.0%	25.0%	75.0%
Grade 7	2.5%	3.9%	9.0%	91.0%
Grade 8	5.2%	7.5%	15.4%	84.6%
Grade 9	10.3%	14.3%	22.9%	77.1%
Grade 10	14.7%	19.9%	30.6%	69.4%
Grade 11	17.9%	23.3%	35.6%	64.4%
Grade 12	25.4%	32.0%	42.7%	57.3%
Marijuana				
All	11.6%	14.2%	19.7%	80.3%
Grade 7	2.8%	3.6%	5.4%	94.6%
Grade 8	6.5%	7.7%	10.8%	89.2%
Grade 9	10.8%	13.1%	17.5%	82.5%
Grade 10	12.5%	16.1%	22.4%	77.6%
Grade 11	16.1%	20.2%	29.4%	70.6%
Grade 12	24.4%	29.2%	38.8%	61.2%
Marijuana Only				
All	7.4%	9.6%	14.3%	85.7%
Grade 7	1.7%	2.4%	3.7%	96.3%
Grade 8	3.7%	4.6%	7.2%	92.8%
Grade 9	7.4%	9.2%	13.3%	86.7%
Grade 10	8.1%	11.2%	16.9%	83.1%
Grade 11	10.2%	13.6%	21.4%	78.6%
Grade 12	15.4%	19.4%	27.6%	72.4%
Cocaine or Crack				
All	0.9%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.9%	0.9%	1.5%	98.5%
Grade 9	0.6%	0.9%	1.5%	98.5%
Grade 10	0.7%	0.9%	1.6%	98.4%
Grade 11	1.0%	1.2%	2.7%	97.3%
Grade 12	1.9%	2.5%	4.9%	95.1%
Cocaine				
All	0.8%	1.0%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	0.6%	0.9%	1.4%	98.6%
Grade 10	0.7%	0.9%	1.6%	98.4%
Grade 11	1.0%	1.1%	2.6%	97.4%
Grade 12	1.8%	2.4%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.6%	99.4%
Hallucinogens				
All	0.6%	1.2%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.5%	0.9%	99.1%
Grade 9	0.5%	0.8%	1.7%	98.3%
Grade 10	0.6%	1.3%	3.1%	96.9%
Grade 11	1.1%	2.1%	4.2%	95.8%
Grade 12	1.2%	3.0%	6.3%	93.7%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.5%	1.3%	98.7%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.2%	0.4%	1.4%	98.6%
Grade 11	0.4%	0.6%	1.5%	98.5%
Grade 12	0.1%	0.3%	0.9%	99.1%
Ecstasy				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.5%	1.0%	1.3%	98.7%
Grade 10	0.4%	0.7%	1.8%	98.2%
Grade 11	0.6%	1.0%	2.3%	97.7%
Grade 12	0.6%	1.4%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.1%	0.3%	99.7%
Synthetic Marijuana				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.3%	0.6%	1.1%	98.9%
Grade 8	0.8%	1.3%	2.3%	97.7%
Grade 9	0.9%	1.4%	2.8%	97.2%
Grade 10	0.7%	1.1%	2.9%	97.1%
Grade 11	0.9%	1.5%	3.8%	96.2%
Grade 12	0.7%	1.2%	3.7%	96.3%
Methamphetamine				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.4%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 83 of 126

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	25.4%	30.1%	41.5%	58.5%
Grade 7	14.9%	16.1%	26.7%	73.3%
Grade 8	16.2%	20.4%	31.3%	68.7%
Grade 9	27.1%	32.7%	44.8%	55.2%
Grade 10	27.2%	33.4%	44.3%	55.7%
Grade 11	31.5%	36.5%	48.9%	51.1%
Grade 12	31.4%	36.4%	47.5%	52.5%
Any Alcohol Product				
All	39.1%	45.7%	60.8%	39.2%
Grade 7	28.8%	32.3%	49.1%	50.9%
Grade 8	32.7%	39.7%	55.3%	44.7%
Grade 9	39.4%	44.8%	62.1%	37.9%
Grade 10	35.5%	43.2%	59.7%	40.3%
Grade 11	44.7%	52.5%	64.8%	35.2%
Grade 12	50.5%	58.0%	70.3%	29.7%
Any Illicit Drug				
All	22.3%	28.2%	36.0%	64.0%
Grade 7	9.6%	14.4%	17.6%	82.4%
Grade 8	14.9%	20.6%	25.3%	74.7%
Grade 9	23.8%	29.3%	36.1%	63.9%
Grade 10	22.2%	26.4%	34.6%	65.4%
Grade 11	31.0%	37.9%	47.2%	52.8%
Grade 12	27.8%	36.3%	49.3%	50.7%
Any Prescription Drug				
All	11.4%	16.4%	27.3%	72.7%
Grade 7	9.1%	12.8%	21.8%	78.2%
Grade 8	12.6%	15.4%	24.0%	76.0%
Grade 9	14.8%	19.3%	27.5%	72.5%
Grade 10	11.4%	17.7%	27.6%	72.4%
Grade 11	10.4%	14.7%	32.1%	67.9%
Grade 12	9.7%	17.0%	28.8%	71.2%
Any Inhalant				
All	7.3%	10.0%	17.2%	82.8%
Grade 7	11.1%	14.1%	21.1%	78.9%
Grade 8	8.7%	12.6%	22.4%	77.6%
Grade 9	9.9%	13.1%	22.7%	77.3%
Grade 10	3.8%	5.8%	12.0%	88.0%
Grade 11	5.9%	8.9%	13.9%	86.1%
Grade 12	5.5%	6.8%	13.1%	86.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 84 of 126

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	19.3%	24.9%	35.9%	64.1%
Grade 7	9.9%	11.3%	18.9%	81.1%
Grade 8	10.7%	16.2%	25.1%	74.9%
Grade 9	22.0%	28.9%	40.1%	59.9%
Grade 10	21.3%	28.0%	39.1%	60.9%
Grade 11	22.7%	28.7%	44.1%	55.9%
Grade 12	25.0%	31.5%	41.8%	58.2%
Marijuana				
All	21.5%	25.5%	33.3%	66.7%
Grade 7	9.0%	11.3%	13.9%	86.1%
Grade 8	14.2%	17.5%	21.5%	78.5%
Grade 9	23.0%	26.2%	32.9%	67.1%
Grade 10	22.0%	25.1%	33.0%	67.0%
Grade 11	29.0%	33.7%	44.2%	55.8%
Grade 12	27.5%	34.2%	47.8%	52.2%
Marijuana Only				
All	12.3%	15.3%	22.1%	77.9%
Grade 7	5.2%	7.2%	9.6%	90.4%
Grade 8	7.8%	10.7%	14.7%	85.3%
Grade 9	11.3%	13.6%	19.5%	80.5%
Grade 10	11.3%	13.7%	21.2%	78.8%
Grade 11	18.8%	22.3%	31.7%	68.3%
Grade 12	16.9%	21.9%	32.3%	67.7%
Cocaine or Crack				
All	2.5%	2.9%	4.3%	95.7%
Grade 7	1.0%	1.4%	1.7%	98.3%
Grade 8	1.2%	1.5%	2.0%	98.0%
Grade 9	3.0%	3.2%	4.3%	95.7%
Grade 10	2.0%	2.1%	5.1%	94.9%
Grade 11	3.9%	4.4%	5.6%	94.4%
Grade 12	3.1%	4.0%	6.1%	93.9%
Cocaine				
All	2.1%	2.5%	3.7%	96.3%
Grade 7	0.5%	0.8%	1.3%	98.7%
Grade 8	1.1%	1.3%	1.7%	98.3%
Grade 9	2.5%	2.7%	3.6%	96.4%
Grade 10	1.7%	1.9%	4.2%	95.8%
Grade 11	3.3%	3.8%	5.0%	95.0%
Grade 12	3.0%	3.9%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	1.1%	1.1%	1.5%	98.5%
Grade 10	0.4%	0.4%	1.6%	98.4%
Grade 11	1.1%	1.1%	1.5%	98.5%
Grade 12	0.1%	0.2%	1.0%	99.0%
Hallucinogens				
All	1.7%	2.8%	5.5%	94.5%
Grade 7	0.5%	0.8%	1.2%	98.8%
Grade 8	0.9%	1.1%	1.7%	98.3%
Grade 9	1.9%	3.6%	6.3%	93.7%
Grade 10	1.7%	2.6%	5.1%	94.9%
Grade 11	1.9%	4.1%	6.2%	93.8%
Grade 12	2.7%	3.8%	10.5%	89.5%
Synthetic Cathinones				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.2%	1.0%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.9%	0.9%	1.4%	98.6%
Steroids				
All	0.8%	1.3%	2.9%	97.1%
Grade 7	0.6%	1.3%	2.7%	97.3%
Grade 8	1.3%	2.3%	4.1%	95.9%
Grade 9	0.6%	0.9%	1.9%	98.1%
Grade 10	0.3%	0.7%	3.4%	96.6%
Grade 11	1.6%	1.9%	3.8%	96.2%
Grade 12	0.8%	0.8%	1.5%	98.5%
Ecstasy				
All	1.4%	1.9%	4.2%	95.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	2.3%	2.4%	5.8%	94.2%
Grade 10	1.8%	1.8%	4.0%	96.0%
Grade 11	1.7%	2.7%	5.9%	94.1%
Grade 12	1.8%	3.1%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.6%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.2%	0.9%	99.1%
Grade 11	0.0%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	2.1%	2.6%	6.0%	94.0%
Grade 7	1.2%	1.9%	3.3%	96.7%
Grade 8	2.2%	3.4%	5.6%	94.4%
Grade 9	3.1%	3.7%	8.6%	91.4%
Grade 10	2.4%	2.7%	6.3%	93.7%
Grade 11	2.3%	2.8%	6.3%	93.7%
Grade 12	0.8%	0.9%	5.1%	94.9%
Methamphetamine				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.2%	0.6%	1.5%	98.5%
Grade 9	0.8%	1.0%	2.4%	97.6%
Grade 10	0.2%	1.0%	1.4%	98.6%
Grade 11	1.4%	1.5%	2.1%	97.9%
Grade 12	0.3%	0.4%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 87 of 126

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	909,001	49.5%
Female	926,429	50.5%
Frequency Missing	13,689	

Hispanic or Latino

Q5a	Frequency	Percent
No	996,616	55.1%
Yes	813,310	44.9%
Frequency Missing	39,195	

Grade

Q2	Frequency	Percent
Grade 7	326,444	17.7%
Grade 8	322,807	17.5%
Grade 9	335,948	18.2%
Grade 10	302,590	16.4%
Grade 11	293,127	15.9%
Grade 12	263,106	14.3%
Frequency Missing	5,098	

Ethnicity

Q5b	Frequency	Percent
American Indian	40,009	2.4%
Asian American	46,438	2.8%
African American	250,374	14.8%
Pacific Islander	8,536	0.5%
White	791,336	46.9%
Other	297,802	17.6%
More Than One Race	254,090	15.0%
Frequency Missing	160,535	

Live with Both Parents

Q3	Frequency	Percent
No	699,098	38.2%
Yes	1,129,240	61.8%
Frequency Missing	20,782	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	4,963	0.3%
Mostly D's	17,288	1.1%
Mostly C's	203,058	12.4%
Mostly B's	793,456	48.6%
Mostly A's	613,885	37.6%
Frequency Missing	216,469	

Age

Q4	Frequency	Percent
11 or younger	2,139	0.1%
12	124,954	6.8%
13	309,034	16.8%
14	307,623	16.7%
15	334,875	18.2%
16	296,075	16.1%
17	289,253	15.7%
18	162,926	8.8%
19 or older	14,363	0.8%
Frequency Missing	7,877	

Do You Have a Job

Q7	Frequency	Percent
No	1,294,571	78.7%
Yes	350,421	21.3%
Frequency Missing	204,128	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	649,086	39.7%
Yes	599,076	36.7%
Don't Know	385,553	23.6%
Frequency Missing	215,405	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	1,273,719	92.2%
Yes	107,614	7.8%
Frequency Missing	467,787	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	757,043	49.2%
Yes	782,107	50.8%
Frequency Missing	309,970	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	1,063,868	75.1%
Yes	353,222	24.9%
Frequency Missing	432,029	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	1,105,673	77.3%
Yes	324,930	22.7%
Frequency Missing	418,517	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	995,712	70.3%
Yes	421,062	29.7%
Frequency Missing	432,346	

Participate in School Choir

Q9c	Frequency	Percent
No	1,242,434	89.1%
Yes	152,737	10.9%
Frequency Missing	453,949	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	956,435	66.4%
Yes	483,005	33.6%
Frequency Missing	409,680	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	1,280,182	92.2%
Yes	108,685	7.8%
Frequency Missing	460,253	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	1,069,894	75.9%
Yes	339,937	24.1%
Frequency Missing	439,288	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	1,582,939	86.2%
Somewhat Safe	222,114	12.1%
Not Very Safe	14,119	0.8%
Not Safe At All	6,356	0.3%
Don't Know	11,752	0.6%
Frequency Missing	11,839	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	122,238	7.0%
Some High School	173,855	9.9%
Finished High School	329,751	18.8%
Some College	284,501	16.3%
Finished College	420,040	24.0%
Post-Secondary	249,595	14.3%
Don't Know or N/A	169,720	9.7%
Frequency Missing	99,419	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	861,922	47.2%
Somewhat Safe	796,682	43.6%
Not Very Safe	104,102	5.7%
Not Safe At All	21,998	1.2%
Don't Know	41,262	2.3%
Frequency Missing	23,154	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	1,035,103	63.7%
Yes	589,465	36.3%
Frequency Missing	224,552	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	652,680	35.8%
Somewhat Safe	865,680	47.4%
Not Very Safe	166,865	9.1%
Not Safe At All	76,390	4.2%
Don't Know	63,310	3.5%
Frequency Missing	24,195	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	88,465	4.9%
A Few	359,172	20.0%
Some	401,499	22.4%
Most	695,379	38.7%
All	250,102	13.9%
Frequency Missing	54,503	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	130,732	7.5%
Some High School	202,740	11.6%
Finished High School	379,462	21.8%
Some College	228,707	13.1%
Finished College	326,247	18.7%
Post-Secondary	218,288	12.5%
Don't Know or N/A	254,364	14.6%
Frequency Missing	108,582	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	36,282	2.0%
A Few	190,750	10.6%
Some	415,257	23.1%
Most	785,633	43.7%
All	368,901	20.5%
Frequency Missing	52,296	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	885,971	50.2%
A Few	516,494	29.3%
Some	212,590	12.0%
Most	91,504	5.2%
All	57,851	3.3%
Frequency Missing	84,711	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	1,719,526	95.6%
In Your Lifetime	53,923	3.0%
Since School Began	7,949	0.4%
In the Past Month	16,904	0.9%
Frequency Missing	50,817	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	1,380,522	77.4%
A Few	256,122	14.4%
Some	87,638	4.9%
Most	39,390	2.2%
All	19,687	1.1%
Frequency Missing	65,760	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	1,772,825	99.1%
In Your Lifetime	8,016	0.4%
Since School Began	2,948	0.2%
In the Past Month	4,543	0.3%
Frequency Missing	60,788	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	1,526,246	85.2%
A Few	176,611	9.9%
Some	52,572	2.9%
Most	20,217	1.1%
All	16,242	0.9%
Frequency Missing	57,232	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	1,692,095	94.2%
In Your Lifetime	64,182	3.6%
Since School Began	14,712	0.8%
In the Past Month	26,082	1.5%
Frequency Missing	52,049	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	1,772,583	98.2%
In Your Lifetime	21,048	1.2%
Since School Began	4,433	0.2%
In the Past Month	6,540	0.4%
Frequency Missing	44,517	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	1,775,636	98.9%
In Your Lifetime	11,539	0.6%
Since School Began	2,640	0.1%
In the Past Month	5,877	0.3%
Frequency Missing	53,427	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	1,774,201	99.1%
In Your Lifetime	8,508	0.5%
Since School Began	2,506	0.1%
In the Past Month	4,895	0.3%
Frequency Missing	59,010	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	1,653,047	92.6%
In Your Lifetime	61,749	3.5%
Since School Began	21,898	1.2%
In the Past Month	49,173	2.8%
Frequency Missing	63,254	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	1,759,402	98.1%
In Your Lifetime	17,117	1.0%
Since School Began	4,243	0.2%
In the Past Month	12,235	0.7%
Frequency Missing	56,123	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	1,149,156	65.2%
In Your Lifetime	292,073	16.6%
Since School Began	111,304	6.3%
In the Past Month	209,932	11.9%
Frequency Missing	86,655	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	1,283,832	72.4%
In Your Lifetime	214,828	12.1%
Since School Began	98,180	5.5%
In the Past Month	176,652	10.0%
Frequency Missing	75,627	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	1,771,471	98.6%
In Your Lifetime	13,821	0.8%
Since School Began	3,489	0.2%
In the Past Month	8,413	0.5%
Frequency Missing	51,925	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	1,237,958	70.5%
In Your Lifetime	274,944	15.7%
Since School Began	95,835	5.5%
In the Past Month	146,752	8.4%
Frequency Missing	93,631	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	1,564,992	87.0%
In Your Lifetime	128,608	7.1%
Since School Began	36,408	2.0%
In the Past Month	68,833	3.8%
Frequency Missing	50,279	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	1,205,906	68.0%
In Your Lifetime	229,112	12.9%
Since School Began	111,211	6.3%
In the Past Month	226,359	12.8%
Frequency Missing	76,533	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	1,769,316	98.1%
In Your Lifetime	18,665	1.0%
Since School Began	5,773	0.3%
In the Past Month	10,560	0.6%
Frequency Missing	44,806	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	1,729,952	96.7%
In Your Lifetime	37,536	2.1%
Since School Began	8,607	0.5%
In the Past Month	12,811	0.7%
Frequency Missing	60,213	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	1,793,609	99.6%
In Your Lifetime	3,719	0.2%
Since School Began	589	0.0%
In the Past Month	2,319	0.1%
Frequency Missing	48,884	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	1,316,140	73.4%
In Your Lifetime	169,764	9.5%
Since School Began	74,893	4.2%
In the Past Month	232,730	13.0%
Frequency Missing	55,593	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	1,743,156	96.9%
In Your Lifetime	29,510	1.6%
Since School Began	12,714	0.7%
In the Past Month	14,238	0.8%
Frequency Missing	49,502	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	1,436,909	79.6%
In Your Lifetime	148,881	8.2%
Since School Began	67,160	3.7%
In the Past Month	152,508	8.4%
Frequency Missing	43,661	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	1,793,958	99.6%
In Your Lifetime	4,358	0.2%
Since School Began	1,093	0.1%
In the Past Month	2,046	0.1%
Frequency Missing	47,666	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	1,777,879	98.8%
In Your Lifetime	12,326	0.7%
Since School Began	3,833	0.2%
In the Past Month	6,092	0.3%
Frequency Missing	48,990	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	1,744,881	97.1%
In Your Lifetime	32,630	1.8%
Since School Began	6,929	0.4%
In the Past Month	13,051	0.7%
Frequency Missing	51,629	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	1,762,525	98.2%
In Your Lifetime	17,842	1.0%
Since School Began	5,110	0.3%
In the Past Month	9,265	0.5%
Frequency Missing	54,378	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	1,544,800	87.2%
In Your Lifetime	110,519	6.2%
Since School Began	48,573	2.7%
In the Past Month	67,249	3.8%
Frequency Missing	77,979	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	1,793,618	99.7%
In Your Lifetime	2,840	0.2%
Since School Began	388	0.0%
In the Past Month	2,440	0.1%
Frequency Missing	49,834	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	1,695,321	96.0%
In Your Lifetime	34,704	2.0%
Since School Began	18,390	1.0%
In the Past Month	18,459	1.0%
Frequency Missing	82,246	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	1,787,618	99.3%
In Your Lifetime	7,193	0.4%
Since School Began	1,324	0.1%
In the Past Month	4,418	0.2%
Frequency Missing	48,567	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	1,668,212	94.6%
In Your Lifetime	46,716	2.7%
Since School Began	19,207	1.1%
In the Past Month	28,389	1.6%
Frequency Missing	86,595	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	1,680,825	95.3%
In Your Lifetime	36,998	2.1%
Since School Began	16,707	0.9%
In the Past Month	28,964	1.6%
Frequency Missing	85,627	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	1,325,840	75.2%
1-2 times	276,147	15.7%
3-10 times	115,043	6.5%
11+ times	45,030	2.6%
Frequency Missing	87,061	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	1,615,872	91.9%
In Your Lifetime	66,830	3.8%
Since School Began	20,927	1.2%
In the Past Month	54,599	3.1%
Frequency Missing	90,892	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	1,738,499	98.5%
1-2 times	18,527	1.1%
3-10 times	4,535	0.3%
11+ times	2,741	0.2%
Frequency Missing	84,817	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	1,705,924	96.6%
In Your Lifetime	28,308	1.6%
Since School Began	9,709	0.5%
In the Past Month	21,632	1.2%
Frequency Missing	83,547	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	1,549,445	87.7%
1-2 times	103,116	5.8%
3-10 times	55,817	3.2%
11+ times	58,955	3.3%
Frequency Missing	81,787	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	1,624,965	92.0%
1-2 times	72,674	4.1%
3-10 times	30,541	1.7%
11+ times	38,960	2.2%
Frequency Missing	81,980	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	1,753,339	99.2%
1-2 times	10,338	0.6%
3-10 times	2,570	0.1%
11+ times	2,006	0.1%
Frequency Missing	80,867	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	1,762,792	99.8%
1-2 times	2,487	0.1%
3-10 times	720	0.0%
11+ times	889	0.1%
Frequency Missing	82,231	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	1,009,579	57.3%
A few	338,147	19.2%
Some	194,297	11.0%
Most	168,192	9.5%
All	51,098	2.9%
Frequency Missing	87,807	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	1,234,507	70.0%
A few	317,684	18.0%
Some	130,295	7.4%
Most	65,796	3.7%
All	15,559	0.9%
Frequency Missing	85,278	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	1,505,551	85.9%
8 or younger	16,715	1.0%
9 years old	8,437	0.5%
10 years old	13,534	0.8%
11 years old	13,015	0.7%
12 years old	27,249	1.6%
13 years old	36,691	2.1%
14 years old	36,773	2.1%
15 years old	38,873	2.2%
16 years old	32,656	1.9%
17 years old	17,538	1.0%
18 or older	6,144	0.4%
Frequency Missing	95,945	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	862,457	49.0%
A few	416,509	23.7%
Some	245,034	13.9%
Most	182,828	10.4%
All	54,141	3.1%
Frequency Missing	88,151	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	1,018,507	58.4%
8 or younger	76,163	4.4%
9 years old	23,391	1.3%
10 years old	40,434	2.3%
11 years old	42,800	2.5%
12 years old	83,180	4.8%
13 years old	96,634	5.5%
14 years old	108,404	6.2%
15 years old	118,345	6.8%
16 years old	84,352	4.8%
17 years old	38,062	2.2%
18 or older	12,302	0.7%
Frequency Missing	106,546	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	1,638,390	93.3%
A few	84,737	4.8%
Some	22,702	1.3%
Most	7,223	0.4%
All	3,114	0.2%
Frequency Missing	92,954	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	1,690,591	96.7%
8 or younger	9,854	0.6%
9 years old	4,588	0.3%
10 years old	5,386	0.3%
11 years old	4,623	0.3%
12 years old	11,475	0.7%
13 years old	9,115	0.5%
14 years old	4,989	0.3%
15 years old	3,348	0.2%
16 years old	2,797	0.2%
17 years old	977	0.1%
18 or older	190	0.0%
Frequency Missing	101,185	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	1,724,685	98.3%
8 or younger	450	0.0%
9 years old	230	0.0%
10 years old	441	0.0%
11 years old	327	0.0%
12 years old	1,563	0.1%
13 years old	3,102	0.2%
14 years old	4,874	0.3%
15 years old	5,661	0.3%
16 years old	6,906	0.4%
17 years old	4,953	0.3%
18 or older	925	0.1%
Frequency Missing	95,003	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	1,399,594	79.9%
8 or younger	7,613	0.4%
9 years old	5,111	0.3%
10 years old	8,876	0.5%
11 years old	14,337	0.8%
12 years old	35,066	2.0%
13 years old	51,957	3.0%
14 years old	69,652	4.0%
15 years old	72,105	4.1%
16 years old	56,330	3.2%
17 years old	22,912	1.3%
18 or older	8,074	0.5%
Frequency Missing	97,494	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	1,749,167	99.7%
8 or younger	495	0.0%
9 years old	219	0.0%
10 years old	486	0.0%
11 years old	339	0.0%
12 years old	333	0.0%
13 years old	710	0.0%
14 years old	923	0.1%
15 years old	675	0.0%
16 years old	685	0.0%
17 years old	460	0.0%
18 or older	37	0.0%
Frequency Missing	94,590	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	1,730,967	98.9%
8 or younger	3,180	0.2%
9 years old	1,376	0.1%
10 years old	1,218	0.1%
11 years old	1,142	0.1%
12 years old	1,900	0.1%
13 years old	2,509	0.1%
14 years old	2,813	0.2%
15 years old	2,159	0.1%
16 years old	1,974	0.1%
17 years old	1,165	0.1%
18 or older	14	0.0%
Frequency Missing	98,703	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	1,749,014	99.7%
8 or younger	400	0.0%
9 years old	175	0.0%
10 years old	569	0.0%
11 years old	359	0.0%
12 years old	549	0.0%
13 years old	849	0.0%
14 years old	985	0.1%
15 years old	415	0.0%
16 years old	265	0.0%
17 years old	138	0.0%
18 or older	70	0.0%
Frequency Missing	95,331	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	1,716,972	98.3%
8 or younger	113	0.0%
9 years old	129	0.0%
10 years old	156	0.0%
11 years old	841	0.0%
12 years old	1,782	0.1%
13 years old	2,943	0.2%
14 years old	6,895	0.4%
15 years old	6,130	0.4%
16 years old	5,373	0.3%
17 years old	3,232	0.2%
18 or older	1,385	0.1%
Frequency Missing	103,169	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	1,744,067	99.5%
8 or younger	639	0.0%
9 years old	117	0.0%
10 years old	449	0.0%
11 years old	206	0.0%
12 years old	716	0.0%
13 years old	1,371	0.1%
14 years old	1,507	0.1%
15 years old	2,312	0.1%
16 years old	1,239	0.1%
17 years old	698	0.0%
18 or older	323	0.0%
Frequency Missing	95,476	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	1,704,689	97.4%
8 or younger	936	0.1%
9 years old	385	0.0%
10 years old	1,570	0.1%
11 years old	3,759	0.2%
12 years old	5,605	0.3%
13 years old	8,674	0.5%
14 years old	9,143	0.5%
15 years old	9,185	0.5%
16 years old	3,888	0.2%
17 years old	2,122	0.1%
18 or older	403	0.0%
Frequency Missing	98,761	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	493,917	28.3%
Impossible	347,723	19.9%
Very Difficult	127,126	7.3%
Somewhat diff	166,339	9.5%
Somewhat easy	252,609	14.5%
Very easy	357,036	20.5%
Frequency Missing	104,370	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	383,820	22.1%
Impossible	232,872	13.4%
Very Difficult	99,592	5.7%
Somewhat diff	191,797	11.0%
Somewhat easy	336,590	19.3%
Very easy	495,938	28.5%
Frequency Missing	108,511	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	706,305	40.8%
Impossible	284,956	16.4%
Very Difficult	71,409	4.1%
Somewhat diff	95,166	5.5%
Somewhat easy	155,757	9.0%
Very easy	419,499	24.2%
Frequency Missing	116,028	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	470,758	27.1%
Impossible	384,508	22.1%
Very Difficult	135,206	7.8%
Somewhat diff	160,998	9.3%
Somewhat easy	221,282	12.7%
Very easy	366,928	21.1%
Frequency Missing	109,439	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	654,030	37.6%
Impossible	581,972	33.5%
Very Difficult	218,845	12.6%
Somewhat diff	135,039	7.8%
Somewhat easy	72,499	4.2%
Very easy	74,959	4.3%
Frequency Missing	111,776	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	686,648	39.6%
Impossible	598,332	34.5%
Very Difficult	224,726	13.0%
Somewhat diff	113,636	6.6%
Somewhat easy	54,349	3.1%
Very easy	54,742	3.2%
Frequency Missing	116,685	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	709,611	41.0%
Impossible	562,676	32.5%
Very Difficult	213,112	12.3%
Somewhat diff	122,867	7.1%
Somewhat easy	61,267	3.5%
Very easy	61,088	3.5%
Frequency Missing	118,499	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	814,805	47.0%
Impossible	479,559	27.7%
Very Difficult	154,425	8.9%
Somewhat diff	106,160	6.1%
Somewhat easy	81,277	4.7%
Very easy	97,647	5.6%
Frequency Missing	115,248	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	827,645	47.9%
Impossible	496,591	28.7%
Very Difficult	175,353	10.1%
Somewhat diff	100,444	5.8%
Somewhat easy	63,729	3.7%
Very easy	64,545	3.7%
Frequency Missing	120,814	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	24,168	1.4%
Several times/wk	21,793	1.3%
Several times/mo	29,457	1.7%
About once/month	42,438	2.4%
About once/year	39,047	2.3%
Less than once/year	67,514	3.9%
Never used	1,510,099	87.1%
Frequency Missing	114,603	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	769,143	44.3%
Impossible	612,637	35.3%
Very Difficult	202,698	11.7%
Somewhat diff	73,496	4.2%
Somewhat easy	34,058	2.0%
Very easy	43,705	2.5%
Frequency Missing	113,384	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	3,921	0.2%
Several times/wk	30,087	1.7%
Several times/mo	112,466	6.5%
About once/month	200,104	11.6%
About once/year	168,900	9.8%
Less than once/year	145,451	8.4%
Never used	1,065,891	61.7%
Frequency Missing	122,300	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	811,316	46.7%
Impossible	574,539	33.1%
Very Difficult	192,169	11.1%
Somewhat diff	72,663	4.2%
Somewhat easy	38,071	2.2%
Very easy	49,470	2.8%
Frequency Missing	110,892	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	1,390	0.1%
Several times/wk	2,423	0.1%
Several times/mo	5,553	0.3%
About once/month	8,238	0.5%
About once/year	10,086	0.6%
Less than once/year	20,792	1.2%
Never used	1,683,362	97.2%
Frequency Missing	117,276	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	296	0.0%
Several times/wk	190	0.0%
Several times/mo	235	0.0%
About once/month	992	0.1%
About once/year	955	0.1%
Less than once/year	2,447	0.1%
Never used	1,726,179	99.7%
Frequency Missing	117,826	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	28,652	1.7%
Several times/wk	35,834	2.1%
Several times/mo	55,314	3.2%
About once/month	65,320	3.8%
About once/year	64,475	3.7%
Less than once/year	71,204	4.1%
Never used	1,411,959	81.5%
Frequency Missing	116,361	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	935	0.1%
Several times/wk	282	0.0%
Several times/mo	1,122	0.1%
About once/month	1,295	0.1%
About once/year	2,291	0.1%
Less than once/year	6,073	0.4%
Never used	1,716,429	99.3%
Frequency Missing	120,691	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	298	0.0%
Several times/wk	1,593	0.1%
Several times/mo	1,598	0.1%
About once/month	4,678	0.3%
About once/year	7,223	0.4%
Less than once/year	9,732	0.6%
Never used	1,704,475	98.5%
Frequency Missing	119,521	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	416	0.0%
Several times/wk	916	0.1%
Several times/mo	3,263	0.2%
About once/month	4,480	0.3%
About once/year	7,960	0.5%
Less than once/year	9,360	0.5%
Never used	1,701,611	98.5%
Frequency Missing	121,113	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	340	0.0%
Several times/wk	528	0.0%
Several times/mo	327	0.0%
About once/month	819	0.0%
About once/year	1,112	0.1%
Less than once/year	2,140	0.1%
Never used	1,726,817	99.7%
Frequency Missing	117,036	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	1,123,724	64.4%
12+ drinks	36,444	2.1%
9-11 drinks	26,002	1.5%
5-8 drinks	58,227	3.3%
3-4 drinks	84,619	4.9%
2 drinks	91,587	5.3%
1 drink	116,267	6.7%
Less than 1 drink	206,705	11.9%
Frequency Missing	105,544	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	907	0.1%
Several times/wk	416	0.0%
Several times/mo	673	0.0%
About once/month	1,654	0.1%
About once/year	1,356	0.1%
Less than once/year	3,950	0.2%
Never used	1,721,135	99.5%
Frequency Missing	119,029	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	1,229,558	70.7%
12+ drinks	24,504	1.4%
9-11 drinks	19,059	1.1%
5-8 drinks	49,973	2.9%
3-4 drinks	90,266	5.2%
2 drinks	89,691	5.2%
1 drink	111,469	6.4%
Less than 1 drink	123,667	7.1%
Frequency Missing	110,932	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	1,023	0.1%
Several times/wk	2,094	0.1%
Several times/mo	4,562	0.3%
About once/month	6,141	0.4%
About once/year	9,071	0.5%
Less than once/year	14,303	0.8%
Never used	1,688,527	97.8%
Frequency Missing	123,399	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	1,218,687	70.2%
12+ drinks	11,518	0.7%
9-11 drinks	8,903	0.5%
5-8 drinks	20,260	1.2%
3-4 drinks	48,280	2.8%
2 drinks	74,358	4.3%
1 drink	140,984	8.1%
Less than 1 drink	212,279	12.2%
Frequency Missing	113,851	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	1,157,658	66.6%
12+ drinks	36,064	2.1%
9-11 drinks	31,618	1.8%
5-8 drinks	72,366	4.2%
3-4 drinks	100,869	5.8%
2 drinks	92,192	5.3%
1 drink	100,763	5.8%
Less than 1 drink	145,877	8.4%
Frequency Missing	111,711	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	1,047,379	60.3%
Never	278,854	16.1%
Seldom	192,503	11.1%
Most of the Time	165,309	9.5%
Always	52,994	3.1%
Frequency Missing	112,081	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	1,027,226	59.6%
0 days	500,682	29.1%
1 day	72,112	4.2%
2 days	40,363	2.3%
3 to 5 days	40,943	2.4%
6 to 9 days	14,739	0.9%
10 or more days	26,037	1.5%
Frequency Missing	127,017	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	1,090,661	62.9%
Never	511,847	29.5%
Seldom	62,654	3.6%
Most of the Time	45,415	2.6%
Always	22,297	1.3%
Frequency Missing	116,246	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	1,036,029	59.6%
Never	271,591	15.6%
Seldom	284,704	16.4%
Most of the Time	98,240	5.6%
Always	48,987	2.8%
Frequency Missing	109,569	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	1,019,936	58.7%
Never	255,356	14.7%
Seldom	166,903	9.6%
Most of the Time	170,922	9.8%
Always	124,114	7.1%
Frequency Missing	111,889	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	1,096,027	63.7%
Never	372,271	21.6%
Seldom	125,174	7.3%
Most of the Time	70,398	4.1%
Always	57,136	3.3%
Frequency Missing	128,114	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	1,042,281	60.3%
Somewhat	419,528	24.3%
Not very	145,755	8.4%
Not at all	32,107	1.9%
Don't know	87,578	5.1%
Frequency Missing	121,872	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	1,498,423	87.1%
Somewhat	100,762	5.9%
Not very	14,765	0.9%
Not at all	9,131	0.5%
Don't know	96,885	5.6%
Frequency Missing	129,153	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	840,236	48.8%
Somewhat	517,478	30.0%
Not very	249,102	14.5%
Not at all	42,969	2.5%
Don't know	72,304	4.2%
Frequency Missing	127,031	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	1,517,117	88.1%
Somewhat	82,051	4.8%
Not very	11,853	0.7%
Not at all	7,775	0.5%
Don't know	103,216	6.0%
Frequency Missing	127,107	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	1,226,719	71.5%
Somewhat	245,958	14.3%
Not very	83,423	4.9%
Not at all	26,221	1.5%
Don't know	133,991	7.8%
Frequency Missing	132,808	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	1,397,859	81.3%
Somewhat	125,755	7.3%
Not very	31,238	1.8%
Not at all	12,059	0.7%
Don't know	152,067	8.8%
Frequency Missing	130,142	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	954,080	55.4%
Somewhat	236,368	13.7%
Not very	220,060	12.8%
Not at all	229,710	13.3%
Don't know	82,091	4.8%
Frequency Missing	126,811	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	1,309,614	76.2%
Somewhat	205,705	12.0%
Not very	60,552	3.5%
Not at all	17,327	1.0%
Don't know	124,378	7.2%
Frequency Missing	131,544	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	1,520,058	88.4%
Somewhat	67,062	3.9%
Not very	10,293	0.6%
Not at all	7,980	0.5%
Don't know	114,262	6.6%
Frequency Missing	129,464	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	913,899	53.3%
Somewhat	219,420	12.8%
Not very	260,490	15.2%
Not at all	209,957	12.2%
Don't know	110,800	6.5%
Frequency Missing	134,554	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	1,512,858	88.0%
Somewhat	66,248	3.9%
Not very	11,277	0.7%
Not at all	8,124	0.5%
Don't know	121,247	7.1%
Frequency Missing	129,366	

Days Skipped Since September

Q28a	Frequency	Percent
None	1,396,240	81.8%
1-3 days	232,991	13.6%
4-9 days	50,378	2.9%
10+ days	28,262	1.7%
Frequency Missing	141,249	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	1,382,189	80.5%
Somewhat	129,833	7.6%
Not very	40,526	2.4%
Not at all	19,899	1.2%
Don't know	144,093	8.4%
Frequency Missing	132,580	

Days Ill Since September

Q28b	Frequency	Percent
None	578,237	33.9%
1-3 days	849,819	49.8%
4-9 days	223,852	13.1%
10+ days	54,706	3.2%
Frequency Missing	142,506	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	1,285,893	75.1%
Somewhat	226,244	13.2%
Not very	61,723	3.6%
Not at all	22,538	1.3%
Don't know	116,577	6.8%
Frequency Missing	136,144	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	709,559	42.0%
1-3 days	812,170	48.1%
4-9 days	127,645	7.6%
10+ days	38,760	2.3%
Frequency Missing	160,986	

Percentages and frequencies have been weighted to reflect proportions within the population.

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	1,495,211	87.8%
1-3 days	160,430	9.4%
4-9 days	26,803	1.6%
10+ days	21,186	1.2%
Frequency Missing	145,490	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	1,635,086	96.6%
1-3 times	48,073	2.8%
4-9 times	6,494	0.4%
10+ times	3,856	0.2%
Frequency Missing	155,610	

Someone Called Home Since September

Q28e	Frequency	Percent
None	1,541,523	90.7%
1-3 days	122,228	7.2%
4-9 days	19,563	1.2%
10+ days	17,013	1.0%
Frequency Missing	148,794	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	1,613,567	95.4%
1-3 times	49,115	2.9%
4-9 times	10,792	0.6%
10+ times	17,391	1.0%
Frequency Missing	158,256	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	1,635,839	96.3%
1-3 times	54,119	3.2%
4-9 times	6,072	0.4%
10+ times	3,107	0.2%
Frequency Missing	149,982	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	1,630,677	96.2%
1-3 days	47,824	2.8%
4-9 days	9,310	0.5%
10+ days	6,868	0.4%
Frequency Missing	154,441	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	1,640,630	96.8%
1-3 times	42,233	2.5%
4-9 times	5,436	0.3%
10+ times	6,588	0.4%
Frequency Missing	154,233	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	1,575,264	93.1%
1-3 days	66,396	3.9%
4-9 days	21,361	1.3%
10+ days	28,326	1.7%
Frequency Missing	157,774	

Percentages and frequencies have been weighted to reflect proportions within the population.

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	1,674,528	99.2%
1-3 days	7,957	0.5%
4-9 days	1,926	0.1%
10+ days	3,508	0.2%
Frequency Missing	161,201	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	1,458,091	93.9%
Yes	93,941	6.1%
Frequency Missing	297,089	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	1,636,844	97.1%
1-3 days	31,287	1.9%
4-9 days	8,856	0.5%
10+ days	8,627	0.5%
Frequency Missing	163,507	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	1,001,662	60.9%
Yes	643,829	39.1%
Frequency Missing	203,629	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	852,760	50.5%
Seldom	123,023	7.3%
Half the time	93,061	5.5%
Most of the Time	138,802	8.2%
Always	168,442	10.0%
Don't Know	29,767	1.8%
Didn't attend	283,687	16.8%
Frequency Missing	159,576	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	1,255,305	76.8%
Yes	378,530	23.2%
Frequency Missing	215,285	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	946,939	58.0%
Yes	686,974	42.0%
Frequency Missing	215,207	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	1,007,461	59.8%
Seldom	95,521	5.7%
Half the time	71,505	4.2%
Most of the Time	98,097	5.8%
Always	97,669	5.8%
Don't Know	32,058	1.9%
Didn't attend	283,058	16.8%
Frequency Missing	163,751	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	491,417	29.7%
Yes	1,161,079	70.3%
Frequency Missing	196,624	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	692,943	42.5%
Yes	936,146	57.5%
Frequency Missing	220,031	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	1,012,670	62.6%
Yes	606,282	37.4%
Frequency Missing	230,168	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	584,323	35.8%
Yes	1,049,183	64.2%
Frequency Missing	215,613	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	977,164	60.6%
Yes	636,174	39.4%
Frequency Missing	235,782	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	661,679	40.5%
Yes	972,231	59.5%
Frequency Missing	215,210	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	1,211,904	75.4%
Yes	395,120	24.6%
Frequency Missing	242,096	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	981,929	60.1%
Yes	651,494	39.9%
Frequency Missing	215,696	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	1,366,018	85.2%
Yes	236,493	14.8%
Frequency Missing	246,608	

Would Not Seek Help

Q33i	Frequency	Percent
No	1,307,678	82.3%
Yes	281,430	17.7%
Frequency Missing	260,012	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	1,192,186	74.4%
Yes	410,292	25.6%
Frequency Missing	246,642	

Percentages and frequencies have been weighted to reflect proportions within the population.

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	1,386,088	86.6%
Yes	213,899	13.4%
Frequency Missing	249,133	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	1,191,760	74.4%
Yes	411,111	25.6%
Frequency Missing	246,250	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	1,154,952	72.3%
Yes	442,182	27.7%
Frequency Missing	251,985	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	1,324,369	78.1%
Mild disapprove	130,825	7.7%
Neither	103,230	6.1%
Mildly approve	15,114	0.9%
Strongly approve	9,766	0.6%
Don't know	111,983	6.6%
Frequency Missing	153,833	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	1,044,528	61.8%
Mild disapprove	247,552	14.6%
Neither	210,794	12.5%
Mildly approve	65,456	3.9%
Strongly approve	16,601	1.0%
Don't know	105,034	6.2%
Frequency Missing	159,154	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	1,290,558	76.3%
Mild disapprove	117,636	7.0%
Neither	122,066	7.2%
Mildly approve	33,236	2.0%
Strongly approve	21,992	1.3%
Don't know	105,005	6.2%
Frequency Missing	158,626	

Percentages and frequencies have been weighted to reflect proportions within the population.

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_l)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

