

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2016



**HHSC REGION 1 AND 2 REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	28
Miscellaneous . . . . .	32
<b>2 Prevalence Tables</b>	<b>38</b>
Table B-1: All Students . . . . .	39
Table B-2: Male Students . . . . .	43
Table B-3: Female Students . . . . .	47
Table B-4: White Non-Hispanic Students . . . . .	51
Table B-5: African American Non-Hispanic Students . . . . .	55
Table B-6: Hispanic or Latino Students . . . . .	58
Table B-7: Students Reporting A Grades on Average . . . . .	62
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	66
Table B-9: Students Living with 2 Parents . . . . .	70
Table B-10: Students Not Living with 2 Parents . . . . .	74
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	78
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	82
<b>3 Margin Tables</b>	<b>86</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>106</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 1 and 2. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	19.7%	24.8%	39.6%	60.4%
Grade 7	8.3%	9.4%	17.0%	83.0%
Grade 8	11.0%	14.6%	24.5%	75.5%
Grade 9	17.5%	20.4%	39.3%	60.7%
Grade 10	22.9%	33.4%	51.2%	48.8%
Grade 11	29.3%	36.8%	52.4%	47.6%
Grade 12	34.3%	40.3%	61.2%	38.8%
<b>Cigarettes?</b>				
All	8.3%	12.3%	26.4%	73.6%
Grade 7	2.1%	3.6%	9.8%	90.2%
Grade 8	4.1%	5.8%	14.9%	85.1%
Grade 9	8.1%	11.2%	27.4%	72.6%
Grade 10	8.6%	11.9%	31.0%	69.0%
Grade 11	13.9%	21.2%	39.1%	60.9%
Grade 12	15.8%	24.4%	42.8%	57.2%
<b>Smokeless Tobacco?</b>				
All	4.0%	6.5%	12.9%	87.1%
Grade 7	1.6%	1.8%	4.4%	95.6%
Grade 8	2.4%	3.5%	7.2%	92.8%
Grade 9	2.5%	4.2%	6.7%	93.3%
Grade 10	3.9%	6.7%	16.6%	83.4%
Grade 11	8.0%	10.9%	20.8%	79.2%
Grade 12	7.0%	14.2%	26.2%	73.8%
<b>Electronic Vapor Products?</b>				
All	9.0%	15.6%	29.9%	70.1%
Grade 7	2.9%	4.7%	11.7%	88.3%
Grade 8	5.0%	9.6%	19.7%	80.3%
Grade 9	10.2%	14.2%	31.0%	69.0%
Grade 10	7.5%	19.1%	38.9%	61.1%
Grade 11	13.0%	25.8%	41.8%	58.2%
Grade 12	18.0%	24.0%	42.1%	57.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 119

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	78.4%	3.0%	2.5%	2.0%	3.4%	4.3%	6.4%
Grade 7	92.5%	1.0%	0.4%	0.2%	1.6%	1.2%	3.2%
Grade 8	87.2%	0.9%	0.4%	1.4%	2.1%	4.8%	3.2%
Grade 9	80.5%	1.4%	2.6%	2.5%	2.8%	2.7%	7.5%
Grade 10	73.4%	2.7%	2.5%	5.4%	3.7%	4.4%	7.8%
Grade 11	68.7%	7.8%	4.8%	0.6%	5.6%	6.5%	5.9%
Grade 12	61.8%	5.8%	5.6%	1.9%	5.8%	7.2%	11.9%

**Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.0%	21.3%	6.9%	8.9%	15.9%	27.0%
Grade 7	33.0%	35.9%	10.0%	5.7%	7.2%	8.1%
Grade 8	24.4%	29.8%	10.2%	11.6%	12.9%	11.0%
Grade 9	26.4%	22.4%	6.4%	10.6%	15.9%	18.3%
Grade 10	12.6%	17.1%	8.1%	10.6%	25.2%	26.4%
Grade 11	10.5%	11.9%	2.9%	8.4%	17.6%	48.7%
Grade 12	8.5%	5.9%	2.2%	6.0%	17.8%	59.6%

**Table T-4: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	55.0%	24.6%	12.5%	7.0%	1.0%
Grade 7	85.0%	9.9%	3.7%	1.1%	0.2%
Grade 8	71.5%	17.9%	6.3%	4.2%	0.1%
Grade 9	58.8%	23.4%	10.2%	7.5%	0.1%
Grade 10	40.9%	32.2%	17.7%	8.7%	0.4%
Grade 11	33.6%	34.5%	18.3%	10.6%	3.0%
Grade 12	29.8%	33.8%	22.3%	11.7%	2.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	71.2%	9.7%	9.7%	1.5%	1.2%	6.7%
Grade 7	84.6%	3.8%	2.3%	1.1%	0.6%	7.6%
Grade 8	85.3%	5.8%	3.1%	0.4%	0.4%	5.1%
Grade 9	74.4%	9.7%	6.5%	1.5%	0.2%	7.7%
Grade 10	67.3%	12.7%	10.7%	1.1%	2.3%	5.9%
Grade 11	53.2%	15.6%	16.4%	3.2%	2.9%	8.7%
Grade 12	56.0%	12.7%	23.0%	2.1%	1.2%	4.9%

**Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	57.7%	26.1%	9.4%	2.6%	4.3%
	Grade 7	76.7%	14.2%	4.3%	0.8%	4.0%
	Grade 8	69.3%	21.9%	5.7%	0.5%	2.5%
	Grade 9	59.6%	25.0%	7.3%	1.5%	6.6%
	Grade 10	50.6%	31.4%	11.4%	2.5%	4.1%
	Grade 11	42.8%	31.4%	13.2%	7.4%	5.1%
	Grade 12	39.7%	36.6%	16.8%	3.8%	3.0%
Electronic Vapor Products?						
	All	50.3%	14.7%	17.7%	11.2%	6.1%
	Grade 7	76.8%	9.7%	5.7%	2.9%	5.0%
	Grade 8	57.6%	17.2%	12.4%	8.5%	4.4%
	Grade 9	48.8%	14.9%	17.7%	11.3%	7.3%
	Grade 10	39.3%	13.4%	27.8%	14.1%	5.5%
	Grade 11	32.6%	17.3%	21.7%	20.5%	8.0%
	Grade 12	40.1%	16.5%	24.4%	11.9%	7.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	35.4%	40.2%	61.0%	39.0%
Grade 7	16.8%	19.2%	36.0%	64.0%
Grade 8	22.1%	24.4%	47.9%	52.1%
Grade 9	38.4%	43.3%	65.0%	35.0%
Grade 10	41.5%	48.2%	70.6%	29.4%
Grade 11	50.3%	57.5%	78.0%	22.0%
Grade 12	49.7%	55.6%	76.0%	24.0%
Beer?				
All	15.1%	24.5%	51.0%	49.0%
Grade 7	4.2%	5.8%	26.6%	73.4%
Grade 8	8.8%	13.1%	37.0%	63.0%
Grade 9	14.4%	25.8%	53.6%	46.4%
Grade 10	17.9%	27.6%	61.1%	38.9%
Grade 11	26.4%	40.2%	67.8%	32.2%
Grade 12	22.7%	41.5%	67.5%	32.5%
Wine Coolers?				
All	12.0%	19.2%	40.3%	59.7%
Grade 7	3.5%	4.7%	16.2%	83.8%
Grade 8	5.9%	8.7%	24.7%	75.3%
Grade 9	12.7%	21.2%	45.2%	54.8%
Grade 10	14.5%	22.5%	49.6%	50.4%
Grade 11	18.7%	30.2%	57.4%	42.6%
Grade 12	19.8%	33.6%	56.2%	43.8%
Wine?				
All	9.5%	15.2%	40.6%	59.4%
Grade 7	4.8%	7.2%	21.8%	78.2%
Grade 8	4.9%	7.3%	29.9%	70.1%
Grade 9	11.6%	17.4%	41.5%	58.5%
Grade 10	6.5%	16.4%	50.0%	50.0%
Grade 11	15.6%	22.8%	52.6%	47.4%
Grade 12	15.9%	23.7%	53.3%	46.7%
Liquor?				
All	13.6%	22.8%	42.3%	57.7%
Grade 7	2.9%	4.7%	15.1%	84.9%
Grade 8	6.0%	9.5%	26.0%	74.0%
Grade 9	14.6%	23.8%	43.1%	56.9%
Grade 10	15.3%	28.2%	53.1%	46.9%
Grade 11	23.3%	37.3%	60.7%	39.3%
Grade 12	23.7%	39.9%	65.1%	34.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 119

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	54.3%	0.7%	2.0%	8.4%	12.1%	12.7%	10.0%
Grade 7	81.8%	0.2%	0.9%	2.2%	3.4%	5.8%	5.7%
Grade 8	70.5%	0.5%	1.1%	3.1%	6.0%	9.4%	9.5%
Grade 9	51.5%	0.1%	3.0%	10.2%	14.3%	9.2%	11.7%
Grade 10	42.1%	0.6%	1.5%	10.0%	15.3%	15.7%	14.9%
Grade 11	38.8%	2.2%	2.4%	11.8%	16.0%	20.2%	8.5%
Grade 12	32.0%	0.7%	3.3%	15.4%	20.2%	18.5%	10.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	54.0%	46.0%	13.0%	20.1%	12.9%
	Grade 7	77.5%	22.5%	2.6%	9.2%	10.6%
	Grade 8	66.9%	33.1%	5.6%	14.8%	12.7%
	Grade 9	50.1%	49.9%	10.0%	23.6%	16.3%
	Grade 10	44.8%	55.2%	15.5%	24.4%	15.3%
	Grade 11	40.3%	59.7%	22.7%	26.6%	10.4%
	Grade 12	37.8%	62.2%	26.6%	24.3%	11.3%
<b>Wine Coolers</b>						
	All	63.3%	36.7%	8.1%	22.0%	6.7%
	Grade 7	86.1%	13.9%	1.3%	6.8%	5.8%
	Grade 8	77.0%	23.0%	3.5%	12.2%	7.2%
	Grade 9	59.3%	40.7%	8.4%	23.2%	9.1%
	Grade 10	55.1%	44.9%	9.4%	29.6%	5.9%
	Grade 11	47.2%	52.8%	14.3%	31.9%	6.6%
	Grade 12	47.6%	52.4%	14.2%	33.3%	5.0%
<b>Wine</b>						
	All	65.0%	35.0%	3.6%	18.0%	13.4%
	Grade 7	82.5%	17.5%	1.1%	5.4%	10.9%
	Grade 8	73.8%	26.2%	2.4%	12.0%	11.7%
	Grade 9	63.4%	36.6%	4.5%	18.6%	13.5%
	Grade 10	56.2%	43.8%	5.2%	19.9%	18.7%
	Grade 11	55.8%	44.2%	5.8%	27.5%	10.8%
	Grade 12	53.4%	46.6%	2.5%	29.1%	15.0%
<b>Liquor</b>						
	All	60.8%	39.2%	10.6%	19.9%	8.6%
	Grade 7	86.9%	13.1%	2.0%	6.2%	4.9%
	Grade 8	77.8%	22.2%	4.8%	8.7%	8.7%
	Grade 9	59.8%	40.2%	12.1%	19.8%	8.3%
	Grade 10	50.5%	49.5%	13.2%	25.8%	10.5%
	Grade 11	43.5%	56.5%	19.3%	29.3%	7.9%
	Grade 12	37.2%	62.8%	15.0%	35.5%	12.3%

*Percentages have been weighted to reflect proportions within the population.*

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	85.1%	5.6%	3.4%	2.5%	0.9%	2.4%
Grade 7	95.6%	1.2%	1.4%	0.3%	0.3%	1.1%
Grade 8	92.3%	3.3%	1.3%	1.0%	0.7%	1.3%
Grade 9	84.1%	6.5%	3.9%	1.7%	0.5%	3.4%
Grade 10	84.0%	5.6%	3.5%	2.5%	1.4%	3.0%
Grade 11	77.4%	7.8%	4.2%	6.1%	0.9%	3.6%
Grade 12	73.3%	10.5%	7.3%	4.5%	2.0%	2.4%

**Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	16.0%	15.2%	7.2%	12.0%	19.6%	29.9%
Grade 7	28.5%	29.5%	9.3%	8.5%	11.0%	13.3%
Grade 8	18.9%	20.1%	10.4%	14.0%	19.2%	17.3%
Grade 9	18.9%	13.7%	7.1%	13.1%	17.7%	29.7%
Grade 10	9.0%	12.6%	6.2%	12.3%	27.4%	32.6%
Grade 11	10.2%	7.2%	2.0%	11.3%	19.3%	49.9%
Grade 12	7.5%	4.6%	7.2%	13.4%	24.9%	42.4%

**Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.0%	3.2%	0.5%	0.3%
Grade 7	97.5%	2.4%	0.0%	0.0%
Grade 8	96.5%	3.0%	0.2%	0.3%
Grade 9	96.4%	3.0%	0.5%	0.0%
Grade 10	95.4%	3.8%	0.8%	0.0%
Grade 11	93.6%	4.6%	0.3%	1.5%
Grade 12	95.9%	2.6%	1.5%	0.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-7: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.2
Alcohol Non-Users	3.1
Average Days Conduct Problems Reported	
Alcohol Users	2.2
Alcohol Non-Users	0.6

**Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	93.5%	5.7%	0.4%	0.4%
Grade 9	95.6%	3.9%	0.3%	0.2%
Grade 10	97.4%	2.4%	0.1%	0.0%
Grade 11	91.8%	7.3%	0.5%	0.5%
Grade 12	88.2%	9.8%	0.7%	1.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.1%	4.3%	0.4%	0.1%
Grade 7	98.1%	1.7%	0.1%	0.1%
Grade 8	96.2%	3.3%	0.3%	0.2%
Grade 9	93.9%	5.2%	0.7%	0.2%
Grade 10	96.6%	3.2%	0.1%	0.0%
Grade 11	91.2%	7.5%	1.0%	0.3%
Grade 12	93.7%	5.8%	0.3%	0.2%

**Table A-9: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	40.5%	26.3%	15.3%	14.7%	3.3%
Grade 7	79.1%	14.5%	3.7%	2.2%	0.5%
Grade 8	56.7%	24.8%	11.8%	5.5%	1.2%
Grade 9	34.1%	29.2%	16.6%	16.8%	3.2%
Grade 10	20.5%	35.9%	20.5%	20.1%	3.1%
Grade 11	25.0%	25.7%	20.5%	24.5%	4.3%
Grade 12	17.7%	29.0%	21.4%	23.3%	8.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	43.7%	7.1%	4.8%	9.2%	13.6%	1.8%	19.8%
Grade 7	72.7%	4.6%	2.1%	4.1%	1.0%	2.3%	13.2%
Grade 8	60.2%	8.5%	5.1%	4.9%	4.7%	1.4%	15.3%
Grade 9	39.6%	8.0%	6.6%	8.3%	11.0%	2.8%	23.6%
Grade 10	33.2%	8.9%	5.5%	12.6%	14.5%	2.3%	23.1%
Grade 11	27.2%	7.2%	3.0%	13.4%	27.3%	0.4%	21.4%
Grade 12	20.2%	5.1%	7.1%	13.9%	28.5%	1.6%	23.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	52.4%	21.8%	18.3%	4.2%	3.2%
	Grade 7	69.6%	17.4%	8.2%	3.5%	1.2%
	Grade 8	63.1%	18.3%	13.9%	3.6%	1.1%
	Grade 9	52.4%	21.6%	18.0%	4.9%	3.2%
	Grade 10	42.3%	24.5%	23.8%	3.8%	5.5%
	Grade 11	41.5%	25.1%	24.5%	4.9%	4.1%
	Grade 12	39.4%	25.8%	24.6%	5.1%	5.2%
<b>Friends?</b>						
	All	50.4%	18.8%	15.5%	11.3%	4.1%
	Grade 7	72.7%	19.2%	4.3%	3.1%	0.8%
	Grade 8	63.6%	19.9%	9.2%	5.9%	1.4%
	Grade 9	50.7%	18.2%	17.8%	9.2%	4.1%
	Grade 10	40.2%	19.8%	23.1%	11.8%	5.1%
	Grade 11	35.4%	17.1%	25.6%	14.9%	7.0%
	Grade 12	32.1%	18.0%	15.3%	27.2%	7.4%
<b>A Store?</b>						
	All	53.5%	39.3%	3.7%	2.4%	1.1%
	Grade 7	72.4%	25.5%	1.2%	0.3%	0.7%
	Grade 8	66.3%	29.5%	3.2%	0.8%	0.2%
	Grade 9	55.5%	38.8%	4.1%	1.0%	0.6%
	Grade 10	42.1%	48.0%	3.2%	5.5%	1.2%
	Grade 11	41.3%	47.8%	6.4%	1.8%	2.7%
	Grade 12	36.1%	51.6%	4.7%	6.0%	1.6%
<b>Parties?</b>						
	All	48.4%	18.9%	11.1%	11.8%	9.9%
	Grade 7	70.2%	19.6%	3.7%	4.8%	1.6%
	Grade 8	61.6%	18.7%	7.6%	7.6%	4.5%
	Grade 9	47.6%	18.4%	11.7%	12.6%	9.7%
	Grade 10	38.7%	19.4%	13.6%	15.5%	12.9%
	Grade 11	33.4%	21.3%	15.4%	15.2%	14.8%
	Grade 12	31.2%	15.5%	16.7%	17.3%	19.2%
<b>Other Sources?</b>						
	All	53.7%	25.7%	10.7%	5.1%	4.8%
	Grade 7	71.6%	18.9%	5.1%	3.4%	1.0%
	Grade 8	64.8%	19.9%	7.8%	5.2%	2.3%
	Grade 9	55.0%	24.6%	10.4%	4.9%	5.1%
	Grade 10	43.2%	32.0%	14.7%	5.5%	4.5%
	Grade 11	42.8%	28.9%	14.3%	4.4%	9.6%
	Grade 12	37.9%	32.6%	14.0%	7.5%	8.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.6%	14.1%	13.0%	4.4%	1.5%	6.3%
Grade 7	76.5%	7.5%	5.5%	2.8%	0.4%	7.2%
Grade 8	75.2%	10.8%	6.7%	1.0%	0.5%	5.8%
Grade 9	58.9%	14.3%	10.2%	8.5%	0.2%	7.9%
Grade 10	56.3%	16.4%	14.6%	4.9%	2.9%	4.9%
Grade 11	45.4%	18.5%	18.2%	5.5%	4.3%	8.0%
Grade 12	45.5%	19.3%	26.3%	4.1%	1.4%	3.4%

**Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	50.7%	31.4%	11.8%	2.3%	3.7%
Grade 7	68.2%	19.5%	7.0%	1.7%	3.5%
Grade 8	56.2%	29.1%	10.7%	2.2%	1.8%
Grade 9	44.8%	33.3%	13.7%	1.8%	6.4%
Grade 10	44.7%	37.1%	12.7%	1.5%	4.0%
Grade 11	43.7%	34.6%	13.9%	4.0%	3.8%
Grade 12	43.0%	37.6%	13.8%	3.2%	2.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	13.0%	17.0%	23.2%	76.8%
Grade 7	5.1%	6.3%	7.7%	92.3%
Grade 8	7.9%	10.3%	13.3%	86.7%
Grade 9	14.1%	19.0%	22.4%	77.6%
Grade 10	17.6%	22.6%	29.6%	70.4%
Grade 11	18.6%	25.0%	33.5%	66.5%
Grade 12	16.8%	21.9%	38.6%	61.4%
<b>Marijuana?</b>				
All	12.7%	15.3%	21.5%	78.5%
Grade 7	4.9%	5.0%	6.4%	93.6%
Grade 8	7.6%	8.7%	11.2%	88.8%
Grade 9	14.1%	17.7%	20.9%	79.1%
Grade 10	17.3%	21.6%	28.2%	71.8%
Grade 11	18.6%	21.6%	30.7%	69.3%
Grade 12	15.8%	20.0%	37.1%	62.9%
<b>Cocaine?</b>				
All	1.3%	1.5%	2.9%	97.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	1.9%	2.1%	2.7%	97.3%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	1.1%	1.5%	2.1%	97.9%
Grade 11	1.1%	1.6%	5.5%	94.5%
Grade 12	3.7%	3.7%	7.0%	93.0%
<b>Crack?</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.7%	0.8%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	1.4%	1.4%	3.6%	96.4%
Grade 12	1.1%	1.1%	1.5%	98.5%
<b>Hallucinogens?</b>				
All	0.6%	1.2%	2.9%	97.1%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.2%	0.4%	2.3%	97.7%
Grade 9	0.8%	1.1%	2.9%	97.1%
Grade 10	0.8%	1.3%	2.6%	97.4%
Grade 11	1.1%	2.2%	4.3%	95.7%
Grade 12	1.1%	2.8%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.7%	99.3%
Steroids?				
All	0.7%	0.9%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	0.9%	0.9%	2.4%	97.6%
Grade 10	0.8%	0.8%	4.1%	95.9%
Grade 11	0.9%	1.3%	2.1%	97.9%
Grade 12	0.7%	1.5%	1.5%	98.5%
Ecstasy?				
All	0.5%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	1.2%	98.8%
Grade 9	0.2%	0.8%	2.0%	98.0%
Grade 10	0.6%	1.0%	2.2%	97.8%
Grade 11	0.9%	1.8%	3.3%	96.7%
Grade 12	1.5%	2.9%	3.9%	96.1%
Heroin?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.2%	1.0%	99.0%
Methamphetamine?				
All	0.3%	0.7%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.7%	1.9%	98.1%
Grade 9	0.6%	1.3%	2.1%	97.9%
Grade 10	0.6%	0.8%	0.8%	99.2%
Grade 11	0.2%	0.9%	2.5%	97.5%
Grade 12	0.0%	0.2%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.5%	2.3%	4.9%	95.1%
Grade 7	1.3%	1.5%	1.8%	98.2%
Grade 8	1.1%	2.0%	3.7%	96.3%
Grade 9	1.2%	2.2%	4.3%	95.7%
Grade 10	1.5%	2.0%	4.5%	95.5%
Grade 11	3.0%	4.6%	7.6%	92.4%
Grade 12	0.7%	1.5%	9.1%	90.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	82.8%	2.4%	1.1%	2.0%	3.6%	4.3%	3.8%
	Grade 7	95.2%	0.0%	0.9%	0.2%	1.2%	1.1%	1.2%
	Grade 8	91.1%	1.2%	0.8%	1.4%	1.4%	1.7%	2.5%
	Grade 9	81.8%	2.4%	1.1%	2.1%	6.0%	3.8%	2.9%
	Grade 10	76.9%	2.3%	1.3%	4.0%	5.5%	5.9%	4.1%
	Grade 11	76.5%	3.0%	1.4%	2.8%	4.1%	5.0%	7.2%
	Grade 12	70.9%	6.4%	1.2%	1.8%	3.7%	9.9%	6.2%
Cocaine?								
	All	98.4%	0.0%	0.0%	0.1%	0.3%	0.4%	0.8%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 8	98.6%	0.0%	0.1%	0.0%	0.2%	0.3%	0.9%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 10	98.4%	0.0%	0.0%	0.3%	0.3%	0.3%	0.8%
	Grade 11	97.5%	0.0%	0.0%	0.0%	0.3%	0.8%	1.4%
	Grade 12	95.8%	0.0%	0.0%	0.2%	1.2%	0.7%	2.1%
Crack?								
	All	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	99.3%	0.0%	0.0%	0.1%	0.1%	0.1%	0.5%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	98.9%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%
	Grade 12	99.3%	0.0%	0.0%	0.2%	0.0%	0.0%	0.5%
Steroids?								
	All	99.2%	0.0%	0.0%	0.0%	0.3%	0.1%	0.4%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 8	98.9%	0.0%	0.0%	0.0%	0.5%	0.2%	0.4%
	Grade 9	99.3%	0.1%	0.0%	0.0%	0.6%	0.0%	0.0%
	Grade 10	98.5%	0.0%	0.0%	0.0%	0.0%	0.5%	1.0%
	Grade 11	99.5%	0.0%	0.2%	0.0%	0.0%	0.0%	0.4%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.7%	0.0%	0.0%
Ecstasy?								
	All	98.8%	0.0%	0.0%	0.2%	0.1%	0.4%	0.5%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.7%
	Grade 9	99.7%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%
	Grade 10	98.2%	0.1%	0.0%	0.2%	0.0%	0.4%	1.0%
	Grade 11	98.2%	0.0%	0.0%	0.9%	0.0%	0.5%	0.4%
	Grade 12	96.8%	0.0%	0.0%	0.2%	0.2%	1.9%	0.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 8	99.4%	0.1%	0.0%	0.0%	0.1%	0.4%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%
Methamphetamine?								
	All	99.1%	0.0%	0.0%	0.0%	0.1%	0.4%	0.3%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	98.4%	0.0%	0.0%	0.0%	0.5%	0.3%	0.8%
	Grade 9	98.9%	0.0%	0.0%	0.0%	0.0%	1.1%	0.0%
	Grade 10	99.1%	0.0%	0.2%	0.0%	0.3%	0.4%	0.0%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.3%	0.3%
	Grade 12	98.8%	0.0%	0.0%	0.0%	0.0%	0.5%	0.7%
Synthetic Marijuana?								
	All	96.9%	0.2%	0.2%	0.3%	0.2%	0.7%	1.4%
	Grade 7	99.2%	0.0%	0.0%	0.1%	0.0%	0.3%	0.3%
	Grade 8	97.7%	0.1%	0.5%	0.2%	0.4%	0.4%	0.8%
	Grade 9	96.4%	0.0%	0.1%	0.6%	0.2%	0.4%	2.2%
	Grade 10	97.6%	0.5%	0.0%	0.7%	0.0%	1.0%	0.3%
	Grade 11	94.8%	0.9%	0.3%	0.2%	0.5%	2.2%	1.1%
	Grade 12	95.1%	0.0%	0.2%	0.0%	0.0%	0.2%	4.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	21.7%	27.9%	10.0%	10.0%	12.6%	17.7%
	Grade 7	34.8%	44.9%	7.2%	4.5%	4.7%	3.9%
	Grade 8	24.6%	40.6%	9.2%	7.8%	9.0%	8.8%
	Grade 9	25.3%	26.8%	13.9%	8.9%	10.2%	14.8%
	Grade 10	15.0%	23.9%	10.6%	12.6%	13.9%	24.0%
	Grade 11	16.6%	12.4%	9.7%	11.4%	19.8%	30.1%
	Grade 12	9.9%	13.2%	9.7%	16.9%	20.7%	29.6%
Cocaine?							
	All	30.5%	39.5%	13.1%	9.3%	3.5%	4.1%
	Grade 7	39.3%	48.4%	6.7%	3.2%	0.8%	1.6%
	Grade 8	31.9%	47.6%	10.1%	5.5%	2.5%	2.3%
	Grade 9	36.4%	36.9%	13.5%	6.4%	2.3%	4.4%
	Grade 10	25.5%	39.7%	16.6%	11.9%	4.0%	2.3%
	Grade 11	24.3%	28.6%	15.2%	16.1%	6.0%	10.0%
	Grade 12	22.5%	32.5%	18.5%	15.1%	6.5%	5.0%
Crack?							
	All	31.9%	40.0%	14.8%	7.7%	2.4%	3.2%
	Grade 7	40.4%	48.5%	6.6%	2.1%	0.8%	1.6%
	Grade 8	32.6%	46.7%	11.1%	5.0%	2.6%	2.1%
	Grade 9	37.9%	34.7%	15.1%	7.6%	1.5%	3.3%
	Grade 10	26.8%	39.7%	21.6%	8.5%	2.7%	0.8%
	Grade 11	25.6%	31.9%	16.1%	13.0%	6.1%	7.3%
	Grade 12	25.8%	36.4%	20.4%	11.7%	1.2%	4.6%
Steroids?							
	All	33.5%	37.3%	13.9%	7.1%	4.2%	4.0%
	Grade 7	41.0%	44.4%	8.5%	2.7%	1.6%	1.8%
	Grade 8	34.6%	46.0%	9.8%	5.0%	3.0%	1.6%
	Grade 9	38.7%	32.7%	14.5%	5.9%	3.6%	4.6%
	Grade 10	28.3%	37.1%	17.0%	8.0%	6.4%	3.2%
	Grade 11	27.7%	30.3%	15.1%	12.1%	6.3%	8.6%
	Grade 12	28.5%	31.1%	19.9%	10.4%	4.8%	5.2%
Ecstasy?							
	All	43.5%	33.0%	10.8%	6.1%	2.9%	3.7%
	Grade 7	57.1%	34.4%	4.5%	1.5%	1.2%	1.3%
	Grade 8	49.3%	38.0%	7.2%	2.4%	1.9%	1.2%
	Grade 9	47.4%	33.7%	8.5%	4.8%	1.8%	3.8%
	Grade 10	36.8%	31.6%	16.4%	8.9%	4.0%	2.3%
	Grade 11	34.5%	28.2%	13.1%	10.4%	5.1%	8.7%
	Grade 12	31.8%	30.6%	17.1%	10.5%	4.2%	5.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	39.5%	39.1%	12.9%	4.2%	2.0%	2.3%
	Grade 7	50.4%	39.7%	5.6%	1.9%	1.0%	1.4%
	Grade 8	41.0%	44.3%	10.1%	1.9%	1.5%	1.2%
	Grade 9	42.0%	37.9%	11.6%	4.4%	1.5%	2.7%
	Grade 10	32.6%	42.4%	17.1%	4.9%	2.0%	1.1%
	Grade 11	36.5%	31.3%	15.2%	8.3%	4.2%	4.5%
	Grade 12	32.3%	37.6%	19.9%	4.6%	1.9%	3.7%
<b>Methamphetamine?</b>							
	All	39.8%	38.1%	10.3%	5.9%	2.5%	3.4%
	Grade 7	51.8%	39.4%	4.3%	2.4%	0.7%	1.4%
	Grade 8	42.0%	43.3%	7.7%	3.6%	2.1%	1.4%
	Grade 9	42.6%	37.8%	10.9%	3.5%	2.6%	2.6%
	Grade 10	33.3%	40.8%	14.5%	6.2%	2.5%	2.6%
	Grade 11	36.1%	29.1%	12.1%	10.6%	4.0%	8.1%
	Grade 12	30.2%	37.1%	13.2%	10.9%	3.5%	5.1%
<b>Synthetic Marijuana?</b>							
	All	39.1%	31.8%	10.4%	6.9%	4.6%	7.1%
	Grade 7	52.6%	37.3%	4.8%	1.7%	1.5%	2.1%
	Grade 8	44.0%	38.4%	8.6%	3.9%	2.5%	2.6%
	Grade 9	42.1%	32.3%	12.1%	3.5%	2.6%	7.3%
	Grade 10	30.1%	33.0%	12.0%	9.3%	9.7%	5.9%
	Grade 11	33.0%	21.1%	12.7%	11.5%	6.0%	15.8%
	Grade 12	29.5%	25.8%	13.7%	13.8%	6.5%	10.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	94.3%	3.4%	1.0%	1.3%
Grade 7	97.9%	1.5%	0.1%	0.5%
Grade 8	95.4%	3.2%	0.6%	0.7%
Grade 9	93.6%	4.7%	0.9%	0.8%
Grade 10	94.5%	3.4%	0.7%	1.5%
Grade 11	93.3%	3.8%	1.4%	1.5%
Grade 12	89.9%	4.1%	2.4%	3.6%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.1%	1.1%	0.4%	0.4%
Grade 7	99.2%	0.7%	0.0%	0.0%
Grade 8	97.2%	2.0%	0.2%	0.6%
Grade 9	97.9%	0.2%	0.8%	1.1%
Grade 10	98.7%	1.0%	0.0%	0.3%
Grade 11	98.1%	1.0%	0.4%	0.4%
Grade 12	97.5%	1.5%	1.0%	0.0%

**Table D-5: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.2
Marijuana Non-Users	3.4
Average Days Conduct Problems Reported	
Marijuana Users	4.1
Marijuana Non-Users	0.9

*Percentages have been weighted to reflect proportions within the population.*



**Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.4%	3.1%	0.9%	1.7%
Grade 9	97.5%	1.3%	0.6%	0.6%
Grade 10	97.0%	2.0%	0.5%	0.5%
Grade 11	90.9%	5.6%	1.7%	1.7%
Grade 12	91.1%	3.9%	0.7%	4.3%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.9%	2.5%	0.6%	0.0%
Grade 7	98.4%	1.5%	0.2%	0.0%
Grade 8	96.4%	3.2%	0.3%	0.2%
Grade 9	97.4%	1.6%	1.0%	0.0%
Grade 10	97.8%	1.8%	0.4%	0.0%
Grade 11	95.8%	3.2%	1.0%	0.0%
Grade 12	95.1%	4.5%	0.5%	0.0%

**Table D-7: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	60.1%	19.7%	10.2%	7.4%	2.6%
Grade 7	86.5%	9.2%	3.0%	0.9%	0.4%
Grade 8	71.8%	16.5%	6.0%	4.5%	1.2%
Grade 9	59.9%	18.2%	13.3%	6.3%	2.3%
Grade 10	50.1%	22.1%	15.1%	9.5%	3.2%
Grade 11	45.5%	24.5%	12.2%	13.5%	4.3%
Grade 12	38.9%	31.2%	13.1%	11.5%	5.3%

**Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	55.7%	6.0%	5.1%	5.1%	5.2%	3.0%	19.9%
Grade 7	80.0%	1.6%	1.0%	0.3%	1.1%	2.7%	13.4%
Grade 8	71.4%	3.0%	2.9%	3.1%	2.8%	1.5%	15.3%
Grade 9	55.4%	5.7%	5.0%	3.6%	3.2%	2.4%	24.7%
Grade 10	46.8%	8.7%	6.6%	6.2%	4.2%	4.8%	22.7%
Grade 11	39.1%	11.4%	6.9%	7.4%	11.3%	2.5%	21.4%
Grade 12	33.2%	7.1%	10.0%	11.8%	10.3%	4.5%	23.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.8%	5.5%	5.6%	1.5%	1.6%	5.9%
Grade 7	86.0%	3.1%	2.1%	0.5%	0.7%	7.6%
Grade 8	88.0%	2.8%	3.0%	0.7%	0.7%	4.8%
Grade 9	78.0%	6.5%	4.6%	2.7%	0.3%	7.9%
Grade 10	76.6%	7.1%	6.8%	2.7%	2.8%	4.0%
Grade 11	72.5%	7.3%	8.8%	0.6%	3.3%	7.4%
Grade 12	75.1%	7.1%	9.9%	2.1%	2.2%	3.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	61.6%	14.1%	9.5%	10.2%	4.6%
	Grade 7	84.1%	6.2%	3.9%	2.5%	3.4%
	Grade 8	74.2%	12.0%	5.9%	5.0%	3.0%
	Grade 9	61.4%	15.2%	8.4%	8.9%	6.1%
	Grade 10	48.8%	19.0%	13.0%	15.6%	3.6%
	Grade 11	47.7%	15.0%	14.3%	14.5%	8.6%
	Grade 12	46.1%	19.2%	13.8%	17.6%	3.3%
Cocaine?						
	All	89.7%	4.3%	0.6%	0.7%	4.7%
	Grade 7	93.2%	2.4%	0.5%	0.2%	3.7%
	Grade 8	91.9%	4.6%	0.6%	0.4%	2.5%
	Grade 9	87.0%	5.8%	0.7%	0.3%	6.2%
	Grade 10	89.6%	4.5%	0.7%	0.5%	4.6%
	Grade 11	85.8%	3.4%	0.2%	2.6%	7.9%
	Grade 12	90.3%	5.1%	0.7%	0.4%	3.4%
Crack?						
	All	90.7%	3.5%	0.3%	0.7%	4.7%
	Grade 7	93.2%	2.3%	0.4%	0.1%	3.9%
	Grade 8	92.8%	3.7%	0.7%	0.3%	2.5%
	Grade 9	87.2%	6.2%	0.2%	0.2%	6.2%
	Grade 10	89.8%	4.5%	0.2%	0.2%	5.3%
	Grade 11	88.2%	1.3%	0.5%	2.6%	7.4%
	Grade 12	93.0%	2.7%	0.0%	0.9%	3.5%
Ecstasy?						
	All	84.1%	6.0%	1.4%	1.2%	7.3%
	Grade 7	88.7%	2.4%	0.3%	0.1%	8.5%
	Grade 8	88.8%	2.9%	0.4%	0.3%	7.6%
	Grade 9	82.1%	7.9%	1.7%	1.0%	7.3%
	Grade 10	81.9%	9.0%	1.3%	1.5%	6.3%
	Grade 11	78.3%	5.4%	2.5%	3.8%	10.0%
	Grade 12	82.8%	9.5%	3.0%	0.9%	3.8%
Steroids?						
	All	76.7%	11.4%	4.2%	1.1%	6.6%
	Grade 7	82.8%	9.1%	2.8%	0.3%	5.0%
	Grade 8	80.6%	8.6%	4.4%	0.8%	5.6%
	Grade 9	78.0%	10.8%	3.2%	0.8%	7.1%
	Grade 10	71.9%	16.1%	3.8%	1.0%	7.2%
	Grade 11	71.3%	11.3%	4.6%	2.6%	10.1%
	Grade 12	73.6%	13.2%	6.9%	1.1%	5.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	90.3%	2.6%	0.3%	0.6%	6.1%
	Grade 7	90.0%	2.5%	0.3%	0.3%	7.0%
	Grade 8	92.5%	1.9%	0.5%	0.3%	4.8%
	Grade 9	88.4%	2.8%	1.0%	0.1%	7.6%
	Grade 10	89.9%	4.2%	0.1%	0.2%	5.6%
	Grade 11	88.4%	1.1%	0.0%	2.6%	7.9%
	Grade 12	92.9%	3.4%	0.0%	0.2%	3.5%
<b>Methamphetamine?</b>						
	All	90.2%	2.9%	0.5%	0.6%	5.8%
	Grade 7	91.6%	1.9%	0.4%	0.4%	5.7%
	Grade 8	91.4%	3.0%	0.4%	0.3%	4.9%
	Grade 9	87.5%	4.7%	0.9%	0.1%	6.7%
	Grade 10	89.4%	3.9%	0.1%	0.2%	6.3%
	Grade 11	88.3%	1.5%	0.0%	2.6%	7.6%
	Grade 12	93.1%	2.3%	0.9%	0.2%	3.5%
<b>Synthetic Marijuana?</b>						
	All	84.3%	6.2%	1.3%	1.4%	6.8%
	Grade 7	89.1%	3.5%	1.1%	0.3%	5.9%
	Grade 8	87.8%	4.7%	0.6%	1.6%	5.3%
	Grade 9	81.8%	7.9%	1.6%	1.2%	7.5%
	Grade 10	81.2%	6.4%	1.1%	1.3%	10.0%
	Grade 11	76.4%	7.9%	3.3%	3.8%	8.6%
	Grade 12	88.5%	7.2%	0.5%	0.2%	3.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	11.5%	15.2%	20.0%	80.0%
Grade 7	6.9%	8.7%	13.8%	86.2%
Grade 8	11.4%	16.1%	18.9%	81.1%
Grade 9	10.0%	15.8%	21.9%	78.1%
Grade 10	18.1%	21.3%	26.2%	73.8%
Grade 11	12.8%	15.4%	19.9%	80.1%
Grade 12	9.9%	14.5%	19.8%	80.2%
<b>Codeine Cough Syrup?</b>				
All	6.8%	9.8%	13.7%	86.3%
Grade 7	4.0%	5.6%	9.6%	90.4%
Grade 8	7.0%	9.5%	12.7%	87.3%
Grade 9	6.2%	10.5%	15.7%	84.3%
Grade 10	9.5%	12.7%	16.4%	83.6%
Grade 11	8.5%	10.1%	15.0%	85.0%
Grade 12	6.1%	10.7%	12.8%	87.2%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	2.7%	3.8%	5.6%	94.4%
Grade 7	1.4%	1.5%	2.1%	97.9%
Grade 8	1.6%	2.1%	3.4%	96.6%
Grade 9	1.7%	2.4%	4.6%	95.4%
Grade 10	4.1%	5.5%	7.7%	92.3%
Grade 11	4.0%	5.1%	8.3%	91.7%
Grade 12	3.9%	7.1%	8.8%	91.2%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.5%	2.3%	3.7%	96.3%
Grade 7	0.7%	1.5%	1.7%	98.3%
Grade 8	0.9%	1.3%	1.8%	98.2%
Grade 9	1.0%	1.8%	3.0%	97.0%
Grade 10	2.2%	3.6%	5.7%	94.3%
Grade 11	2.3%	2.5%	5.0%	95.0%
Grade 12	2.0%	3.3%	5.7%	94.3%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.9%	2.2%	2.8%	97.2%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	1.8%	2.0%	2.7%	97.3%
Grade 9	1.6%	1.9%	2.1%	97.9%
Grade 10	2.3%	2.8%	3.4%	96.6%
Grade 11	2.1%	2.3%	3.9%	96.1%
Grade 12	2.8%	3.2%	3.5%	96.5%

*Percentages have been weighted to reflect proportions within the population.*

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.8%	6.2%	9.6%	90.4%
Grade 7	3.2%	4.2%	7.9%	92.1%
Grade 8	5.5%	9.1%	12.1%	87.9%
Grade 9	3.6%	5.2%	8.5%	91.5%
Grade 10	9.5%	10.2%	13.5%	86.5%
Grade 11	4.0%	5.0%	8.9%	91.1%
Grade 12	2.7%	3.1%	6.1%	93.9%

**Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.9%	2.5%	3.2%	96.8%
Grade 7	1.1%	1.3%	1.9%	98.1%
Grade 8	2.0%	2.3%	3.7%	96.3%
Grade 9	2.9%	3.6%	4.3%	95.7%
Grade 10	1.0%	1.3%	1.7%	98.3%
Grade 11	3.0%	4.5%	5.9%	94.1%
Grade 12	1.1%	2.1%	2.1%	97.9%

**Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.7%	11.9%	4.7%	1.2%	6.5%
Grade 7	83.8%	6.4%	3.6%	0.7%	5.6%
Grade 8	78.3%	11.3%	4.9%	0.5%	5.0%
Grade 9	71.0%	15.5%	5.1%	0.3%	8.2%
Grade 10	74.3%	14.2%	5.0%	1.2%	5.3%
Grade 11	68.6%	11.4%	6.5%	4.4%	9.1%
Grade 12	76.9%	13.5%	3.2%	0.7%	5.7%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.6%	7.4%	16.4%	83.6%
Grade 7	5.7%	7.8%	14.1%	85.9%
Grade 8	6.9%	8.3%	16.7%	83.3%
Grade 9	8.0%	8.5%	16.8%	83.2%
Grade 10	5.5%	8.1%	20.2%	79.8%
Grade 11	3.9%	5.5%	16.3%	83.7%
Grade 12	2.9%	5.4%	14.6%	85.4%
Spray Paint?				
All	0.3%	0.9%	3.6%	96.4%
Grade 7	0.5%	1.3%	4.0%	96.0%
Grade 8	0.4%	0.5%	2.5%	97.5%
Grade 9	0.3%	0.4%	4.0%	96.0%
Grade 10	0.5%	1.2%	3.4%	96.6%
Grade 11	0.0%	1.8%	5.5%	94.5%
Grade 12	0.0%	0.0%	2.2%	97.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.2%	2.1%	6.4%	93.6%
Grade 7	1.0%	1.5%	5.3%	94.7%
Grade 8	1.9%	3.8%	8.4%	91.6%
Grade 9	2.4%	2.5%	6.1%	93.9%
Grade 10	1.2%	2.2%	8.3%	91.7%
Grade 11	0.0%	1.8%	5.7%	94.3%
Grade 12	0.2%	0.2%	4.3%	95.7%
Computer Dusting Sprays?				
All	0.3%	0.8%	1.6%	98.4%
Grade 7	0.5%	0.9%	1.7%	98.3%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	0.0%	2.3%	3.8%	96.2%
Grade 12	0.0%	0.8%	1.8%	98.2%
Helium, Butane, Propane, Whippets, or Freon?				
All	2.0%	2.9%	7.4%	92.6%
Grade 7	1.8%	2.2%	5.1%	94.9%
Grade 8	3.2%	4.1%	7.7%	92.3%
Grade 9	3.5%	4.3%	8.5%	91.5%
Grade 10	0.9%	1.3%	9.5%	90.5%
Grade 11	0.5%	2.0%	6.1%	93.9%
Grade 12	1.9%	3.7%	7.2%	92.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 119

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.2%	0.4%	1.3%	98.7%
Grade 7	0.8%	1.2%	1.9%	98.1%
Grade 8	0.2%	0.4%	1.5%	98.5%
Grade 9	0.1%	0.2%	0.7%	99.3%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.9%	1.3%	98.7%
Grade 12	0.0%	0.0%	1.3%	98.7%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.7%	1.4%	98.6%
Grade 7	0.9%	0.9%	1.8%	98.2%
Grade 8	0.3%	0.8%	1.7%	98.3%
Grade 9	0.0%	0.2%	0.6%	99.4%
Grade 10	0.2%	0.5%	0.9%	99.1%
Grade 11	0.0%	1.8%	2.8%	97.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.4%	0.8%	2.2%	97.8%
Grade 7	1.3%	1.3%	4.0%	96.0%
Grade 8	0.6%	0.9%	2.7%	97.3%
Grade 9	0.0%	0.1%	2.1%	97.9%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	2.0%	3.2%	96.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Other Aerosols/Sprays?</b>				
All	0.8%	1.5%	3.4%	96.6%
Grade 7	0.8%	1.1%	3.5%	96.5%
Grade 8	2.0%	2.0%	5.0%	95.0%
Grade 9	0.9%	1.8%	2.0%	98.0%
Grade 10	0.7%	2.1%	4.2%	95.8%
Grade 11	0.0%	1.8%	4.9%	95.1%
Grade 12	0.3%	0.3%	0.5%	99.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	95.3%	0.1%	0.1%	0.2%	0.5%	0.7%	3.1%
Grade 7	94.1%	0.1%	0.1%	0.0%	1.3%	0.2%	4.1%
Grade 8	95.8%	0.0%	0.1%	0.0%	1.0%	1.5%	1.5%
Grade 9	96.4%	0.0%	0.0%	0.3%	0.0%	1.4%	1.9%
Grade 10	92.8%	0.6%	0.0%	0.2%	0.5%	0.6%	5.3%
Grade 11	95.8%	0.0%	0.0%	1.0%	0.0%	0.2%	3.1%
Grade 12	97.1%	0.0%	0.2%	0.0%	0.0%	0.0%	2.7%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	85.1%	8.8%	4.5%	1.6%
Grade 7	87.7%	5.2%	4.3%	2.8%
Grade 8	84.5%	8.9%	4.3%	2.4%
Grade 9	84.5%	8.4%	6.7%	0.4%
Grade 10	81.1%	11.8%	6.4%	0.7%
Grade 11	87.0%	7.2%	3.0%	2.8%
Grade 12	86.2%	11.8%	1.7%	0.3%

**Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	1.0%	0.1%	0.1%
Grade 7	98.6%	1.4%	0.0%	0.0%
Grade 8	98.3%	1.3%	0.1%	0.3%
Grade 9	99.2%	0.7%	0.1%	0.0%
Grade 10	99.5%	0.5%	0.0%	0.0%
Grade 11	97.8%	2.1%	0.2%	0.0%
Grade 12	99.8%	0.0%	0.2%	0.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-5: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.4
Inhalant Non-Users	3.5
Average Days Conduct Problems Reported	
Inhalant Users	9.2
Inhalant Non-Users	1.1

**Table I-6: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	90.3%	7.5%	1.5%	0.4%	0.2%
Grade 7	92.8%	5.7%	1.5%	0.0%	0.0%
Grade 8	89.6%	7.0%	1.5%	1.8%	0.1%
Grade 9	90.8%	7.8%	1.1%	0.2%	0.0%
Grade 10	87.3%	10.3%	2.4%	0.0%	0.0%
Grade 11	87.4%	9.9%	1.0%	0.4%	1.3%
Grade 12	94.3%	4.5%	1.2%	0.0%	0.0%

**Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.0%	11.7%	2.1%	1.2%	7.0%
Grade 7	84.3%	9.8%	1.9%	0.8%	3.2%
Grade 8	83.8%	8.8%	2.1%	0.9%	4.5%
Grade 9	74.7%	13.1%	2.7%	1.1%	8.4%
Grade 10	71.6%	15.6%	2.1%	0.5%	10.2%
Grade 11	71.5%	11.9%	2.6%	3.6%	10.4%
Grade 12	81.0%	11.2%	1.2%	0.4%	6.2%

**Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	33.3%	18.1%	5.1%	7.8%	9.0%	26.7%
Grade 7	41.7%	25.8%	6.6%	5.2%	6.1%	14.6%
Grade 8	33.6%	23.5%	7.4%	9.0%	9.9%	16.5%
Grade 9	37.7%	19.5%	4.0%	7.9%	5.6%	25.3%
Grade 10	26.2%	16.5%	6.2%	9.0%	7.4%	34.7%
Grade 11	30.4%	10.0%	3.0%	7.1%	11.9%	37.6%
Grade 12	28.1%	10.1%	2.4%	9.1%	14.8%	35.5%

*Percentages have been weighted to reflect proportions within the population.*

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	31.9%
	Grade 7	32.5%
	Grade 8	48.9%
	Grade 9	31.0%
	Grade 10	30.3%
	Grade 11	21.5%
	Grade 12	24.0%
An Assembly Program		
	All	52.3%
	Grade 7	45.5%
	Grade 8	50.6%
	Grade 9	55.9%
	Grade 10	56.3%
	Grade 11	51.3%
	Grade 12	55.2%
Guidance Counselor		
	All	23.3%
	Grade 7	28.9%
	Grade 8	28.9%
	Grade 9	20.4%
	Grade 10	21.8%
	Grade 11	21.7%
	Grade 12	16.4%
School Nurse		
	All	12.7%
	Grade 7	16.0%
	Grade 8	13.2%
	Grade 9	16.3%
	Grade 10	11.9%
	Grade 11	10.5%
	Grade 12	6.9%
Science or Social Studies Class		
	All	21.6%
	Grade 7	23.6%
	Grade 8	21.6%
	Grade 9	23.6%
	Grade 10	20.3%
	Grade 11	19.2%
	Grade 12	20.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 32 of 119

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	9.5%
	Grade 7	8.9%
	Grade 8	9.3%
	Grade 9	7.3%
	Grade 10	12.5%
	Grade 11	12.3%
	Grade 12	6.6%
<b>An Invited School Guest</b>		
	All	34.8%
	Grade 7	29.6%
	Grade 8	32.3%
	Grade 9	37.8%
	Grade 10	42.6%
	Grade 11	29.5%
	Grade 12	38.2%
<b>Another Source at School</b>		
	All	24.7%
	Grade 7	26.3%
	Grade 8	25.7%
	Grade 9	24.8%
	Grade 10	28.8%
	Grade 11	24.3%
	Grade 12	17.8%
<b>Any School Source</b>		
	All	67.7%
	Grade 7	65.2%
	Grade 8	72.8%
	Grade 9	69.4%
	Grade 10	70.3%
	Grade 11	61.6%
	Grade 12	65.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	38.6%
	Grade 7	51.8%
	Grade 8	51.6%
	Grade 9	36.4%
	Grade 10	33.8%
	Grade 11	28.8%
	Grade 12	23.9%
<b>School Nurse</b>		
	All	21.1%
	Grade 7	28.9%
	Grade 8	27.8%
	Grade 9	19.3%
	Grade 10	18.2%
	Grade 11	16.4%
	Grade 12	13.3%
<b>Another Adult In School</b>		
	All	44.2%
	Grade 7	50.5%
	Grade 8	50.4%
	Grade 9	43.1%
	Grade 10	40.1%
	Grade 11	45.1%
	Grade 12	32.9%
<b>Counselor/Program Outside-School</b>		
	All	40.9%
	Grade 7	46.2%
	Grade 8	51.3%
	Grade 9	36.9%
	Grade 10	38.9%
	Grade 11	34.8%
	Grade 12	34.9%
<b>Your Parents</b>		
	All	69.0%
	Grade 7	80.3%
	Grade 8	72.1%
	Grade 9	63.7%
	Grade 10	67.3%
	Grade 11	61.4%
	Grade 12	67.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	51.5%
	Grade 7	64.0%
	Grade 8	58.7%
	Grade 9	46.9%
	Grade 10	46.4%
	Grade 11	44.4%
	Grade 12	45.9%
<b>Your Friends</b>		
	All	64.4%
	Grade 7	48.9%
	Grade 8	62.3%
	Grade 9	68.8%
	Grade 10	65.9%
	Grade 11	69.4%
	Grade 12	74.0%
<b>Another Adult</b>		
	All	62.6%
	Grade 7	65.9%
	Grade 8	67.7%
	Grade 9	55.0%
	Grade 10	61.8%
	Grade 11	63.9%
	Grade 12	60.3%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	6.6%
	Grade 7	5.4%
	Grade 8	7.2%
	Grade 9	5.4%
	Grade 10	9.3%
	Grade 11	8.0%
	Grade 12	4.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 35 of 119

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.2%	21.1%	23.1%	37.1%	14.5%
Grade 7	5.7%	15.2%	22.1%	36.2%	20.9%
Grade 8	4.3%	21.0%	20.1%	38.9%	15.7%
Grade 9	2.3%	19.9%	25.7%	41.1%	10.9%
Grade 10	3.9%	25.4%	24.9%	33.1%	12.6%
Grade 11	5.0%	23.1%	25.7%	33.3%	12.8%
Grade 12	4.2%	23.2%	19.9%	39.8%	12.9%
<b>Sometimes Carry Weapons?</b>					
All	61.6%	20.3%	9.7%	5.4%	3.0%
Grade 7	84.3%	10.9%	3.2%	0.8%	0.9%
Grade 8	74.3%	15.7%	4.9%	3.2%	1.9%
Grade 9	58.2%	21.9%	11.4%	7.8%	0.8%
Grade 10	52.5%	25.8%	12.5%	4.7%	4.5%
Grade 11	43.0%	26.3%	14.9%	8.0%	7.8%
Grade 12	51.4%	23.7%	13.2%	8.8%	2.8%
<b>Care About Making Good Grades?</b>					
All	1.8%	12.2%	24.4%	42.9%	18.7%
Grade 7	1.9%	9.4%	19.7%	41.5%	27.4%
Grade 8	1.0%	12.4%	21.7%	43.7%	21.2%
Grade 9	2.5%	12.2%	25.4%	40.3%	19.6%
Grade 10	1.8%	13.2%	26.1%	44.1%	14.8%
Grade 11	2.6%	15.3%	26.4%	41.7%	14.0%
Grade 12	1.3%	10.8%	28.1%	46.8%	12.9%
<b>Belong/Want to Belong to a Gang?</b>					
All	85.7%	8.4%	2.8%	1.4%	1.7%
Grade 7	86.7%	8.5%	2.9%	1.1%	0.9%
Grade 8	84.6%	10.5%	2.1%	1.5%	1.4%
Grade 9	85.9%	8.1%	3.1%	2.0%	1.0%
Grade 10	85.4%	7.7%	3.8%	2.5%	0.6%
Grade 11	80.8%	10.6%	3.8%	1.0%	3.9%
Grade 12	91.6%	4.6%	0.8%	0.0%	3.0%
<b>Wish They Could Drop Out of School?</b>					
All	51.5%	30.6%	11.6%	4.1%	2.1%
Grade 7	71.7%	21.2%	4.5%	1.3%	1.3%
Grade 8	57.4%	29.0%	10.0%	2.5%	1.1%
Grade 9	44.7%	33.2%	15.1%	5.6%	1.4%
Grade 10	44.9%	35.0%	13.0%	4.5%	2.6%
Grade 11	35.6%	35.2%	19.3%	5.6%	4.3%
Grade 12	51.7%	31.4%	8.7%	5.5%	2.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.6%	11.1%	0.7%	0.3%	1.3%
Grade 7	87.0%	12.0%	0.4%	0.0%	0.6%
Grade 8	85.7%	12.4%	0.5%	0.1%	1.3%
Grade 9	85.0%	11.8%	0.9%	0.7%	1.7%
Grade 10	85.4%	12.0%	1.3%	0.8%	0.5%
Grade 11	88.0%	8.7%	0.7%	0.0%	2.6%
Grade 12	89.4%	9.0%	0.7%	0.0%	0.9%
<b>Out In Your Neighborhood?</b>					
All	51.4%	40.7%	4.6%	0.8%	2.5%
Grade 7	41.0%	47.2%	7.3%	2.1%	2.4%
Grade 8	43.3%	47.9%	5.9%	0.5%	2.4%
Grade 9	51.7%	39.9%	3.0%	0.0%	5.3%
Grade 10	57.7%	36.5%	3.9%	0.9%	1.1%
Grade 11	54.1%	38.5%	4.2%	1.2%	1.9%
Grade 12	64.7%	30.8%	2.7%	0.2%	1.6%
<b>At School?</b>					
All	51.7%	37.3%	4.9%	2.5%	3.6%
Grade 7	55.2%	34.8%	4.8%	2.8%	2.4%
Grade 8	54.0%	36.6%	5.4%	1.2%	2.8%
Grade 9	45.5%	44.4%	2.5%	2.0%	5.6%
Grade 10	47.4%	41.0%	6.0%	3.4%	2.3%
Grade 11	46.9%	37.5%	5.1%	4.3%	6.3%
Grade 12	62.4%	27.7%	5.8%	1.7%	2.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.7%	24.8%	39.6%	60.4%
Grade 7	8.3%	9.4%	17.0%	83.0%
Grade 8	11.0%	14.6%	24.5%	75.5%
Grade 9	17.5%	20.4%	39.3%	60.7%
Grade 10	22.9%	33.4%	51.2%	48.8%
Grade 11	29.3%	36.8%	52.4%	47.6%
Grade 12	34.3%	40.3%	61.2%	38.8%
<b>Any Alcohol Product</b>				
All	35.4%	40.2%	61.0%	39.0%
Grade 7	16.8%	19.2%	36.0%	64.0%
Grade 8	22.1%	24.4%	47.9%	52.1%
Grade 9	38.4%	43.3%	65.0%	35.0%
Grade 10	41.5%	48.2%	70.6%	29.4%
Grade 11	50.3%	57.5%	78.0%	22.0%
Grade 12	49.7%	55.6%	76.0%	24.0%
<b>Any Illicit Drug</b>				
All	13.0%	17.0%	23.2%	76.8%
Grade 7	5.1%	6.3%	7.7%	92.3%
Grade 8	7.9%	10.3%	13.3%	86.7%
Grade 9	14.1%	19.0%	22.4%	77.6%
Grade 10	17.6%	22.6%	29.6%	70.4%
Grade 11	18.6%	25.0%	33.5%	66.5%
Grade 12	16.8%	21.9%	38.6%	61.4%
<b>Any Prescription Drug</b>				
All	11.5%	15.2%	20.0%	80.0%
Grade 7	6.9%	8.7%	13.8%	86.2%
Grade 8	11.4%	16.1%	18.9%	81.1%
Grade 9	10.0%	15.8%	21.9%	78.1%
Grade 10	18.1%	21.3%	26.2%	73.8%
Grade 11	12.8%	15.4%	19.9%	80.1%
Grade 12	9.9%	14.5%	19.8%	80.2%
<b>Any Inhalant</b>				
All	5.6%	7.4%	16.4%	83.6%
Grade 7	5.7%	7.8%	14.1%	85.9%
Grade 8	6.9%	8.3%	16.7%	83.3%
Grade 9	8.0%	8.5%	16.8%	83.2%
Grade 10	5.5%	8.1%	20.2%	79.8%
Grade 11	3.9%	5.5%	16.3%	83.7%
Grade 12	2.9%	5.4%	14.6%	85.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.0%	15.6%	29.9%	70.1%
Grade 7	2.9%	4.7%	11.7%	88.3%
Grade 8	5.0%	9.6%	19.7%	80.3%
Grade 9	10.2%	14.2%	31.0%	69.0%
Grade 10	7.5%	19.1%	38.9%	61.1%
Grade 11	13.0%	25.8%	41.8%	58.2%
Grade 12	18.0%	24.0%	42.1%	57.9%
<b>Marijuana</b>				
All	12.7%	15.3%	21.5%	78.5%
Grade 7	4.9%	5.0%	6.4%	93.6%
Grade 8	7.6%	8.7%	11.2%	88.8%
Grade 9	14.1%	17.7%	20.9%	79.1%
Grade 10	17.3%	21.6%	28.2%	71.8%
Grade 11	18.6%	21.6%	30.7%	69.3%
Grade 12	15.8%	20.0%	37.1%	62.9%
<b>Marijuana Only</b>				
All	6.7%	8.9%	14.1%	85.9%
Grade 7	2.5%	2.6%	3.9%	96.1%
Grade 8	2.9%	3.8%	5.7%	94.3%
Grade 9	9.0%	11.4%	14.4%	85.6%
Grade 10	10.5%	14.8%	21.3%	78.7%
Grade 11	9.4%	11.9%	20.2%	79.8%
Grade 12	7.0%	10.1%	22.7%	77.3%
<b>Cocaine or Crack</b>				
All	1.5%	1.7%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	1.9%	2.1%	2.8%	97.2%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	1.1%	1.5%	2.1%	97.9%
Grade 11	1.9%	2.4%	6.1%	93.9%
Grade 12	3.7%	3.7%	7.3%	92.7%
<b>Cocaine</b>				
All	1.3%	1.5%	2.9%	97.1%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	1.9%	2.1%	2.7%	97.3%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	1.1%	1.5%	2.1%	97.9%
Grade 11	1.1%	1.6%	5.5%	94.5%
Grade 12	3.7%	3.7%	7.0%	93.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.7%	0.8%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	1.4%	1.4%	3.6%	96.4%
Grade 12	1.1%	1.1%	1.5%	98.5%
<b>Hallucinogens</b>				
All	0.6%	1.2%	2.9%	97.1%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.2%	0.4%	2.3%	97.7%
Grade 9	0.8%	1.1%	2.9%	97.1%
Grade 10	0.8%	1.3%	2.6%	97.4%
Grade 11	1.1%	2.2%	4.3%	95.7%
Grade 12	1.1%	2.8%	5.0%	95.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Steroids</b>				
All	0.7%	0.9%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	1.1%	1.3%	2.0%	98.0%
Grade 9	0.9%	0.9%	2.4%	97.6%
Grade 10	0.8%	0.8%	4.1%	95.9%
Grade 11	0.9%	1.3%	2.1%	97.9%
Grade 12	0.7%	1.5%	1.5%	98.5%
<b>Ecstasy</b>				
All	0.5%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	1.2%	98.8%
Grade 9	0.2%	0.8%	2.0%	98.0%
Grade 10	0.6%	1.0%	2.2%	97.8%
Grade 11	0.9%	1.8%	3.3%	96.7%
Grade 12	1.5%	2.9%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.2%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	1.5%	2.3%	4.9%	95.1%
Grade 7	1.3%	1.5%	1.8%	98.2%
Grade 8	1.1%	2.0%	3.7%	96.3%
Grade 9	1.2%	2.2%	4.3%	95.7%
Grade 10	1.5%	2.0%	4.5%	95.5%
Grade 11	3.0%	4.6%	7.6%	92.4%
Grade 12	0.7%	1.5%	9.1%	90.9%
<b>Methamphetamine</b>				
All	0.3%	0.7%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.7%	1.9%	98.1%
Grade 9	0.6%	1.3%	2.1%	97.9%
Grade 10	0.6%	0.8%	0.8%	99.2%
Grade 11	0.2%	0.9%	2.5%	97.5%
Grade 12	0.0%	0.2%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	25.5%	29.8%	43.0%	57.0%
Grade 7	13.0%	13.8%	20.8%	79.2%
Grade 8	12.7%	16.0%	27.7%	72.3%
Grade 9	19.9%	22.4%	40.4%	59.6%
Grade 10	28.1%	37.4%	48.5%	51.5%
Grade 11	36.6%	42.4%	58.2%	41.8%
Grade 12	48.1%	53.4%	69.9%	30.1%
<b>Any Alcohol Product</b>				
All	37.3%	41.1%	60.7%	39.3%
Grade 7	20.6%	23.2%	41.2%	58.8%
Grade 8	21.4%	23.0%	48.9%	51.1%
Grade 9	39.4%	43.2%	64.3%	35.7%
Grade 10	41.9%	47.4%	64.1%	35.9%
Grade 11	51.3%	56.6%	75.4%	24.6%
Grade 12	55.1%	59.2%	76.1%	23.9%
<b>Any Illicit Drug</b>				
All	13.8%	17.2%	23.8%	76.2%
Grade 7	6.3%	8.0%	10.4%	89.6%
Grade 8	8.3%	10.0%	12.9%	87.1%
Grade 9	11.1%	15.4%	18.6%	81.4%
Grade 10	16.7%	20.0%	25.5%	74.5%
Grade 11	21.1%	28.5%	38.0%	62.0%
Grade 12	21.7%	24.6%	42.6%	57.4%
<b>Any Prescription Drug</b>				
All	11.1%	14.9%	19.4%	80.6%
Grade 7	5.9%	7.8%	12.4%	87.6%
Grade 8	11.3%	17.1%	20.0%	80.0%
Grade 9	9.9%	16.1%	22.1%	77.9%
Grade 10	13.4%	15.6%	18.6%	81.4%
Grade 11	15.2%	16.7%	20.4%	79.6%
Grade 12	12.1%	17.4%	24.2%	75.8%
<b>Any Inhalant</b>				
All	5.2%	7.1%	15.7%	84.3%
Grade 7	5.3%	8.6%	14.3%	85.7%
Grade 8	7.6%	8.2%	16.0%	84.0%
Grade 9	5.1%	6.0%	14.9%	85.1%
Grade 10	5.1%	6.9%	15.2%	84.8%
Grade 11	4.4%	6.2%	19.3%	80.7%
Grade 12	3.3%	6.2%	14.6%	85.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.0%	17.9%	31.7%	68.3%
Grade 7	3.6%	6.7%	14.7%	85.3%
Grade 8	4.7%	9.6%	21.6%	78.4%
Grade 9	10.1%	14.1%	33.1%	66.9%
Grade 10	9.6%	20.7%	35.1%	64.9%
Grade 11	15.4%	28.1%	41.2%	58.8%
Grade 12	25.6%	32.2%	49.7%	50.3%
<b>Marijuana</b>				
All	13.3%	15.7%	22.5%	77.5%
Grade 7	6.3%	6.3%	8.8%	91.2%
Grade 8	7.7%	8.6%	11.6%	88.4%
Grade 9	11.2%	15.4%	18.3%	81.7%
Grade 10	16.3%	19.3%	24.4%	75.6%
Grade 11	21.1%	25.0%	36.6%	63.4%
Grade 12	20.0%	22.3%	40.8%	59.2%
<b>Marijuana Only</b>				
All	6.3%	8.2%	14.0%	86.0%
Grade 7	2.7%	2.8%	5.1%	94.9%
Grade 8	2.5%	2.9%	4.7%	95.3%
Grade 9	5.8%	8.8%	11.3%	88.7%
Grade 10	9.0%	12.0%	17.1%	82.9%
Grade 11	11.5%	14.8%	25.4%	74.6%
Grade 12	7.5%	9.8%	24.3%	75.7%
<b>Cocaine or Crack</b>				
All	2.1%	2.2%	4.0%	96.0%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	2.2%	2.5%	2.9%	97.1%
Grade 9	0.6%	0.6%	1.9%	98.1%
Grade 10	0.5%	0.8%	1.5%	98.5%
Grade 11	3.3%	3.8%	8.4%	91.6%
Grade 12	6.5%	6.5%	10.7%	89.3%
<b>Cocaine</b>				
All	1.8%	2.0%	4.0%	96.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	2.2%	2.5%	2.9%	97.1%
Grade 9	0.6%	0.6%	1.9%	98.1%
Grade 10	0.5%	0.8%	1.5%	98.5%
Grade 11	1.6%	2.1%	8.4%	91.6%
Grade 12	6.5%	6.5%	10.2%	89.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	1.4%	98.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.8%	2.8%	5.4%	94.6%
Grade 12	2.0%	2.0%	2.9%	97.1%
<b>Hallucinogens</b>				
All	0.6%	1.5%	3.8%	96.2%
Grade 7	0.0%	0.0%	2.0%	98.0%
Grade 8	0.4%	0.6%	3.1%	96.9%
Grade 9	0.7%	0.7%	2.3%	97.7%
Grade 10	0.0%	1.1%	2.0%	98.0%
Grade 11	1.2%	3.4%	7.1%	92.9%
Grade 12	1.5%	3.9%	7.0%	93.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.9%	99.1%
<b>Steroids</b>				
All	1.0%	1.3%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.9%	2.0%	2.6%	97.4%
Grade 9	1.3%	1.3%	2.0%	98.0%
Grade 10	0.0%	0.0%	1.7%	98.3%
Grade 11	1.7%	2.1%	2.8%	97.2%
Grade 12	1.3%	2.8%	2.8%	97.2%
<b>Ecstasy</b>				
All	0.8%	1.5%	2.4%	97.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	1.1%	1.9%	98.1%
Grade 11	1.7%	3.2%	5.8%	94.2%
Grade 12	2.9%	5.0%	6.4%	93.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	1.3%	98.7%
<b>Synthetic Marijuana</b>				
All	2.1%	2.6%	5.9%	94.1%
Grade 7	2.2%	2.4%	2.7%	97.3%
Grade 8	1.8%	2.8%	5.1%	94.9%
Grade 9	1.9%	1.9%	5.1%	94.9%
Grade 10	2.0%	3.1%	5.7%	94.3%
Grade 11	3.9%	4.9%	7.5%	92.5%
Grade 12	0.4%	0.4%	10.6%	89.4%
<b>Methamphetamine</b>				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	1.3%	1.8%	98.2%
Grade 9	1.3%	1.3%	2.3%	97.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.4%	0.9%	3.1%	96.9%
Grade 12	0.0%	0.4%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.7%	19.6%	36.2%	63.8%
Grade 7	3.2%	4.6%	12.9%	87.1%
Grade 8	9.0%	12.8%	21.3%	78.7%
Grade 9	15.2%	18.7%	38.1%	61.9%
Grade 10	17.8%	29.4%	53.9%	46.1%
Grade 11	21.9%	31.2%	47.1%	52.9%
Grade 12	18.5%	25.0%	51.1%	48.9%
<b>Any Alcohol Product</b>				
All	33.4%	39.3%	61.5%	38.5%
Grade 7	12.7%	14.9%	30.7%	69.3%
Grade 8	22.4%	25.5%	46.9%	53.1%
Grade 9	37.4%	43.4%	65.6%	34.4%
Grade 10	41.1%	48.9%	76.9%	23.1%
Grade 11	49.7%	58.9%	81.2%	18.8%
Grade 12	43.3%	51.3%	75.9%	24.1%
<b>Any Illicit Drug</b>				
All	12.1%	16.6%	22.5%	77.5%
Grade 7	3.6%	4.2%	4.6%	95.4%
Grade 8	7.2%	10.3%	13.5%	86.5%
Grade 9	16.9%	22.3%	25.9%	74.1%
Grade 10	18.4%	25.2%	33.7%	66.3%
Grade 11	16.3%	20.5%	28.2%	71.8%
Grade 12	11.1%	18.6%	33.7%	66.3%
<b>Any Prescription Drug</b>				
All	11.8%	15.6%	20.7%	79.3%
Grade 7	8.0%	9.7%	15.4%	84.6%
Grade 8	11.3%	14.9%	17.6%	82.4%
Grade 9	10.1%	15.4%	21.7%	78.3%
Grade 10	22.7%	26.9%	33.6%	66.4%
Grade 11	10.6%	14.4%	19.8%	80.2%
Grade 12	7.4%	11.1%	14.8%	85.2%
<b>Any Inhalant</b>				
All	6.1%	7.7%	17.2%	82.8%
Grade 7	5.9%	6.6%	13.6%	86.4%
Grade 8	6.4%	8.6%	17.1%	82.9%
Grade 9	10.8%	10.9%	18.5%	81.5%
Grade 10	6.0%	9.2%	25.1%	74.9%
Grade 11	3.5%	4.8%	13.5%	86.5%
Grade 12	2.4%	4.4%	14.6%	85.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.8%	13.1%	28.1%	71.9%
Grade 7	1.9%	2.4%	8.4%	91.6%
Grade 8	4.8%	9.3%	17.5%	82.5%
Grade 9	10.4%	14.2%	28.9%	71.1%
Grade 10	5.6%	17.6%	42.6%	57.4%
Grade 11	10.2%	23.2%	42.7%	57.3%
Grade 12	9.4%	14.3%	33.3%	66.7%
<b>Marijuana</b>				
All	12.0%	14.9%	20.4%	79.6%
Grade 7	3.2%	3.3%	3.7%	96.3%
Grade 8	7.1%	8.5%	10.6%	89.4%
Grade 9	16.9%	19.8%	23.4%	76.6%
Grade 10	18.4%	23.8%	31.9%	68.1%
Grade 11	16.3%	18.5%	25.3%	74.7%
Grade 12	11.1%	17.0%	32.6%	67.4%
<b>Marijuana Only</b>				
All	7.2%	9.4%	14.2%	85.8%
Grade 7	2.0%	2.1%	2.4%	97.6%
Grade 8	3.0%	4.4%	6.4%	93.6%
Grade 9	12.1%	13.8%	17.4%	82.6%
Grade 10	12.0%	17.5%	25.5%	74.5%
Grade 11	7.4%	9.1%	15.3%	84.7%
Grade 12	6.4%	10.1%	20.5%	79.5%
<b>Cocaine or Crack</b>				
All	0.9%	1.1%	2.1%	97.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	1.7%	1.7%	2.7%	97.3%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	1.7%	2.2%	2.6%	97.4%
Grade 11	0.6%	1.1%	3.9%	96.1%
Grade 12	0.5%	0.5%	3.4%	96.6%
<b>Cocaine</b>				
All	0.9%	1.0%	1.9%	98.1%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	1.6%	1.6%	2.7%	97.3%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	1.7%	2.2%	2.6%	97.4%
Grade 11	0.6%	1.1%	2.5%	97.5%
Grade 12	0.5%	0.5%	3.4%	96.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	1.0%	1.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.8%	98.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.7%	0.9%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.2%	1.5%	98.5%
Grade 9	1.0%	1.4%	3.4%	96.6%
Grade 10	1.5%	1.5%	3.2%	96.8%
Grade 11	1.0%	1.0%	1.5%	98.5%
Grade 12	0.6%	1.6%	2.7%	97.3%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.6%	99.4%
<b>Steroids</b>				
All	0.4%	0.6%	2.3%	97.7%
Grade 7	0.3%	0.3%	1.3%	98.7%
Grade 8	0.3%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.4%	2.6%	97.4%
Grade 10	1.5%	1.5%	6.5%	93.5%
Grade 11	0.0%	0.4%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.2%	0.6%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	0.4%	1.6%	3.6%	96.4%
Grade 10	0.9%	0.9%	2.4%	97.6%
Grade 11	0.0%	0.4%	0.8%	99.2%
Grade 12	0.0%	0.6%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.2%	0.5%	0.7%	99.3%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	0.9%	2.0%	4.0%	96.0%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.4%	1.2%	2.4%	97.6%
Grade 9	0.4%	2.4%	3.5%	96.5%
Grade 10	1.0%	1.0%	3.3%	96.7%
Grade 11	2.1%	4.4%	7.9%	92.1%
Grade 12	1.1%	2.6%	7.5%	92.5%
<b>Methamphetamine</b>				
All	0.2%	0.6%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	2.0%	98.0%
Grade 9	0.0%	1.1%	1.9%	98.1%
Grade 10	0.8%	1.3%	1.3%	98.7%
Grade 11	0.0%	1.0%	1.9%	98.1%
Grade 12	0.0%	0.0%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.0%	23.7%	36.9%	63.1%
Grade 7	7.7%	8.4%	13.9%	86.1%
Grade 8	10.1%	12.9%	21.4%	78.6%
Grade 9	18.9%	22.1%	37.8%	62.2%
Grade 10	22.4%	33.8%	51.9%	48.1%
Grade 11	22.8%	33.4%	45.6%	54.4%
Grade 12	28.6%	35.2%	56.2%	43.8%
<b>Any Alcohol Product</b>				
All	32.6%	38.9%	60.9%	39.1%
Grade 7	12.5%	14.7%	33.9%	66.1%
Grade 8	18.3%	21.1%	47.2%	52.8%
Grade 9	35.7%	43.3%	61.7%	38.3%
Grade 10	41.5%	50.1%	70.6%	29.4%
Grade 11	47.5%	57.4%	78.7%	21.3%
Grade 12	44.5%	51.9%	78.6%	21.4%
<b>Any Illicit Drug</b>				
All	9.4%	12.4%	17.3%	82.7%
Grade 7	3.4%	4.3%	6.1%	93.9%
Grade 8	3.7%	5.1%	9.3%	90.7%
Grade 9	9.2%	12.7%	14.4%	85.6%
Grade 10	13.8%	17.2%	23.4%	76.6%
Grade 11	14.2%	20.3%	24.7%	75.3%
Grade 12	13.4%	16.6%	29.0%	71.0%
<b>Any Prescription Drug</b>				
All	9.5%	13.6%	18.5%	81.5%
Grade 7	6.8%	9.1%	15.1%	84.9%
Grade 8	8.7%	14.9%	17.7%	82.3%
Grade 9	8.2%	13.8%	20.8%	79.2%
Grade 10	12.5%	16.1%	23.0%	77.0%
Grade 11	12.6%	13.4%	17.8%	82.2%
Grade 12	8.7%	14.4%	16.6%	83.4%
<b>Any Inhalant</b>				
All	4.2%	5.3%	13.7%	86.3%
Grade 7	4.2%	5.5%	11.6%	88.4%
Grade 8	6.2%	6.5%	15.2%	84.8%
Grade 9	8.3%	8.5%	17.0%	83.0%
Grade 10	5.0%	7.0%	17.5%	82.5%
Grade 11	0.4%	1.9%	12.8%	87.2%
Grade 12	0.0%	1.4%	6.8%	93.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.1%	14.7%	25.9%	74.1%
Grade 7	1.1%	2.4%	8.9%	91.1%
Grade 8	4.2%	9.2%	17.8%	82.2%
Grade 9	10.5%	15.4%	26.1%	73.9%
Grade 10	9.6%	21.8%	35.9%	64.1%
Grade 11	10.1%	22.4%	31.7%	68.3%
Grade 12	14.8%	19.1%	38.3%	61.7%
<b>Marijuana</b>				
All	9.3%	11.4%	16.1%	83.9%
Grade 7	3.2%	3.4%	5.1%	94.9%
Grade 8	3.7%	4.2%	7.5%	92.5%
Grade 9	9.1%	12.0%	13.7%	86.3%
Grade 10	13.3%	16.7%	22.5%	77.5%
Grade 11	14.2%	17.1%	22.3%	77.7%
Grade 12	13.4%	16.6%	29.0%	71.0%
<b>Marijuana Only</b>				
All	5.2%	6.8%	10.8%	89.2%
Grade 7	1.7%	1.9%	3.5%	96.5%
Grade 8	1.1%	1.5%	3.6%	96.4%
Grade 9	7.5%	9.1%	10.7%	89.3%
Grade 10	7.5%	10.9%	16.6%	83.4%
Grade 11	7.6%	10.1%	15.3%	84.7%
Grade 12	6.3%	8.0%	17.0%	83.0%
<b>Cocaine or Crack</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.6%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	1.3%	1.3%	1.7%	98.3%
Grade 11	0.0%	1.0%	2.3%	97.7%
Grade 12	1.0%	1.0%	2.4%	97.6%
<b>Cocaine</b>				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.6%	1.9%	98.1%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	1.3%	1.3%	1.7%	98.3%
Grade 11	0.0%	1.0%	1.9%	98.1%
Grade 12	1.0%	1.0%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.5%	0.8%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.5%	2.2%	97.8%
Grade 9	0.7%	0.7%	1.6%	98.4%
Grade 10	1.1%	1.1%	3.2%	96.8%
Grade 11	0.7%	1.3%	2.2%	97.8%
Grade 12	0.0%	1.5%	4.4%	95.6%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Steroids</b>				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	2.0%	2.0%	2.9%	97.1%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	2.8%	97.2%
Grade 11	1.4%	1.8%	2.2%	97.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.3%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	2.3%	97.7%
Grade 11	0.0%	0.9%	1.7%	98.3%
Grade 12	1.0%	2.3%	3.3%	96.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.1%	1.4%	3.5%	96.5%
Grade 7	1.0%	1.1%	1.3%	98.7%
Grade 8	1.5%	1.6%	2.5%	97.5%
Grade 9	0.3%	0.3%	1.3%	98.7%
Grade 10	0.5%	0.5%	3.4%	96.6%
Grade 11	2.8%	3.2%	5.1%	94.9%
Grade 12	0.5%	1.9%	8.4%	91.6%
<b>Methamphetamine</b>				
All	0.1%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	1.2%	2.2%	97.8%
Grade 9	0.0%	0.1%	0.9%	99.1%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.2%	23.1%	44.1%	55.9%
Grade 7	21.4%	26.3%	28.6%	71.4%
Grade 8	11.2%	13.2%	34.3%	65.7%
Grades 9-10	14.7%	22.1%	41.4%	58.6%
Grades 11-12	29.7%	29.7%	66.8%	33.2%
<b>Any Alcohol Product</b>				
All	41.8%	42.7%	61.5%	38.5%
Grade 7	30.6%	31.7%	43.0%	57.0%
Grade 8	31.1%	31.1%	49.7%	50.3%
Grades 9-10	53.7%	55.8%	64.1%	35.9%
Grades 11-12	42.8%	42.8%	81.2%	18.8%
<b>Any Illicit Drug</b>				
All	18.3%	26.5%	35.4%	64.6%
Grade 7	15.3%	17.5%	17.5%	82.5%
Grade 8	16.9%	16.9%	18.9%	81.1%
Grades 9-10	22.9%	34.8%	38.9%	61.1%
Grades 11-12	15.4%	29.8%	57.0%	43.0%
<b>Any Prescription Drug</b>				
All	14.4%	17.6%	21.6%	78.4%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	26.3%	27.4%	29.9%	70.1%
Grades 9-10	19.2%	19.2%	28.7%	71.3%
Grades 11-12	9.3%	21.3%	21.3%	78.7%
<b>Any Inhalant</b>				
All	5.9%	10.7%	22.1%	77.9%
Grade 7	17.2%	33.2%	44.5%	55.5%
Grade 8	12.6%	14.6%	25.0%	75.0%
Grades 9-10	0.0%	0.0%	9.8%	90.2%
Grades 11-12	0.0%	5.1%	19.3%	80.7%
<b>Electronic Vapor Products</b>				
All	3.8%	9.8%	29.7%	70.3%
Grade 7	10.1%	20.3%	26.3%	73.7%
Grade 8	2.0%	2.0%	16.9%	83.1%
Grades 9-10	0.0%	4.1%	29.9%	70.1%
Grades 11-12	5.3%	15.6%	42.6%	57.4%
<b>Marijuana</b>				
All	18.3%	22.3%	32.4%	67.6%
Grade 7	15.3%	15.3%	15.3%	84.7%
Grade 8	16.9%	16.9%	18.9%	81.1%
Grades 9-10	22.9%	34.8%	38.9%	61.1%
Grades 11-12	15.4%	15.4%	47.1%	52.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	11.4%	13.7%	22.1%	77.9%
Grade 7	4.1%	4.1%	4.1%	95.9%
Grade 8	7.4%	7.4%	9.4%	90.6%
Grades 9-10	18.8%	25.3%	29.4%	70.6%
Grades 11-12	10.4%	10.4%	35.6%	64.4%
<b>Cocaine or Crack</b>				
All	1.6%	1.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	5.1%	5.1%	5.1%	94.9%
<b>Cocaine</b>				
All	1.6%	1.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	5.1%	5.1%	5.1%	94.9%
<b>Crack</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.0%	1.4%	3.5%	96.5%
Grade 7	0.0%	0.0%	10.1%	89.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	5.4%	5.4%	94.6%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	3.9%	3.9%	5.5%	94.5%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	6.5%	6.5%	10.6%	89.4%
Grades 11-12	6.5%	6.5%	6.5%	93.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Ecstasy</b>				
All	0.0%	3.3%	4.6%	95.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	5.3%	5.3%	94.7%
Grades 11-12	0.0%	5.6%	10.9%	89.1%
<b>Heroin</b>				
All	1.6%	1.6%	1.6%	98.4%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	4.1%	4.1%	4.1%	95.9%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	3.4%	4.2%	8.1%	91.9%
Grade 7	10.1%	10.1%	10.1%	89.9%
Grade 8	0.0%	4.0%	8.3%	91.7%
Grades 9-10	4.1%	4.1%	4.1%	95.9%
Grades 11-12	0.0%	0.0%	11.5%	88.5%
<b>Methamphetamine</b>				
All	0.2%	2.0%	2.4%	97.6%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grades 9-10	0.0%	5.3%	5.3%	94.7%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.5%	26.3%	42.2%	57.8%
Grade 7	7.5%	8.5%	18.8%	81.2%
Grade 8	11.6%	16.4%	26.3%	73.7%
Grade 9	17.8%	21.3%	42.7%	57.3%
Grade 10	22.9%	32.5%	51.8%	48.2%
Grade 11	36.8%	41.1%	59.0%	41.0%
Grade 12	40.5%	46.9%	64.6%	35.4%
<b>Any Alcohol Product</b>				
All	37.9%	41.6%	61.8%	38.2%
Grade 7	19.8%	22.6%	38.1%	61.9%
Grade 8	24.7%	26.9%	48.8%	51.2%
Grade 9	40.7%	43.5%	70.2%	29.8%
Grade 10	39.9%	45.4%	72.1%	27.9%
Grade 11	55.5%	59.6%	76.5%	23.5%
Grade 12	54.8%	60.3%	72.2%	27.8%
<b>Any Illicit Drug</b>				
All	15.8%	20.7%	27.8%	72.2%
Grade 7	5.9%	6.8%	8.2%	91.8%
Grade 8	10.8%	14.6%	16.4%	83.6%
Grade 9	18.3%	24.0%	28.9%	71.1%
Grade 10	22.1%	28.4%	36.0%	64.0%
Grade 11	23.3%	28.3%	38.6%	61.4%
Grade 12	16.9%	25.5%	46.7%	53.3%
<b>Any Prescription Drug</b>				
All	13.2%	16.6%	20.7%	79.3%
Grade 7	7.9%	9.4%	14.6%	85.4%
Grade 8	12.5%	16.1%	18.9%	81.1%
Grade 9	12.3%	18.5%	22.1%	77.9%
Grade 10	22.7%	26.2%	28.6%	71.4%
Grade 11	11.8%	16.1%	20.6%	79.4%
Grade 12	12.4%	13.0%	19.9%	80.1%
<b>Any Inhalant</b>				
All	7.4%	9.0%	18.3%	81.7%
Grade 7	5.8%	6.8%	12.5%	87.5%
Grade 8	6.9%	9.3%	16.8%	83.2%
Grade 9	9.4%	9.4%	17.3%	82.7%
Grade 10	7.4%	11.1%	25.5%	74.5%
Grade 11	9.0%	9.4%	18.0%	82.0%
Grade 12	5.7%	8.1%	21.3%	78.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.4%	17.4%	34.8%	65.2%
Grade 7	4.0%	5.4%	13.2%	86.8%
Grade 8	6.3%	11.3%	22.2%	77.8%
Grade 9	11.0%	14.8%	36.6%	63.4%
Grade 10	6.8%	18.9%	45.4%	54.6%
Grade 11	17.8%	30.4%	52.6%	47.4%
Grade 12	20.4%	29.5%	46.4%	53.6%
<b>Marijuana</b>				
All	15.4%	18.5%	25.8%	74.2%
Grade 7	5.8%	5.8%	7.1%	92.9%
Grade 8	10.0%	12.1%	13.7%	86.3%
Grade 9	18.4%	22.0%	26.6%	73.4%
Grade 10	22.1%	26.4%	34.1%	65.9%
Grade 11	23.3%	27.1%	38.0%	62.0%
Grade 12	14.7%	20.8%	43.2%	56.8%
<b>Marijuana Only</b>				
All	7.8%	10.7%	16.9%	83.1%
Grade 7	3.4%	3.4%	4.6%	95.4%
Grade 8	4.3%	5.8%	7.3%	92.7%
Grade 9	9.6%	13.2%	17.4%	82.6%
Grade 10	14.1%	18.4%	26.0%	74.0%
Grade 11	9.6%	12.8%	21.8%	78.2%
Grade 12	6.8%	12.4%	29.4%	70.6%
<b>Cocaine or Crack</b>				
All	2.7%	2.8%	4.8%	95.2%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	3.7%	3.7%	3.7%	96.3%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	1.2%	2.0%	2.9%	97.1%
Grade 11	4.6%	4.6%	10.4%	89.6%
Grade 12	6.4%	6.4%	12.6%	87.4%
<b>Cocaine</b>				
All	2.4%	2.5%	4.8%	95.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	3.7%	3.7%	3.7%	96.3%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	1.2%	2.0%	2.9%	97.1%
Grade 11	2.6%	2.6%	10.4%	89.6%
Grade 12	6.4%	6.4%	12.6%	87.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.1%	1.1%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	1.2%	1.2%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.4%	3.4%	5.4%	94.6%
Grade 12	2.5%	2.5%	2.5%	97.5%
<b>Hallucinogens</b>				
All	0.8%	1.5%	3.6%	96.4%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.1%	0.1%	2.7%	97.3%
Grade 9	0.7%	0.7%	3.8%	96.2%
Grade 10	0.6%	1.8%	2.4%	97.6%
Grade 11	1.8%	3.9%	7.8%	92.2%
Grade 12	1.9%	3.1%	4.8%	95.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Steroids</b>				
All	0.4%	0.9%	2.2%	97.8%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.3%	0.9%	1.5%	98.5%
Grade 9	1.7%	1.7%	4.3%	95.7%
Grade 10	0.0%	0.0%	3.3%	96.7%
Grade 11	0.0%	0.5%	0.9%	99.1%
Grade 12	0.0%	1.9%	1.9%	98.1%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.4%	97.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	2.0%	98.0%
Grade 9	0.3%	0.3%	2.7%	97.3%
Grade 10	0.6%	1.5%	2.1%	97.9%
Grade 11	2.1%	2.1%	4.8%	95.2%
Grade 12	2.5%	3.6%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.6%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	1.4%	2.8%	5.6%	94.4%
Grade 7	0.6%	0.8%	1.2%	98.8%
Grade 8	0.7%	2.0%	4.1%	95.9%
Grade 9	1.7%	3.5%	7.3%	92.7%
Grade 10	1.8%	3.1%	5.4%	94.6%
Grade 11	3.3%	6.8%	11.6%	88.4%
Grade 12	0.6%	0.6%	5.4%	94.6%
<b>Methamphetamine</b>				
All	0.4%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	1.6%	98.4%
Grade 9	1.4%	1.4%	2.1%	97.9%
Grade 10	0.9%	1.5%	1.5%	98.5%
Grade 11	0.0%	0.6%	3.4%	96.6%
Grade 12	0.0%	0.6%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 61 of 119



**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.5%	18.1%	31.7%	68.3%
Grade 7	2.3%	3.3%	10.3%	89.7%
Grade 8	7.2%	8.5%	14.0%	86.0%
Grade 9	12.1%	16.9%	27.4%	72.6%
Grade 10	14.6%	30.0%	45.7%	54.3%
Grade 11	17.6%	25.1%	43.9%	56.1%
Grade 12	23.2%	27.3%	53.0%	47.0%
<b>Any Alcohol Product</b>				
All	29.0%	34.9%	57.3%	42.7%
Grade 7	10.6%	12.6%	30.2%	69.8%
Grade 8	13.8%	16.2%	42.8%	57.2%
Grade 9	28.3%	33.5%	50.0%	50.0%
Grade 10	36.1%	47.0%	73.1%	26.9%
Grade 11	45.6%	55.5%	74.4%	25.6%
Grade 12	42.5%	48.4%	76.8%	23.2%
<b>Any Illicit Drug</b>				
All	7.9%	10.9%	15.8%	84.2%
Grade 7	3.4%	3.8%	3.8%	96.2%
Grade 8	2.0%	4.4%	5.8%	94.2%
Grade 9	11.9%	12.8%	14.6%	85.4%
Grade 10	12.6%	19.4%	25.8%	74.2%
Grade 11	8.5%	14.5%	19.5%	80.5%
Grade 12	10.4%	11.6%	27.8%	72.2%
<b>Any Prescription Drug</b>				
All	10.1%	14.2%	17.6%	82.4%
Grade 7	6.8%	8.5%	10.9%	89.1%
Grade 8	10.9%	14.4%	17.1%	82.9%
Grade 9	3.2%	10.9%	16.6%	83.4%
Grade 10	19.5%	23.3%	29.4%	70.6%
Grade 11	10.1%	12.7%	15.8%	84.2%
Grade 12	9.2%	15.4%	16.0%	84.0%
<b>Any Inhalant</b>				
All	3.3%	4.5%	12.0%	88.0%
Grade 7	2.5%	2.7%	9.2%	90.8%
Grade 8	3.4%	3.8%	9.3%	90.7%
Grade 9	2.8%	3.0%	12.4%	87.6%
Grade 10	6.9%	9.6%	20.0%	80.0%
Grade 11	2.5%	3.0%	10.1%	89.9%
Grade 12	1.7%	4.8%	11.5%	88.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.0%	11.4%	23.7%	76.3%
Grade 7	0.3%	0.9%	5.5%	94.5%
Grade 8	2.6%	4.8%	10.8%	89.2%
Grade 9	5.2%	12.2%	24.3%	75.7%
Grade 10	4.4%	21.3%	36.0%	64.0%
Grade 11	8.0%	15.6%	33.5%	66.5%
Grade 12	10.4%	14.9%	35.4%	64.6%
<b>Marijuana</b>				
All	7.8%	9.8%	14.6%	85.4%
Grade 7	3.3%	3.5%	3.5%	96.5%
Grade 8	1.9%	2.5%	3.9%	96.1%
Grade 9	11.9%	12.4%	14.1%	85.9%
Grade 10	12.0%	17.0%	22.8%	77.2%
Grade 11	8.5%	13.0%	17.9%	82.1%
Grade 12	10.4%	11.6%	27.8%	72.2%
<b>Marijuana Only</b>				
All	4.8%	6.7%	10.8%	89.2%
Grade 7	1.8%	2.0%	2.0%	98.0%
Grade 8	0.9%	1.5%	2.9%	97.1%
Grade 9	8.2%	8.6%	10.4%	89.6%
Grade 10	8.6%	13.5%	19.4%	80.6%
Grade 11	3.9%	7.9%	12.9%	87.1%
Grade 12	6.2%	7.4%	19.3%	80.7%
<b>Cocaine or Crack</b>				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	2.3%	2.8%	97.2%
Grade 11	0.0%	0.6%	2.7%	97.3%
Grade 12	1.9%	1.9%	4.5%	95.5%
<b>Cocaine</b>				
All	0.7%	1.0%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.8%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	2.3%	2.8%	97.2%
Grade 11	0.0%	0.6%	2.3%	97.7%
Grade 12	1.9%	1.9%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.3%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.1%	98.9%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.0%	0.0%	2.2%	97.8%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.0%	3.1%	3.7%	96.3%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Steroids</b>				
All	0.8%	1.0%	2.3%	97.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	1.6%	1.6%	2.4%	97.6%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.0%	0.0%	5.4%	94.6%
Grade 11	1.3%	2.3%	2.3%	97.7%
Grade 12	1.7%	1.7%	1.7%	98.3%
<b>Ecstasy</b>				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	2.5%	97.5%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.6%	2.5%	97.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	0.1%	0.5%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.0%	2.5%	2.5%	97.5%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.5%	3.4%	96.6%
Grade 12	0.0%	0.0%	4.8%	95.2%
<b>Methamphetamine</b>				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.2%	1.2%	98.8%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	24.3%	29.0%	44.5%	55.5%
Grade 7	12.7%	14.0%	21.3%	78.7%
Grade 8	13.3%	17.5%	31.2%	68.8%
Grade 9	20.4%	22.7%	44.0%	56.0%
Grade 10	30.0%	36.8%	56.8%	43.2%
Grade 11	39.2%	47.2%	61.7%	38.3%
Grade 12	42.8%	50.9%	70.0%	30.0%
<b>Any Alcohol Product</b>				
All	38.5%	42.4%	61.6%	38.4%
Grade 7	20.8%	23.7%	40.2%	59.8%
Grade 8	27.7%	30.0%	50.2%	49.8%
Grade 9	39.7%	44.0%	71.9%	28.1%
Grade 10	45.2%	49.1%	67.5%	32.5%
Grade 11	55.2%	61.0%	77.7%	22.3%
Grade 12	56.6%	62.3%	76.2%	23.8%
<b>Any Illicit Drug</b>				
All	15.6%	20.8%	27.5%	72.5%
Grade 7	6.5%	8.2%	10.1%	89.9%
Grade 8	11.9%	14.6%	18.5%	81.5%
Grade 9	14.6%	22.0%	26.8%	73.2%
Grade 10	20.0%	25.5%	32.0%	68.0%
Grade 11	26.7%	34.5%	43.6%	56.4%
Grade 12	20.9%	29.3%	47.8%	52.2%
<b>Any Prescription Drug</b>				
All	12.7%	16.3%	22.2%	77.8%
Grade 7	6.5%	8.6%	15.0%	85.0%
Grade 8	13.7%	19.8%	22.3%	77.7%
Grade 9	13.7%	16.9%	23.7%	76.3%
Grade 10	17.8%	21.2%	26.1%	73.9%
Grade 11	17.3%	21.0%	26.5%	73.5%
Grade 12	9.1%	12.0%	22.5%	77.5%
<b>Any Inhalant</b>				
All	6.8%	9.0%	19.3%	80.7%
Grade 7	8.1%	10.9%	17.5%	82.5%
Grade 8	8.0%	10.3%	20.5%	79.5%
Grade 9	10.6%	11.0%	16.5%	83.5%
Grade 10	4.2%	7.1%	21.8%	78.2%
Grade 11	5.3%	6.8%	21.3%	78.7%
Grade 12	2.9%	5.7%	18.6%	81.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.0%	17.2%	32.6%	67.4%
Grade 7	5.1%	7.9%	16.0%	84.0%
Grade 8	6.7%	11.2%	24.2%	75.8%
Grade 9	12.6%	14.8%	31.1%	68.9%
Grade 10	9.4%	17.6%	42.0%	58.0%
Grade 11	14.3%	32.2%	48.8%	51.2%
Grade 12	23.0%	28.7%	46.2%	53.8%
<b>Marijuana</b>				
All	15.2%	18.6%	25.4%	74.6%
Grade 7	6.2%	6.2%	8.0%	92.0%
Grade 8	11.3%	12.9%	15.8%	84.2%
Grade 9	14.5%	21.4%	25.9%	74.1%
Grade 10	20.0%	25.2%	31.3%	68.7%
Grade 11	26.7%	29.1%	39.8%	60.2%
Grade 12	18.9%	25.1%	45.2%	54.8%
<b>Marijuana Only</b>				
All	7.6%	10.2%	16.0%	84.0%
Grade 7	3.0%	3.0%	4.6%	95.4%
Grade 8	4.7%	5.9%	8.5%	91.5%
Grade 9	11.2%	15.4%	19.9%	80.1%
Grade 10	10.7%	15.9%	22.0%	78.0%
Grade 11	12.6%	14.3%	23.7%	76.3%
Grade 12	6.6%	10.7%	25.6%	74.4%
<b>Cocaine or Crack</b>				
All	2.0%	2.0%	3.8%	96.2%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	3.3%	3.3%	4.4%	95.6%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	3.6%	4.2%	10.1%	89.9%
Grade 12	4.6%	4.6%	8.5%	91.5%
<b>Cocaine</b>				
All	1.7%	1.7%	3.6%	96.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	3.3%	3.3%	4.4%	95.6%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	1.4%	2.0%	9.0%	91.0%
Grade 12	4.6%	4.6%	8.5%	91.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.7%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	1.2%	1.2%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.9%	2.9%	6.8%	93.2%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.6%	1.3%	3.5%	96.5%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.3%	0.5%	3.2%	96.8%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.7%	2.6%	3.6%	96.4%
Grade 11	1.6%	4.4%	7.9%	92.1%
Grade 12	0.6%	1.6%	5.3%	94.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	1.1%	98.9%
<b>Steroids</b>				
All	0.4%	0.5%	1.7%	98.3%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.4%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	1.7%	1.7%	4.6%	95.4%
Grade 11	0.8%	0.8%	2.9%	97.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.6%	1.4%	2.5%	97.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	2.1%	97.9%
Grade 9	0.0%	1.3%	1.6%	98.4%
Grade 10	0.6%	1.5%	2.7%	97.3%
Grade 11	2.2%	2.8%	6.1%	93.9%
Grade 12	1.5%	3.7%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.2%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.5%	1.6%	98.4%
<b>Synthetic Marijuana</b>				
All	1.7%	2.9%	6.8%	93.2%
Grade 7	2.4%	2.6%	2.9%	97.1%
Grade 8	0.8%	2.5%	5.2%	94.8%
Grade 9	0.0%	0.0%	3.1%	96.9%
Grade 10	2.0%	3.2%	7.4%	92.6%
Grade 11	3.8%	7.4%	11.3%	88.7%
Grade 12	1.6%	3.1%	14.5%	85.5%
<b>Methamphetamine</b>				
All	0.2%	0.7%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	2.6%	97.4%
Grade 9	0.0%	1.4%	2.1%	97.9%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	1.3%	5.3%	94.7%
Grade 12	0.0%	0.5%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.1%	20.8%	33.6%	66.4%
Grade 7	6.7%	7.2%	11.8%	88.2%
Grade 8	9.6%	12.8%	20.5%	79.5%
Grade 9	12.9%	15.2%	32.5%	67.5%
Grade 10	18.0%	29.8%	46.3%	53.7%
Grade 11	27.5%	34.3%	48.1%	51.9%
Grade 12	29.4%	34.3%	53.9%	46.1%
<b>Any Alcohol Product</b>				
All	31.2%	35.6%	56.7%	43.3%
Grade 7	16.0%	17.6%	32.8%	67.2%
Grade 8	19.8%	21.1%	46.2%	53.8%
Grade 9	34.2%	37.8%	61.6%	38.4%
Grade 10	36.5%	43.5%	62.8%	37.2%
Grade 11	48.8%	56.0%	75.8%	24.2%
Grade 12	40.3%	47.6%	72.4%	27.6%
<b>Any Illicit Drug</b>				
All	8.9%	12.1%	16.7%	83.3%
Grade 7	4.2%	5.7%	6.3%	93.7%
Grade 8	6.8%	8.7%	9.4%	90.6%
Grade 9	10.5%	12.8%	14.8%	85.2%
Grade 10	10.2%	15.3%	19.7%	80.3%
Grade 11	12.3%	18.5%	25.1%	74.9%
Grade 12	11.4%	14.8%	32.1%	67.9%
<b>Any Prescription Drug</b>				
All	9.7%	12.3%	16.9%	83.1%
Grade 7	5.6%	6.3%	11.1%	88.9%
Grade 8	10.7%	14.7%	18.1%	81.9%
Grade 9	7.9%	13.5%	20.0%	80.0%
Grade 10	16.0%	18.9%	23.6%	76.4%
Grade 11	7.3%	7.7%	11.9%	88.1%
Grade 12	11.3%	12.5%	15.8%	84.2%
<b>Any Inhalant</b>				
All	4.8%	6.5%	13.9%	86.1%
Grade 7	4.6%	6.6%	11.8%	88.2%
Grade 8	5.3%	7.1%	14.4%	85.6%
Grade 9	7.1%	7.1%	14.1%	85.9%
Grade 10	4.2%	6.5%	18.2%	81.8%
Grade 11	2.6%	3.6%	9.2%	90.8%
Grade 12	4.1%	7.8%	15.9%	84.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.8%	14.3%	25.7%	74.3%
Grade 7	2.3%	4.1%	8.5%	91.5%
Grade 8	5.1%	10.1%	16.9%	83.1%
Grade 9	8.4%	11.3%	26.9%	73.1%
Grade 10	5.2%	18.3%	35.4%	64.6%
Grade 11	14.8%	25.3%	37.3%	62.7%
Grade 12	15.4%	22.1%	36.9%	63.1%
<b>Marijuana</b>				
All	8.5%	10.5%	15.1%	84.9%
Grade 7	4.0%	4.0%	4.6%	95.4%
Grade 8	6.3%	7.3%	8.1%	91.9%
Grade 9	10.6%	12.3%	14.4%	85.6%
Grade 10	9.8%	13.8%	17.9%	82.1%
Grade 11	12.3%	15.1%	22.6%	77.4%
Grade 12	9.7%	12.6%	29.9%	70.1%
<b>Marijuana Only</b>				
All	4.5%	6.1%	10.2%	89.8%
Grade 7	2.0%	2.0%	2.5%	97.5%
Grade 8	1.3%	2.0%	2.7%	97.3%
Grade 9	6.5%	7.3%	9.3%	90.7%
Grade 10	6.1%	10.0%	14.1%	85.9%
Grade 11	7.9%	10.2%	17.2%	82.8%
Grade 12	4.3%	6.7%	20.7%	79.3%
<b>Cocaine or Crack</b>				
All	1.4%	1.5%	2.7%	97.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	2.6%	2.7%	2.8%	97.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.6%	1.0%	99.0%
Grade 11	1.5%	1.5%	4.4%	95.6%
Grade 12	4.6%	4.6%	9.6%	90.4%
<b>Cocaine</b>				
All	1.4%	1.5%	2.6%	97.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	2.6%	2.7%	2.8%	97.2%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.6%	1.0%	99.0%
Grade 11	1.5%	1.5%	4.4%	95.6%
Grade 12	4.6%	4.6%	9.1%	90.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.6%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.0%	1.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.0%	1.0%	2.9%	97.1%
Grade 12	2.0%	2.0%	2.4%	97.6%
<b>Hallucinogens</b>				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.1%	0.3%	1.5%	98.5%
Grade 9	0.8%	0.8%	1.1%	98.9%
Grade 10	0.0%	0.9%	1.2%	98.8%
Grade 11	1.0%	1.0%	2.6%	97.4%
Grade 12	2.1%	2.5%	3.4%	96.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Steroids</b>				
All	0.5%	0.8%	2.2%	97.8%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	1.6%	1.6%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.3%	1.3%	5.7%	94.3%
Grade 11	0.0%	0.4%	0.7%	99.3%
Grade 12	0.0%	1.5%	1.5%	98.5%
<b>Ecstasy</b>				
All	0.4%	0.8%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	1.7%	98.3%
Grade 9	0.0%	1.0%	1.2%	98.8%
Grade 10	0.2%	0.9%	1.5%	98.5%
Grade 11	0.0%	0.0%	1.6%	98.4%
Grade 12	2.4%	3.4%	3.4%	96.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.5%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	1.0%	1.6%	3.0%	97.0%
Grade 7	1.3%	1.6%	1.8%	98.2%
Grade 8	1.3%	2.5%	4.1%	95.9%
Grade 9	0.0%	1.3%	2.9%	97.1%
Grade 10	1.7%	2.5%	2.5%	97.5%
Grade 11	0.5%	0.5%	2.4%	97.6%
Grade 12	1.0%	1.0%	4.7%	95.3%
<b>Methamphetamine</b>				
All	0.1%	0.6%	1.0%	99.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.9%	1.3%	98.7%
Grade 9	0.0%	1.0%	1.2%	98.8%
Grade 10	0.6%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.5%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	25.1%	30.9%	48.6%	51.4%
Grade 7	10.6%	12.8%	25.3%	74.7%
Grade 8	13.5%	17.7%	31.2%	68.8%
Grade 9	24.3%	28.3%	49.5%	50.5%
Grade 10	30.7%	39.1%	59.2%	40.8%
Grade 11	32.0%	40.4%	57.4%	42.6%
Grade 12	40.4%	48.0%	70.2%	29.8%
<b>Any Alcohol Product</b>				
All	41.7%	47.0%	67.7%	32.3%
Grade 7	17.9%	21.9%	41.2%	58.8%
Grade 8	26.2%	30.2%	52.4%	47.6%
Grade 9	44.5%	51.5%	70.4%	29.6%
Grade 10	49.2%	55.4%	82.5%	17.5%
Grade 11	52.4%	58.6%	80.3%	19.7%
Grade 12	60.2%	64.7%	79.9%	20.1%
<b>Any Illicit Drug</b>				
All	19.1%	24.5%	33.1%	66.9%
Grade 7	7.1%	7.7%	10.7%	89.3%
Grade 8	9.8%	13.0%	19.4%	80.6%
Grade 9	19.7%	28.5%	34.0%	66.0%
Grade 10	28.8%	33.8%	44.5%	55.5%
Grade 11	26.4%	33.3%	44.2%	55.8%
Grade 12	23.2%	30.5%	46.3%	53.7%
<b>Any Prescription Drug</b>				
All	14.2%	19.8%	24.7%	75.3%
Grade 7	9.7%	13.6%	18.6%	81.4%
Grade 8	12.7%	18.6%	20.0%	80.0%
Grade 9	13.2%	18.9%	24.7%	75.3%
Grade 10	21.5%	25.3%	30.3%	69.7%
Grade 11	19.8%	25.1%	30.2%	69.8%
Grade 12	8.3%	16.8%	24.5%	75.5%
<b>Any Inhalant</b>				
All	7.1%	8.9%	20.3%	79.7%
Grade 7	8.2%	10.4%	18.9%	81.1%
Grade 8	9.5%	10.5%	20.1%	79.9%
Grade 9	9.6%	10.8%	21.1%	78.9%
Grade 10	7.7%	10.6%	23.2%	76.8%
Grade 11	5.7%	7.9%	25.2%	74.8%
Grade 12	1.5%	2.6%	13.3%	86.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.9%	18.0%	36.7%	63.3%
Grade 7	4.1%	6.0%	18.2%	81.8%
Grade 8	5.1%	9.3%	24.4%	75.6%
Grade 9	13.2%	18.9%	37.0%	63.0%
Grade 10	11.4%	20.5%	44.6%	55.4%
Grade 11	11.0%	26.7%	47.9%	52.1%
Grade 12	21.4%	26.5%	48.4%	51.6%
<b>Marijuana</b>				
All	19.1%	22.7%	31.2%	68.8%
Grade 7	6.9%	7.1%	10.1%	89.9%
Grade 8	9.7%	11.0%	16.1%	83.9%
Grade 9	19.7%	26.0%	31.2%	68.8%
Grade 10	28.8%	33.5%	43.6%	56.4%
Grade 11	26.4%	29.7%	41.1%	58.9%
Grade 12	23.2%	28.8%	45.6%	54.4%
<b>Marijuana Only</b>				
All	10.1%	13.1%	20.0%	80.0%
Grade 7	3.7%	4.0%	6.7%	93.3%
Grade 8	5.3%	6.6%	10.3%	89.7%
Grade 9	13.0%	17.8%	22.5%	77.5%
Grade 10	17.2%	21.9%	32.0%	68.0%
Grade 11	11.3%	14.1%	24.3%	75.7%
Grade 12	10.0%	14.1%	24.9%	75.1%
<b>Cocaine or Crack</b>				
All	1.7%	1.9%	3.8%	96.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	1.1%	1.3%	2.8%	97.2%
Grade 9	0.7%	0.7%	2.4%	97.6%
Grade 10	2.8%	2.8%	3.8%	96.2%
Grade 11	2.5%	3.6%	8.4%	91.6%
Grade 12	2.7%	2.7%	4.8%	95.2%
<b>Cocaine</b>				
All	1.3%	1.5%	3.5%	96.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	1.0%	1.2%	2.7%	97.3%
Grade 9	0.7%	0.7%	2.4%	97.6%
Grade 10	2.8%	2.8%	3.8%	96.2%
Grade 11	0.6%	1.7%	6.9%	93.1%
Grade 12	2.7%	2.7%	4.8%	95.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	1.9%	1.9%	4.4%	95.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.8%	1.8%	4.8%	95.2%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.4%	0.5%	3.5%	96.5%
Grade 9	0.8%	1.4%	5.5%	94.5%
Grade 10	2.0%	2.0%	4.7%	95.3%
Grade 11	1.3%	3.8%	6.5%	93.5%
Grade 12	0.0%	3.3%	6.9%	93.1%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Steroids</b>				
All	1.0%	1.2%	2.2%	97.8%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.4%	0.8%	1.4%	98.6%
Grade 9	2.1%	2.1%	3.4%	96.6%
Grade 10	0.0%	0.0%	1.8%	98.2%
Grade 11	1.9%	2.4%	3.9%	96.1%
Grade 12	1.5%	1.5%	1.5%	98.5%
<b>Ecstasy</b>				
All	0.7%	1.4%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.5%	0.5%	3.3%	96.7%
Grade 10	1.2%	1.2%	3.1%	96.9%
Grade 11	1.9%	4.1%	5.5%	94.5%
Grade 12	0.5%	2.5%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	2.2%	3.3%	7.9%	92.1%
Grade 7	1.5%	1.5%	1.9%	98.1%
Grade 8	0.8%	1.4%	3.3%	96.7%
Grade 9	2.9%	3.5%	6.4%	93.6%
Grade 10	1.3%	1.3%	7.6%	92.4%
Grade 11	6.0%	9.6%	13.9%	86.1%
Grade 12	0.5%	2.0%	14.3%	85.7%
<b>Methamphetamine</b>				
All	0.5%	0.7%	2.3%	97.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.4%	2.8%	97.2%
Grade 9	1.6%	1.6%	3.4%	96.6%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.5%	1.5%	5.0%	95.0%
Grade 12	0.0%	0.0%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.8%	23.1%	37.9%	62.1%
Grade 7	6.7%	7.7%	14.5%	85.5%
Grade 8	10.8%	14.4%	23.5%	76.5%
Grade 9	15.0%	18.3%	38.8%	61.2%
Grade 10	20.2%	29.9%	48.3%	51.7%
Grade 11	28.2%	37.1%	50.0%	50.0%
Grade 12	31.1%	37.9%	61.4%	38.6%
<b>Any Alcohol Product</b>				
All	33.2%	37.5%	59.2%	40.8%
Grade 7	14.6%	16.6%	33.8%	66.2%
Grade 8	20.7%	22.9%	45.5%	54.5%
Grade 9	35.6%	40.0%	61.2%	38.8%
Grade 10	37.0%	43.6%	69.9%	30.1%
Grade 11	49.9%	55.9%	76.5%	23.5%
Grade 12	48.8%	54.6%	77.2%	22.8%
<b>Any Illicit Drug</b>				
All	10.8%	14.5%	20.7%	79.3%
Grade 7	3.9%	4.7%	5.7%	94.3%
Grade 8	7.1%	9.5%	11.7%	88.3%
Grade 9	10.7%	15.0%	17.4%	82.6%
Grade 10	13.7%	19.3%	25.8%	74.2%
Grade 11	17.3%	22.9%	32.4%	67.6%
Grade 12	14.9%	19.5%	38.2%	61.8%
<b>Any Prescription Drug</b>				
All	10.8%	14.1%	18.5%	81.5%
Grade 7	6.5%	8.0%	13.2%	86.8%
Grade 8	11.0%	14.8%	17.1%	82.9%
Grade 9	10.2%	16.3%	22.0%	78.0%
Grade 10	17.3%	17.7%	22.6%	77.4%
Grade 11	10.9%	14.1%	18.5%	81.5%
Grade 12	9.5%	14.4%	18.5%	81.5%
<b>Any Inhalant</b>				
All	4.2%	5.3%	14.5%	85.5%
Grade 7	5.4%	6.0%	13.0%	87.0%
Grade 8	4.9%	6.3%	14.1%	85.9%
Grade 9	5.3%	5.5%	13.7%	86.3%
Grade 10	4.1%	5.5%	19.0%	81.0%
Grade 11	2.1%	3.1%	13.7%	86.3%
Grade 12	2.8%	5.4%	13.7%	86.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.0%	14.5%	28.7%	71.3%
Grade 7	3.0%	3.8%	9.3%	90.7%
Grade 8	4.4%	8.9%	19.2%	80.8%
Grade 9	8.3%	12.9%	30.1%	69.9%
Grade 10	7.6%	18.4%	38.7%	61.3%
Grade 11	11.4%	25.4%	40.1%	59.9%
Grade 12	15.8%	21.9%	41.3%	58.7%
<b>Marijuana</b>				
All	10.6%	13.0%	19.3%	80.7%
Grade 7	3.8%	3.8%	4.8%	95.2%
Grade 8	6.8%	8.0%	10.1%	89.9%
Grade 9	10.6%	14.4%	16.8%	83.2%
Grade 10	13.7%	18.2%	24.3%	75.7%
Grade 11	17.3%	19.4%	29.7%	70.3%
Grade 12	13.8%	17.5%	36.8%	63.2%
<b>Marijuana Only</b>				
All	5.9%	8.0%	13.4%	86.6%
Grade 7	2.1%	2.2%	3.1%	96.9%
Grade 8	2.8%	3.7%	5.7%	94.3%
Grade 9	6.2%	9.1%	11.3%	88.7%
Grade 10	8.8%	13.4%	19.4%	80.6%
Grade 11	10.1%	11.9%	21.6%	78.4%
Grade 12	7.0%	9.5%	23.7%	76.3%
<b>Cocaine or Crack</b>				
All	1.4%	1.6%	2.6%	97.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	2.2%	2.2%	2.3%	97.7%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.6%	1.1%	1.4%	98.6%
Grade 11	1.0%	1.3%	3.6%	96.4%
Grade 12	4.3%	4.3%	7.8%	92.2%
<b>Cocaine</b>				
All	1.4%	1.5%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	2.1%	2.2%	2.2%	97.8%
Grade 9	0.6%	0.6%	1.2%	98.8%
Grade 10	0.6%	1.1%	1.4%	98.6%
Grade 11	1.0%	1.3%	2.8%	97.2%
Grade 12	4.3%	4.3%	7.5%	92.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	2.0%	98.0%
Grade 12	1.2%	1.2%	1.5%	98.5%
<b>Hallucinogens</b>				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.2%	0.4%	1.4%	98.6%
Grade 9	0.8%	0.8%	1.5%	98.5%
Grade 10	0.8%	1.0%	1.6%	98.4%
Grade 11	1.2%	1.5%	2.4%	97.6%
Grade 12	0.9%	2.1%	4.1%	95.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>				
All	0.8%	1.0%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	1.2%	1.3%	2.0%	98.0%
Grade 9	1.1%	1.1%	2.5%	97.5%
Grade 10	1.0%	1.0%	5.1%	94.9%
Grade 11	0.9%	1.1%	2.1%	97.9%
Grade 12	0.8%	1.7%	1.7%	98.3%
<b>Ecstasy</b>				
All	0.4%	0.9%	1.4%	98.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	1.2%	98.8%
Grade 9	0.3%	1.0%	1.4%	98.6%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.9%	1.5%	98.5%
Grade 12	1.8%	3.1%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.2%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.3%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	1.1%	1.8%	4.1%	95.9%
Grade 7	0.7%	0.8%	1.1%	98.9%
Grade 8	1.2%	2.1%	3.4%	96.6%
Grade 9	1.2%	2.2%	3.3%	96.7%
Grade 10	1.3%	1.4%	3.2%	96.8%
Grade 11	1.6%	3.3%	6.3%	93.7%
Grade 12	0.6%	1.4%	8.5%	91.5%
<b>Methamphetamine</b>				
All	0.2%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.8%	1.5%	98.5%
Grade 9	0.8%	1.6%	1.9%	98.1%
Grade 10	0.5%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.9%	1.8%	98.2%
Grade 12	0.0%	0.3%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	29.9%	33.5%	49.5%	50.5%
Grade 7	15.9%	18.5%	32.4%	67.6%
Grade 8	13.7%	17.8%	25.8%	74.2%
Grade 9	26.3%	26.3%	43.3%	56.7%
Grade 10	32.4%	43.6%	59.4%	40.6%
Grade 11	37.7%	39.1%	71.5%	28.5%
Grade 12	56.1%	58.2%	62.0%	38.0%
<b>Any Alcohol Product</b>				
All	46.2%	53.5%	71.6%	28.4%
Grade 7	27.7%	33.9%	52.0%	48.0%
Grade 8	25.7%	28.3%	60.5%	39.5%
Grade 9	48.2%	56.8%	83.7%	16.3%
Grade 10	58.2%	64.2%	69.7%	30.3%
Grade 11	55.1%	69.7%	86.5%	13.5%
Grade 12	59.9%	63.7%	70.1%	29.9%
<b>Any Illicit Drug</b>				
All	22.9%	29.1%	35.2%	64.8%
Grade 7	9.2%	14.1%	19.1%	80.9%
Grade 8	16.3%	19.9%	26.1%	73.9%
Grade 9	28.9%	36.2%	43.5%	56.5%
Grade 10	23.8%	25.6%	38.8%	61.2%
Grade 11	25.5%	35.8%	35.8%	64.2%
Grade 12	32.3%	41.6%	45.4%	54.6%
<b>Any Prescription Drug</b>				
All	14.9%	21.0%	28.8%	71.2%
Grade 7	10.0%	14.8%	21.5%	78.5%
Grade 8	11.7%	20.4%	26.7%	73.3%
Grade 9	9.2%	10.9%	17.4%	82.6%
Grade 10	19.1%	37.2%	44.6%	55.4%
Grade 11	23.2%	23.2%	29.5%	70.5%
Grade 12	15.3%	17.4%	33.1%	66.9%
<b>Any Inhalant</b>				
All	11.9%	16.1%	26.4%	73.6%
Grade 7	10.0%	19.5%	22.2%	77.8%
Grade 8	14.4%	16.6%	28.2%	71.8%
Grade 9	12.7%	15.2%	26.0%	74.0%
Grade 10	16.9%	22.4%	26.9%	73.1%
Grade 11	13.8%	17.5%	32.4%	67.6%
Grade 12	0.0%	2.4%	20.8%	79.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	15.3%	22.4%	38.4%	61.6%
Grade 7	2.0%	5.2%	24.2%	75.8%
Grade 8	10.3%	16.9%	23.1%	76.9%
Grade 9	19.6%	20.6%	36.7%	63.3%
Grade 10	9.1%	24.5%	40.6%	59.4%
Grade 11	20.7%	29.9%	54.6%	45.4%
Grade 12	30.2%	36.5%	47.6%	52.4%
<b>Marijuana</b>				
All	22.5%	25.9%	32.2%	67.8%
Grade 7	8.4%	8.9%	14.0%	86.0%
Grade 8	15.6%	16.7%	23.7%	76.3%
Grade 9	28.9%	30.1%	37.5%	62.5%
Grade 10	22.2%	24.0%	37.2%	62.8%
Grade 11	25.5%	34.7%	34.7%	65.3%
Grade 12	32.3%	39.5%	43.3%	56.7%
<b>Marijuana Only</b>				
All	9.4%	12.3%	17.8%	82.2%
Grade 7	5.0%	5.4%	10.4%	89.6%
Grade 8	5.3%	6.5%	8.3%	91.7%
Grade 9	23.9%	24.1%	31.5%	68.5%
Grade 10	4.5%	6.4%	19.6%	80.4%
Grade 11	5.8%	13.3%	13.3%	86.7%
Grade 12	8.5%	15.7%	19.5%	80.5%
<b>Cocaine or Crack</b>				
All	1.9%	2.4%	5.8%	94.2%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	1.0%	1.8%	3.6%	96.4%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	1.6%	1.6%	4.1%	95.9%
Grade 11	7.8%	9.6%	18.9%	81.1%
Grade 12	0.0%	0.0%	4.5%	95.5%
<b>Cocaine</b>				
All	0.9%	1.3%	5.7%	94.3%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	1.0%	1.8%	3.6%	96.4%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	1.6%	1.6%	4.1%	95.9%
Grade 11	1.9%	3.6%	18.9%	81.1%
Grade 12	0.0%	0.0%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.5%	1.5%	2.9%	97.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	5.9%	5.9%	11.9%	88.1%
Grade 12	0.0%	0.0%	2.1%	97.9%
<b>Hallucinogens</b>				
All	1.0%	3.9%	9.3%	90.7%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.0%	0.4%	9.8%	90.2%
Grade 9	1.3%	2.9%	8.5%	91.5%
Grade 10	1.0%	4.0%	7.2%	92.8%
Grade 11	1.2%	7.1%	14.6%	85.4%
Grade 12	2.5%	9.3%	13.8%	86.2%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.0%	0.4%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.4%	2.4%	4.5%	95.5%
<b>Steroids</b>				
All	0.3%	0.7%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.0%	1.2%	3.1%	96.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.2%	2.5%	2.5%	97.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	1.4%	2.5%	6.6%	93.4%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	1.6%	98.4%
Grade 9	0.0%	0.0%	6.8%	93.2%
Grade 10	1.6%	4.5%	7.0%	93.0%
Grade 11	5.9%	7.3%	14.4%	85.6%
Grade 12	0.0%	2.4%	6.6%	93.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.7%	1.9%	2.4%	97.6%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.5%	95.5%
<b>Synthetic Marijuana</b>				
All	3.1%	4.5%	9.2%	90.8%
Grade 7	1.2%	1.8%	2.3%	97.7%
Grade 8	0.6%	2.0%	7.1%	92.9%
Grade 9	1.3%	2.9%	6.0%	94.0%
Grade 10	3.7%	6.7%	14.5%	85.5%
Grade 11	8.5%	10.1%	11.8%	88.2%
Grade 12	2.4%	2.4%	13.6%	86.4%
<b>Methamphetamine</b>				
All	0.4%	0.4%	2.8%	97.2%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.2%	98.8%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	1.6%	1.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	5.9%	94.1%
Grade 12	0.0%	0.0%	6.1%	93.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	54,692	50.5%
Female	53,564	49.5%
Frequency Missing	567	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	59,145	55.9%
Yes	46,728	44.1%
Frequency Missing	2,951	

**Grade**

Q2	Frequency	Percent
Grade 7	19,909	18.3%
Grade 8	19,632	18.1%
Grade 9	19,449	17.9%
Grade 10	18,020	16.6%
Grade 11	16,515	15.2%
Grade 12	15,060	13.9%
Frequency Missing	239	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	1,865	1.9%
Asian American	379	0.4%
African American	6,705	7.0%
Pacific Islander	26	0.0%
White	58,078	60.6%
Other	16,742	17.5%
More Than One Race	12,018	12.5%
Frequency Missing	13,012	

**Live with Both Parents**

Q3	Frequency	Percent
No	44,088	41.0%
Yes	63,509	59.0%
Frequency Missing	1,227	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	209	0.2%
Mostly D's	1,029	1.1%
Mostly C's	8,898	9.7%
Mostly B's	41,657	45.2%
Mostly A's	40,364	43.8%
Frequency Missing	16,667	

**Age**

Q4	Frequency	Percent
11 Or Younger	41	0.0%
12	8,589	7.9%
13	19,243	17.7%
14	17,972	16.6%
15	18,500	17.1%
16	17,961	16.6%
17	17,058	15.7%
18	8,483	7.8%
19 Or Older	579	0.5%
Frequency Missing	397	

**Do You Have a Job**

Q7	Frequency	Percent
No	72,054	77.4%
Yes	21,018	22.6%
Frequency Missing	15,752	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	30,473	33.1%
Yes	34,268	37.3%
Don't Know	27,236	29.6%
Frequency Missing	16,847	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	67,771	84.2%
Yes	12,704	15.8%
Frequency Missing	28,348	

**Participate in School Athletics (UTL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	25,622	28.5%
Yes	64,344	71.5%
Frequency Missing	18,858	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	49,171	59.6%
Yes	33,361	40.4%
Frequency Missing	26,293	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	55,749	67.2%
Yes	27,173	32.8%
Frequency Missing	25,901	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	59,638	74.4%
Yes	20,533	25.6%
Frequency Missing	28,652	

**Participate in School Choir**

Q9c	Frequency	Percent
No	73,706	93.6%
Yes	5,075	6.4%
Frequency Missing	30,043	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	53,322	64.3%
Yes	29,597	35.7%
Frequency Missing	25,905	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	71,575	90.1%
Yes	7,869	9.9%
Frequency Missing	29,380	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	60,362	75.2%
Yes	19,932	24.8%
Frequency Missing	28,530	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	93,676	86.6%
Somewhat Safe	12,009	11.1%
Not Very Safe	801	0.7%
Not Safe At All	300	0.3%
Don't Know	1,352	1.3%
Frequency Missing	686	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School Or Less	6,634	6.4%
Some High School	11,762	11.4%
Finished High School	19,700	19.0%
Some College	17,407	16.8%
Finished College	25,246	24.4%
Post-Secondary	11,453	11.1%
Don't Know Or N/A	11,262	10.9%
Frequency Missing	5,360	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	55,260	51.4%
Somewhat Safe	43,709	40.7%
Not Very Safe	4,946	4.6%
Not Safe At All	892	0.8%
Don't Know	2,715	2.5%
Frequency Missing	1,301	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	51,755	53.6%
Yes	44,779	46.4%
Frequency Missing	12,290	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	55,726	51.7%
Somewhat Safe	40,211	37.3%
Not Very Safe	5,275	4.9%
Not Safe At All	2,740	2.5%
Don't Know	3,880	3.6%
Frequency Missing	992	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	4,536	4.2%
A Few	22,726	21.1%
Some	24,851	23.1%
Most	39,940	37.1%
All	15,561	14.5%
Frequency Missing	1,211	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School Or Less	7,162	6.9%
Some High School	13,056	12.7%
Finished High School	27,591	26.8%
Some College	14,679	14.2%
Finished College	17,926	17.4%
Post-Secondary	7,311	7.1%
Don't Know Or N/A	15,372	14.9%
Frequency Missing	5,727	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	1,990	1.8%
A Few	13,116	12.2%
Some	26,235	24.4%
Most	46,217	42.9%
All	20,182	18.7%
Frequency Missing	1,083	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	54,371	51.5%
A Few	32,304	30.6%
Some	12,276	11.6%
Most	4,314	4.1%
All	2,238	2.1%
Frequency Missing	3,320	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	100,552	93.6%
In Your Lifetime	4,650	4.3%
Since School Began	991	0.9%
In The Past Month	1,263	1.2%
Frequency Missing	1,368	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	65,783	61.6%
A Few	21,684	20.3%
Some	10,349	9.7%
Most	5,740	5.4%
All	3,180	3.0%
Frequency Missing	2,089	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	104,753	98.4%
In Your Lifetime	849	0.8%
Since School Began	598	0.6%
In The Past Month	273	0.3%
Frequency Missing	2,351	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	92,208	85.7%
A Few	9,059	8.4%
Some	2,973	2.8%
Most	1,474	1.4%
All	1,821	1.7%
Frequency Missing	1,290	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	99,727	92.6%
In Your Lifetime	4,784	4.4%
Since School Began	961	0.9%
In The Past Month	2,184	2.0%
Frequency Missing	1,169	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	103,848	96.4%
In Your Lifetime	2,950	2.7%
Since School Began	630	0.6%
In The Past Month	327	0.3%
Frequency Missing	1,069	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	105,649	98.7%
In Your Lifetime	907	0.8%
Since School Began	274	0.3%
In The Past Month	206	0.2%
Frequency Missing	1,788	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	105,688	98.6%
In Your Lifetime	714	0.7%
Since School Began	472	0.4%
In The Past Month	273	0.3%
Frequency Missing	1,676	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	92,618	87.1%
In Your Lifetime	6,828	6.4%
Since School Began	2,616	2.5%
In The Past Month	4,249	4.0%
Frequency Missing	2,513	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	104,694	97.8%
In Your Lifetime	1,520	1.4%
Since School Began	420	0.4%
In The Past Month	404	0.4%
Frequency Missing	1,785	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	56,487	53.5%
In Your Lifetime	22,520	21.3%
Since School Began	10,222	9.7%
In The Past Month	16,309	15.5%
Frequency Missing	3,286	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	68,437	64.3%
In Your Lifetime	17,261	16.2%
Since School Began	7,824	7.3%
In The Past Month	12,941	12.2%
Frequency Missing	2,362	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	103,930	96.6%
In Your Lifetime	2,035	1.9%
Since School Began	757	0.7%
In The Past Month	884	0.8%
Frequency Missing	1,218	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	67,010	63.8%
In Your Lifetime	21,585	20.6%
Since School Began	6,188	5.9%
In The Past Month	10,250	9.8%
Frequency Missing	3,791	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	78,764	73.6%
In Your Lifetime	15,103	14.1%
Since School Began	4,281	4.0%
In The Past Month	8,909	8.3%
Frequency Missing	1,766	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	65,530	61.5%
In Your Lifetime	16,361	15.4%
Since School Began	9,894	9.3%
In The Past Month	14,696	13.8%
Frequency Missing	2,344	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	104,645	97.6%
In Your Lifetime	1,779	1.7%
Since School Began	334	0.3%
In The Past Month	464	0.4%
Frequency Missing	1,602	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	101,383	94.7%
In Your Lifetime	3,995	3.7%
Since School Began	625	0.6%
In The Past Month	1,028	1.0%
Frequency Missing	1,792	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	106,006	99.2%
In Your Lifetime	700	0.7%
Since School Began	49	0.0%
In The Past Month	96	0.1%
Frequency Missing	1,973	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	75,149	70.1%
In Your Lifetime	15,389	14.3%
Since School Began	7,063	6.6%
In The Past Month	9,664	9.0%
Frequency Missing	1,558	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	103,924	97.1%
In Your Lifetime	1,851	1.7%
Since School Began	611	0.6%
In The Past Month	684	0.6%
Frequency Missing	1,753	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	85,399	79.5%
In Your Lifetime	10,378	9.7%
Since School Began	4,880	4.5%
In The Past Month	6,791	6.3%
Frequency Missing	1,377	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	107,082	99.7%
In Your Lifetime	248	0.2%
Since School Began	8	0.0%
In The Past Month	93	0.1%
Frequency Missing	1,392	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	104,645	97.9%
In Your Lifetime	1,300	1.2%
Since School Began	241	0.2%
In The Past Month	757	0.7%
Frequency Missing	1,881	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	102,467	95.4%
In Your Lifetime	2,741	2.6%
Since School Began	943	0.9%
In The Past Month	1,217	1.1%
Frequency Missing	1,455	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	104,415	98.1%
In Your Lifetime	940	0.9%
Since School Began	746	0.7%
In The Past Month	327	0.3%
Frequency Missing	2,395	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	92,153	86.3%
In Your Lifetime	4,137	3.9%
Since School Began	3,149	3.0%
In The Past Month	7,291	6.8%
Frequency Missing	2,094	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	106,888	99.5%
In Your Lifetime	333	0.3%
Since School Began	72	0.1%
In The Past Month	158	0.1%
Frequency Missing	1,374	

**Recent Prescription Drug Use - Percocets Etc**

Q17b	Frequency	Percent
Never Heard/Used	100,409	94.4%
In Your Lifetime	1,948	1.8%
Since School Began	1,134	1.1%
In The Past Month	2,871	2.7%
Frequency Missing	2,462	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	105,973	98.8%
In Your Lifetime	648	0.6%
Since School Began	358	0.3%
In The Past Month	284	0.3%
Frequency Missing	1,561	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	102,375	96.3%
In Your Lifetime	1,528	1.4%
Since School Began	822	0.8%
In The Past Month	1,572	1.5%
Frequency Missing	2,526	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	102,827	97.2%
In Your Lifetime	673	0.6%
Since School Began	294	0.3%
In The Past Month	1,999	1.9%
Frequency Missing	3,030	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	73,561	69.5%
1-2 Times	20,793	19.7%
3-10 Times	7,814	7.4%
11+ Times	3,603	3.4%
Frequency Missing	3,053	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	95,723	90.4%
In Your Lifetime	3,555	3.4%
Since School Began	1,538	1.5%
In The Past Month	5,073	4.8%
Frequency Missing	2,934	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	104,061	97.5%
1-2 Times	2,070	1.9%
3-10 Times	357	0.3%
11+ Times	277	0.3%
Frequency Missing	2,059	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	103,278	96.8%
In Your Lifetime	802	0.8%
Since School Began	688	0.6%
In The Past Month	1,975	1.9%
Frequency Missing	2,080	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	94,071	88.3%
1-2 Times	6,292	5.9%
3-10 Times	2,048	1.9%
11+ Times	4,127	3.9%
Frequency Missing	2,286	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	91,384	85.9%
1-2 Times	6,754	6.4%
3-10 Times	3,389	3.2%
11+ Times	4,819	4.5%
Frequency Missing	2,478	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	105,510	98.7%
1-2 Times	1,047	1.0%
3-10 Times	109	0.1%
11+ Times	193	0.2%
Frequency Missing	1,965	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	105,786	99.5%
1-2 Times	429	0.4%
3-10 Times	0	0.0%
11+ Times	98	0.1%
Frequency Missing	2,511	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never Heard/None	63,948	60.1%
A Few	20,955	19.7%
Some	10,868	10.2%
Most	7,824	7.4%
All	2,793	2.6%
Frequency Missing	2,435	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never Heard/None	58,424	55.0%
A Few	26,101	24.6%
Some	13,272	12.5%
Most	7,444	7.0%
All	1,031	1.0%
Frequency Missing	2,552	

**Difficult to Get Tobacco**

Q21a	Frequency	Percent
Never Heard Of	21,104	20.0%
Impossible	22,533	21.3%
Very Difficult	7,267	6.9%
Somewhat Diff	9,417	8.9%
Somewhat Easy	16,749	15.9%
Very Easy	28,500	27.0%
Frequency Missing	3,253	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never Heard/None	42,999	40.5%
A Few	27,912	26.3%
Some	16,227	15.3%
Most	15,653	14.7%
All	3,476	3.3%
Frequency Missing	2,557	

**Difficult to Get Alcohol**

Q21b	Frequency	Percent
Never Heard Of	16,859	16.0%
Impossible	16,029	15.2%
Very Difficult	7,529	7.2%
Somewhat Diff	12,659	12.0%
Somewhat Easy	20,639	19.6%
Very Easy	31,413	29.9%
Frequency Missing	3,695	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never Heard/None	95,939	90.3%
A Few	8,011	7.5%
Some	1,551	1.5%
Most	441	0.4%
All	245	0.2%
Frequency Missing	2,637	

**Difficult to Get Inhalants**

Q21c	Frequency	Percent
Never Heard Of	34,888	33.3%
Impossible	18,942	18.1%
Very Difficult	5,307	5.1%
Somewhat Diff	8,215	7.8%
Somewhat Easy	9,449	9.0%
Very Easy	27,956	26.7%
Frequency Missing	4,066	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Marijuana**

Q21d	Frequency	Percent
Never Heard Of	22,801	21.7%
Impossible	29,389	27.9%
Very Difficult	10,573	10.0%
Somewhat Diff	10,569	10.0%
Somewhat Easy	13,265	12.6%
Very Easy	18,662	17.7%
Frequency Missing	3,565	

**Difficult to Get Ecstasy**

Q21i	Frequency	Percent
Never Heard Of	45,426	43.5%
Impossible	34,442	33.0%
Very Difficult	11,284	10.8%
Somewhat Diff	6,418	6.1%
Somewhat Easy	3,026	2.9%
Very Easy	3,847	3.7%
Frequency Missing	4,380	

**Difficult to Get Cocaine**

Q21e	Frequency	Percent
Never Heard Of	32,033	30.5%
Impossible	41,473	39.5%
Very Difficult	13,803	13.1%
Somewhat Diff	9,774	9.3%
Somewhat Easy	3,676	3.5%
Very Easy	4,323	4.1%
Frequency Missing	3,741	

**Difficult to Get Heroin**

Q21j	Frequency	Percent
Never Heard Of	41,744	39.5%
Impossible	41,220	39.1%
Very Difficult	13,597	12.9%
Somewhat Diff	4,448	4.2%
Somewhat Easy	2,088	2.0%
Very Easy	2,455	2.3%
Frequency Missing	3,273	

**Difficult to Get Crack**

Q21f	Frequency	Percent
Never Heard Of	33,581	31.9%
Impossible	42,048	40.0%
Very Difficult	15,610	14.8%
Somewhat Diff	8,086	7.7%
Somewhat Easy	2,557	2.4%
Very Easy	3,334	3.2%
Frequency Missing	3,607	

**Difficult to Get Methamphetamine**

Q21k	Frequency	Percent
Never Heard Of	41,984	39.8%
Impossible	40,191	38.1%
Very Difficult	10,810	10.3%
Somewhat Diff	6,247	5.9%
Somewhat Easy	2,622	2.5%
Very Easy	3,554	3.4%
Frequency Missing	3,415	

**Difficult to Get Steroids**

Q21h	Frequency	Percent
Never Heard Of	35,025	33.5%
Impossible	39,011	37.3%
Very Difficult	14,503	13.9%
Somewhat Diff	7,421	7.1%
Somewhat Easy	4,372	4.2%
Very Easy	4,211	4.0%
Frequency Missing	4,281	

**Difficult to Get Synthetic Marijuana**

Q21l	Frequency	Percent
Never Heard Of	41,283	39.1%
Impossible	33,515	31.8%
Very Difficult	11,020	10.4%
Somewhat Diff	7,293	6.9%
Somewhat Easy	4,892	4.6%
Very Easy	7,467	7.1%
Frequency Missing	3,354	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Tobacco**

Q22a	Frequency	Percent
Every Day	3,225	3.0%
Several Times/Wk	2,688	2.5%
Several Times/Mo	2,117	2.0%
About Once/Month	3,670	3.4%
About Once/Year	4,558	4.3%
Less than Once/Year	6,772	6.4%
Never Used	83,343	78.4%
Frequency Missing	2,452	

**How Often Normally Use Marijuana**

Q22d	Frequency	Percent
Every Day	2,543	2.4%
Several Times/Wk	1,171	1.1%
Several Times/Mo	2,100	2.0%
About Once/Month	3,816	3.6%
About Once/Year	4,581	4.3%
Less than Once/Year	4,088	3.8%
Never Used	87,938	82.8%
Frequency Missing	2,587	

**How Often Normally Use Alcohol**

Q22b	Frequency	Percent
Every Day	711	0.7%
Several Times/Wk	2,081	2.0%
Several Times/Mo	8,890	8.4%
About Once/Month	12,778	12.1%
About Once/Year	13,419	12.7%
Less than Once/Year	10,611	10.0%
Never Used	57,518	54.3%
Frequency Missing	2,816	

**How Often Normally Use Cocaine**

Q22e	Frequency	Percent
Every Day	0	0.0%
Several Times/Wk	12	0.0%
Several Times/Mo	81	0.1%
About Once/Month	309	0.3%
About Once/Year	396	0.4%
Less than Once/Year	900	0.8%
Never Used	104,731	98.4%
Frequency Missing	2,395	

**How Often Normally Use Inhalants**

Q22c	Frequency	Percent
Every Day	125	0.1%
Several Times/Wk	84	0.1%
Several Times/Mo	258	0.2%
About Once/Month	540	0.5%
About Once/Year	745	0.7%
Less than Once/Year	3,261	3.1%
Never Used	101,240	95.3%
Frequency Missing	2,571	

**How Often Normally Use Crack**

Q22f	Frequency	Percent
Every Day	0	0.0%
Several Times/Wk	0	0.0%
Several Times/Mo	50	0.0%
About Once/Month	14	0.0%
About Once/Year	26	0.0%
Less than Once/Year	374	0.4%
Never Used	105,796	99.6%
Frequency Missing	2,564	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Steroids**

Q22h	Frequency	Percent
Every Day	15	0.0%
Several Times/Wk	36	0.0%
Several Times/Mo	0	0.0%
About Once/Month	313	0.3%
About Once/Year	136	0.1%
Less than Once/Year	385	0.4%
Never Used	105,138	99.2%
Frequency Missing	2,800	

**How Often Normally Use Methamphetamine**

Q22k	Frequency	Percent
Every Day	9	0.0%
Several Times/Wk	38	0.0%
Several Times/Mo	0	0.0%
About Once/Month	134	0.1%
About Once/Year	458	0.4%
Less than Once/Year	320	0.3%
Never Used	105,423	99.1%
Frequency Missing	2,442	

**How Often Normally Use Ecstasy**

Q22i	Frequency	Percent
Every Day	23	0.0%
Several Times/Wk	0	0.0%
Several Times/Mo	229	0.2%
About Once/Month	61	0.1%
About Once/Year	471	0.4%
Less than Once/Year	521	0.5%
Never Used	104,639	98.8%
Frequency Missing	2,880	

**How Often Normally Use Synthetic Marijuana**

Q22l	Frequency	Percent
Every Day	248	0.2%
Several Times/Wk	198	0.2%
Several Times/Mo	331	0.3%
About Once/Month	196	0.2%
About Once/Year	787	0.7%
Less than Once/Year	1,513	1.4%
Never Used	103,061	96.9%
Frequency Missing	2,489	

**How Often Normally Use Heroin**

Q22j	Frequency	Percent
Every Day	23	0.0%
Several Times/Wk	38	0.0%
Several Times/Mo	21	0.0%
About Once/Month	49	0.0%
About Once/Year	80	0.1%
Less than Once/Year	61	0.1%
Never Used	105,736	99.7%
Frequency Missing	2,816	

**Amount of Beer at One Time**

Q23a	Frequency	Percent
Never Drink This	56,793	54.0%
12+ Drinks	4,953	4.7%
9-11 Drinks	2,581	2.5%
5-8 Drinks	6,186	5.9%
3-4 Drinks	7,310	6.9%
2 Drinks	5,469	5.2%
1 Drink	8,388	8.0%
Less than 1 Drink	13,539	12.9%
Frequency Missing	3,605	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Wine Coolers at One Time**

Q23b	Frequency	Percent
Never Drink This	66,833	63.3%
12+ Drinks	3,045	2.9%
9-11 Drinks	1,478	1.4%
5-8 Drinks	4,021	3.8%
3-4 Drinks	7,654	7.2%
2 Drinks	7,721	7.3%
1 Drink	7,835	7.4%
Less than 1 Drink	7,039	6.7%
Frequency Missing	3,196	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q24a	Frequency	Percent
Never 5+ At Time	56,150	54.1%
0 Days	32,217	31.0%
1 Day	5,805	5.6%
2 Days	3,580	3.4%
3 To 5 Days	2,645	2.5%
6 To 9 Days	945	0.9%
10 Or More Days	2,534	2.4%
Frequency Missing	4,947	

**Amount of Wine at One Time**

Q23c	Frequency	Percent
Never Drink This	67,572	65.0%
12+ Drinks	1,505	1.4%
9-11 Drinks	721	0.7%
5-8 Drinks	1,470	1.4%
3-4 Drinks	3,276	3.2%
2 Drinks	5,830	5.6%
1 Drink	9,628	9.3%
Less than 1 Drink	13,887	13.4%
Frequency Missing	4,935	

**Get Alcoholic Beverages from Home**

Q25a	Frequency	Percent
Do Not Drink	54,917	52.4%
Never	22,843	21.8%
Seldom	19,148	18.3%
Most Of The Time	4,441	4.2%
Always	3,401	3.2%
Frequency Missing	4,075	

**Amount of Liquor at One Time**

Q23d	Frequency	Percent
Never Drink This	64,458	60.8%
12+ Drinks	4,916	4.6%
9-11 Drinks	1,953	1.8%
5-8 Drinks	4,347	4.1%
3-4 Drinks	7,035	6.6%
2 Drinks	6,080	5.7%
1 Drink	8,020	7.6%
Less than 1 Drink	9,130	8.6%
Frequency Missing	2,885	

**Get Alcoholic Beverages from Friends**

Q25b	Frequency	Percent
Do Not Drink	52,693	50.4%
Never	19,615	18.8%
Seldom	16,155	15.5%
Most Of The Time	11,807	11.3%
Always	4,246	4.1%
Frequency Missing	4,308	

**Get Alcoholic Beverages from a Store**

Q25c	Frequency	Percent
Do Not Drink	55,789	53.5%
Never	40,976	39.3%
Seldom	3,821	3.7%
Most Of The Time	2,497	2.4%
Always	1,139	1.1%
Frequency Missing	4,602	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Get Alcoholic Beverages at Parties**

Q25d	Frequency	Percent
Do Not Drink	50,717	48.4%
Never	19,785	18.9%
Seldom	11,590	11.1%
Most Of The Time	12,364	11.8%
Always	10,375	9.9%
Frequency Missing	3,994	

**Dangerous for Kids to Use Inhalants**

Q26c	Frequency	Percent
Very	81,768	78.0%
Somewhat	12,220	11.7%
Not Very	2,233	2.1%
Not At All	1,243	1.2%
Don't Know	7,351	7.0%
Frequency Missing	4,009	

**Get Alcoholic Beverages from Other Sources**

Q25e	Frequency	Percent
Do Not Drink	55,838	53.7%
Never	26,696	25.7%
Seldom	11,165	10.7%
Most Of The Time	5,274	5.1%
Always	5,026	4.8%
Frequency Missing	4,826	

**Dangerous for Kids to Use Marijuana**

Q26d	Frequency	Percent
Very	64,777	61.6%
Somewhat	14,814	14.1%
Not Very	10,005	9.5%
Not At All	10,695	10.2%
Don't Know	4,826	4.6%
Frequency Missing	3,707	

**Dangerous for Kids to Use Tobacco**

Q26a	Frequency	Percent
Very	61,141	57.7%
Somewhat	27,651	26.1%
Not Very	9,915	9.4%
Not At All	2,742	2.6%
Don't Know	4,507	4.3%
Frequency Missing	2,868	

**Dangerous for Kids to Use Cocaine**

Q26e	Frequency	Percent
Very	94,755	89.7%
Somewhat	4,534	4.3%
Not Very	630	0.6%
Not At All	729	0.7%
Don't Know	4,932	4.7%
Frequency Missing	3,243	

**Dangerous for Kids to Use Alcohol**

Q26b	Frequency	Percent
Very	53,516	50.7%
Somewhat	33,164	31.4%
Not Very	12,472	11.8%
Not At All	2,451	2.3%
Don't Know	3,904	3.7%
Frequency Missing	3,318	

**Dangerous for Kids to Use Crack**

Q26f	Frequency	Percent
Very	95,933	90.7%
Somewhat	3,715	3.5%
Not Very	349	0.3%
Not At All	717	0.7%
Don't Know	5,017	4.7%
Frequency Missing	3,094	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Ecstasy**

Q26g	Frequency	Percent
Very	88,657	84.1%
Somewhat	6,322	6.0%
Not Very	1,510	1.4%
Not At All	1,273	1.2%
Don't Know	7,718	7.3%
Frequency Missing	3,344	

**Dangerous for Kids to Use Synthetic Marijuana**

Q26k	Frequency	Percent
Very	88,281	84.3%
Somewhat	6,460	6.2%
Not Very	1,413	1.3%
Not At All	1,439	1.4%
Don't Know	7,167	6.8%
Frequency Missing	4,064	

**Dangerous for Kids to Use Steroids**

Q26h	Frequency	Percent
Very	80,755	76.7%
Somewhat	11,968	11.4%
Not Very	4,418	4.2%
Not At All	1,145	1.1%
Don't Know	6,987	6.6%
Frequency Missing	3,552	

**Dangerous for Kids to Use Any Prescription**

Q26l	Frequency	Percent
Very	79,738	75.7%
Somewhat	12,580	11.9%
Not Very	4,949	4.7%
Not At All	1,305	1.2%
Don't Know	6,798	6.5%
Frequency Missing	3,455	

**Dangerous for Kids to Use Heroin**

Q26i	Frequency	Percent
Very	95,407	90.3%
Somewhat	2,779	2.6%
Not Very	351	0.3%
Not At All	633	0.6%
Don't Know	6,476	6.1%
Frequency Missing	3,178	

**Dangerous for Kids to Use Electronic Vapor Products**

Q26m	Frequency	Percent
Very	53,124	50.3%
Somewhat	15,509	14.7%
Not Very	18,729	17.7%
Not At All	11,824	11.2%
Don't Know	6,454	6.1%
Frequency Missing	3,185	

**Dangerous for Kids to Use Methamphetamine**

Q26j	Frequency	Percent
Very	95,229	90.2%
Somewhat	3,079	2.9%
Not Very	488	0.5%
Not At All	650	0.6%
Don't Know	6,156	5.8%
Frequency Missing	3,222	

**Days Skipped Since September**

Q27a	Frequency	Percent
None	87,283	83.0%
1-3 Days	13,353	12.7%
4-9 Days	2,907	2.8%
10+ Days	1,602	1.5%
Frequency Missing	3,679	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Days Ill Since September**

Q27b	Frequency	Percent
None	38,658	36.7%
1-3 Days	53,134	50.5%
4-9 Days	10,191	9.7%
10+ Days	3,217	3.1%
Frequency Missing	3,623	

**Trouble with Friends Because of Drinking**

Q28a	Frequency	Percent
None	99,902	95.1%
1-3 Times	4,556	4.3%
4-9 Times	442	0.4%
10+ Times	153	0.1%
Frequency Missing	3,771	

**Other Reason For Days Missed Since September**

Q27c	Frequency	Percent
None	43,961	42.2%
1-3 Days	49,739	47.7%
4-9 Days	7,898	7.6%
10+ Days	2,654	2.5%
Frequency Missing	4,573	

**Driven a Car After a Good Bit to Drink**

Q28b	Frequency	Percent
None	99,828	95.3%
1-3 Times	4,278	4.1%
4-9 Times	291	0.3%
10+ Times	397	0.4%
Frequency Missing	4,030	

**Sent to Principal/Dean Since September**

Q27d	Frequency	Percent
None	92,140	87.6%
1-3 Days	9,459	9.0%
4-9 Days	1,759	1.7%
10+ Days	1,778	1.7%
Frequency Missing	3,687	

**Trouble with Friends Because of Drug Use**

Q28c	Frequency	Percent
None	101,691	96.9%
1-3 Times	2,667	2.5%
4-9 Times	578	0.6%
10+ Times	37	0.0%
Frequency Missing	3,851	

**Someone Called Home Since September**

Q27e	Frequency	Percent
None	97,913	93.4%
1-3 Days	5,145	4.9%
4-9 Days	1,033	1.0%
10+ Days	720	0.7%
Frequency Missing	4,013	

**Driven a Car While High from Drugs**

Q28d	Frequency	Percent
None	100,458	95.8%
1-3 Times	2,507	2.4%
4-9 Times	723	0.7%
10+ Times	1,178	1.1%
Frequency Missing	3,958	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Class Days Drunk on Alcohol Since Sept**

Q29a	Frequency	Percent
None	100,628	96.0%
1-3 Days	3,383	3.2%
4-9 Days	554	0.5%
10+ Days	299	0.3%
Frequency Missing	3,961	

**Alcohol Use at Parties This School Year**

Q30a	Frequency	Percent
Never	45,565	43.7%
Seldom	7,380	7.1%
Half The Time	5,053	4.8%
Most Of The Time	9,580	9.2%
Always	14,197	13.6%
Don't Know	1,924	1.8%
Didn't Attend	20,605	19.8%
Frequency Missing	4,520	

**Class Days High on Marijuana Since Sept**

Q29b	Frequency	Percent
None	98,616	94.3%
1-3 Days	3,560	3.4%
4-9 Days	1,015	1.0%
10+ Days	1,401	1.3%
Frequency Missing	4,232	

**Drug Use at Parties This School Year**

Q30b	Frequency	Percent
Never	58,039	55.7%
Seldom	6,266	6.0%
Half The Time	5,362	5.1%
Most Of The Time	5,305	5.1%
Always	5,371	5.2%
Don't Know	3,123	3.0%
Didn't Attend	20,693	19.9%
Frequency Missing	4,664	

**Class Days High on Inhalants Since Sept**

Q29c	Frequency	Percent
None	102,811	98.8%
1-3 Days	1,044	1.0%
4-9 Days	105	0.1%
10+ Days	57	0.1%
Frequency Missing	4,806	

**Sought Help for Drug/Alcohol Problem**

Q31	Frequency	Percent
No	87,570	93.4%
Yes	6,206	6.6%
Frequency Missing	15,048	

**Class Days High on Other Drug(s)**

Q29d	Frequency	Percent
None	102,416	98.1%
1-3 Days	1,107	1.1%
4-9 Days	403	0.4%
10+ Days	424	0.4%
Frequency Missing	4,475	

**Would Seek Help from School Counselor**

Q32a	Frequency	Percent
No	62,263	61.4%
Yes	39,148	38.6%
Frequency Missing	7,414	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from School Nurse**

Q32b	Frequency	Percent
No	79,504	78.9%
Yes	21,288	21.1%
Frequency Missing	8,031	

**Would Seek Help from Another Adult**

Q32g	Frequency	Percent
No	37,922	37.4%
Yes	63,340	62.6%
Frequency Missing	7,562	

**Would Seek Help from Another Adult in School**

Q32c	Frequency	Percent
No	56,345	55.8%
Yes	44,578	44.2%
Frequency Missing	7,901	

**Would Seek Help from Counselor or Program Outside School**

Q32h	Frequency	Percent
No	59,875	59.1%
Yes	41,478	40.9%
Frequency Missing	7,471	

**Would Seek Help from Parents**

Q32d	Frequency	Percent
No	31,657	31.0%
Yes	70,577	69.0%
Frequency Missing	6,590	

**Would Not Seek Help**

Q32i	Frequency	Percent
No	80,273	82.4%
Yes	17,133	17.6%
Frequency Missing	11,417	

**Would Seek Help from a Medical Doctor**

Q32e	Frequency	Percent
No	48,732	48.5%
Yes	51,832	51.5%
Frequency Missing	8,260	

**Drug/Alcohol Info–School Health Class**

Q33a	Frequency	Percent
No	66,814	68.1%
Yes	31,321	31.9%
Frequency Missing	10,689	

**Would Seek Help from Friends**

Q32f	Frequency	Percent
No	35,790	35.6%
Yes	64,782	64.4%
Frequency Missing	8,252	

**Drug/Alcohol Info–School Assembly Program**

Q33b	Frequency	Percent
No	46,771	47.7%
Yes	51,186	52.3%
Frequency Missing	10,866	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Drug/Alcohol Info–School Guidance Counselor**

Q33c	Frequency	Percent
No	74,710	76.7%
Yes	22,728	23.3%
Frequency Missing	11,386	

**Drug/Alcohol Info–Another School Source**

Q33h	Frequency	Percent
No	73,275	75.3%
Yes	24,045	24.7%
Frequency Missing	11,504	

**Drug/Alcohol Info–School Nurse**

Q33d	Frequency	Percent
No	84,494	87.3%
Yes	12,315	12.7%
Frequency Missing	12,015	

**Parents Feel About Kids Using Tobacco**

Q34a	Frequency	Percent
Strongly Disapprove	74,218	71.2%
Mild Disapprove	10,163	9.7%
Neither	10,087	9.7%
Mildly Approve	1,560	1.5%
Strongly Approve	1,276	1.2%
Don't Know	6,946	6.7%
Frequency Missing	4,573	

**Drug/Alcohol Info–Science or Social Studies Class**

Q33e	Frequency	Percent
No	75,865	78.4%
Yes	20,872	21.6%
Frequency Missing	12,086	

**Parents Feel About Kids Drinking Alcohol**

Q34b	Frequency	Percent
Strongly Disapprove	63,102	60.6%
Mild Disapprove	14,717	14.1%
Neither	13,510	13.0%
Mildly Approve	4,607	4.4%
Strongly Approve	1,576	1.5%
Don't Know	6,533	6.3%
Frequency Missing	4,780	

**Drug/Alcohol Info–School Student Group or Club**

Q33f	Frequency	Percent
No	87,718	90.5%
Yes	9,155	9.5%
Frequency Missing	11,951	

**Parents Feel About Kids Using Marijuana**

Q34c	Frequency	Percent
Strongly Disapprove	83,151	79.8%
Mild Disapprove	5,754	5.5%
Neither	5,849	5.6%
Mildly Approve	1,585	1.5%
Strongly Approve	1,664	1.6%
Don't Know	6,188	5.9%
Frequency Missing	4,634	

**Drug/Alcohol Info–Invited School Guest**

Q33g	Frequency	Percent
No	63,353	65.2%
Yes	33,825	34.8%
Frequency Missing	11,646	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.



<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

