

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2016



**HHSC REGION 1 AND 9 REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	28
Miscellaneous . . . . .	32
<b>2 Prevalence Tables</b>	<b>38</b>
Table B-1: All Students . . . . .	39
Table B-2: Male Students . . . . .	43
Table B-3: Female Students . . . . .	47
Table B-4: White Non-Hispanic Students . . . . .	51
Table B-5: African American Non-Hispanic Students . . . . .	55
Table B-6: Hispanic or Latino Students . . . . .	58
Table B-7: Students Reporting A Grades on Average . . . . .	62
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	66
Table B-9: Students Living with 2 Parents . . . . .	70
Table B-10: Students Not Living with 2 Parents . . . . .	74
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	78
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	82
<b>3 Margin Tables</b>	<b>86</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>106</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 1 and 9. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	21.1%	25.8%	40.1%	59.9%
Grade 7	9.4%	11.1%	19.7%	80.3%
Grade 8	12.7%	16.8%	29.3%	70.7%
Grade 9	19.5%	22.3%	39.3%	60.7%
Grade 10	23.8%	31.2%	46.7%	53.3%
Grade 11	29.1%	36.2%	52.7%	47.3%
Grade 12	37.3%	43.8%	59.8%	40.2%
Cigarettes?				
All	8.9%	13.2%	26.6%	73.4%
Grade 7	3.0%	4.3%	11.4%	88.6%
Grade 8	3.3%	5.2%	15.2%	84.8%
Grade 9	8.1%	10.3%	23.6%	76.4%
Grade 10	10.4%	15.6%	30.6%	69.4%
Grade 11	14.0%	21.7%	38.6%	61.4%
Grade 12	17.2%	26.5%	47.0%	53.0%
Smokeless Tobacco?				
All	5.4%	7.6%	12.8%	87.2%
Grade 7	1.2%	1.8%	4.7%	95.3%
Grade 8	3.1%	3.5%	6.4%	93.6%
Grade 9	4.2%	5.8%	8.8%	91.2%
Grade 10	4.9%	8.9%	15.7%	84.3%
Grade 11	9.0%	11.1%	17.9%	82.1%
Grade 12	12.1%	17.2%	28.2%	71.8%
Electronic Vapor Products?				
All	10.9%	16.8%	31.5%	68.5%
Grade 7	4.2%	7.0%	14.8%	85.2%
Grade 8	7.1%	11.5%	24.4%	75.6%
Grade 9	12.6%	16.7%	32.0%	68.0%
Grade 10	10.5%	19.3%	37.4%	62.6%
Grade 11	14.7%	24.0%	42.0%	58.0%
Grade 12	18.5%	26.0%	43.0%	57.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 119

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	78.5%	2.7%	3.0%	2.6%	3.7%	4.3%	5.2%
Grade 7	90.7%	0.9%	0.3%	0.9%	2.4%	1.5%	3.4%
Grade 8	88.0%	0.7%	0.9%	1.6%	2.1%	4.0%	2.7%
Grade 9	82.3%	1.3%	2.8%	2.3%	1.9%	4.1%	5.2%
Grade 10	75.7%	2.8%	2.1%	5.0%	4.8%	4.3%	5.3%
Grade 11	68.8%	4.9%	6.3%	3.0%	4.7%	6.8%	5.5%
Grade 12	58.9%	7.0%	6.8%	3.2%	7.2%	6.1%	10.7%

**Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.0%	19.1%	8.0%	10.7%	16.7%	24.6%
Grade 7	34.1%	33.0%	9.6%	6.3%	8.8%	8.1%
Grade 8	27.5%	25.3%	10.1%	12.4%	13.5%	11.1%
Grade 9	23.0%	17.0%	10.9%	13.1%	18.2%	17.7%
Grade 10	16.8%	17.0%	7.1%	13.7%	19.9%	25.5%
Grade 11	11.1%	11.7%	5.5%	10.4%	21.3%	40.0%
Grade 12	8.8%	6.5%	2.9%	7.4%	20.0%	54.4%

**Table T-4: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	55.8%	23.3%	12.7%	6.5%	1.6%
Grade 7	81.7%	12.3%	3.9%	2.0%	0.0%
Grade 8	71.7%	18.0%	7.1%	2.8%	0.4%
Grade 9	57.7%	25.2%	10.5%	5.9%	0.6%
Grade 10	47.6%	25.7%	17.4%	7.5%	1.8%
Grade 11	37.7%	29.2%	19.6%	11.2%	2.3%
Grade 12	29.0%	32.3%	21.1%	11.7%	5.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.6%	10.0%	7.9%	1.8%	1.0%	5.7%
Grade 7	83.8%	4.3%	2.1%	1.4%	0.4%	8.0%
Grade 8	84.2%	5.5%	4.3%	0.5%	0.5%	4.9%
Grade 9	74.1%	10.9%	7.5%	1.2%	0.7%	5.6%
Grade 10	75.0%	9.8%	7.1%	2.0%	1.4%	4.7%
Grade 11	63.8%	15.6%	10.1%	2.8%	1.7%	6.0%
Grade 12	54.6%	16.6%	19.1%	3.6%	1.5%	4.5%

**Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	58.0%	26.1%	9.8%	2.4%	3.7%
	Grade 7	74.7%	16.2%	3.9%	0.6%	4.7%
	Grade 8	66.8%	23.0%	6.2%	1.1%	2.8%
	Grade 9	57.1%	27.7%	9.7%	1.3%	4.2%
	Grade 10	55.5%	29.7%	9.8%	2.2%	2.8%
	Grade 11	49.5%	24.7%	16.0%	5.0%	4.8%
	Grade 12	38.0%	38.1%	15.7%	5.7%	2.5%
Electronic Vapor Products?						
	All	51.4%	15.2%	16.5%	11.8%	5.2%
	Grade 7	72.5%	11.5%	6.6%	4.3%	5.0%
	Grade 8	58.4%	16.4%	13.5%	7.5%	4.2%
	Grade 9	45.6%	19.5%	18.1%	12.1%	4.7%
	Grade 10	43.8%	15.1%	21.6%	15.0%	4.5%
	Grade 11	42.5%	14.2%	19.5%	16.7%	7.0%
	Grade 12	41.2%	13.9%	21.9%	17.1%	5.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	36.6%	41.6%	61.7%	38.3%
Grade 7	18.6%	21.2%	41.6%	58.4%
Grade 8	25.5%	28.4%	52.4%	47.6%
Grade 9	38.4%	42.5%	64.5%	35.5%
Grade 10	40.5%	46.1%	66.0%	34.0%
Grade 11	49.0%	56.9%	73.2%	26.8%
Grade 12	53.8%	61.5%	78.3%	21.7%
<b>Beer?</b>				
All	16.6%	25.0%	51.1%	48.9%
Grade 7	5.4%	7.5%	32.1%	67.9%
Grade 8	9.1%	12.4%	40.3%	59.7%
Grade 9	14.2%	23.1%	53.3%	46.7%
Grade 10	19.3%	27.6%	54.6%	45.4%
Grade 11	29.2%	40.1%	63.0%	37.0%
Grade 12	27.0%	46.7%	69.8%	30.2%
<b>Wine Coolers?</b>				
All	13.0%	19.4%	39.6%	60.4%
Grade 7	4.2%	6.2%	19.6%	80.4%
Grade 8	6.1%	8.5%	26.6%	73.4%
Grade 9	12.5%	18.8%	40.4%	59.6%
Grade 10	11.9%	18.1%	43.0%	57.0%
Grade 11	24.3%	34.4%	54.6%	45.4%
Grade 12	22.9%	36.9%	60.9%	39.1%
<b>Wine?</b>				
All	11.5%	17.5%	41.3%	58.7%
Grade 7	5.8%	9.4%	26.5%	73.5%
Grade 8	6.1%	9.4%	30.8%	69.2%
Grade 9	9.3%	14.3%	40.7%	59.3%
Grade 10	9.8%	16.4%	43.0%	57.0%
Grade 11	19.2%	27.4%	52.5%	47.5%
Grade 12	22.2%	33.3%	60.1%	39.9%
<b>Liquor?</b>				
All	15.3%	22.8%	42.7%	57.3%
Grade 7	3.3%	5.1%	17.3%	82.7%
Grade 8	6.8%	10.7%	28.8%	71.2%
Grade 9	14.9%	21.7%	42.9%	57.1%
Grade 10	15.8%	25.7%	48.9%	51.1%
Grade 11	25.7%	35.7%	60.4%	39.6%
Grade 12	30.6%	45.1%	66.7%	33.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 119

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	52.6%	0.4%	3.8%	9.6%	11.3%	11.9%	10.5%
Grade 7	78.1%	0.1%	1.4%	2.9%	4.6%	5.6%	7.4%
Grade 8	65.4%	0.0%	1.6%	4.3%	6.1%	11.0%	11.6%
Grade 9	52.0%	0.0%	3.4%	10.0%	9.7%	10.6%	14.2%
Grade 10	46.8%	0.4%	3.6%	10.3%	15.2%	11.9%	11.9%
Grade 11	37.1%	1.2%	6.6%	13.7%	16.1%	17.0%	8.2%
Grade 12	27.7%	1.1%	7.3%	19.5%	18.6%	17.4%	8.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	53.2%	46.8%	12.9%	20.1%	13.8%
	Grade 7	72.7%	27.3%	2.7%	10.1%	14.4%
	Grade 8	62.8%	37.2%	6.1%	16.5%	14.5%
	Grade 9	51.0%	49.0%	9.1%	20.7%	19.2%
	Grade 10	48.7%	51.3%	15.0%	23.8%	12.5%
	Grade 11	43.3%	56.7%	22.3%	25.1%	9.2%
	Grade 12	34.7%	65.3%	27.5%	26.9%	11.0%
<b>Wine Coolers</b>						
	All	64.0%	36.0%	8.4%	19.0%	8.6%
	Grade 7	83.3%	16.7%	1.3%	8.0%	7.3%
	Grade 8	75.4%	24.6%	3.3%	12.3%	9.0%
	Grade 9	64.8%	35.2%	8.4%	18.0%	8.8%
	Grade 10	60.1%	39.9%	10.7%	21.3%	7.9%
	Grade 11	49.5%	50.5%	14.1%	27.1%	9.4%
	Grade 12	42.7%	57.3%	15.5%	32.0%	9.8%
<b>Wine</b>						
	All	63.9%	36.1%	3.6%	17.8%	14.7%
	Grade 7	77.6%	22.4%	1.0%	7.4%	14.0%
	Grade 8	71.4%	28.6%	1.3%	12.8%	14.5%
	Grade 9	64.5%	35.5%	4.7%	16.1%	14.7%
	Grade 10	61.5%	38.5%	4.8%	17.9%	15.9%
	Grade 11	55.9%	44.1%	5.7%	25.3%	13.1%
	Grade 12	47.3%	52.7%	4.8%	31.9%	16.0%
<b>Liquor</b>						
	All	60.5%	39.5%	10.2%	20.1%	9.3%
	Grade 7	85.8%	14.2%	1.6%	6.8%	5.8%
	Grade 8	73.9%	26.1%	3.1%	11.3%	11.7%
	Grade 9	60.4%	39.6%	10.4%	18.8%	10.4%
	Grade 10	54.6%	45.4%	12.5%	23.7%	9.1%
	Grade 11	43.6%	56.4%	17.4%	29.2%	9.7%
	Grade 12	35.0%	65.0%	19.4%	36.8%	8.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	83.6%	5.5%	3.7%	3.5%	1.1%	2.5%
Grade 7	94.5%	2.0%	1.5%	0.5%	0.1%	1.4%
Grade 8	91.3%	4.1%	2.4%	1.1%	0.3%	0.8%
Grade 9	84.8%	6.4%	4.0%	1.9%	0.8%	2.1%
Grade 10	82.5%	5.0%	3.4%	4.1%	1.5%	3.3%
Grade 11	76.4%	7.4%	4.5%	6.3%	1.3%	4.1%
Grade 12	67.0%	9.0%	7.7%	9.1%	3.1%	4.2%

**Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	15.6%	12.9%	7.0%	12.5%	21.1%	30.9%
Grade 7	28.6%	25.6%	8.7%	9.4%	12.1%	15.6%
Grade 8	19.0%	17.6%	10.5%	13.0%	21.4%	18.4%
Grade 9	16.6%	9.1%	7.4%	15.6%	21.7%	29.7%
Grade 10	12.1%	11.4%	5.4%	11.5%	26.8%	32.8%
Grade 11	7.9%	7.4%	5.3%	10.8%	21.0%	47.5%
Grade 12	5.7%	3.5%	3.7%	15.1%	24.5%	47.4%

**Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.7%	3.4%	0.5%	0.5%
Grade 7	97.4%	2.4%	0.1%	0.0%
Grade 8	95.9%	3.5%	0.2%	0.5%
Grade 9	96.2%	3.5%	0.3%	0.0%
Grade 10	95.2%	3.8%	0.5%	0.5%
Grade 11	94.6%	4.2%	0.3%	0.8%
Grade 12	94.4%	2.8%	1.6%	1.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-7: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.3
Alcohol Non-Users	3.6
Average Days Conduct Problems Reported	
Alcohol Users	2.3
Alcohol Non-Users	0.7

**Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	91.6%	6.8%	0.8%	0.8%
Grade 9	96.0%	3.4%	0.5%	0.1%
Grade 10	95.2%	4.2%	0.4%	0.2%
Grade 11	88.7%	9.6%	0.8%	0.8%
Grade 12	84.3%	11.5%	1.8%	2.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	94.8%	4.5%	0.6%	0.1%
Grade 7	97.8%	1.8%	0.2%	0.1%
Grade 8	95.8%	3.7%	0.4%	0.1%
Grade 9	94.7%	4.5%	0.8%	0.1%
Grade 10	95.0%	4.7%	0.1%	0.2%
Grade 11	92.9%	5.9%	0.9%	0.2%
Grade 12	91.5%	7.3%	1.1%	0.2%

**Table A-9: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	38.4%	25.4%	16.9%	14.9%	4.4%
Grade 7	73.6%	16.0%	6.1%	4.0%	0.2%
Grade 8	50.6%	29.0%	12.7%	6.0%	1.7%
Grade 9	34.1%	28.4%	18.8%	15.9%	2.7%
Grade 10	26.5%	27.8%	24.8%	15.6%	5.3%
Grade 11	23.6%	25.1%	19.2%	24.8%	7.3%
Grade 12	13.8%	26.3%	21.3%	27.0%	11.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	42.0%	9.2%	5.8%	10.3%	14.5%	1.9%	16.3%
Grade 7	68.6%	7.0%	3.1%	4.6%	2.4%	2.5%	11.9%
Grade 8	57.1%	11.0%	6.2%	7.1%	5.3%	0.8%	12.5%
Grade 9	38.9%	13.5%	8.4%	10.5%	8.9%	2.3%	17.4%
Grade 10	34.3%	10.2%	6.3%	12.8%	15.6%	2.5%	18.3%
Grade 11	24.8%	7.0%	3.8%	13.4%	29.1%	1.0%	20.9%
Grade 12	20.0%	5.1%	7.3%	15.0%	32.8%	1.9%	18.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	52.4%	22.3%	17.5%	5.6%	2.3%
	Grade 7	66.6%	19.9%	9.2%	2.8%	1.4%
	Grade 8	60.0%	20.9%	14.6%	3.6%	0.9%
	Grade 9	52.2%	21.2%	18.1%	6.7%	1.7%
	Grade 10	47.9%	23.7%	19.9%	5.0%	3.4%
	Grade 11	43.6%	25.1%	21.6%	7.6%	2.2%
	Grade 12	38.8%	23.8%	24.1%	8.6%	4.7%
<b>Friends?</b>						
	All	49.0%	18.2%	15.9%	12.7%	4.3%
	Grade 7	67.9%	22.2%	4.4%	4.3%	1.2%
	Grade 8	59.4%	20.6%	12.0%	6.2%	1.7%
	Grade 9	47.4%	18.8%	19.6%	11.4%	2.8%
	Grade 10	42.9%	17.2%	20.9%	13.5%	5.5%
	Grade 11	37.7%	14.9%	21.5%	19.0%	6.8%
	Grade 12	32.6%	13.3%	18.6%	25.9%	9.6%
<b>A Store?</b>						
	All	52.4%	37.5%	4.4%	3.3%	2.3%
	Grade 7	69.3%	28.2%	1.5%	0.2%	0.8%
	Grade 8	64.5%	31.4%	2.7%	1.0%	0.4%
	Grade 9	51.9%	40.1%	4.2%	2.3%	1.5%
	Grade 10	46.7%	42.0%	5.0%	4.6%	1.6%
	Grade 11	40.6%	44.2%	6.3%	5.8%	3.1%
	Grade 12	34.6%	41.8%	8.2%	7.6%	7.8%
<b>Parties?</b>						
	All	47.0%	17.3%	11.8%	12.6%	11.4%
	Grade 7	65.4%	20.7%	5.2%	5.6%	3.1%
	Grade 8	57.0%	17.8%	11.2%	9.2%	4.8%
	Grade 9	46.0%	17.7%	14.4%	11.8%	10.1%
	Grade 10	41.3%	18.4%	11.2%	14.7%	14.3%
	Grade 11	35.2%	16.4%	14.0%	17.0%	17.4%
	Grade 12	31.1%	10.7%	15.6%	20.1%	22.4%
<b>Other Sources?</b>						
	All	52.9%	25.3%	10.8%	5.9%	5.0%
	Grade 7	66.2%	21.3%	6.6%	4.5%	1.4%
	Grade 8	62.5%	20.9%	7.8%	5.9%	2.8%
	Grade 9	52.4%	26.4%	12.1%	4.1%	5.0%
	Grade 10	47.7%	28.8%	11.6%	6.0%	6.0%
	Grade 11	43.7%	27.9%	13.1%	7.4%	7.9%
	Grade 12	39.5%	27.7%	15.5%	8.7%	8.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.9%	15.4%	12.6%	4.7%	1.2%	5.3%
Grade 7	73.7%	10.0%	5.7%	2.5%	0.3%	7.8%
Grade 8	70.0%	13.8%	7.7%	1.9%	0.5%	6.1%
Grade 9	58.3%	16.6%	13.5%	5.2%	0.9%	5.5%
Grade 10	60.5%	14.9%	14.4%	5.2%	1.2%	3.7%
Grade 11	53.4%	19.9%	13.5%	6.4%	2.7%	4.2%
Grade 12	44.3%	18.3%	24.0%	8.3%	1.8%	3.4%

**Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	48.0%	33.2%	13.8%	2.3%	2.6%
Grade 7	63.5%	21.6%	9.1%	1.6%	4.3%
Grade 8	51.5%	32.0%	12.0%	2.3%	2.2%
Grade 9	42.0%	37.1%	16.4%	1.9%	2.5%
Grade 10	45.4%	36.9%	14.2%	1.5%	2.0%
Grade 11	46.3%	31.4%	16.2%	3.4%	2.7%
Grade 12	36.4%	42.3%	15.7%	3.6%	1.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	11.1%	14.9%	21.0%	79.0%
Grade 7	5.4%	6.9%	9.0%	91.0%
Grade 8	7.7%	11.5%	13.6%	86.4%
Grade 9	11.3%	14.4%	16.8%	83.2%
Grade 10	12.6%	17.1%	24.9%	75.1%
Grade 11	16.5%	21.2%	29.3%	70.7%
Grade 12	15.3%	20.6%	38.0%	62.0%
<b>Marijuana?</b>				
All	10.8%	13.1%	19.6%	80.4%
Grade 7	5.1%	5.7%	7.8%	92.2%
Grade 8	7.0%	8.9%	11.4%	88.6%
Grade 9	11.3%	13.4%	15.8%	84.2%
Grade 10	11.6%	14.9%	22.9%	77.1%
Grade 11	16.4%	19.2%	27.9%	72.1%
Grade 12	15.1%	19.0%	37.3%	62.7%
<b>Cocaine?</b>				
All	1.9%	2.1%	3.6%	96.4%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	2.3%	2.3%	2.6%	97.4%
Grade 9	1.2%	1.4%	2.6%	97.4%
Grade 10	2.5%	2.7%	4.0%	96.0%
Grade 11	2.8%	3.5%	6.1%	93.9%
Grade 12	2.0%	2.0%	6.7%	93.3%
<b>Crack?</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.8%	0.8%	2.0%	98.0%
Grade 12	0.7%	0.7%	1.1%	98.9%
<b>Hallucinogens?</b>				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.1%	1.4%	98.6%
Grade 9	1.2%	1.6%	2.6%	97.4%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.7%	1.6%	3.6%	96.4%
Grade 12	1.9%	2.2%	4.8%	95.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids?				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.3%	1.6%	98.4%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.5%	0.6%	2.5%	97.5%
Grade 11	0.0%	0.3%	0.5%	99.5%
Grade 12	1.0%	1.5%	1.5%	98.5%
Ecstasy?				
All	0.5%	1.0%	1.9%	98.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.9%	1.9%	3.1%	96.9%
Grade 10	0.3%	0.5%	1.5%	98.5%
Grade 11	0.8%	2.1%	4.0%	96.0%
Grade 12	0.8%	1.5%	2.3%	97.7%
Heroin?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.2%	0.9%	99.1%
Methamphetamine?				
All	0.2%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.5%	1.1%	1.5%	98.5%
Grade 10	0.2%	0.3%	0.3%	99.7%
Grade 11	0.3%	0.7%	1.8%	98.2%
Grade 12	0.0%	0.3%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.5%	2.2%	4.4%	95.6%
Grade 7	1.0%	1.8%	2.2%	97.8%
Grade 8	0.4%	1.1%	2.7%	97.3%
Grade 9	1.7%	2.5%	4.7%	95.3%
Grade 10	1.6%	2.0%	4.5%	95.5%
Grade 11	2.8%	3.3%	5.3%	94.7%
Grade 12	1.7%	2.2%	7.8%	92.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	84.7%	1.6%	1.2%	1.6%	2.6%	4.7%	3.7%
	Grade 7	93.5%	0.0%	1.1%	0.9%	1.1%	1.6%	1.8%
	Grade 8	91.6%	0.7%	0.5%	0.9%	1.4%	2.3%	2.6%
	Grade 9	87.1%	1.6%	1.7%	1.5%	2.3%	3.3%	2.5%
	Grade 10	82.6%	1.5%	1.2%	1.9%	3.4%	6.4%	3.0%
	Grade 11	77.4%	2.8%	1.7%	2.4%	3.3%	6.7%	5.6%
	Grade 12	71.8%	3.2%	1.1%	2.2%	4.4%	9.6%	7.6%
Cocaine?								
	All	97.8%	0.0%	0.0%	0.3%	0.3%	0.6%	0.9%
	Grade 7	99.4%	0.1%	0.1%	0.1%	0.0%	0.2%	0.1%
	Grade 8	99.0%	0.0%	0.0%	0.0%	0.1%	0.3%	0.5%
	Grade 9	98.6%	0.0%	0.0%	0.2%	0.3%	0.3%	0.6%
	Grade 10	97.2%	0.0%	0.0%	0.6%	0.6%	0.4%	1.2%
	Grade 11	96.0%	0.0%	0.2%	0.3%	0.7%	1.7%	1.1%
	Grade 12	96.0%	0.0%	0.0%	0.6%	0.3%	0.9%	2.2%
Crack?								
	All	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.2%	0.0%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.0%	0.5%	0.1%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 11	99.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.7%
	Grade 12	99.4%	0.0%	0.0%	0.2%	0.0%	0.0%	0.5%
Steroids?								
	All	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.3%
	Grade 7	99.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.7%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
	Grade 9	99.2%	0.0%	0.0%	0.0%	0.6%	0.1%	0.1%
	Grade 10	99.0%	0.1%	0.0%	0.0%	0.0%	0.3%	0.5%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.9%	0.0%	0.0%
Ecstasy?								
	All	98.8%	0.0%	0.0%	0.1%	0.1%	0.4%	0.6%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%
	Grade 9	98.6%	0.0%	0.0%	0.1%	0.0%	1.0%	0.3%
	Grade 10	98.8%	0.0%	0.0%	0.0%	0.1%	0.0%	1.0%
	Grade 11	97.5%	0.0%	0.0%	0.5%	0.3%	0.8%	0.8%
	Grade 12	98.8%	0.1%	0.0%	0.2%	0.0%	0.3%	0.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 17 of 119

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.4%	0.0%	0.0%	0.0%	0.2%	0.3%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 12	99.6%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%
Methamphetamine?								
	All	99.4%	0.0%	0.0%	0.0%	0.0%	0.4%	0.2%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 9	99.2%	0.0%	0.0%	0.0%	0.0%	0.7%	0.1%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.2%	0.2%	0.0%
	Grade 11	99.1%	0.0%	0.0%	0.0%	0.0%	0.6%	0.3%
	Grade 12	98.8%	0.0%	0.0%	0.0%	0.0%	0.8%	0.5%
Synthetic Marijuana?								
	All	97.1%	0.2%	0.1%	0.2%	0.3%	0.8%	1.4%
	Grade 7	99.5%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
	Grade 8	98.4%	0.0%	0.0%	0.2%	0.0%	0.5%	0.9%
	Grade 9	95.8%	0.0%	0.1%	0.4%	0.6%	0.8%	2.3%
	Grade 10	96.7%	0.7%	0.0%	0.1%	0.1%	1.3%	1.1%
	Grade 11	96.2%	0.5%	0.2%	0.3%	0.5%	1.6%	0.7%
	Grade 12	95.6%	0.0%	0.2%	0.0%	0.4%	0.6%	3.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	23.7%	26.1%	10.8%	10.0%	13.5%	15.9%
	Grade 7	36.2%	42.2%	7.7%	4.4%	4.8%	4.6%
	Grade 8	29.5%	36.3%	9.0%	7.4%	10.4%	7.4%
	Grade 9	24.0%	24.6%	14.6%	10.7%	12.3%	14.0%
	Grade 10	19.6%	22.3%	11.1%	11.9%	16.0%	19.2%
	Grade 11	15.6%	13.3%	11.5%	12.7%	21.1%	25.8%
	Grade 12	13.3%	12.8%	10.7%	14.7%	19.1%	29.4%
<b>Cocaine?</b>							
	All	31.5%	35.4%	13.0%	9.2%	5.5%	5.3%
	Grade 7	40.2%	46.4%	6.1%	3.9%	1.3%	2.2%
	Grade 8	37.0%	41.2%	10.3%	6.2%	3.9%	1.5%
	Grade 9	32.1%	35.3%	14.6%	8.0%	5.3%	4.7%
	Grade 10	28.4%	34.0%	14.8%	11.4%	6.2%	5.3%
	Grade 11	24.3%	25.0%	17.8%	14.3%	8.0%	10.5%
	Grade 12	23.8%	27.1%	16.0%	13.3%	10.1%	9.6%
<b>Crack?</b>							
	All	34.2%	36.5%	14.5%	7.8%	3.2%	3.7%
	Grade 7	40.9%	46.5%	6.6%	3.1%	0.9%	1.9%
	Grade 8	37.9%	41.1%	11.1%	5.0%	3.7%	1.2%
	Grade 9	35.3%	34.6%	14.6%	8.1%	2.9%	4.4%
	Grade 10	30.9%	35.7%	18.1%	8.1%	4.0%	3.2%
	Grade 11	30.1%	29.1%	20.1%	10.1%	4.8%	5.8%
	Grade 12	27.9%	29.5%	18.6%	14.4%	3.4%	6.3%
<b>Steroids?</b>							
	All	35.3%	35.2%	13.2%	7.6%	4.3%	4.5%
	Grade 7	42.5%	41.1%	7.5%	4.9%	1.0%	3.0%
	Grade 8	38.9%	40.1%	8.3%	5.8%	5.0%	1.8%
	Grade 9	35.1%	35.1%	14.6%	6.7%	3.9%	4.6%
	Grade 10	33.0%	35.0%	13.8%	9.9%	4.7%	3.6%
	Grade 11	29.8%	29.9%	17.1%	8.9%	6.5%	7.8%
	Grade 12	30.1%	27.4%	19.6%	10.5%	5.2%	7.2%
<b>Ecstasy?</b>							
	All	44.3%	31.2%	10.9%	6.0%	3.6%	4.1%
	Grade 7	58.7%	33.4%	4.1%	1.4%	0.6%	1.8%
	Grade 8	51.7%	34.4%	6.9%	3.3%	2.4%	1.2%
	Grade 9	45.1%	31.0%	10.5%	5.5%	3.3%	4.6%
	Grade 10	39.6%	31.7%	13.2%	7.8%	4.1%	3.6%
	Grade 11	35.2%	26.6%	14.5%	10.1%	6.2%	7.4%
	Grade 12	30.8%	29.2%	18.2%	9.5%	5.6%	6.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	41.1%	36.3%	12.8%	4.6%	2.4%	2.9%
	Grade 7	52.3%	37.2%	4.9%	2.2%	1.6%	1.8%
	Grade 8	44.3%	40.0%	9.9%	1.7%	2.8%	1.3%
	Grade 9	40.3%	36.6%	12.2%	5.0%	2.9%	3.0%
	Grade 10	35.9%	40.9%	14.4%	4.2%	1.8%	2.8%
	Grade 11	37.6%	30.3%	15.9%	8.8%	3.5%	3.9%
	Grade 12	33.3%	31.5%	22.2%	6.6%	1.7%	4.7%
<b>Methamphetamine?</b>							
	All	41.8%	35.5%	11.6%	5.4%	2.6%	3.1%
	Grade 7	53.1%	38.3%	4.2%	2.1%	0.2%	2.0%
	Grade 8	46.1%	38.8%	7.3%	4.0%	2.6%	1.1%
	Grade 9	40.3%	36.1%	12.8%	4.8%	2.8%	3.2%
	Grade 10	37.4%	38.5%	13.5%	5.5%	2.1%	3.0%
	Grade 11	39.3%	27.6%	15.4%	9.1%	4.0%	4.7%
	Grade 12	31.7%	31.7%	18.7%	8.1%	4.4%	5.5%
<b>Synthetic Marijuana?</b>							
	All	41.6%	29.4%	10.9%	7.0%	4.8%	6.4%
	Grade 7	54.8%	34.5%	4.6%	2.0%	1.4%	2.7%
	Grade 8	46.8%	34.1%	8.9%	4.5%	3.6%	2.0%
	Grade 9	42.1%	28.9%	12.6%	5.9%	3.8%	6.8%
	Grade 10	36.3%	30.4%	11.0%	8.6%	7.7%	6.0%
	Grade 11	35.2%	22.6%	15.4%	9.9%	5.7%	11.2%
	Grade 12	30.7%	23.6%	14.4%	12.6%	7.5%	11.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	94.9%	3.0%	0.7%	1.4%
Grade 7	97.7%	1.5%	0.4%	0.3%
Grade 8	95.4%	3.0%	0.7%	0.9%
Grade 9	93.9%	3.4%	0.8%	1.9%
Grade 10	96.4%	2.0%	0.5%	1.1%
Grade 11	93.2%	3.6%	1.2%	2.0%
Grade 12	91.7%	4.7%	0.8%	2.8%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	98.1%	1.2%	0.3%	0.4%
Grade 7	99.0%	0.7%	0.2%	0.1%
Grade 8	97.1%	2.4%	0.3%	0.2%
Grade 9	97.9%	0.6%	0.5%	1.0%
Grade 10	97.6%	1.8%	0.1%	0.5%
Grade 11	98.7%	0.9%	0.2%	0.2%
Grade 12	98.6%	0.6%	0.8%	0.0%

**Table D-5: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.3
Marijuana Non-Users	3.8
Average Days Conduct Problems Reported	
Marijuana Users	4.6
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*



**Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.5%	3.2%	0.9%	1.3%
Grade 9	97.0%	1.8%	0.6%	0.6%
Grade 10	96.8%	2.3%	0.5%	0.4%
Grade 11	92.3%	4.0%	2.1%	1.7%
Grade 12	90.9%	5.3%	0.6%	3.1%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.9%	2.5%	0.5%	0.1%
Grade 7	98.0%	1.6%	0.4%	0.0%
Grade 8	96.0%	3.6%	0.3%	0.1%
Grade 9	97.1%	1.8%	0.9%	0.2%
Grade 10	97.5%	2.3%	0.2%	0.0%
Grade 11	96.9%	2.5%	0.6%	0.0%
Grade 12	96.0%	3.5%	0.3%	0.1%

**Table D-7: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	62.1%	20.1%	9.3%	6.1%	2.3%
Grade 7	84.2%	10.7%	3.1%	1.3%	0.6%
Grade 8	72.0%	15.6%	6.7%	3.8%	1.9%
Grade 9	61.7%	19.5%	10.1%	6.5%	2.3%
Grade 10	54.6%	21.3%	13.8%	7.0%	3.3%
Grade 11	51.4%	25.2%	10.5%	9.8%	3.1%
Grade 12	42.2%	31.5%	13.2%	9.9%	3.3%

**Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.1%	8.0%	4.4%	4.6%	5.3%	3.1%	16.4%
Grade 7	79.6%	2.3%	1.4%	0.8%	1.3%	2.8%	11.8%
Grade 8	73.4%	4.7%	3.0%	3.0%	1.5%	1.9%	12.5%
Grade 9	62.1%	7.5%	4.8%	2.7%	2.6%	2.3%	18.0%
Grade 10	50.7%	11.5%	4.9%	4.4%	6.1%	4.3%	18.2%
Grade 11	38.8%	11.4%	5.6%	8.4%	11.9%	3.0%	20.9%
Grade 12	34.9%	12.7%	8.1%	10.4%	10.9%	5.0%	18.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	83.3%	4.6%	4.9%	1.0%	1.3%	4.9%
Grade 7	85.6%	3.1%	2.6%	0.4%	0.8%	7.4%
Grade 8	88.2%	3.5%	2.3%	0.6%	0.7%	4.7%
Grade 9	81.7%	3.4%	7.2%	1.1%	1.0%	5.5%
Grade 10	81.6%	5.8%	5.0%	1.9%	1.7%	3.9%
Grade 11	83.5%	6.0%	4.2%	0.2%	1.9%	4.3%
Grade 12	77.8%	6.7%	9.0%	1.5%	2.4%	2.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	63.5%	14.2%	10.4%	8.4%	3.6%
	Grade 7	81.7%	7.2%	4.7%	2.5%	4.0%
	Grade 8	76.9%	11.2%	4.2%	5.4%	2.3%
	Grade 9	64.3%	16.8%	8.6%	6.2%	4.0%
	Grade 10	55.6%	17.8%	13.4%	10.6%	2.6%
	Grade 11	51.2%	14.8%	14.0%	13.6%	6.5%
	Grade 12	43.7%	18.7%	20.6%	14.7%	2.3%
Cocaine?						
	All	90.0%	5.0%	0.5%	0.6%	3.9%
	Grade 7	92.9%	2.5%	0.4%	0.1%	4.1%
	Grade 8	91.4%	4.9%	0.6%	0.3%	2.7%
	Grade 9	88.0%	6.1%	0.8%	0.6%	4.4%
	Grade 10	90.3%	6.5%	0.6%	0.2%	2.5%
	Grade 11	88.4%	4.3%	0.0%	1.5%	5.9%
	Grade 12	88.8%	6.2%	0.7%	0.7%	3.6%
Crack?						
	All	90.7%	4.3%	0.4%	0.4%	4.2%
	Grade 7	91.9%	3.0%	0.2%	0.1%	4.8%
	Grade 8	91.5%	5.0%	0.5%	0.3%	2.8%
	Grade 9	87.9%	6.2%	0.9%	0.0%	5.0%
	Grade 10	91.7%	4.9%	0.5%	0.0%	2.9%
	Grade 11	90.6%	2.0%	0.0%	1.5%	5.9%
	Grade 12	90.6%	4.6%	0.2%	1.0%	3.6%
Ecstasy?						
	All	85.3%	5.9%	1.2%	0.9%	6.7%
	Grade 7	88.1%	2.7%	0.2%	0.1%	9.0%
	Grade 8	89.2%	3.9%	0.2%	0.3%	6.3%
	Grade 9	80.8%	8.0%	1.6%	1.6%	8.0%
	Grade 10	86.3%	6.5%	1.9%	0.5%	4.8%
	Grade 11	84.0%	6.2%	0.7%	2.2%	7.0%
	Grade 12	82.7%	8.6%	3.3%	0.9%	4.6%
Steroids?						
	All	77.8%	11.1%	4.4%	0.9%	5.8%
	Grade 7	78.6%	11.2%	3.9%	0.2%	6.1%
	Grade 8	81.5%	8.6%	4.6%	0.7%	4.6%
	Grade 9	76.2%	11.8%	5.0%	0.6%	6.4%
	Grade 10	75.8%	12.4%	5.1%	1.3%	5.4%
	Grade 11	76.7%	10.6%	3.9%	1.5%	7.3%
	Grade 12	77.5%	12.6%	3.5%	1.4%	5.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	91.2%	2.9%	0.1%	0.3%	5.4%
	Grade 7	89.4%	2.7%	0.0%	0.1%	7.8%
	Grade 8	92.5%	2.8%	0.2%	0.3%	4.2%
	Grade 9	89.5%	3.9%	0.1%	0.1%	6.4%
	Grade 10	92.8%	3.1%	0.1%	0.0%	3.9%
	Grade 11	91.5%	1.1%	0.0%	1.5%	5.9%
	Grade 12	92.3%	3.9%	0.2%	0.1%	3.5%
<b>Methamphetamine?</b>						
	All	90.9%	3.0%	0.3%	0.4%	5.4%
	Grade 7	90.4%	2.0%	0.1%	0.4%	7.1%
	Grade 8	91.5%	2.8%	0.2%	0.3%	5.2%
	Grade 9	88.2%	4.8%	0.8%	0.0%	6.1%
	Grade 10	92.2%	3.5%	0.1%	0.0%	4.2%
	Grade 11	91.6%	1.0%	0.0%	1.5%	5.9%
	Grade 12	92.3%	4.0%	0.2%	0.1%	3.4%
<b>Synthetic Marijuana?</b>						
	All	84.9%	6.0%	1.3%	0.8%	7.0%
	Grade 7	87.7%	3.7%	1.1%	0.1%	7.4%
	Grade 8	89.5%	4.7%	0.6%	0.6%	4.6%
	Grade 9	81.9%	7.4%	1.5%	0.6%	8.6%
	Grade 10	82.3%	6.4%	2.1%	0.7%	8.5%
	Grade 11	82.2%	7.2%	1.0%	2.5%	7.1%
	Grade 12	85.6%	6.6%	1.8%	0.9%	5.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	10.7%	13.9%	19.5%	80.5%
Grade 7	7.3%	9.1%	14.7%	85.3%
Grade 8	12.7%	17.0%	21.2%	78.8%
Grade 9	9.0%	12.1%	19.5%	80.5%
Grade 10	13.8%	16.6%	21.3%	78.7%
Grade 11	12.7%	16.3%	22.8%	77.2%
Grade 12	8.9%	12.7%	17.7%	82.3%
<b>Codeine Cough Syrup?</b>				
All	6.3%	9.0%	13.7%	86.3%
Grade 7	4.6%	6.1%	10.4%	89.6%
Grade 8	8.0%	10.8%	16.2%	83.8%
Grade 9	5.3%	7.4%	13.5%	86.5%
Grade 10	7.8%	10.8%	14.5%	85.5%
Grade 11	6.9%	10.0%	14.7%	85.3%
Grade 12	5.5%	9.0%	12.8%	87.2%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	2.1%	3.3%	4.8%	95.2%
Grade 7	1.5%	1.5%	1.9%	98.1%
Grade 8	2.0%	2.6%	3.2%	96.8%
Grade 9	1.8%	2.0%	3.9%	96.1%
Grade 10	2.4%	3.2%	4.2%	95.8%
Grade 11	3.5%	6.5%	9.4%	90.6%
Grade 12	1.9%	5.1%	7.8%	92.2%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.7%	2.2%	3.2%	96.8%
Grade 7	0.5%	0.9%	1.1%	98.9%
Grade 8	1.5%	1.7%	2.2%	97.8%
Grade 9	1.5%	2.0%	3.5%	96.5%
Grade 10	3.4%	4.5%	5.2%	94.8%
Grade 11	1.9%	2.6%	4.6%	95.4%
Grade 12	1.0%	1.6%	2.7%	97.3%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.4%	2.1%	2.8%	97.2%
Grade 7	0.7%	0.9%	1.3%	98.7%
Grade 8	1.9%	2.0%	2.8%	97.2%
Grade 9	1.4%	1.9%	2.4%	97.6%
Grade 10	1.3%	2.3%	2.8%	97.2%
Grade 11	1.7%	2.7%	4.3%	95.7%
Grade 12	1.3%	3.3%	4.1%	95.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.5%	6.0%	9.5%	90.5%
Grade 7	3.0%	4.3%	8.1%	91.9%
Grade 8	6.2%	9.8%	13.5%	86.5%
Grade 9	3.7%	5.3%	9.2%	90.8%
Grade 10	7.5%	8.2%	10.9%	89.1%
Grade 11	4.0%	4.9%	9.0%	91.0%
Grade 12	2.3%	3.2%	5.8%	94.2%

**Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.6%	2.3%	3.5%	96.5%
Grade 7	0.9%	1.0%	1.7%	98.3%
Grade 8	1.9%	2.2%	3.3%	96.7%
Grade 9	2.0%	3.3%	4.7%	95.3%
Grade 10	1.0%	1.5%	3.0%	97.0%
Grade 11	2.0%	2.8%	4.9%	95.1%
Grade 12	2.0%	3.2%	3.4%	96.6%

**Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.6%	11.9%	4.3%	1.3%	5.9%
Grade 7	82.5%	6.0%	4.3%	0.7%	6.4%
Grade 8	78.9%	12.3%	3.4%	0.8%	4.6%
Grade 9	73.6%	15.2%	3.4%	1.7%	6.2%
Grade 10	75.1%	13.3%	6.1%	0.5%	4.9%
Grade 11	74.9%	11.0%	4.6%	2.6%	6.9%
Grade 12	73.5%	13.9%	4.4%	1.4%	6.8%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.2%	7.0%	14.7%	85.3%
Grade 7	5.1%	7.3%	14.2%	85.8%
Grade 8	6.6%	8.4%	16.4%	83.6%
Grade 9	6.4%	7.6%	14.8%	85.2%
Grade 10	4.4%	5.6%	14.5%	85.5%
Grade 11	4.6%	5.7%	11.6%	88.4%
Grade 12	3.5%	7.4%	16.5%	83.5%
Spray Paint?				
All	0.5%	0.8%	3.0%	97.0%
Grade 7	0.0%	0.8%	3.2%	96.8%
Grade 8	0.5%	0.6%	2.5%	97.5%
Grade 9	0.3%	0.5%	2.7%	97.3%
Grade 10	0.4%	0.6%	2.2%	97.8%
Grade 11	0.9%	1.4%	3.3%	96.7%
Grade 12	0.9%	1.3%	4.8%	95.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.7%	1.3%	5.8%	94.2%
Grade 7	0.7%	1.1%	5.7%	94.3%
Grade 8	0.9%	2.1%	7.0%	93.0%
Grade 9	1.1%	1.3%	6.0%	94.0%
Grade 10	1.0%	1.3%	6.3%	93.7%
Grade 11	0.4%	1.2%	4.4%	95.6%
Grade 12	0.2%	0.4%	5.1%	94.9%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.2%	1.1%	98.9%
Grade 11	0.5%	1.1%	2.6%	97.4%
Grade 12	0.0%	0.5%	2.7%	97.3%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.8%	2.5%	7.2%	92.8%
Grade 7	2.0%	2.3%	6.1%	93.9%
Grade 8	2.9%	3.6%	7.4%	92.6%
Grade 9	2.5%	3.0%	7.0%	93.0%
Grade 10	0.9%	1.6%	7.6%	92.4%
Grade 11	0.8%	1.5%	6.1%	93.9%
Grade 12	1.2%	3.2%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.8%	1.2%	2.1%	97.9%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.5%	1.7%	98.3%
Grade 12	0.3%	0.3%	1.4%	98.6%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.7%	0.7%	1.6%	98.4%
Grade 8	0.0%	0.2%	1.3%	98.7%
Grade 9	0.0%	0.1%	1.1%	98.9%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.2%	0.7%	2.0%	98.0%
Grade 12	0.1%	0.1%	0.9%	99.1%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.6%	1.0%	2.5%	97.5%
Grade 7	1.0%	1.1%	3.6%	96.4%
Grade 8	0.6%	0.7%	2.6%	97.4%
Grade 9	0.9%	1.4%	2.8%	97.2%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.3%	0.8%	2.4%	97.6%
Grade 12	0.6%	1.3%	2.5%	97.5%
<b>Other Aerosols/Sprays?</b>				
All	0.4%	0.6%	2.4%	97.6%
Grade 7	0.4%	0.4%	2.5%	97.5%
Grade 8	0.6%	0.6%	3.2%	96.8%
Grade 9	0.7%	1.2%	2.4%	97.6%
Grade 10	0.4%	0.5%	2.4%	97.6%
Grade 11	0.0%	0.5%	2.2%	97.8%
Grade 12	0.0%	0.6%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.4%	0.0%	0.2%	0.2%	0.5%	0.6%	2.1%
Grade 7	95.0%	0.1%	0.1%	0.2%	1.2%	0.2%	3.1%
Grade 8	95.4%	0.1%	0.1%	0.3%	0.6%	1.4%	2.1%
Grade 9	96.6%	0.0%	0.1%	0.4%	0.5%	1.5%	1.0%
Grade 10	97.4%	0.0%	0.0%	0.0%	0.4%	0.2%	2.1%
Grade 11	97.4%	0.0%	0.2%	0.0%	0.2%	0.4%	1.9%
Grade 12	97.2%	0.0%	0.6%	0.0%	0.0%	0.0%	2.2%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	86.8%	7.7%	4.1%	1.5%
Grade 7	87.6%	6.0%	4.0%	2.4%
Grade 8	85.3%	9.5%	3.4%	1.8%
Grade 9	86.4%	7.8%	5.2%	0.6%
Grade 10	86.0%	9.0%	4.3%	0.7%
Grade 11	90.4%	4.4%	3.4%	1.8%
Grade 12	84.7%	9.4%	3.9%	1.9%

**Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	1.0%	0.0%	0.2%
Grade 7	98.3%	1.4%	0.0%	0.2%
Grade 8	98.3%	1.6%	0.0%	0.2%
Grade 9	98.9%	0.7%	0.1%	0.3%
Grade 10	99.4%	0.4%	0.0%	0.2%
Grade 11	99.2%	0.8%	0.0%	0.0%
Grade 12	99.2%	0.7%	0.2%	0.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table I-5: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	6.5
Inhalant Non-Users	3.9
Average Days Conduct Problems Reported	
Inhalant Users	8.6
Inhalant Non-Users	1.2

**Table I-6: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	90.8%	6.8%	1.9%	0.3%	0.3%
Grade 7	92.6%	5.3%	2.0%	0.0%	0.0%
Grade 8	88.7%	9.0%	1.3%	0.8%	0.2%
Grade 9	88.7%	7.8%	2.9%	0.4%	0.2%
Grade 10	90.0%	6.9%	2.3%	0.4%	0.5%
Grade 11	92.4%	5.9%	0.8%	0.3%	0.5%
Grade 12	92.9%	5.3%	1.7%	0.0%	0.1%

**Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	78.4%	12.1%	2.5%	0.7%	6.3%
Grade 7	81.3%	11.3%	2.3%	0.8%	4.2%
Grade 8	82.1%	10.6%	2.2%	0.7%	4.5%
Grade 9	77.1%	12.4%	3.3%	0.7%	6.5%
Grade 10	73.8%	15.8%	2.3%	0.3%	7.8%
Grade 11	76.3%	11.0%	2.5%	1.7%	8.6%
Grade 12	79.3%	11.6%	2.6%	0.1%	6.4%

**Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.4%	17.4%	6.0%	8.7%	9.4%	23.1%
Grade 7	42.7%	25.2%	5.1%	5.3%	6.6%	15.1%
Grade 8	37.5%	22.4%	6.6%	8.5%	9.8%	15.2%
Grade 9	36.7%	15.5%	5.8%	10.0%	9.6%	22.5%
Grade 10	31.8%	17.5%	7.9%	9.3%	7.8%	25.8%
Grade 11	30.1%	12.2%	7.0%	8.3%	10.8%	31.6%
Grade 12	31.2%	9.0%	3.4%	11.3%	12.9%	32.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	41.9%
	Grade 7	33.1%
	Grade 8	57.0%
	Grade 9	41.2%
	Grade 10	49.2%
	Grade 11	37.3%
	Grade 12	30.9%
An Assembly Program		
	All	50.0%
	Grade 7	45.4%
	Grade 8	52.2%
	Grade 9	54.4%
	Grade 10	47.7%
	Grade 11	51.5%
	Grade 12	47.7%
Guidance Counselor		
	All	25.6%
	Grade 7	29.6%
	Grade 8	34.8%
	Grade 9	19.0%
	Grade 10	24.0%
	Grade 11	24.5%
	Grade 12	20.2%
School Nurse		
	All	16.9%
	Grade 7	22.4%
	Grade 8	22.2%
	Grade 9	15.8%
	Grade 10	15.3%
	Grade 11	13.9%
	Grade 12	9.5%
Science or Social Studies Class		
	All	26.8%
	Grade 7	29.4%
	Grade 8	28.4%
	Grade 9	25.9%
	Grade 10	27.6%
	Grade 11	27.4%
	Grade 12	21.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 32 of 119

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	12.7%
	Grade 7	9.8%
	Grade 8	12.6%
	Grade 9	11.4%
	Grade 10	15.3%
	Grade 11	16.4%
	Grade 12	10.8%
<b>An Invited School Guest</b>		
	All	33.3%
	Grade 7	27.9%
	Grade 8	32.5%
	Grade 9	33.6%
	Grade 10	37.1%
	Grade 11	36.5%
	Grade 12	33.2%
<b>Another Source at School</b>		
	All	28.0%
	Grade 7	28.1%
	Grade 8	29.5%
	Grade 9	26.9%
	Grade 10	30.8%
	Grade 11	32.3%
	Grade 12	19.5%
<b>Any School Source</b>		
	All	69.8%
	Grade 7	65.5%
	Grade 8	77.6%
	Grade 9	74.1%
	Grade 10	72.0%
	Grade 11	67.4%
	Grade 12	59.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	39.6%
	Grade 7	54.3%
	Grade 8	49.9%
	Grade 9	37.5%
	Grade 10	36.8%
	Grade 11	27.5%
	Grade 12	26.7%
<b>School Nurse</b>		
	All	22.3%
	Grade 7	31.8%
	Grade 8	29.9%
	Grade 9	21.2%
	Grade 10	18.5%
	Grade 11	15.8%
	Grade 12	13.6%
<b>Another Adult In School</b>		
	All	46.0%
	Grade 7	49.9%
	Grade 8	50.6%
	Grade 9	45.6%
	Grade 10	42.5%
	Grade 11	45.5%
	Grade 12	40.0%
<b>Counselor/Program Outside-School</b>		
	All	41.0%
	Grade 7	47.3%
	Grade 8	49.7%
	Grade 9	37.6%
	Grade 10	41.5%
	Grade 11	34.8%
	Grade 12	32.5%
<b>Your Parents</b>		
	All	70.6%
	Grade 7	83.1%
	Grade 8	70.6%
	Grade 9	66.8%
	Grade 10	68.3%
	Grade 11	63.6%
	Grade 12	69.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	53.8%
	Grade 7	64.5%
	Grade 8	56.5%
	Grade 9	52.4%
	Grade 10	52.7%
	Grade 11	47.5%
	Grade 12	47.1%
<b>Your Friends</b>		
	All	65.0%
	Grade 7	50.8%
	Grade 8	63.9%
	Grade 9	67.6%
	Grade 10	65.5%
	Grade 11	71.3%
	Grade 12	73.6%
<b>Another Adult</b>		
	All	64.1%
	Grade 7	67.7%
	Grade 8	65.8%
	Grade 9	62.5%
	Grade 10	63.5%
	Grade 11	63.1%
	Grade 12	61.0%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	6.8%
	Grade 7	7.8%
	Grade 8	7.6%
	Grade 9	5.5%
	Grade 10	7.2%
	Grade 11	7.6%
	Grade 12	5.2%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.4%	19.4%	22.2%	39.0%	15.0%
Grade 7	7.1%	14.5%	22.3%	36.5%	19.5%
Grade 8	5.1%	19.7%	21.3%	37.6%	16.3%
Grade 9	3.0%	19.1%	25.1%	39.7%	13.1%
Grade 10	4.5%	22.2%	21.6%	39.0%	12.7%
Grade 11	3.7%	17.6%	23.0%	41.4%	14.3%
Grade 12	2.8%	24.6%	18.7%	40.0%	13.9%
<b>Sometimes Carry Weapons?</b>					
All	64.9%	18.5%	8.6%	5.2%	2.9%
Grade 7	82.0%	12.3%	3.0%	1.5%	1.2%
Grade 8	71.0%	18.6%	5.9%	2.5%	2.0%
Grade 9	60.4%	19.7%	11.2%	7.6%	1.1%
Grade 10	60.4%	21.3%	9.0%	6.5%	2.9%
Grade 11	60.3%	17.9%	9.3%	6.8%	5.8%
Grade 12	51.7%	21.8%	14.7%	6.8%	5.1%
<b>Care About Making Good Grades?</b>					
All	1.4%	9.9%	24.3%	44.4%	20.0%
Grade 7	1.8%	10.5%	23.5%	35.6%	28.5%
Grade 8	2.0%	9.4%	21.8%	45.0%	21.7%
Grade 9	1.4%	11.2%	22.2%	45.3%	19.9%
Grade 10	2.0%	8.2%	26.6%	46.6%	16.6%
Grade 11	0.8%	9.1%	23.7%	50.6%	15.8%
Grade 12	0.5%	10.5%	29.1%	44.0%	15.9%
<b>Belong/Want to Belong to a Gang?</b>					
All	85.4%	9.3%	2.9%	1.0%	1.4%
Grade 7	86.3%	8.1%	3.4%	1.4%	0.8%
Grade 8	84.5%	10.2%	2.2%	0.8%	2.2%
Grade 9	84.2%	9.9%	3.3%	1.5%	1.1%
Grade 10	84.6%	9.2%	3.4%	1.8%	1.0%
Grade 11	85.1%	9.7%	3.1%	0.2%	2.0%
Grade 12	88.6%	8.6%	1.4%	0.3%	1.2%
<b>Wish They Could Drop Out of School?</b>					
All	55.2%	28.7%	10.5%	3.7%	1.8%
Grade 7	67.9%	22.8%	5.9%	2.4%	0.9%
Grade 8	58.2%	29.5%	9.5%	1.8%	1.0%
Grade 9	52.6%	28.9%	11.8%	5.6%	1.0%
Grade 10	49.8%	30.1%	12.7%	4.8%	2.7%
Grade 11	44.2%	35.2%	14.0%	3.4%	3.3%
Grade 12	57.5%	25.9%	9.7%	4.5%	2.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	88.7%	9.9%	0.4%	0.2%	0.7%
Grade 7	86.2%	12.8%	0.5%	0.0%	0.5%
Grade 8	86.5%	12.0%	0.2%	0.0%	1.2%
Grade 9	86.8%	11.0%	0.7%	1.2%	0.3%
Grade 10	88.8%	10.4%	0.3%	0.0%	0.5%
Grade 11	92.2%	5.8%	0.6%	0.0%	1.4%
Grade 12	93.6%	5.6%	0.1%	0.0%	0.7%
<b>Out In Your Neighborhood?</b>					
All	52.5%	40.1%	4.8%	0.9%	1.6%
Grade 7	42.9%	47.9%	6.1%	1.3%	1.9%
Grade 8	44.7%	45.3%	7.1%	1.3%	1.7%
Grade 9	51.7%	40.6%	3.7%	1.3%	2.6%
Grade 10	56.6%	38.3%	3.8%	0.5%	0.8%
Grade 11	60.8%	32.8%	3.7%	1.1%	1.7%
Grade 12	62.1%	33.0%	4.0%	0.0%	0.9%
<b>At School?</b>					
All	51.0%	38.4%	5.0%	2.2%	3.4%
Grade 7	55.8%	34.5%	4.0%	2.3%	3.4%
Grade 8	53.4%	36.2%	6.3%	1.3%	2.8%
Grade 9	41.3%	47.7%	5.0%	1.9%	4.1%
Grade 10	48.1%	42.0%	4.5%	1.7%	3.7%
Grade 11	51.4%	35.8%	4.8%	3.7%	4.2%
Grade 12	58.0%	32.1%	5.9%	2.3%	1.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 37 of 119



## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.1%	25.8%	40.1%	59.9%
Grade 7	9.4%	11.1%	19.7%	80.3%
Grade 8	12.7%	16.8%	29.3%	70.7%
Grade 9	19.5%	22.3%	39.3%	60.7%
Grade 10	23.8%	31.2%	46.7%	53.3%
Grade 11	29.1%	36.2%	52.7%	47.3%
Grade 12	37.3%	43.8%	59.8%	40.2%
<b>Any Alcohol Product</b>				
All	36.6%	41.6%	61.7%	38.3%
Grade 7	18.6%	21.2%	41.6%	58.4%
Grade 8	25.5%	28.4%	52.4%	47.6%
Grade 9	38.4%	42.5%	64.5%	35.5%
Grade 10	40.5%	46.1%	66.0%	34.0%
Grade 11	49.0%	56.9%	73.2%	26.8%
Grade 12	53.8%	61.5%	78.3%	21.7%
<b>Any Illicit Drug</b>				
All	11.1%	14.9%	21.0%	79.0%
Grade 7	5.4%	6.9%	9.0%	91.0%
Grade 8	7.7%	11.5%	13.6%	86.4%
Grade 9	11.3%	14.4%	16.8%	83.2%
Grade 10	12.6%	17.1%	24.9%	75.1%
Grade 11	16.5%	21.2%	29.3%	70.7%
Grade 12	15.3%	20.6%	38.0%	62.0%
<b>Any Prescription Drug</b>				
All	10.7%	13.9%	19.5%	80.5%
Grade 7	7.3%	9.1%	14.7%	85.3%
Grade 8	12.7%	17.0%	21.2%	78.8%
Grade 9	9.0%	12.1%	19.5%	80.5%
Grade 10	13.8%	16.6%	21.3%	78.7%
Grade 11	12.7%	16.3%	22.8%	77.2%
Grade 12	8.9%	12.7%	17.7%	82.3%
<b>Any Inhalant</b>				
All	5.2%	7.0%	14.7%	85.3%
Grade 7	5.1%	7.3%	14.2%	85.8%
Grade 8	6.6%	8.4%	16.4%	83.6%
Grade 9	6.4%	7.6%	14.8%	85.2%
Grade 10	4.4%	5.6%	14.5%	85.5%
Grade 11	4.6%	5.7%	11.6%	88.4%
Grade 12	3.5%	7.4%	16.5%	83.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.9%	16.8%	31.5%	68.5%
Grade 7	4.2%	7.0%	14.8%	85.2%
Grade 8	7.1%	11.5%	24.4%	75.6%
Grade 9	12.6%	16.7%	32.0%	68.0%
Grade 10	10.5%	19.3%	37.4%	62.6%
Grade 11	14.7%	24.0%	42.0%	58.0%
Grade 12	18.5%	26.0%	43.0%	57.0%
<b>Marijuana</b>				
All	10.8%	13.1%	19.6%	80.4%
Grade 7	5.1%	5.7%	7.8%	92.2%
Grade 8	7.0%	8.9%	11.4%	88.6%
Grade 9	11.3%	13.4%	15.8%	84.2%
Grade 10	11.6%	14.9%	22.9%	77.1%
Grade 11	16.4%	19.2%	27.9%	72.1%
Grade 12	15.1%	19.0%	37.3%	62.7%
<b>Marijuana Only</b>				
All	5.4%	7.1%	12.3%	87.7%
Grade 7	2.3%	2.8%	4.7%	95.3%
Grade 8	3.9%	5.1%	7.3%	92.7%
Grade 9	5.3%	6.3%	8.3%	91.7%
Grade 10	5.3%	7.9%	15.2%	84.8%
Grade 11	8.7%	11.0%	18.7%	81.3%
Grade 12	7.8%	10.8%	23.3%	76.7%
<b>Cocaine or Crack</b>				
All	2.0%	2.2%	3.7%	96.3%
Grade 7	0.8%	0.9%	1.1%	98.9%
Grade 8	2.3%	2.3%	2.7%	97.3%
Grade 9	1.2%	1.4%	2.6%	97.4%
Grade 10	2.5%	2.7%	4.1%	95.9%
Grade 11	3.3%	4.0%	6.1%	93.9%
Grade 12	2.0%	2.0%	7.0%	93.0%
<b>Cocaine</b>				
All	1.9%	2.1%	3.6%	96.4%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	2.3%	2.3%	2.6%	97.4%
Grade 9	1.2%	1.4%	2.6%	97.4%
Grade 10	2.5%	2.7%	4.0%	96.0%
Grade 11	2.8%	3.5%	6.1%	93.9%
Grade 12	2.0%	2.0%	6.7%	93.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.8%	0.8%	2.0%	98.0%
Grade 12	0.7%	0.7%	1.1%	98.9%
<b>Hallucinogens</b>				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.1%	1.4%	98.6%
Grade 9	1.2%	1.6%	2.6%	97.4%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.7%	1.6%	3.6%	96.4%
Grade 12	1.9%	2.2%	4.8%	95.2%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.3%	99.7%
<b>Steroids</b>				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.3%	0.3%	1.6%	98.4%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.5%	0.6%	2.5%	97.5%
Grade 11	0.0%	0.3%	0.5%	99.5%
Grade 12	1.0%	1.5%	1.5%	98.5%
<b>Ecstasy</b>				
All	0.5%	1.0%	1.9%	98.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.9%	1.9%	3.1%	96.9%
Grade 10	0.3%	0.5%	1.5%	98.5%
Grade 11	0.8%	2.1%	4.0%	96.0%
Grade 12	0.8%	1.5%	2.3%	97.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.7%	0.7%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.2%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	1.5%	2.2%	4.4%	95.6%
Grade 7	1.0%	1.8%	2.2%	97.8%
Grade 8	0.4%	1.1%	2.7%	97.3%
Grade 9	1.7%	2.5%	4.7%	95.3%
Grade 10	1.6%	2.0%	4.5%	95.5%
Grade 11	2.8%	3.3%	5.3%	94.7%
Grade 12	1.7%	2.2%	7.8%	92.2%
<b>Methamphetamine</b>				
All	0.2%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.5%	1.1%	1.5%	98.5%
Grade 10	0.2%	0.3%	0.3%	99.7%
Grade 11	0.3%	0.7%	1.8%	98.2%
Grade 12	0.0%	0.3%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	27.2%	31.8%	44.6%	55.4%
Grade 7	13.7%	15.3%	23.9%	76.1%
Grade 8	14.6%	17.9%	29.9%	70.1%
Grade 9	25.1%	27.5%	41.9%	58.1%
Grade 10	27.4%	35.1%	48.1%	51.9%
Grade 11	38.7%	43.6%	60.0%	40.0%
Grade 12	48.9%	57.2%	70.4%	29.6%
<b>Any Alcohol Product</b>				
All	38.6%	42.5%	62.1%	37.9%
Grade 7	22.4%	24.7%	46.1%	53.9%
Grade 8	25.7%	27.9%	52.5%	47.5%
Grade 9	38.2%	42.0%	63.8%	36.2%
Grade 10	40.7%	45.4%	63.3%	36.7%
Grade 11	50.9%	56.0%	72.5%	27.5%
Grade 12	58.7%	64.7%	78.6%	21.4%
<b>Any Illicit Drug</b>				
All	12.7%	16.2%	23.5%	76.5%
Grade 7	6.4%	7.8%	11.0%	89.0%
Grade 8	8.2%	12.0%	14.1%	85.9%
Grade 9	11.1%	14.0%	17.0%	83.0%
Grade 10	12.8%	16.1%	24.5%	75.5%
Grade 11	19.2%	24.4%	34.6%	65.4%
Grade 12	20.7%	25.5%	44.6%	55.4%
<b>Any Prescription Drug</b>				
All	10.6%	14.1%	19.9%	80.1%
Grade 7	6.8%	8.7%	13.2%	86.8%
Grade 8	12.1%	16.6%	20.4%	79.6%
Grade 9	7.0%	10.7%	19.5%	80.5%
Grade 10	9.6%	13.6%	20.1%	79.9%
Grade 11	17.9%	20.8%	26.6%	73.4%
Grade 12	11.2%	15.6%	20.8%	79.2%
<b>Any Inhalant</b>				
All	5.3%	7.5%	15.3%	84.7%
Grade 7	4.0%	7.5%	14.6%	85.4%
Grade 8	5.7%	6.8%	14.0%	86.0%
Grade 9	6.1%	7.1%	13.3%	86.7%
Grade 10	5.8%	6.8%	14.2%	85.8%
Grade 11	5.3%	6.5%	14.8%	85.2%
Grade 12	4.8%	10.2%	22.0%	78.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.3%	19.4%	34.4%	65.6%
Grade 7	5.5%	8.6%	18.1%	81.9%
Grade 8	7.5%	10.8%	25.1%	74.9%
Grade 9	14.2%	19.3%	34.8%	65.2%
Grade 10	12.7%	21.3%	36.6%	63.4%
Grade 11	18.4%	26.3%	45.4%	54.6%
Grade 12	23.2%	32.8%	50.8%	49.2%
<b>Marijuana</b>				
All	12.1%	14.4%	22.2%	77.8%
Grade 7	6.1%	6.5%	9.7%	90.3%
Grade 8	7.4%	9.2%	11.8%	88.2%
Grade 9	11.1%	14.0%	16.8%	83.2%
Grade 10	10.9%	13.2%	22.5%	77.5%
Grade 11	19.0%	22.2%	33.4%	66.6%
Grade 12	20.4%	24.0%	44.1%	55.9%
<b>Marijuana Only</b>				
All	5.1%	6.7%	12.9%	87.1%
Grade 7	2.1%	2.2%	5.0%	95.0%
Grade 8	4.2%	5.0%	7.2%	92.8%
Grade 9	3.4%	5.2%	7.4%	92.6%
Grade 10	3.2%	5.0%	13.2%	86.8%
Grade 11	8.9%	11.6%	21.2%	78.8%
Grade 12	9.7%	12.7%	27.1%	72.9%
<b>Cocaine or Crack</b>				
All	2.6%	2.7%	5.0%	95.0%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	2.4%	2.4%	2.8%	97.2%
Grade 9	1.6%	1.6%	3.6%	96.4%
Grade 10	3.7%	3.7%	5.4%	94.6%
Grade 11	4.9%	5.4%	9.3%	90.7%
Grade 12	3.0%	3.0%	9.1%	90.9%
<b>Cocaine</b>				
All	2.4%	2.5%	4.8%	95.2%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	2.4%	2.4%	2.8%	97.2%
Grade 9	1.6%	1.6%	3.6%	96.4%
Grade 10	3.7%	3.7%	5.2%	94.8%
Grade 11	3.9%	4.4%	9.3%	90.7%
Grade 12	3.0%	3.0%	8.5%	91.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 44 of 119

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.3%	0.6%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.6%	0.6%	0.8%	99.2%
Grade 11	1.6%	1.6%	3.9%	96.1%
Grade 12	1.2%	1.2%	1.7%	98.3%
<b>Hallucinogens</b>				
All	0.8%	1.3%	3.3%	96.7%
Grade 7	0.0%	0.0%	2.3%	97.7%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	1.4%	2.0%	2.8%	97.2%
Grade 10	0.0%	0.2%	0.8%	99.2%
Grade 11	1.1%	2.6%	6.1%	93.9%
Grade 12	2.7%	3.3%	7.2%	92.8%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	0.3%	0.3%	1.6%	98.4%
Grade 8	0.2%	0.3%	1.6%	98.4%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.5%	0.7%	1.8%	98.2%
Grade 11	0.0%	0.5%	1.1%	98.9%
Grade 12	1.8%	2.7%	2.7%	97.3%
<b>Ecstasy</b>				
All	0.8%	1.2%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	1.2%	1.2%	2.4%	97.6%
Grade 10	0.2%	0.2%	1.5%	98.5%
Grade 11	1.5%	4.1%	7.0%	93.0%
Grade 12	1.5%	1.7%	3.2%	96.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.3%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	2.1%	2.7%	5.6%	94.4%
Grade 7	1.5%	2.6%	3.2%	96.8%
Grade 8	0.6%	1.8%	4.2%	95.8%
Grade 9	2.9%	2.9%	6.4%	93.6%
Grade 10	2.6%	3.3%	5.5%	94.5%
Grade 11	3.4%	4.1%	6.7%	93.3%
Grade 12	1.6%	1.6%	8.2%	91.8%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.6%	1.1%	3.0%	97.0%
Grade 12	0.0%	0.3%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 119

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.5%	19.4%	35.2%	64.8%
Grade 7	4.9%	6.7%	15.2%	84.8%
Grade 8	10.1%	15.1%	28.3%	71.7%
Grade 9	13.7%	17.0%	36.4%	63.6%
Grade 10	20.5%	27.5%	45.5%	54.5%
Grade 11	19.1%	28.5%	45.2%	54.8%
Grade 12	22.0%	25.9%	45.6%	54.4%
<b>Any Alcohol Product</b>				
All	34.5%	40.5%	61.4%	38.6%
Grade 7	14.6%	17.5%	37.0%	63.0%
Grade 8	24.8%	28.5%	52.4%	47.6%
Grade 9	38.2%	42.7%	65.1%	34.9%
Grade 10	40.6%	47.0%	69.3%	30.7%
Grade 11	47.2%	57.7%	73.8%	26.2%
Grade 12	47.3%	57.3%	77.9%	22.1%
<b>Any Illicit Drug</b>				
All	9.5%	13.4%	18.2%	81.8%
Grade 7	4.2%	5.8%	6.7%	93.3%
Grade 8	6.6%	10.7%	12.5%	87.5%
Grade 9	11.5%	14.8%	16.3%	83.7%
Grade 10	12.5%	18.0%	25.1%	74.9%
Grade 11	13.9%	17.8%	23.9%	76.1%
Grade 12	8.3%	14.4%	29.9%	70.1%
<b>Any Prescription Drug</b>				
All	10.8%	13.7%	19.1%	80.9%
Grade 7	7.8%	9.6%	16.3%	83.7%
Grade 8	13.0%	17.0%	21.8%	78.2%
Grade 9	10.9%	13.6%	19.7%	80.3%
Grade 10	18.0%	19.7%	22.6%	77.4%
Grade 11	7.2%	11.7%	19.0%	81.0%
Grade 12	5.8%	8.9%	13.6%	86.4%
<b>Any Inhalant</b>				
All	5.1%	6.5%	13.9%	86.1%
Grade 7	6.3%	6.9%	13.7%	86.3%
Grade 8	7.5%	10.2%	18.5%	81.5%
Grade 9	6.8%	8.1%	16.3%	83.7%
Grade 10	3.0%	4.2%	14.7%	85.3%
Grade 11	3.8%	4.8%	8.2%	91.8%
Grade 12	1.9%	3.7%	9.5%	90.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.2%	14.0%	28.3%	71.7%
Grade 7	2.7%	5.2%	11.3%	88.7%
Grade 8	6.0%	11.6%	23.4%	76.6%
Grade 9	10.6%	13.7%	28.9%	71.1%
Grade 10	8.4%	17.4%	38.4%	61.6%
Grade 11	10.8%	21.6%	38.6%	61.4%
Grade 12	12.3%	17.1%	32.6%	67.4%
<b>Marijuana</b>				
All	9.3%	11.7%	16.7%	83.3%
Grade 7	3.8%	4.8%	5.7%	94.3%
Grade 8	6.1%	8.0%	10.5%	89.5%
Grade 9	11.5%	13.0%	14.5%	85.5%
Grade 10	12.5%	16.8%	23.5%	76.5%
Grade 11	13.9%	16.2%	22.4%	77.6%
Grade 12	8.3%	12.6%	28.8%	71.2%
<b>Marijuana Only</b>				
All	5.7%	7.4%	11.5%	88.5%
Grade 7	2.5%	3.4%	4.4%	95.6%
Grade 8	3.1%	4.8%	6.9%	93.1%
Grade 9	7.1%	7.4%	8.8%	91.2%
Grade 10	7.5%	10.8%	17.5%	82.5%
Grade 11	8.5%	10.3%	16.1%	83.9%
Grade 12	5.4%	8.5%	18.6%	81.4%
<b>Cocaine or Crack</b>				
All	1.3%	1.6%	2.5%	97.5%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	2.3%	2.3%	2.7%	97.3%
Grade 9	0.9%	1.2%	1.7%	98.3%
Grade 10	1.3%	1.8%	2.8%	97.2%
Grade 11	1.7%	2.5%	2.8%	97.2%
Grade 12	0.7%	0.7%	4.4%	95.6%
<b>Cocaine</b>				
All	1.3%	1.6%	2.4%	97.6%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	2.3%	2.3%	2.4%	97.6%
Grade 9	0.9%	1.2%	1.7%	98.3%
Grade 10	1.3%	1.8%	2.8%	97.2%
Grade 11	1.7%	2.5%	2.8%	97.2%
Grade 12	0.7%	0.7%	4.4%	95.6%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	1.1%	1.1%	1.5%	98.5%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens</b>				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.3%	1.4%	98.6%
Grade 9	1.0%	1.2%	2.4%	97.6%
Grade 10	0.5%	1.0%	1.3%	98.7%
Grade 11	0.3%	0.7%	1.0%	99.0%
Grade 12	0.8%	0.8%	1.5%	98.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
<b>Steroids</b>				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.6%	98.4%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.6%	0.6%	1.6%	98.4%
Grade 10	0.6%	0.6%	3.2%	96.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.2%	0.8%	1.5%	98.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	1.4%	98.6%
Grade 9	0.5%	2.5%	3.7%	96.3%
Grade 10	0.3%	0.7%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	1.1%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	0.9%	1.5%	3.0%	97.0%
Grade 7	0.4%	0.9%	1.0%	99.0%
Grade 8	0.2%	0.3%	1.1%	98.9%
Grade 9	0.5%	2.2%	3.0%	97.0%
Grade 10	0.5%	0.8%	3.5%	96.5%
Grade 11	2.2%	2.6%	3.9%	96.1%
Grade 12	1.8%	3.1%	7.3%	92.7%
<b>Methamphetamine</b>				
All	0.1%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	0.0%	1.2%	1.9%	98.1%
Grade 10	0.3%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.3%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.8%	27.1%	38.2%	61.8%
Grade 7	7.2%	9.2%	14.1%	85.9%
Grade 8	11.7%	15.8%	25.9%	74.1%
Grade 9	23.8%	25.2%	41.7%	58.3%
Grade 10	23.8%	32.5%	42.6%	57.4%
Grade 11	25.8%	35.1%	50.0%	50.0%
Grade 12	42.5%	49.1%	59.2%	40.8%
<b>Any Alcohol Product</b>				
All	31.5%	37.8%	60.5%	39.5%
Grade 7	12.5%	14.9%	35.9%	64.1%
Grade 8	20.8%	24.0%	49.7%	50.3%
Grade 9	33.7%	40.1%	66.9%	33.1%
Grade 10	35.7%	40.4%	64.1%	35.9%
Grade 11	40.7%	53.4%	69.1%	30.9%
Grade 12	49.4%	59.0%	81.6%	18.4%
<b>Any Illicit Drug</b>				
All	7.0%	10.5%	16.1%	83.9%
Grade 7	3.2%	4.7%	7.4%	92.6%
Grade 8	3.1%	6.0%	9.5%	90.5%
Grade 9	6.2%	8.0%	10.0%	90.0%
Grade 10	8.2%	12.3%	17.1%	82.9%
Grade 11	10.0%	16.3%	22.9%	77.1%
Grade 12	12.4%	17.6%	33.3%	66.7%
<b>Any Prescription Drug</b>				
All	11.4%	15.3%	21.6%	78.4%
Grade 7	7.6%	9.0%	16.4%	83.6%
Grade 8	12.2%	17.6%	22.2%	77.8%
Grade 9	10.7%	12.4%	19.1%	80.9%
Grade 10	12.8%	17.2%	22.8%	77.2%
Grade 11	15.0%	19.5%	29.7%	70.3%
Grade 12	10.1%	16.7%	20.0%	80.0%
<b>Any Inhalant</b>				
All	4.1%	5.5%	12.0%	88.0%
Grade 7	3.5%	4.9%	10.4%	89.6%
Grade 8	6.3%	7.3%	15.4%	84.6%
Grade 9	5.2%	5.6%	9.3%	90.7%
Grade 10	3.2%	4.3%	10.3%	89.7%
Grade 11	3.3%	3.3%	9.5%	90.5%
Grade 12	2.8%	8.1%	17.9%	82.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.5%	17.7%	28.6%	71.4%
Grade 7	1.0%	3.2%	8.6%	91.4%
Grade 8	5.5%	11.2%	21.1%	78.9%
Grade 9	16.7%	20.8%	33.1%	66.9%
Grade 10	13.6%	23.7%	33.7%	66.3%
Grade 11	13.3%	21.9%	33.4%	66.6%
Grade 12	20.4%	27.6%	44.5%	55.5%
<b>Marijuana</b>				
All	6.7%	8.8%	14.7%	85.3%
Grade 7	2.6%	3.3%	5.9%	94.1%
Grade 8	3.1%	4.1%	8.1%	91.9%
Grade 9	6.2%	8.0%	10.0%	90.0%
Grade 10	6.9%	8.8%	14.1%	85.9%
Grade 11	10.0%	14.2%	20.8%	79.2%
Grade 12	12.4%	16.5%	33.3%	66.7%
<b>Marijuana Only</b>				
All	2.7%	3.9%	8.7%	91.3%
Grade 7	1.5%	2.1%	4.8%	95.2%
Grade 8	1.7%	2.2%	5.6%	94.4%
Grade 9	3.6%	3.6%	4.7%	95.3%
Grade 10	2.7%	3.3%	8.6%	91.4%
Grade 11	3.4%	6.2%	12.0%	88.0%
Grade 12	3.3%	6.6%	18.6%	81.4%
<b>Cocaine or Crack</b>				
All	0.7%	0.9%	2.2%	97.8%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.9%	0.9%	2.1%	97.9%
Grade 10	1.8%	1.8%	2.4%	97.6%
Grade 11	0.7%	2.1%	3.8%	96.2%
Grade 12	0.0%	0.0%	4.1%	95.9%
<b>Cocaine</b>				
All	0.7%	0.9%	2.1%	97.9%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.9%	0.9%	2.1%	97.9%
Grade 10	1.8%	1.8%	2.4%	97.6%
Grade 11	0.7%	2.1%	3.8%	96.2%
Grade 12	0.0%	0.0%	3.3%	96.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.8%	99.2%
<b>Hallucinogens</b>				
All	0.8%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.3%	0.9%	99.1%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.8%	1.4%	2.8%	97.2%
Grade 12	2.4%	2.4%	7.3%	92.7%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.0%	0.1%	0.8%	99.2%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	0.0%	0.7%	1.5%	98.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.9%	1.7%	2.6%	97.4%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.7%	1.4%	3.6%	96.4%
Grade 12	0.0%	0.0%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.2%	1.8%	3.9%	96.1%
Grade 7	0.1%	0.7%	0.9%	99.1%
Grade 8	0.6%	0.7%	2.0%	98.0%
Grade 9	1.7%	2.6%	4.1%	95.9%
Grade 10	0.6%	1.6%	4.8%	95.2%
Grade 11	2.1%	2.1%	3.5%	96.5%
Grade 12	2.5%	3.3%	9.0%	91.0%
<b>Methamphetamine</b>				
All	0.0%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	27.2%	27.2%	44.8%	55.2%
Grade 7	45.3%	45.3%	47.6%	52.4%
Grade 8	31.3%	31.3%	40.3%	59.7%
Grades 9-12	20.2%	20.2%	45.5%	54.5%
<b>Any Alcohol Product</b>				
All	49.5%	52.5%	67.1%	32.9%
Grade 7	39.6%	39.6%	65.8%	34.2%
Grade 8	40.3%	40.3%	60.3%	39.7%
Grades 9-12	55.6%	60.6%	69.7%	30.3%
<b>Any Illicit Drug</b>				
All	19.9%	27.1%	39.4%	60.6%
Grade 7	23.9%	23.9%	23.9%	76.1%
Grade 8	30.8%	35.8%	35.8%	64.2%
Grades 9-12	15.2%	25.3%	45.5%	54.5%
<b>Any Prescription Drug</b>				
All	16.3%	20.2%	30.5%	69.5%
Grade 7	0.0%	0.0%	5.4%	94.6%
Grade 8	23.1%	27.6%	27.6%	72.4%
Grades 9-12	19.2%	24.2%	39.4%	60.6%
<b>Any Inhalant</b>				
All	4.1%	7.1%	14.6%	85.4%
Grade 7	15.9%	31.9%	50.1%	49.9%
Grade 8	5.0%	5.0%	9.5%	90.5%
Grades 9-12	0.0%	0.0%	5.1%	94.9%
<b>Electronic Vapor Products</b>				
All	7.8%	17.0%	33.1%	66.9%
Grade 7	21.4%	37.3%	47.6%	52.4%
Grade 8	18.6%	18.6%	27.6%	72.4%
Grades 9-12	0.0%	10.1%	30.3%	69.7%
<b>Marijuana</b>				
All	19.9%	23.0%	35.3%	64.7%
Grade 7	23.9%	23.9%	23.9%	76.1%
Grade 8	30.8%	30.8%	30.8%	69.2%
Grades 9-12	15.2%	20.2%	40.4%	59.6%
<b>Marijuana Only</b>				
All	11.4%	11.4%	20.6%	79.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	26.3%	26.3%	26.3%	73.7%
Grades 9-12	10.1%	10.1%	25.3%	74.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>				
All	0.9%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.5%	4.5%	4.5%	95.5%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.9%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.5%	4.5%	4.5%	95.5%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
<b>Crack</b>				
All	0.9%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.5%	4.5%	4.5%	95.5%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.0%	0.0%	3.3%	96.7%
Grade 7	0.0%	0.0%	15.9%	84.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	3.1%	3.1%	7.1%	92.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	5.0%	95.0%
Grades 9-12	5.1%	5.1%	10.1%	89.9%
<b>Ecstasy</b>				
All	0.0%	6.2%	6.2%	93.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	10.1%	10.1%	89.9%
<b>Heroin</b>				
All	3.1%	3.1%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	5.1%	5.1%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	6.2%	7.7%	10.8%	89.2%
Grade 7	15.9%	23.9%	23.9%	76.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	5.1%	5.1%	10.1%	89.9%
Methamphetamine				
All	0.0%	3.1%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-12	0.0%	5.1%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 57 of 119

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.4%	25.3%	41.1%	58.9%
Grade 7	8.4%	10.1%	21.2%	78.8%
Grade 8	11.9%	16.2%	30.4%	69.6%
Grade 9	18.4%	22.1%	39.1%	60.9%
Grade 10	22.6%	30.0%	48.1%	51.9%
Grade 11	30.7%	37.2%	55.3%	44.7%
Grade 12	36.8%	43.7%	60.6%	39.4%
<b>Any Alcohol Product</b>				
All	38.8%	43.2%	62.4%	37.6%
Grade 7	20.7%	23.6%	43.5%	56.5%
Grade 8	27.4%	30.2%	54.0%	46.0%
Grade 9	40.0%	43.4%	63.9%	36.1%
Grade 10	42.5%	48.0%	66.1%	33.9%
Grade 11	52.6%	57.8%	75.6%	24.4%
Grade 12	57.0%	64.3%	77.6%	22.4%
<b>Any Illicit Drug</b>				
All	13.0%	16.6%	22.7%	77.3%
Grade 7	5.6%	7.0%	8.8%	91.2%
Grade 8	8.7%	13.0%	14.3%	85.7%
Grade 9	14.5%	17.4%	20.3%	79.7%
Grade 10	14.3%	19.3%	27.2%	72.8%
Grade 11	19.4%	22.1%	31.6%	68.4%
Grade 12	17.8%	23.7%	40.7%	59.3%
<b>Any Prescription Drug</b>				
All	9.9%	12.7%	17.5%	82.5%
Grade 7	7.6%	9.8%	14.4%	85.6%
Grade 8	12.0%	15.6%	20.0%	80.0%
Grade 9	7.9%	11.7%	17.2%	82.8%
Grade 10	13.4%	15.6%	19.1%	80.9%
Grade 11	10.1%	13.5%	18.6%	81.4%
Grade 12	8.9%	10.0%	15.9%	84.1%
<b>Any Inhalant</b>				
All	5.8%	7.6%	16.2%	83.8%
Grade 7	5.3%	7.0%	13.9%	86.1%
Grade 8	6.9%	9.4%	17.5%	82.5%
Grade 9	7.4%	8.8%	18.6%	81.4%
Grade 10	5.7%	7.0%	17.4%	82.6%
Grade 11	4.5%	5.9%	12.2%	87.8%
Grade 12	4.4%	7.2%	17.0%	83.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.9%	16.6%	33.5%	66.5%
Grade 7	4.9%	7.3%	16.3%	83.7%
Grade 8	7.3%	11.2%	26.3%	73.7%
Grade 9	11.5%	15.5%	32.5%	67.5%
Grade 10	9.3%	17.1%	39.0%	61.0%
Grade 11	16.6%	26.0%	48.3%	51.7%
Grade 12	18.7%	27.1%	44.4%	55.6%
<b>Marijuana</b>				
All	12.5%	15.0%	21.3%	78.7%
Grade 7	5.4%	6.0%	8.0%	92.0%
Grade 8	7.6%	10.0%	11.8%	88.2%
Grade 9	14.5%	15.9%	18.6%	81.4%
Grade 10	13.4%	17.7%	25.6%	74.4%
Grade 11	19.2%	21.4%	31.8%	68.2%
Grade 12	17.5%	21.6%	39.4%	60.6%
<b>Marijuana Only</b>				
All	6.5%	8.6%	13.8%	86.2%
Grade 7	3.0%	3.5%	5.1%	94.9%
Grade 8	3.5%	5.2%	6.8%	93.2%
Grade 9	6.6%	8.0%	10.7%	89.3%
Grade 10	6.3%	10.1%	17.1%	82.9%
Grade 11	10.4%	12.6%	21.9%	78.1%
Grade 12	11.1%	14.2%	26.3%	73.7%
<b>Cocaine or Crack</b>				
All	2.9%	3.0%	4.8%	95.2%
Grade 7	0.9%	1.1%	1.3%	98.7%
Grade 8	3.4%	3.4%	3.7%	96.3%
Grade 9	1.6%	1.8%	3.1%	96.9%
Grade 10	3.2%	3.6%	5.5%	94.5%
Grade 11	5.3%	5.6%	7.7%	92.3%
Grade 12	3.5%	3.5%	9.1%	90.9%
<b>Cocaine</b>				
All	2.7%	2.9%	4.6%	95.4%
Grade 7	0.8%	0.9%	1.1%	98.9%
Grade 8	3.4%	3.4%	3.4%	96.6%
Grade 9	1.6%	1.8%	3.1%	96.9%
Grade 10	3.2%	3.6%	5.3%	94.7%
Grade 11	4.4%	4.7%	7.7%	92.3%
Grade 12	3.5%	3.5%	9.1%	90.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.7%	1.1%	98.9%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	1.4%	1.4%	2.5%	97.5%
Grade 12	1.2%	1.2%	1.4%	98.6%
<b>Hallucinogens</b>				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.1%	0.1%	1.9%	98.1%
Grade 9	1.0%	1.7%	3.0%	97.0%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	0.8%	2.0%	4.5%	95.5%
Grade 12	1.2%	1.7%	3.0%	97.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.6%	0.7%	1.5%	98.5%
Grade 7	0.4%	0.5%	2.1%	97.9%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	1.0%	1.0%	1.9%	98.1%
Grade 10	0.9%	1.1%	2.1%	97.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	1.2%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.6%	0.8%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	1.4%	98.6%
Grade 9	0.8%	1.0%	2.5%	97.5%
Grade 10	0.5%	0.5%	2.1%	97.9%
Grade 11	0.9%	1.4%	3.4%	96.6%
Grade 12	1.4%	2.0%	2.5%	97.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.3%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	1.2%	1.9%	4.2%	95.8%
Grade 7	0.5%	1.0%	1.5%	98.5%
Grade 8	0.3%	1.4%	3.4%	96.6%
Grade 9	1.7%	2.6%	5.0%	95.0%
Grade 10	1.1%	1.3%	3.6%	96.4%
Grade 11	3.1%	3.9%	6.4%	93.6%
Grade 12	0.8%	1.3%	5.8%	94.2%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.4%	0.5%	99.5%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	0.8%	0.8%	0.9%	99.1%
Grade 10	0.3%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.3%	2.2%	97.8%
Grade 12	0.0%	0.5%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 61 of 119



**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.9%	18.1%	31.3%	68.7%
Grade 7	3.2%	3.8%	11.1%	88.9%
Grade 8	9.0%	10.6%	17.3%	82.7%
Grade 9	10.6%	12.8%	28.5%	71.5%
Grade 10	16.4%	26.5%	35.7%	64.3%
Grade 11	19.4%	25.0%	44.4%	55.6%
Grade 12	24.4%	30.1%	50.0%	50.0%
<b>Any Alcohol Product</b>				
All	30.7%	37.0%	58.4%	41.6%
Grade 7	12.8%	14.7%	36.6%	63.4%
Grade 8	15.2%	18.2%	46.3%	53.7%
Grade 9	30.3%	35.4%	60.0%	40.0%
Grade 10	35.4%	42.5%	61.0%	39.0%
Grade 11	43.0%	52.3%	68.6%	31.4%
Grade 12	46.2%	57.4%	76.9%	23.1%
<b>Any Illicit Drug</b>				
All	5.9%	8.4%	13.0%	87.0%
Grade 7	4.3%	4.8%	5.8%	94.2%
Grade 8	1.7%	5.3%	6.7%	93.3%
Grade 9	6.9%	6.9%	7.9%	92.1%
Grade 10	6.6%	10.9%	12.9%	87.1%
Grade 11	7.4%	10.6%	16.8%	83.2%
Grade 12	8.5%	11.9%	27.8%	72.2%
<b>Any Prescription Drug</b>				
All	9.7%	12.5%	16.6%	83.4%
Grade 7	7.6%	9.1%	12.5%	87.5%
Grade 8	12.1%	15.1%	19.8%	80.2%
Grade 9	4.6%	7.5%	11.9%	88.1%
Grade 10	12.1%	13.4%	18.3%	81.7%
Grade 11	11.3%	16.5%	21.8%	78.2%
Grade 12	10.8%	12.8%	14.5%	85.5%
<b>Any Inhalant</b>				
All	2.9%	3.8%	10.2%	89.8%
Grade 7	1.3%	1.7%	8.7%	91.3%
Grade 8	5.7%	6.6%	11.2%	88.8%
Grade 9	1.8%	2.5%	11.3%	88.7%
Grade 10	3.2%	3.9%	9.9%	90.1%
Grade 11	2.7%	3.1%	9.0%	91.0%
Grade 12	2.9%	4.9%	11.4%	88.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting A Grades on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.5%	12.2%	24.6%	75.4%
Grade 7	1.7%	2.5%	6.5%	93.5%
Grade 8	4.5%	5.8%	13.7%	86.3%
Grade 9	5.9%	10.3%	24.0%	76.0%
Grade 10	8.9%	18.2%	31.2%	68.8%
Grade 11	11.9%	17.2%	35.8%	64.2%
Grade 12	11.7%	19.3%	35.5%	64.5%
<b>Marijuana</b>				
All	5.8%	7.4%	12.1%	87.9%
Grade 7	3.8%	4.0%	5.3%	94.7%
Grade 8	1.6%	2.1%	3.5%	96.5%
Grade 9	6.9%	6.9%	7.9%	92.1%
Grade 10	6.3%	9.7%	11.7%	88.3%
Grade 11	7.4%	10.6%	16.8%	83.2%
Grade 12	8.5%	11.2%	27.5%	72.5%
<b>Marijuana Only</b>				
All	3.1%	4.6%	8.7%	91.3%
Grade 7	2.2%	2.3%	3.6%	96.4%
Grade 8	0.8%	1.4%	2.7%	97.3%
Grade 9	3.8%	3.8%	4.7%	95.3%
Grade 10	3.8%	6.8%	8.8%	91.2%
Grade 11	3.3%	6.4%	12.6%	87.4%
Grade 12	5.0%	6.7%	19.4%	80.6%
<b>Cocaine or Crack</b>				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	1.0%	1.5%	2.2%	97.8%
Grade 11	1.1%	2.0%	3.2%	96.8%
Grade 12	0.7%	0.7%	4.0%	96.0%
<b>Cocaine</b>				
All	0.7%	1.0%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	1.0%	1.5%	2.2%	97.8%
Grade 11	1.1%	2.0%	3.2%	96.8%
Grade 12	0.7%	0.7%	4.0%	96.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.9%	0.9%	1.1%	98.9%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.4%	2.0%	98.0%
Grade 12	1.4%	1.4%	2.8%	97.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.6%	0.6%	1.2%	98.8%
Grade 7	0.3%	0.3%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.3%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.3%	2.3%	2.3%	97.7%
<b>Ecstasy</b>				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.9%	0.9%	99.1%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.0%	0.4%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.1%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.7%	1.2%	2.0%	98.0%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.0%	2.2%	2.8%	97.2%
Grade 10	1.0%	1.0%	1.3%	98.7%
Grade 11	1.1%	1.5%	2.3%	97.7%
Grade 12	1.4%	1.7%	4.4%	95.6%
<b>Methamphetamine</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	25.1%	29.8%	43.9%	56.1%
Grade 7	12.8%	15.3%	24.1%	75.9%
Grade 8	15.2%	19.5%	34.9%	65.1%
Grade 9	26.1%	28.5%	43.3%	56.7%
Grade 10	27.0%	31.5%	50.9%	49.1%
Grade 11	36.8%	47.1%	59.9%	40.1%
Grade 12	49.2%	56.5%	71.2%	28.8%
<b>Any Alcohol Product</b>				
All	39.5%	43.7%	62.8%	37.2%
Grade 7	21.9%	25.2%	45.1%	54.9%
Grade 8	32.1%	35.1%	56.9%	43.1%
Grade 9	43.5%	48.0%	69.3%	30.7%
Grade 10	41.9%	46.7%	65.4%	34.6%
Grade 11	55.9%	60.5%	75.8%	24.2%
Grade 12	59.6%	65.7%	80.1%	19.9%
<b>Any Illicit Drug</b>				
All	13.8%	18.3%	25.1%	74.9%
Grade 7	5.9%	8.1%	10.3%	89.7%
Grade 8	12.0%	16.5%	19.0%	81.0%
Grade 9	14.8%	19.7%	23.4%	76.6%
Grade 10	13.7%	17.6%	29.3%	70.7%
Grade 11	23.1%	28.9%	37.9%	62.1%
Grade 12	21.5%	29.0%	47.8%	52.2%
<b>Any Prescription Drug</b>				
All	11.4%	14.9%	21.8%	78.2%
Grade 7	7.5%	9.7%	16.0%	84.0%
Grade 8	14.2%	19.5%	23.5%	76.5%
Grade 9	11.5%	14.8%	25.4%	74.6%
Grade 10	14.7%	19.4%	24.2%	75.8%
Grade 11	14.6%	15.7%	24.0%	76.0%
Grade 12	6.1%	9.9%	18.7%	81.3%
<b>Any Inhalant</b>				
All	6.4%	8.8%	17.8%	82.2%
Grade 7	7.0%	9.8%	17.3%	82.7%
Grade 8	7.3%	9.5%	18.7%	81.3%
Grade 9	6.9%	8.5%	14.2%	85.8%
Grade 10	5.6%	6.2%	18.9%	81.1%
Grade 11	7.0%	8.2%	15.0%	85.0%
Grade 12	3.8%	10.8%	23.8%	76.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.0%	19.1%	34.5%	65.5%
Grade 7	5.9%	10.2%	19.6%	80.4%
Grade 8	9.4%	13.8%	28.6%	71.4%
Grade 9	16.8%	20.1%	34.5%	65.5%
Grade 10	12.0%	19.9%	42.7%	57.3%
Grade 11	16.4%	29.1%	44.7%	55.3%
Grade 12	24.8%	32.5%	50.6%	49.4%
<b>Marijuana</b>				
All	13.3%	16.2%	23.6%	76.4%
Grade 7	5.6%	6.6%	8.7%	91.3%
Grade 8	11.0%	13.8%	17.1%	82.9%
Grade 9	14.8%	19.1%	22.8%	77.2%
Grade 10	12.3%	14.6%	26.6%	73.4%
Grade 11	22.9%	26.3%	36.2%	63.8%
Grade 12	21.1%	26.2%	47.1%	52.9%
<b>Marijuana Only</b>				
All	6.3%	8.2%	14.1%	85.9%
Grade 7	2.0%	2.8%	4.5%	95.5%
Grade 8	6.4%	8.1%	10.8%	89.2%
Grade 9	7.3%	8.9%	12.0%	88.0%
Grade 10	4.3%	6.1%	17.2%	82.8%
Grade 11	12.7%	14.7%	22.6%	77.4%
Grade 12	9.8%	13.9%	28.1%	71.9%
<b>Cocaine or Crack</b>				
All	2.8%	3.0%	4.8%	95.2%
Grade 7	1.1%	1.4%	1.7%	98.3%
Grade 8	3.8%	3.8%	4.4%	95.6%
Grade 9	1.3%	1.5%	3.7%	96.3%
Grade 10	3.5%	3.5%	4.8%	95.2%
Grade 11	5.9%	6.5%	9.7%	90.3%
Grade 12	2.4%	2.4%	7.8%	92.2%
<b>Cocaine</b>				
All	2.6%	2.8%	4.6%	95.4%
Grade 7	0.9%	1.1%	1.3%	98.7%
Grade 8	3.8%	3.8%	4.1%	95.9%
Grade 9	1.3%	1.5%	3.7%	96.3%
Grade 10	3.5%	3.5%	4.8%	95.2%
Grade 11	4.6%	5.2%	9.7%	90.3%
Grade 12	2.4%	2.4%	7.8%	92.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.7%	0.9%	1.1%	98.9%
Grade 8	1.2%	1.2%	1.5%	98.5%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.7%	1.7%	4.1%	95.9%
Grade 12	0.4%	0.4%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.7%	1.1%	2.7%	97.3%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.1%	0.2%	2.3%	97.7%
Grade 9	1.1%	1.6%	2.0%	98.0%
Grade 10	0.6%	0.6%	1.1%	98.9%
Grade 11	1.6%	3.5%	5.3%	94.7%
Grade 12	1.7%	2.5%	6.3%	93.7%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
<b>Steroids</b>				
All	0.3%	0.4%	1.4%	98.6%
Grade 7	0.2%	0.3%	2.0%	98.0%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.8%	1.1%	3.7%	96.3%
Grade 11	0.0%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.6%	1.1%	2.5%	97.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	1.6%	98.4%
Grade 9	0.9%	2.4%	3.7%	96.3%
Grade 10	0.3%	0.3%	1.5%	98.5%
Grade 11	2.1%	2.7%	6.3%	93.7%
Grade 12	0.7%	2.2%	3.8%	96.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.2%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.4%	1.8%	98.2%
<b>Synthetic Marijuana</b>				
All	1.6%	2.5%	5.7%	94.3%
Grade 7	1.6%	2.9%	3.4%	96.6%
Grade 8	0.4%	1.6%	4.0%	96.0%
Grade 9	2.2%	2.4%	6.0%	94.0%
Grade 10	1.1%	1.9%	5.9%	94.1%
Grade 11	2.6%	3.0%	7.0%	93.0%
Grade 12	2.5%	3.5%	11.4%	88.6%
<b>Methamphetamine</b>				
All	0.2%	0.7%	1.5%	98.5%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	0.0%	1.3%	1.3%	98.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	1.1%	3.7%	96.3%
Grade 12	0.0%	0.7%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.4%	22.9%	35.5%	64.5%
Grade 7	7.7%	9.1%	14.8%	85.2%
Grade 8	10.8%	14.7%	24.8%	75.2%
Grade 9	17.0%	20.6%	36.7%	63.3%
Grade 10	20.3%	27.7%	42.2%	57.8%
Grade 11	27.1%	33.5%	49.9%	50.1%
Grade 12	33.5%	38.8%	52.7%	47.3%
<b>Any Alcohol Product</b>				
All	34.6%	39.2%	58.4%	41.6%
Grade 7	18.7%	20.8%	39.0%	61.0%
Grade 8	23.7%	25.6%	50.3%	49.7%
Grade 9	37.6%	41.4%	62.2%	37.8%
Grade 10	36.4%	42.8%	62.9%	37.1%
Grade 11	47.4%	55.0%	69.4%	30.6%
Grade 12	50.9%	58.1%	73.4%	26.6%
<b>Any Illicit Drug</b>				
All	8.6%	12.0%	17.0%	83.0%
Grade 7	4.3%	5.9%	6.8%	93.2%
Grade 8	6.5%	10.1%	11.4%	88.6%
Grade 9	9.0%	11.9%	13.7%	86.3%
Grade 10	8.9%	13.3%	20.2%	79.8%
Grade 11	12.7%	17.0%	24.8%	75.2%
Grade 12	11.9%	16.0%	31.5%	68.5%
<b>Any Prescription Drug</b>				
All	10.1%	12.8%	17.6%	82.4%
Grade 7	5.7%	6.4%	11.3%	88.7%
Grade 8	11.8%	16.0%	19.8%	80.2%
Grade 9	10.3%	12.9%	17.9%	82.1%
Grade 10	12.7%	15.1%	19.6%	80.4%
Grade 11	11.2%	14.6%	20.2%	79.8%
Grade 12	8.9%	12.4%	18.1%	81.9%
<b>Any Inhalant</b>				
All	4.3%	6.1%	13.5%	86.5%
Grade 7	4.7%	6.9%	13.0%	87.0%
Grade 8	5.4%	7.8%	15.1%	84.9%
Grade 9	3.9%	4.5%	11.9%	88.1%
Grade 10	3.6%	5.2%	14.5%	85.5%
Grade 11	4.0%	4.5%	10.2%	89.8%
Grade 12	4.1%	8.3%	17.0%	83.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.7%	15.7%	28.2%	71.8%
Grade 7	3.8%	6.4%	11.5%	88.5%
Grade 8	6.4%	11.1%	21.6%	78.4%
Grade 9	10.1%	14.4%	29.9%	70.1%
Grade 10	8.2%	17.2%	32.4%	67.6%
Grade 11	15.0%	24.5%	40.7%	59.3%
Grade 12	17.8%	25.4%	38.9%	61.1%
<b>Marijuana</b>				
All	8.2%	10.2%	15.5%	84.5%
Grade 7	4.0%	4.5%	5.5%	94.5%
Grade 8	5.5%	6.8%	8.7%	91.3%
Grade 9	9.0%	11.2%	13.0%	87.0%
Grade 10	8.2%	10.6%	17.6%	82.4%
Grade 11	12.8%	16.0%	23.8%	76.2%
Grade 12	11.7%	14.5%	30.7%	69.3%
<b>Marijuana Only</b>				
All	4.1%	5.4%	10.0%	90.0%
Grade 7	1.6%	2.1%	3.1%	96.9%
Grade 8	2.2%	3.1%	4.8%	95.2%
Grade 9	4.0%	4.8%	6.6%	93.4%
Grade 10	4.1%	6.0%	12.4%	87.6%
Grade 11	8.3%	10.7%	18.2%	81.8%
Grade 12	5.4%	7.3%	19.3%	80.7%
<b>Cocaine or Crack</b>				
All	1.7%	1.8%	3.2%	96.8%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	3.0%	3.0%	3.0%	97.0%
Grade 9	0.9%	1.1%	1.7%	98.3%
Grade 10	2.1%	2.4%	3.2%	96.8%
Grade 11	2.0%	2.0%	3.9%	96.1%
Grade 12	2.1%	2.1%	8.3%	91.7%
<b>Cocaine</b>				
All	1.7%	1.8%	3.1%	96.9%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	3.0%	3.0%	3.0%	97.0%
Grade 9	0.9%	1.1%	1.7%	98.3%
Grade 10	2.1%	2.4%	3.0%	97.0%
Grade 11	2.0%	2.0%	3.9%	96.1%
Grade 12	2.1%	2.1%	7.8%	92.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	1.1%	1.1%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.4%	0.4%	0.6%	99.4%
Grade 11	0.5%	0.5%	1.5%	98.5%
Grade 12	1.1%	1.1%	1.9%	98.1%
<b>Hallucinogens</b>				
All	0.6%	0.8%	1.6%	98.4%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.1%	0.1%	1.4%	98.6%
Grade 9	0.8%	1.1%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.7%	1.0%	2.2%	97.8%
Grade 12	2.5%	2.7%	4.4%	95.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.5%	0.5%	0.5%	99.5%
<b>Steroids</b>				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.2%	0.2%	1.6%	98.4%
Grade 8	0.3%	0.3%	1.4%	98.6%
Grade 9	0.3%	0.3%	1.2%	98.8%
Grade 10	0.6%	0.8%	2.7%	97.3%
Grade 11	0.0%	0.4%	0.4%	99.6%
Grade 12	0.2%	1.1%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.3%	0.6%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	1.4%	98.6%
Grade 9	0.5%	1.6%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	2.1%	97.9%
Grade 12	1.1%	1.9%	2.6%	97.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.4%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.3%	1.0%	99.0%
Synthetic Marijuana				
All	1.2%	1.7%	3.0%	97.0%
Grade 7	1.3%	1.8%	2.0%	98.0%
Grade 8	0.2%	1.2%	2.8%	97.2%
Grade 9	1.4%	2.1%	3.7%	96.3%
Grade 10	1.9%	1.9%	2.5%	97.5%
Grade 11	0.5%	0.8%	2.3%	97.7%
Grade 12	1.8%	2.3%	5.4%	94.6%
Methamphetamine				
All	0.1%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.9%	1.1%	98.9%
Grade 10	0.0%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.2%	0.7%	99.3%
Grade 12	0.0%	0.5%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 73 of 119

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	26.7%	31.9%	49.2%	50.8%
Grade 7	12.2%	14.9%	29.3%	70.7%
Grade 8	16.8%	21.2%	38.7%	61.3%
Grade 9	24.7%	26.0%	44.5%	55.5%
Grade 10	31.8%	38.9%	56.6%	43.4%
Grade 11	33.2%	41.8%	58.1%	41.9%
Grade 12	43.6%	51.5%	70.6%	29.4%
<b>Any Alcohol Product</b>				
All	40.8%	46.6%	68.8%	31.2%
Grade 7	17.7%	21.8%	47.5%	52.5%
Grade 8	29.6%	34.5%	58.3%	41.7%
Grade 9	40.0%	44.8%	69.4%	30.6%
Grade 10	49.4%	53.3%	73.0%	27.0%
Grade 11	52.2%	61.0%	80.9%	19.1%
Grade 12	58.1%	66.7%	85.8%	14.2%
<b>Any Illicit Drug</b>				
All	16.3%	20.8%	29.0%	71.0%
Grade 7	8.2%	9.6%	14.4%	85.6%
Grade 8	10.1%	14.4%	17.8%	82.2%
Grade 9	15.8%	19.3%	23.2%	76.8%
Grade 10	20.5%	25.4%	35.1%	64.9%
Grade 11	23.9%	29.3%	37.8%	62.2%
Grade 12	20.7%	28.1%	49.1%	50.9%
<b>Any Prescription Drug</b>				
All	12.1%	16.3%	23.2%	76.8%
Grade 7	11.3%	15.8%	22.2%	77.8%
Grade 8	14.9%	19.4%	24.1%	75.9%
Grade 9	6.6%	10.5%	22.8%	77.2%
Grade 10	15.8%	19.6%	24.7%	75.3%
Grade 11	15.6%	19.7%	28.2%	71.8%
Grade 12	8.9%	13.1%	17.1%	82.9%
<b>Any Inhalant</b>				
All	7.1%	8.9%	17.2%	82.8%
Grade 7	6.4%	8.7%	17.8%	82.2%
Grade 8	8.7%	9.6%	18.4%	81.6%
Grade 9	11.4%	13.6%	20.6%	79.4%
Grade 10	6.2%	6.5%	14.8%	85.2%
Grade 11	5.8%	7.6%	13.9%	86.1%
Grade 12	2.8%	6.1%	16.5%	83.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.5%	19.4%	38.3%	61.7%
Grade 7	5.2%	8.7%	23.2%	76.8%
Grade 8	8.7%	12.6%	30.6%	69.4%
Grade 9	17.8%	21.5%	36.3%	63.7%
Grade 10	15.5%	23.8%	48.1%	51.9%
Grade 11	14.4%	23.3%	44.6%	55.4%
Grade 12	19.6%	26.9%	48.9%	51.1%
<b>Marijuana</b>				
All	16.0%	19.2%	27.9%	72.1%
Grade 7	7.8%	8.9%	13.6%	86.4%
Grade 8	10.1%	13.0%	16.7%	83.3%
Grade 9	15.8%	18.0%	21.6%	78.4%
Grade 10	19.1%	24.3%	34.4%	65.6%
Grade 11	23.5%	25.7%	35.6%	64.4%
Grade 12	20.7%	26.2%	48.4%	51.6%
<b>Marijuana Only</b>				
All	8.0%	10.4%	16.9%	83.1%
Grade 7	3.9%	4.6%	8.7%	91.3%
Grade 8	7.2%	9.1%	12.1%	87.9%
Grade 9	7.9%	9.2%	11.9%	88.1%
Grade 10	7.9%	12.1%	21.5%	78.5%
Grade 11	9.5%	11.7%	19.3%	80.7%
Grade 12	11.5%	16.3%	30.0%	70.0%
<b>Cocaine or Crack</b>				
All	2.5%	2.9%	5.0%	95.0%
Grade 7	1.2%	1.4%	1.8%	98.2%
Grade 8	1.3%	1.3%	2.4%	97.6%
Grade 9	1.9%	1.9%	4.4%	95.6%
Grade 10	3.2%	3.6%	6.0%	94.0%
Grade 11	5.9%	7.8%	10.5%	89.5%
Grade 12	1.9%	1.9%	5.3%	94.7%
<b>Cocaine</b>				
All	2.2%	2.6%	4.8%	95.2%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.3%	1.3%	1.9%	98.1%
Grade 9	1.9%	1.9%	4.4%	95.6%
Grade 10	3.2%	3.6%	6.0%	94.0%
Grade 11	4.5%	6.3%	10.5%	89.5%
Grade 12	1.9%	1.9%	5.3%	94.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.9%	1.1%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.8%	0.8%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.4%	1.4%	3.0%	97.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.7%	1.4%	3.7%	96.3%
Grade 7	0.0%	0.0%	1.8%	98.2%
Grade 8	0.0%	0.1%	1.6%	98.4%
Grade 9	1.9%	2.6%	4.9%	95.1%
Grade 10	0.5%	1.5%	2.5%	97.5%
Grade 11	0.8%	2.9%	6.5%	93.5%
Grade 12	1.1%	1.5%	5.3%	94.7%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	0.8%	1.4%	98.6%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.8%	0.8%	1.5%	98.5%
Grade 7	0.5%	0.6%	1.8%	98.2%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	1.3%	1.3%	1.5%	98.5%
Grade 10	0.4%	0.4%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	2.2%	2.2%	2.2%	97.8%
<b>Ecstasy</b>				
All	0.8%	1.8%	3.2%	96.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.6%	2.4%	5.7%	94.3%
Grade 10	0.8%	1.5%	3.6%	96.4%
Grade 11	2.2%	6.1%	7.8%	92.2%
Grade 12	0.4%	0.8%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	2.2%	3.2%	7.1%	92.9%
Grade 7	0.5%	2.1%	2.9%	97.1%
Grade 8	0.9%	0.9%	2.7%	97.3%
Grade 9	2.3%	3.5%	6.5%	93.5%
Grade 10	0.8%	2.3%	8.7%	91.3%
Grade 11	7.3%	8.3%	11.0%	89.0%
Grade 12	1.5%	2.2%	11.7%	88.3%
<b>Methamphetamine</b>				
All	0.5%	0.6%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.1%	1.1%	98.9%
Grade 9	1.4%	1.4%	2.2%	97.8%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.9%	1.6%	4.0%	96.0%
Grade 12	0.0%	0.0%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 119



**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.7%	23.6%	37.7%	62.3%
Grade 7	7.9%	9.2%	16.9%	83.1%
Grade 8	11.2%	15.0%	27.6%	72.4%
Grade 9	17.4%	20.5%	37.6%	62.4%
Grade 10	21.5%	29.7%	44.0%	56.0%
Grade 11	26.1%	34.1%	50.0%	50.0%
Grade 12	33.3%	40.1%	58.1%	41.9%
<b>Any Alcohol Product</b>				
All	34.7%	39.5%	60.4%	39.6%
Grade 7	16.3%	18.6%	39.3%	60.7%
Grade 8	23.9%	26.7%	50.8%	49.2%
Grade 9	36.2%	40.3%	62.8%	37.2%
Grade 10	38.6%	44.7%	65.6%	34.4%
Grade 11	48.9%	56.0%	73.0%	27.0%
Grade 12	51.8%	59.6%	78.4%	21.6%
<b>Any Illicit Drug</b>				
All	9.5%	12.9%	19.1%	80.9%
Grade 7	3.6%	4.7%	6.0%	94.0%
Grade 8	6.4%	9.9%	12.0%	88.0%
Grade 9	10.2%	13.1%	15.0%	85.0%
Grade 10	10.8%	15.3%	22.3%	77.7%
Grade 11	15.8%	19.7%	29.1%	70.9%
Grade 12	12.5%	17.3%	37.1%	62.9%
<b>Any Prescription Drug</b>				
All	10.3%	13.3%	18.3%	81.7%
Grade 7	7.0%	8.8%	14.3%	85.7%
Grade 8	12.2%	16.3%	19.8%	80.2%
Grade 9	9.3%	12.9%	18.7%	81.3%
Grade 10	14.3%	15.5%	19.7%	80.3%
Grade 11	11.0%	14.6%	21.4%	78.6%
Grade 12	8.1%	12.1%	15.9%	84.1%
<b>Any Inhalant</b>				
All	4.5%	6.0%	13.5%	86.5%
Grade 7	5.1%	5.8%	12.9%	87.1%
Grade 8	5.9%	7.7%	14.5%	85.5%
Grade 9	5.5%	6.4%	13.8%	86.2%
Grade 10	3.0%	4.3%	13.4%	86.6%
Grade 11	3.2%	4.0%	9.6%	90.4%
Grade 12	3.5%	7.3%	17.0%	83.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	9.6%	15.6%	29.7%	70.3%
Grade 7	4.4%	6.0%	12.0%	88.0%
Grade 8	5.7%	10.1%	23.4%	76.6%
Grade 9	10.7%	15.0%	30.6%	69.4%
Grade 10	10.0%	18.8%	36.1%	63.9%
Grade 11	13.4%	23.7%	40.6%	59.4%
Grade 12	15.9%	23.7%	41.3%	58.7%
<b>Marijuana</b>				
All	9.2%	11.3%	17.8%	82.2%
Grade 7	3.3%	4.0%	5.3%	94.7%
Grade 8	5.8%	7.5%	9.9%	90.1%
Grade 9	10.2%	12.6%	14.3%	85.7%
Grade 10	10.0%	13.3%	20.4%	79.6%
Grade 11	15.6%	17.3%	27.4%	72.6%
Grade 12	12.3%	15.8%	36.5%	63.5%
<b>Marijuana Only</b>				
All	4.7%	6.2%	11.5%	88.5%
Grade 7	1.7%	2.3%	3.6%	96.4%
Grade 8	2.8%	4.0%	5.9%	94.1%
Grade 9	4.6%	5.6%	7.3%	92.7%
Grade 10	4.9%	7.2%	14.2%	85.8%
Grade 11	8.9%	10.3%	19.7%	80.3%
Grade 12	6.5%	9.3%	23.4%	76.6%
<b>Cocaine or Crack</b>				
All	1.9%	2.0%	3.3%	96.7%
Grade 7	0.7%	0.8%	0.9%	99.1%
Grade 8	2.6%	2.6%	2.8%	97.2%
Grade 9	1.1%	1.1%	2.2%	97.8%
Grade 10	1.9%	2.2%	3.3%	96.7%
Grade 11	3.1%	3.6%	4.8%	95.2%
Grade 12	2.2%	2.2%	6.9%	93.1%
<b>Cocaine</b>				
All	1.9%	2.0%	3.2%	96.8%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	2.7%	2.7%	2.8%	97.2%
Grade 9	1.1%	1.1%	2.2%	97.8%
Grade 10	1.9%	2.2%	3.3%	96.7%
Grade 11	3.1%	3.6%	4.8%	95.2%
Grade 12	2.2%	2.2%	6.5%	93.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.8%	0.8%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.8%	0.8%	1.3%	98.7%
<b>Hallucinogens</b>				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.1%	0.1%	1.3%	98.7%
Grade 9	0.9%	1.3%	1.9%	98.1%
Grade 10	0.3%	0.7%	1.1%	98.9%
Grade 11	0.7%	1.2%	2.5%	97.5%
Grade 12	0.8%	1.2%	3.4%	96.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.2%	0.3%	1.7%	98.3%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	0.8%	0.8%	1.5%	98.5%
Grade 10	0.5%	0.6%	2.9%	97.1%
Grade 11	0.0%	0.3%	0.7%	99.3%
Grade 12	1.2%	1.8%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.4%	0.9%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.4%	1.5%	2.1%	97.9%
Grade 10	0.3%	0.6%	1.4%	98.6%
Grade 11	0.3%	2.0%	2.9%	97.1%
Grade 12	1.0%	1.3%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.2%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.0%	1.7%	3.7%	96.3%
Grade 7	0.3%	0.6%	0.8%	99.2%
Grade 8	0.5%	1.2%	2.7%	97.3%
Grade 9	1.6%	2.6%	4.5%	95.5%
Grade 10	1.0%	1.6%	3.4%	96.6%
Grade 11	2.3%	2.9%	4.7%	95.3%
Grade 12	0.7%	1.0%	6.9%	93.1%
<b>Methamphetamine</b>				
All	0.2%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.4%	1.2%	1.6%	98.4%
Grade 10	0.2%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.5%	1.3%	98.7%
Grade 12	0.0%	0.4%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	35.1%	38.4%	53.7%	46.3%
Grade 7	20.2%	24.4%	38.4%	61.6%
Grade 8	22.5%	28.7%	41.7%	58.3%
Grade 9	28.1%	28.1%	42.7%	57.3%
Grade 10	37.4%	40.8%	59.7%	40.3%
Grade 11	46.0%	49.1%	70.2%	29.8%
Grade 12	60.3%	64.5%	71.1%	28.9%
<b>Any Alcohol Product</b>				
All	47.4%	53.2%	72.3%	27.7%
Grade 7	31.3%	37.0%	60.8%	39.2%
Grade 8	37.7%	41.8%	68.5%	31.5%
Grade 9	44.4%	48.9%	73.4%	26.6%
Grade 10	53.8%	55.5%	71.4%	28.6%
Grade 11	52.9%	66.9%	81.3%	18.7%
Grade 12	64.6%	70.1%	75.6%	24.4%
<b>Any Illicit Drug</b>				
All	19.5%	26.6%	32.0%	68.0%
Grade 7	15.9%	21.2%	30.7%	69.3%
Grade 8	17.9%	24.0%	25.5%	74.5%
Grade 9	15.0%	19.9%	24.9%	75.1%
Grade 10	22.4%	28.7%	37.5%	62.5%
Grade 11	22.0%	31.7%	34.6%	65.4%
Grade 12	24.8%	36.5%	42.0%	58.0%
<b>Any Prescription Drug</b>				
All	13.4%	18.3%	29.8%	70.2%
Grade 7	12.4%	13.7%	23.3%	76.7%
Grade 8	18.6%	24.3%	32.9%	67.1%
Grade 9	9.4%	10.2%	29.5%	70.5%
Grade 10	12.3%	23.8%	32.8%	67.2%
Grade 11	15.4%	20.2%	27.5%	72.5%
Grade 12	12.1%	16.1%	31.4%	68.6%
<b>Any Inhalant</b>				
All	9.4%	12.8%	21.7%	78.3%
Grade 7	4.4%	15.2%	21.6%	78.4%
Grade 8	12.9%	14.7%	29.4%	70.6%
Grade 9	7.2%	10.4%	12.7%	87.3%
Grade 10	13.1%	14.0%	25.0%	75.0%
Grade 11	10.8%	11.9%	22.2%	77.8%
Grade 12	5.6%	11.2%	20.1%	79.9%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	18.6%	24.1%	41.7%	58.3%
Grade 7	3.6%	9.2%	31.3%	68.7%
Grade 8	16.0%	20.1%	32.2%	67.8%
Grade 9	23.9%	24.8%	36.1%	63.9%
Grade 10	14.3%	23.7%	44.3%	55.7%
Grade 11	23.5%	30.3%	54.3%	45.7%
Grade 12	28.6%	35.5%	51.5%	48.5%
<b>Marijuana</b>				
All	18.9%	23.3%	29.2%	70.8%
Grade 7	15.4%	16.1%	25.4%	74.6%
Grade 8	17.2%	18.6%	22.6%	77.4%
Grade 9	15.0%	16.5%	21.6%	78.4%
Grade 10	20.0%	24.7%	34.4%	65.6%
Grade 11	22.0%	31.7%	34.6%	65.4%
Grade 12	24.8%	33.7%	39.2%	60.8%
<b>Marijuana Only</b>				
All	9.1%	12.8%	17.9%	82.1%
Grade 7	7.0%	7.0%	14.9%	85.1%
Grade 8	12.7%	14.2%	18.1%	81.9%
Grade 9	8.8%	10.3%	15.4%	84.6%
Grade 10	6.0%	10.8%	18.8%	81.2%
Grade 11	9.6%	17.7%	18.8%	81.2%
Grade 12	10.7%	17.0%	22.5%	77.5%
<b>Cocaine or Crack</b>				
All	3.1%	3.6%	6.3%	93.7%
Grade 7	1.9%	2.6%	3.3%	96.7%
Grade 8	0.4%	0.4%	1.7%	98.3%
Grade 9	2.4%	3.2%	3.2%	96.8%
Grade 10	5.6%	5.6%	7.6%	92.4%
Grade 11	5.5%	7.2%	12.1%	87.9%
Grade 12	1.3%	1.3%	9.9%	90.1%
<b>Cocaine</b>				
All	2.4%	2.9%	5.9%	94.1%
Grade 7	1.9%	1.9%	2.5%	97.5%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	2.4%	3.2%	3.2%	96.8%
Grade 10	5.6%	5.6%	7.6%	92.4%
Grade 11	2.2%	3.8%	12.1%	87.9%
Grade 12	1.3%	1.3%	9.9%	90.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	1.4%	2.1%	2.3%	97.7%
Grade 8	0.0%	0.0%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	3.4%	3.4%	6.8%	93.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.9%	2.6%	5.4%	94.6%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.4%	2.2%	97.8%
Grade 9	3.0%	3.0%	6.3%	93.7%
Grade 10	0.0%	0.0%	1.2%	98.8%
Grade 11	1.1%	4.5%	9.8%	90.2%
Grade 12	9.4%	9.4%	13.9%	86.1%
<b>Synthetic Cathinones</b>				
All	1.0%	1.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.2%	2.2%	2.2%	97.8%
Grade 10	0.9%	0.9%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.0%	3.0%	3.0%	97.0%
<b>Steroids</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	1.2%	1.8%	4.7%	95.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	3.0%	3.8%	7.2%	92.8%
Grade 10	0.0%	0.0%	2.0%	98.0%
Grade 11	3.4%	3.4%	11.6%	88.4%
Grade 12	0.0%	3.0%	4.4%	95.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.0%	97.0%
<b>Synthetic Marijuana</b>				
All	3.4%	4.6%	7.4%	92.6%
Grade 7	1.0%	7.0%	9.3%	90.7%
Grade 8	0.0%	0.4%	1.7%	98.3%
Grade 9	3.0%	3.0%	3.8%	96.2%
Grade 10	5.3%	5.3%	12.0%	88.0%
Grade 11	3.4%	3.4%	6.1%	93.9%
Grade 12	8.6%	11.2%	13.8%	86.2%
<b>Methamphetamine</b>				
All	0.1%	0.2%	1.5%	98.5%
Grade 7	0.6%	2.0%	2.5%	97.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	3.4%	96.6%
Grade 12	0.0%	0.0%	4.4%	95.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	61,635	51.5%
Female	58,021	48.5%
Frequency Missing	536	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	47,362	40.1%
Yes	70,708	59.9%
Frequency Missing	2,121	

**Grade**

Q2	Frequency	Percent
Grade 7	21,632	18.0%
Grade 8	20,989	17.5%
Grade 9	22,596	18.8%
Grade 10	20,152	16.8%
Grade 11	18,408	15.3%
Grade 12	16,173	13.5%
Frequency Missing	241	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	2,186	2.1%
Asian American	625	0.6%
African American	5,407	5.3%
Pacific Islander	40	0.0%
White	56,257	54.8%
Other	26,163	25.5%
More Than One Race	11,927	11.6%
Frequency Missing	17,588	

**Live with Both Parents**

Q3	Frequency	Percent
No	40,635	34.2%
Yes	78,293	65.8%
Frequency Missing	1,264	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	384	0.4%
Mostly D's	1,018	1.0%
Mostly C's	11,081	10.9%
Mostly B's	46,082	45.1%
Mostly A's	43,562	42.7%
Frequency Missing	18,064	

**Age**

Q4	Frequency	Percent
11 Or Younger	77	0.1%
12	7,835	6.5%
13	20,573	17.2%
14	19,349	16.1%
15	21,052	17.6%
16	20,474	17.1%
17	19,808	16.5%
18	9,887	8.2%
19 Or Older	823	0.7%
Frequency Missing	312	

**Do You Have a Job**

Q7	Frequency	Percent
No	82,253	80.1%
Yes	20,489	19.9%
Frequency Missing	17,449	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	31,423	30.9%
Yes	39,665	39.0%
Don't Know	30,499	30.0%
Frequency Missing	18,604	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	77,001	86.1%
Yes	12,433	13.9%
Frequency Missing	30,758	

**Participate in School Athletics (UTL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	31,224	31.5%
Yes	67,867	68.5%
Frequency Missing	21,101	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	55,958	61.0%
Yes	35,785	39.0%
Frequency Missing	28,448	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	65,745	71.2%
Yes	26,614	28.8%
Frequency Missing	27,833	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	66,114	73.7%
Yes	23,644	26.3%
Frequency Missing	30,433	

**Participate in School Choir**

Q9c	Frequency	Percent
No	84,174	95.8%
Yes	3,689	4.2%
Frequency Missing	32,328	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	58,188	62.8%
Yes	34,470	37.2%
Frequency Missing	27,533	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	80,584	90.1%
Yes	8,815	9.9%
Frequency Missing	30,793	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	65,713	72.9%
Yes	24,427	27.1%
Frequency Missing	30,051	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	106,198	88.7%
Somewhat Safe	11,803	9.9%
Not Very Safe	510	0.4%
Not Safe At All	291	0.2%
Don't Know	888	0.7%
Frequency Missing	503	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School Or Less	8,166	7.1%
Some High School	13,534	11.8%
Finished High School	23,890	20.8%
Some College	18,937	16.5%
Finished College	26,445	23.1%
Post-Secondary	13,764	12.0%
Don't Know Or N/A	9,896	8.6%
Frequency Missing	5,560	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	62,355	52.5%
Somewhat Safe	47,601	40.1%
Not Very Safe	5,678	4.8%
Not Safe At All	1,126	0.9%
Don't Know	1,945	1.6%
Frequency Missing	1,486	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	58,160	55.3%
Yes	46,940	44.7%
Frequency Missing	15,091	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	60,637	51.0%
Somewhat Safe	45,661	38.4%
Not Very Safe	6,001	5.0%
Not Safe At All	2,579	2.2%
Don't Know	4,031	3.4%
Frequency Missing	1,282	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	5,275	4.4%
A Few	23,098	19.4%
Some	26,328	22.2%
Most	46,291	39.0%
All	17,831	15.0%
Frequency Missing	1,368	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School Or Less	9,097	8.0%
Some High School	15,284	13.5%
Finished High School	28,418	25.0%
Some College	17,771	15.6%
Finished College	18,729	16.5%
Post-Secondary	10,609	9.3%
Don't Know Or N/A	13,673	12.0%
Frequency Missing	6,611	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	1,719	1.4%
A Few	11,730	9.9%
Some	28,914	24.3%
Most	52,829	44.4%
All	23,857	20.0%
Frequency Missing	1,144	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	64,315	55.2%
A Few	33,372	28.7%
Some	12,271	10.5%
Most	4,362	3.7%
All	2,131	1.8%
Frequency Missing	3,741	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	112,349	94.2%
In Your Lifetime	5,392	4.5%
Since School Began	624	0.5%
In The Past Month	894	0.7%
Frequency Missing	932	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	76,623	64.9%
A Few	21,807	18.5%
Some	10,168	8.6%
Most	6,137	5.2%
All	3,371	2.9%
Frequency Missing	2,085	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	116,510	98.6%
In Your Lifetime	1,109	0.9%
Since School Began	213	0.2%
In The Past Month	383	0.3%
Frequency Missing	1,977	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	101,295	85.4%
A Few	11,042	9.3%
Some	3,391	2.9%
Most	1,222	1.0%
All	1,628	1.4%
Frequency Missing	1,614	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	110,771	92.8%
In Your Lifetime	5,581	4.7%
Since School Began	903	0.8%
In The Past Month	2,124	1.8%
Frequency Missing	813	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	115,754	97.0%
In Your Lifetime	2,625	2.2%
Since School Began	441	0.4%
In The Past Month	564	0.5%
Frequency Missing	808	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	117,343	98.9%
In Your Lifetime	762	0.6%
Since School Began	218	0.2%
In The Past Month	276	0.2%
Frequency Missing	1,592	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	117,405	98.8%
In Your Lifetime	1,015	0.9%
Since School Began	171	0.1%
In The Past Month	290	0.2%
Frequency Missing	1,311	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	103,086	87.2%
In Your Lifetime	6,229	5.3%
Since School Began	2,579	2.2%
In The Past Month	6,389	5.4%
Frequency Missing	1,908	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	115,850	97.5%
In Your Lifetime	1,812	1.5%
Since School Began	383	0.3%
In The Past Month	757	0.6%
Frequency Missing	1,390	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	62,649	53.7%
In Your Lifetime	24,252	20.8%
Since School Began	9,959	8.5%
In The Past Month	19,888	17.0%
Frequency Missing	3,444	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	78,737	66.5%
In Your Lifetime	16,319	13.8%
Since School Began	7,716	6.5%
In The Past Month	15,541	13.1%
Frequency Missing	1,878	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	116,276	97.6%
In Your Lifetime	2,075	1.7%
Since School Began	317	0.3%
In The Past Month	449	0.4%
Frequency Missing	1,073	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	73,501	63.3%
In Your Lifetime	21,765	18.7%
Since School Began	7,189	6.2%
In The Past Month	13,686	11.8%
Frequency Missing	4,051	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	87,277	73.4%
In Your Lifetime	16,002	13.5%
Since School Began	5,104	4.3%
In The Past Month	10,561	8.9%
Frequency Missing	1,247	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	72,950	62.0%
In Your Lifetime	17,496	14.9%
Since School Began	8,931	7.6%
In The Past Month	18,311	15.6%
Frequency Missing	2,503	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	115,266	97.0%
In Your Lifetime	2,156	1.8%
Since School Began	378	0.3%
In The Past Month	1,006	0.8%
Frequency Missing	1,386	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	114,079	96.0%
In Your Lifetime	2,779	2.3%
Since School Began	698	0.6%
In The Past Month	1,284	1.1%
Frequency Missing	1,352	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	117,456	99.4%
In Your Lifetime	585	0.5%
Since School Began	64	0.1%
In The Past Month	42	0.0%
Frequency Missing	2,043	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	81,557	68.5%
In Your Lifetime	17,437	14.6%
Since School Began	7,080	5.9%
In The Past Month	12,978	10.9%
Frequency Missing	1,139	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	115,736	97.7%
In Your Lifetime	1,585	1.3%
Since School Began	395	0.3%
In The Past Month	763	0.6%
Frequency Missing	1,713	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	96,856	81.4%
In Your Lifetime	11,090	9.3%
Since School Began	3,892	3.3%
In The Past Month	7,103	6.0%
Frequency Missing	1,250	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	118,320	99.8%
In Your Lifetime	85	0.1%
Since School Began	0	0.0%
In The Past Month	202	0.2%
Frequency Missing	1,585	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	116,700	98.7%
In Your Lifetime	931	0.8%
Since School Began	187	0.2%
In The Past Month	477	0.4%
Frequency Missing	1,896	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	114,079	96.1%
In Your Lifetime	2,314	1.9%
Since School Began	752	0.6%
In The Past Month	1,585	1.3%
Frequency Missing	1,462	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	115,716	98.1%
In Your Lifetime	1,152	1.0%
Since School Began	699	0.6%
In The Past Month	396	0.3%
Frequency Missing	2,228	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	101,938	86.3%
In Your Lifetime	5,573	4.7%
Since School Began	3,082	2.6%
In The Past Month	7,496	6.3%
Frequency Missing	2,103	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	118,136	99.6%
In Your Lifetime	337	0.3%
Since School Began	26	0.0%
In The Past Month	167	0.1%
Frequency Missing	1,526	

**Recent Prescription Drug Use - Percocets Etc**

Q17b	Frequency	Percent
Never Heard/Used	111,993	95.2%
In Your Lifetime	1,786	1.5%
Since School Began	1,394	1.2%
In The Past Month	2,519	2.1%
Frequency Missing	2,499	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	117,620	99.1%
In Your Lifetime	508	0.4%
Since School Began	343	0.3%
In The Past Month	236	0.2%
Frequency Missing	1,485	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	113,784	96.8%
In Your Lifetime	1,136	1.0%
Since School Began	647	0.6%
In The Past Month	1,953	1.7%
Frequency Missing	2,672	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	113,885	97.2%
In Your Lifetime	838	0.7%
Since School Began	869	0.7%
In The Past Month	1,623	1.4%
Frequency Missing	2,976	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	78,943	67.5%
1-2 Times	22,517	19.2%
3-10 Times	10,622	9.1%
11+ Times	4,894	4.2%
Frequency Missing	3,216	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	106,027	90.5%
In Your Lifetime	4,101	3.5%
Since School Began	1,791	1.5%
In The Past Month	5,282	4.5%
Frequency Missing	2,990	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	115,872	98.0%
1-2 Times	1,746	1.5%
3-10 Times	456	0.4%
11+ Times	174	0.1%
Frequency Missing	1,945	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	114,250	96.5%
In Your Lifetime	1,415	1.2%
Since School Began	806	0.7%
In The Past Month	1,915	1.6%
Frequency Missing	1,806	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	105,992	90.0%
1-2 Times	5,986	5.1%
3-10 Times	2,060	1.7%
11+ Times	3,718	3.2%
Frequency Missing	2,436	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	100,374	85.3%
1-2 Times	7,640	6.5%
3-10 Times	4,078	3.5%
11+ Times	5,575	4.7%
Frequency Missing	2,524	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	116,211	98.3%
1-2 Times	1,405	1.2%
3-10 Times	334	0.3%
11+ Times	285	0.2%
Frequency Missing	1,956	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	117,239	99.5%
1-2 Times	515	0.4%
3-10 Times	0	0.0%
11+ Times	99	0.1%
Frequency Missing	2,339	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never Heard/None	73,132	62.1%
A Few	23,610	20.1%
Some	11,009	9.3%
Most	7,242	6.1%
All	2,761	2.3%
Frequency Missing	2,437	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never Heard/None	65,750	55.8%
A Few	27,448	23.3%
Some	14,996	12.7%
Most	7,710	6.5%
All	1,928	1.6%
Frequency Missing	2,359	

**Difficult to Get Tobacco**

Q21a	Frequency	Percent
Never Heard Of	24,470	21.0%
Impossible	22,276	19.1%
Very Difficult	9,302	8.0%
Somewhat Diff	12,434	10.7%
Somewhat Easy	19,430	16.7%
Very Easy	28,610	24.6%
Frequency Missing	3,670	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never Heard/None	45,264	38.4%
A Few	29,926	25.4%
Some	19,895	16.9%
Most	17,499	14.9%
All	5,224	4.4%
Frequency Missing	2,384	

**Difficult to Get Alcohol**

Q21b	Frequency	Percent
Never Heard Of	18,106	15.6%
Impossible	15,001	12.9%
Very Difficult	8,144	7.0%
Somewhat Diff	14,528	12.5%
Somewhat Easy	24,436	21.1%
Very Easy	35,802	30.9%
Frequency Missing	4,175	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never Heard/None	106,666	90.8%
A Few	7,949	6.8%
Some	2,211	1.9%
Most	384	0.3%
All	311	0.3%
Frequency Missing	2,669	

**Difficult to Get Inhalants**

Q21c	Frequency	Percent
Never Heard Of	40,828	35.4%
Impossible	20,113	17.4%
Very Difficult	6,938	6.0%
Somewhat Diff	10,012	8.7%
Somewhat Easy	10,868	9.4%
Very Easy	26,718	23.1%
Frequency Missing	4,715	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Marijuana**

Q21d	Frequency	Percent
Never Heard Of	27,454	23.7%
Impossible	30,277	26.1%
Very Difficult	12,488	10.8%
Somewhat Diff	11,651	10.0%
Somewhat Easy	15,671	13.5%
Very Easy	18,495	15.9%
Frequency Missing	4,154	

**Difficult to Get Ecstasy**

Q21i	Frequency	Percent
Never Heard Of	50,973	44.3%
Impossible	35,942	31.2%
Very Difficult	12,494	10.9%
Somewhat Diff	6,928	6.0%
Somewhat Easy	4,105	3.6%
Very Easy	4,663	4.1%
Frequency Missing	5,088	

**Difficult to Get Cocaine**

Q21e	Frequency	Percent
Never Heard Of	36,460	31.5%
Impossible	41,006	35.4%
Very Difficult	15,086	13.0%
Somewhat Diff	10,651	9.2%
Somewhat Easy	6,427	5.5%
Very Easy	6,188	5.3%
Frequency Missing	4,374	

**Difficult to Get Heroin**

Q21j	Frequency	Percent
Never Heard Of	47,734	41.1%
Impossible	42,238	36.3%
Very Difficult	14,858	12.8%
Somewhat Diff	5,319	4.6%
Somewhat Easy	2,765	2.4%
Very Easy	3,323	2.9%
Frequency Missing	3,955	

**Difficult to Get Crack**

Q21f	Frequency	Percent
Never Heard Of	39,579	34.2%
Impossible	42,261	36.5%
Very Difficult	16,813	14.5%
Somewhat Diff	9,065	7.8%
Somewhat Easy	3,744	3.2%
Very Easy	4,238	3.7%
Frequency Missing	4,493	

**Difficult to Get Methamphetamine**

Q21k	Frequency	Percent
Never Heard Of	48,544	41.8%
Impossible	41,216	35.5%
Very Difficult	13,490	11.6%
Somewhat Diff	6,314	5.4%
Somewhat Easy	3,009	2.6%
Very Easy	3,620	3.1%
Frequency Missing	3,998	

**Difficult to Get Steroids**

Q21h	Frequency	Percent
Never Heard Of	40,694	35.3%
Impossible	40,623	35.2%
Very Difficult	15,203	13.2%
Somewhat Diff	8,766	7.6%
Somewhat Easy	4,948	4.3%
Very Easy	5,207	4.5%
Frequency Missing	4,751	

**Difficult to Get Synthetic Marijuana**

Q21l	Frequency	Percent
Never Heard Of	48,392	41.6%
Impossible	34,160	29.4%
Very Difficult	12,701	10.9%
Somewhat Diff	8,105	7.0%
Somewhat Easy	5,559	4.8%
Very Easy	7,389	6.4%
Frequency Missing	3,887	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Tobacco**

Q22a	Frequency	Percent
Every Day	3,191	2.7%
Several Times/Wk	3,514	3.0%
Several Times/Mo	3,070	2.6%
About Once/Month	4,323	3.7%
About Once/Year	5,103	4.3%
Less than Once/Year	6,177	5.2%
Never Used	92,486	78.5%
Frequency Missing	2,328	

**How Often Normally Use Marijuana**

Q22d	Frequency	Percent
Every Day	1,850	1.6%
Several Times/Wk	1,411	1.2%
Several Times/Mo	1,854	1.6%
About Once/Month	3,007	2.6%
About Once/Year	5,546	4.7%
Less than Once/Year	4,304	3.7%
Never Used	99,855	84.7%
Frequency Missing	2,365	

**How Often Normally Use Alcohol**

Q22b	Frequency	Percent
Every Day	483	0.4%
Several Times/Wk	4,414	3.8%
Several Times/Mo	11,288	9.6%
About Once/Month	13,228	11.3%
About Once/Year	13,937	11.9%
Less than Once/Year	12,280	10.5%
Never Used	61,795	52.6%
Frequency Missing	2,767	

**How Often Normally Use Cocaine**

Q22e	Frequency	Percent
Every Day	21	0.0%
Several Times/Wk	48	0.0%
Several Times/Mo	348	0.3%
About Once/Month	387	0.3%
About Once/Year	702	0.6%
Less than Once/Year	1,036	0.9%
Never Used	115,218	97.8%
Frequency Missing	2,431	

**How Often Normally Use Inhalants**

Q22c	Frequency	Percent
Every Day	39	0.0%
Several Times/Wk	182	0.2%
Several Times/Mo	201	0.2%
About Once/Month	591	0.5%
About Once/Year	752	0.6%
Less than Once/Year	2,418	2.1%
Never Used	113,100	96.4%
Frequency Missing	2,909	

**How Often Normally Use Crack**

Q22f	Frequency	Percent
Every Day	0	0.0%
Several Times/Wk	19	0.0%
Several Times/Mo	45	0.0%
About Once/Month	38	0.0%
About Once/Year	176	0.1%
Less than Once/Year	228	0.2%
Never Used	117,387	99.6%
Frequency Missing	2,299	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Steroids**

Q22h	Frequency	Percent
Every Day	55	0.0%
Several Times/Wk	9	0.0%
Several Times/Mo	0	0.0%
About Once/Month	274	0.2%
About Once/Year	186	0.2%
Less than Once/Year	329	0.3%
Never Used	116,805	99.3%
Frequency Missing	2,533	

**How Often Normally Use Methamphetamine**

Q22k	Frequency	Percent
Every Day	20	0.0%
Several Times/Wk	0	0.0%
Several Times/Mo	10	0.0%
About Once/Month	55	0.0%
About Once/Year	423	0.4%
Less than Once/Year	244	0.2%
Never Used	116,938	99.4%
Frequency Missing	2,501	

**How Often Normally Use Ecstasy**

Q22i	Frequency	Percent
Every Day	33	0.0%
Several Times/Wk	0	0.0%
Several Times/Mo	129	0.1%
About Once/Month	85	0.1%
About Once/Year	425	0.4%
Less than Once/Year	711	0.6%
Never Used	116,127	98.8%
Frequency Missing	2,683	

**How Often Normally Use Synthetic Marijuana**

Q22l	Frequency	Percent
Every Day	238	0.2%
Several Times/Wk	67	0.1%
Several Times/Mo	219	0.2%
About Once/Month	340	0.3%
About Once/Year	928	0.8%
Less than Once/Year	1,598	1.4%
Never Used	114,319	97.1%
Frequency Missing	2,482	

**How Often Normally Use Heroin**

Q22j	Frequency	Percent
Every Day	31	0.0%
Several Times/Wk	0	0.0%
Several Times/Mo	9	0.0%
About Once/Month	58	0.0%
About Once/Year	123	0.1%
Less than Once/Year	76	0.1%
Never Used	117,220	99.7%
Frequency Missing	2,674	

**Amount of Beer at One Time**

Q23a	Frequency	Percent
Never Drink This	61,558	53.2%
12+ Drinks	5,575	4.8%
9-11 Drinks	2,921	2.5%
5-8 Drinks	6,457	5.6%
3-4 Drinks	8,543	7.4%
2 Drinks	6,734	5.8%
1 Drink	7,977	6.9%
Less than 1 Drink	15,921	13.8%
Frequency Missing	4,504	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Wine Coolers at One Time**

Q23b	Frequency	Percent
Never Drink This	74,454	64.0%
12+ Drinks	2,669	2.3%
9-11 Drinks	2,001	1.7%
5-8 Drinks	5,135	4.4%
3-4 Drinks	6,584	5.7%
2 Drinks	7,547	6.5%
1 Drink	7,948	6.8%
Less than 1 Drink	10,050	8.6%
Frequency Missing	3,802	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q24a	Frequency	Percent
Never 5+ At Time	63,709	55.5%
0 Days	32,308	28.1%
1 Day	6,271	5.5%
2 Days	4,294	3.7%
3 To 5 Days	4,065	3.5%
6 To 9 Days	1,273	1.1%
10 Or More Days	2,928	2.5%
Frequency Missing	5,343	

**Amount of Wine at One Time**

Q23c	Frequency	Percent
Never Drink This	73,356	63.9%
12+ Drinks	1,312	1.1%
9-11 Drinks	814	0.7%
5-8 Drinks	2,027	1.8%
3-4 Drinks	4,185	3.6%
2 Drinks	6,225	5.4%
1 Drink	10,024	8.7%
Less than 1 Drink	16,832	14.7%
Frequency Missing	5,417	

**Get Alcoholic Beverages from Home**

Q25a	Frequency	Percent
Do Not Drink	60,850	52.4%
Never	25,864	22.3%
Seldom	20,310	17.5%
Most Of The Time	6,447	5.6%
Always	2,636	2.3%
Frequency Missing	4,084	

**Amount of Liquor at One Time**

Q23d	Frequency	Percent
Never Drink This	70,540	60.5%
12+ Drinks	4,582	3.9%
9-11 Drinks	2,236	1.9%
5-8 Drinks	5,040	4.3%
3-4 Drinks	8,267	7.1%
2 Drinks	7,283	6.2%
1 Drink	7,942	6.8%
Less than 1 Drink	10,799	9.3%
Frequency Missing	3,502	

**Get Alcoholic Beverages from Friends**

Q25b	Frequency	Percent
Do Not Drink	56,769	49.0%
Never	21,012	18.2%
Seldom	18,359	15.9%
Most Of The Time	14,645	12.7%
Always	4,966	4.3%
Frequency Missing	4,440	

**Get Alcoholic Beverages from a Store**

Q25c	Frequency	Percent
Do Not Drink	60,555	52.4%
Never	43,396	37.5%
Seldom	5,128	4.4%
Most Of The Time	3,867	3.3%
Always	2,659	2.3%
Frequency Missing	4,586	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Get Alcoholic Beverages at Parties**

Q25d	Frequency	Percent
Do Not Drink	54,442	47.0%
Never	19,966	17.3%
Seldom	13,606	11.8%
Most Of The Time	14,555	12.6%
Always	13,144	11.4%
Frequency Missing	4,479	

**Dangerous for Kids to Use Inhalants**

Q26c	Frequency	Percent
Very	91,158	78.4%
Somewhat	14,088	12.1%
Not Very	2,944	2.5%
Not At All	837	0.7%
Don't Know	7,287	6.3%
Frequency Missing	3,878	

**Get Alcoholic Beverages from Other Sources**

Q25e	Frequency	Percent
Do Not Drink	60,723	52.9%
Never	28,992	25.3%
Seldom	12,433	10.8%
Most Of The Time	6,814	5.9%
Always	5,774	5.0%
Frequency Missing	5,456	

**Dangerous for Kids to Use Marijuana**

Q26d	Frequency	Percent
Very	73,794	63.5%
Somewhat	16,462	14.2%
Not Very	12,047	10.4%
Not At All	9,780	8.4%
Don't Know	4,186	3.6%
Frequency Missing	3,922	

**Dangerous for Kids to Use Tobacco**

Q26a	Frequency	Percent
Very	67,938	58.0%
Somewhat	30,538	26.1%
Not Very	11,495	9.8%
Not At All	2,860	2.4%
Don't Know	4,306	3.7%
Frequency Missing	3,054	

**Dangerous for Kids to Use Cocaine**

Q26e	Frequency	Percent
Very	105,484	90.0%
Somewhat	5,903	5.0%
Not Very	604	0.5%
Not At All	645	0.6%
Don't Know	4,521	3.9%
Frequency Missing	3,033	

**Dangerous for Kids to Use Alcohol**

Q26b	Frequency	Percent
Very	56,026	48.0%
Somewhat	38,740	33.2%
Not Very	16,150	13.8%
Not At All	2,698	2.3%
Don't Know	3,082	2.6%
Frequency Missing	3,495	

**Dangerous for Kids to Use Crack**

Q26f	Frequency	Percent
Very	106,232	90.7%
Somewhat	5,078	4.3%
Not Very	453	0.4%
Not At All	505	0.4%
Don't Know	4,891	4.2%
Frequency Missing	3,032	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Ecstasy**

Q26g	Frequency	Percent
Very	99,452	85.3%
Somewhat	6,845	5.9%
Not Very	1,417	1.2%
Not At All	1,065	0.9%
Don't Know	7,860	6.7%
Frequency Missing	3,553	

**Dangerous for Kids to Use Synthetic Marijuana**

Q26k	Frequency	Percent
Very	98,516	84.9%
Somewhat	6,922	6.0%
Not Very	1,541	1.3%
Not At All	976	0.8%
Don't Know	8,080	7.0%
Frequency Missing	4,156	

**Dangerous for Kids to Use Steroids**

Q26h	Frequency	Percent
Very	90,494	77.8%
Somewhat	12,963	11.1%
Not Very	5,105	4.4%
Not At All	1,075	0.9%
Don't Know	6,747	5.8%
Frequency Missing	3,807	

**Dangerous for Kids to Use Any Prescription**

Q26l	Frequency	Percent
Very	89,358	76.6%
Somewhat	13,872	11.9%
Not Very	5,054	4.3%
Not At All	1,478	1.3%
Don't Know	6,907	5.9%
Frequency Missing	3,522	

**Dangerous for Kids to Use Heroin**

Q26i	Frequency	Percent
Very	106,432	91.2%
Somewhat	3,398	2.9%
Not Very	136	0.1%
Not At All	391	0.3%
Don't Know	6,287	5.4%
Frequency Missing	3,548	

**Dangerous for Kids to Use Electronic Vapor Products**

Q26m	Frequency	Percent
Very	60,002	51.4%
Somewhat	17,739	15.2%
Not Very	19,280	16.5%
Not At All	13,725	11.8%
Don't Know	6,031	5.2%
Frequency Missing	3,414	

**Dangerous for Kids to Use Methamphetamine**

Q26j	Frequency	Percent
Very	106,277	90.9%
Somewhat	3,552	3.0%
Not Very	315	0.3%
Not At All	441	0.4%
Don't Know	6,312	5.4%
Frequency Missing	3,294	

**Days Skipped Since September**

Q27a	Frequency	Percent
None	93,762	80.6%
1-3 Days	16,976	14.6%
4-9 Days	2,956	2.5%
10+ Days	2,640	2.3%
Frequency Missing	3,859	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Days Ill Since September**

Q27b	Frequency	Percent
None	41,634	35.7%
1-3 Days	58,660	50.3%
4-9 Days	12,726	10.9%
10+ Days	3,561	3.1%
Frequency Missing	3,610	

**Trouble with Friends Because of Drinking**

Q28a	Frequency	Percent
None	110,272	94.8%
1-3 Times	5,223	4.5%
4-9 Times	659	0.6%
10+ Times	157	0.1%
Frequency Missing	3,881	

**Other Reason For Days Missed Since September**

Q27c	Frequency	Percent
None	40,847	35.3%
1-3 Days	60,065	52.0%
4-9 Days	9,951	8.6%
10+ Days	4,703	4.1%
Frequency Missing	4,627	

**Driven a Car After a Good Bit to Drink**

Q28b	Frequency	Percent
None	109,244	94.0%
1-3 Times	5,544	4.8%
4-9 Times	637	0.5%
10+ Times	769	0.7%
Frequency Missing	3,997	

**Sent to Principal/Dean Since September**

Q27d	Frequency	Percent
None	101,626	87.2%
1-3 Days	11,323	9.7%
4-9 Days	1,649	1.4%
10+ Days	1,960	1.7%
Frequency Missing	3,633	

**Trouble with Friends Because of Drug Use**

Q28c	Frequency	Percent
None	112,497	96.9%
1-3 Times	2,917	2.5%
4-9 Times	538	0.5%
10+ Times	94	0.1%
Frequency Missing	4,145	

**Someone Called Home Since September**

Q27e	Frequency	Percent
None	107,267	92.2%
1-3 Days	6,622	5.7%
4-9 Days	1,134	1.0%
10+ Days	1,284	1.1%
Frequency Missing	3,885	

**Driven a Car While High from Drugs**

Q28d	Frequency	Percent
None	111,326	95.8%
1-3 Times	2,940	2.5%
4-9 Times	866	0.7%
10+ Times	1,063	0.9%
Frequency Missing	3,997	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Class Days Drunk on Alcohol Since Sept**

Q29a	Frequency	Percent
None	111,248	95.7%
1-3 Days	3,910	3.4%
4-9 Days	524	0.5%
10+ Days	533	0.5%
Frequency Missing	3,977	

**Alcohol Use at Parties This School Year**

Q30a	Frequency	Percent
Never	48,592	42.0%
Seldom	10,644	9.2%
Half The Time	6,767	5.8%
Most Of The Time	11,880	10.3%
Always	16,826	14.5%
Don't Know	2,143	1.9%
Didn't Attend	18,894	16.3%
Frequency Missing	4,445	

**Class Days High on Marijuana Since Sept**

Q29b	Frequency	Percent
None	110,216	94.9%
1-3 Days	3,450	3.0%
4-9 Days	837	0.7%
10+ Days	1,676	1.4%
Frequency Missing	4,012	

**Drug Use at Parties This School Year**

Q30b	Frequency	Percent
Never	67,180	58.1%
Seldom	9,288	8.0%
Half The Time	5,138	4.4%
Most Of The Time	5,305	4.6%
Always	6,141	5.3%
Don't Know	3,629	3.1%
Didn't Attend	18,959	16.4%
Frequency Missing	4,552	

**Class Days High on Inhalants Since Sept**

Q29c	Frequency	Percent
None	114,327	98.8%
1-3 Days	1,107	1.0%
4-9 Days	50	0.0%
10+ Days	182	0.2%
Frequency Missing	4,525	

**Sought Help for Drug/Alcohol Problem**

Q31	Frequency	Percent
No	96,818	93.2%
Yes	7,117	6.8%
Frequency Missing	16,256	

**Class Days High on Other Drug(s)**

Q29d	Frequency	Percent
None	113,825	98.1%
1-3 Days	1,380	1.2%
4-9 Days	386	0.3%
10+ Days	417	0.4%
Frequency Missing	4,183	

**Would Seek Help from School Counselor**

Q32a	Frequency	Percent
No	68,392	60.4%
Yes	44,835	39.6%
Frequency Missing	6,965	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from School Nurse**

Q32b	Frequency	Percent
No	87,270	77.7%
Yes	25,060	22.3%
Frequency Missing	7,861	

**Would Seek Help from Another Adult**

Q32g	Frequency	Percent
No	40,445	35.9%
Yes	72,101	64.1%
Frequency Missing	7,646	

**Would Seek Help from Another Adult in School**

Q32c	Frequency	Percent
No	60,771	54.0%
Yes	51,683	46.0%
Frequency Missing	7,737	

**Would Seek Help from Counselor or Program Outside School**

Q32h	Frequency	Percent
No	66,379	59.0%
Yes	46,200	41.0%
Frequency Missing	7,613	

**Would Seek Help from Parents**

Q32d	Frequency	Percent
No	33,493	29.4%
Yes	80,240	70.6%
Frequency Missing	6,458	

**Would Not Seek Help**

Q32i	Frequency	Percent
No	90,333	83.0%
Yes	18,526	17.0%
Frequency Missing	11,333	

**Would Seek Help from a Medical Doctor**

Q32e	Frequency	Percent
No	51,838	46.2%
Yes	60,456	53.8%
Frequency Missing	7,897	

**Drug/Alcohol Info–School Health Class**

Q33a	Frequency	Percent
No	63,489	58.1%
Yes	45,789	41.9%
Frequency Missing	10,914	

**Would Seek Help from Friends**

Q32f	Frequency	Percent
No	39,324	35.0%
Yes	73,012	65.0%
Frequency Missing	7,856	

**Drug/Alcohol Info–School Assembly Program**

Q33b	Frequency	Percent
No	54,666	50.0%
Yes	54,561	50.0%
Frequency Missing	10,965	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Drug/Alcohol Info–School Guidance Counselor**

Q33c	Frequency	Percent
No	80,787	74.4%
Yes	27,744	25.6%
Frequency Missing	11,661	

**Drug/Alcohol Info–Another School Source**

Q33h	Frequency	Percent
No	77,882	72.0%
Yes	30,347	28.0%
Frequency Missing	11,963	

**Drug/Alcohol Info–School Nurse**

Q33d	Frequency	Percent
No	90,030	83.1%
Yes	18,289	16.9%
Frequency Missing	11,872	

**Parents Feel About Kids Using Tobacco**

Q34a	Frequency	Percent
Strongly Disapprove	84,911	73.6%
Mild Disapprove	11,550	10.0%
Neither	9,053	7.9%
Mildly Approve	2,109	1.8%
Strongly Approve	1,144	1.0%
Don't Know	6,554	5.7%
Frequency Missing	4,871	

**Drug/Alcohol Info–Science or Social Studies Class**

Q33e	Frequency	Percent
No	78,766	73.2%
Yes	28,878	26.8%
Frequency Missing	12,547	

**Parents Feel About Kids Drinking Alcohol**

Q34b	Frequency	Percent
Strongly Disapprove	70,032	60.9%
Mild Disapprove	17,692	15.4%
Neither	14,547	12.6%
Mildly Approve	5,426	4.7%
Strongly Approve	1,329	1.2%
Don't Know	6,050	5.3%
Frequency Missing	5,116	

**Drug/Alcohol Info–School Student Group or Club**

Q33f	Frequency	Percent
No	94,378	87.3%
Yes	13,684	12.7%
Frequency Missing	12,129	

**Parents Feel About Kids Using Marijuana**

Q34c	Frequency	Percent
Strongly Disapprove	95,911	83.3%
Mild Disapprove	5,307	4.6%
Neither	5,688	4.9%
Mildly Approve	1,108	1.0%
Strongly Approve	1,547	1.3%
Don't Know	5,600	4.9%
Frequency Missing	5,030	

**Drug/Alcohol Info–Invited School Guest**

Q33g	Frequency	Percent
No	72,145	66.7%
Yes	36,089	33.3%
Frequency Missing	11,958	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.



<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

