

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2018



HHSC REGION 10 REPORT

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 10. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	15.4%	19.0%	31.9%	68.1%
Grade 7	6.4%	7.3%	14.8%	85.2%
Grade 8	10.0%	11.9%	22.0%	78.0%
Grade 9	14.4%	17.0%	31.6%	68.4%
Grade 10	17.1%	21.0%	35.2%	64.8%
Grade 11	19.1%	25.5%	42.9%	57.1%
Grade 12	27.1%	33.3%	46.9%	53.1%
<b>Cigarettes?</b>				
All	4.9%	6.8%	16.5%	83.5%
Grade 7	1.6%	2.4%	7.8%	92.2%
Grade 8	2.2%	3.1%	9.7%	90.3%
Grade 9	4.1%	5.4%	14.4%	85.6%
Grade 10	4.7%	7.0%	17.7%	82.3%
Grade 11	6.9%	9.3%	22.7%	77.3%
Grade 12	10.8%	14.5%	28.1%	71.9%
<b>Smokeless Tobacco?</b>				
All	2.5%	3.3%	6.2%	93.8%
Grade 7	0.8%	1.5%	2.5%	97.5%
Grade 8	0.9%	1.5%	4.0%	96.0%
Grade 9	2.8%	2.9%	5.0%	95.0%
Grade 10	3.0%	3.7%	7.3%	92.7%
Grade 11	3.0%	4.3%	8.5%	91.5%
Grade 12	4.8%	6.5%	10.5%	89.5%
<b>Electronic Vapor Products?</b>				
All	10.3%	14.3%	25.5%	74.5%
Grade 7	4.4%	5.8%	10.9%	89.1%
Grade 8	6.1%	8.4%	17.5%	82.5%
Grade 9	9.8%	13.5%	25.9%	74.1%
Grade 10	10.9%	14.9%	28.2%	71.8%
Grade 11	14.3%	20.4%	34.7%	65.3%
Grade 12	17.1%	23.9%	37.4%	62.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 125

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.0%	0.4%	1.2%	1.5%	2.4%	2.5%	4.9%
Grade 7	94.9%	0.1%	0.1%	0.2%	0.7%	1.2%	2.8%
Grade 8	94.0%	0.1%	0.7%	0.5%	0.9%	1.8%	1.9%
Grade 9	88.7%	0.0%	1.6%	0.9%	2.0%	1.4%	5.4%
Grade 10	86.1%	0.5%	0.5%	1.9%	2.8%	3.3%	4.8%
Grade 11	82.3%	0.2%	1.8%	2.2%	3.8%	3.1%	6.7%
Grade 12	74.4%	1.9%	2.6%	3.5%	4.7%	4.6%	8.2%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.8	10.7	11.5	12.6	14.2	14.2	15.0

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	39.1%	16.4%	5.7%	9.1%	12.4%	17.3%
Grade 7	52.0%	25.7%	6.6%	6.5%	5.8%	3.5%
Grade 8	46.9%	21.8%	6.5%	8.0%	9.9%	6.9%
Grade 9	38.8%	16.1%	7.3%	11.0%	13.7%	13.0%
Grade 10	35.4%	15.8%	4.1%	12.5%	15.3%	17.0%
Grade 11	30.4%	11.5%	6.0%	10.5%	17.1%	24.5%
Grade 12	29.8%	6.0%	3.1%	5.4%	12.9%	42.7%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	69.4%	19.0%	7.8%	2.8%	1.0%
Grade 7	87.1%	8.3%	3.6%	0.9%	0.1%
Grade 8	79.7%	13.5%	5.1%	1.3%	0.4%
Grade 9	67.4%	22.5%	6.6%	2.0%	1.5%
Grade 10	63.8%	21.8%	10.8%	2.6%	0.9%
Grade 11	61.2%	22.4%	8.7%	6.1%	1.6%
Grade 12	55.0%	26.8%	12.6%	4.5%	1.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.6%	6.0%	4.9%	1.0%	0.8%	7.7%
Grade 7	83.7%	2.8%	2.0%	0.3%	0.9%	10.3%
Grade 8	78.8%	6.7%	3.7%	1.4%	0.6%	8.8%
Grade 9	83.6%	5.1%	3.0%	0.3%	0.4%	7.5%
Grade 10	79.2%	5.9%	5.4%	1.3%	1.1%	7.1%
Grade 11	78.1%	7.1%	6.4%	1.0%	0.8%	6.5%
Grade 12	73.3%	9.2%	9.9%	1.5%	1.0%	5.2%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	66.8%	21.1%	6.2%	1.2%	4.7%
	Grade 7	79.5%	12.6%	2.7%	0.1%	5.1%
	Grade 8	71.9%	17.7%	4.9%	1.8%	3.6%
	Grade 9	65.0%	22.5%	6.0%	1.1%	5.3%
	Grade 10	61.5%	25.7%	6.9%	0.7%	5.3%
	Grade 11	61.9%	24.5%	8.0%	1.0%	4.6%
	Grade 12	59.7%	24.1%	9.3%	2.9%	3.9%
Electronic Vapor Products?						
	All	59.7%	12.0%	12.7%	10.0%	5.6%
	Grade 7	74.8%	9.5%	6.1%	2.8%	6.7%
	Grade 8	65.5%	12.2%	10.2%	7.4%	4.8%
	Grade 9	54.6%	13.6%	16.2%	10.8%	4.8%
	Grade 10	54.2%	14.1%	14.5%	12.3%	4.9%
	Grade 11	52.2%	11.9%	17.1%	12.0%	6.8%
	Grade 12	55.9%	10.3%	12.5%	15.6%	5.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



## Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	32.1%	36.8%	54.5%	45.5%
Grade 7	15.0%	16.5%	33.2%	66.8%
Grade 8	22.0%	25.7%	45.8%	54.2%
Grade 9	32.5%	36.9%	56.8%	43.2%
Grade 10	36.2%	41.4%	58.6%	41.4%
Grade 11	42.5%	49.9%	68.2%	31.8%
Grade 12	46.1%	52.9%	66.1%	33.9%
Beer?				
All	14.4%	19.6%	43.6%	56.4%
Grade 7	4.5%	6.0%	23.0%	77.0%
Grade 8	7.9%	11.1%	35.3%	64.7%
Grade 9	12.5%	16.9%	42.0%	58.0%
Grade 10	15.8%	22.0%	47.7%	52.3%
Grade 11	22.0%	28.9%	58.8%	41.2%
Grade 12	25.5%	34.9%	56.9%	43.1%
Wine Coolers?				
All	11.5%	16.1%	33.5%	66.5%
Grade 7	4.3%	6.1%	15.8%	84.2%
Grade 8	5.3%	8.0%	23.2%	76.8%
Grade 9	12.0%	16.6%	35.3%	64.7%
Grade 10	11.6%	15.8%	34.2%	65.8%
Grade 11	16.3%	23.3%	46.4%	53.6%
Grade 12	20.7%	28.9%	48.0%	52.0%
Wine?				
All	8.5%	13.1%	34.3%	65.7%
Grade 7	4.0%	5.3%	18.0%	82.0%
Grade 8	5.6%	7.7%	27.0%	73.0%
Grade 9	8.3%	11.9%	37.2%	62.8%
Grade 10	9.1%	13.8%	36.8%	63.2%
Grade 11	10.7%	18.7%	44.3%	55.7%
Grade 12	13.7%	22.3%	43.9%	56.1%
Liquor?				
All	13.3%	18.8%	37.3%	62.7%
Grade 7	4.3%	5.9%	13.8%	86.2%
Grade 8	6.7%	9.1%	25.1%	74.9%
Grade 9	11.8%	16.8%	37.0%	63.0%
Grade 10	15.2%	21.7%	42.5%	57.5%
Grade 11	19.1%	27.6%	52.4%	47.6%
Grade 12	24.1%	33.7%	55.6%	44.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 125

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	62.0%	0.3%	2.5%	7.2%	10.6%	9.4%	7.9%
Grade 7	85.0%	0.1%	0.5%	1.9%	3.6%	3.8%	5.3%
Grade 8	73.2%	0.2%	1.3%	2.9%	8.1%	5.6%	8.7%
Grade 9	62.4%	0.6%	2.4%	4.7%	10.3%	10.8%	8.8%
Grade 10	57.4%	0.1%	2.9%	9.5%	11.5%	10.6%	7.9%
Grade 11	45.7%	0.3%	3.6%	10.3%	14.6%	15.4%	10.2%
Grade 12	46.3%	0.6%	4.8%	14.9%	16.4%	10.3%	6.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	61.2%	38.8%	7.9%	19.9%	11.1%
	Grade 7	81.3%	18.7%	1.8%	7.9%	9.0%
	Grade 8	69.5%	30.5%	3.6%	14.8%	12.1%
	Grade 9	62.1%	37.9%	5.4%	20.3%	12.2%
	Grade 10	57.2%	42.8%	9.0%	22.8%	11.1%
	Grade 11	46.6%	53.4%	12.8%	27.9%	12.7%
	Grade 12	48.5%	51.5%	15.7%	26.4%	9.4%
<b>Wine Coolers</b>						
	All	70.7%	29.3%	5.3%	17.9%	6.1%
	Grade 7	87.5%	12.5%	1.6%	6.7%	4.2%
	Grade 8	81.0%	19.0%	3.1%	11.5%	4.3%
	Grade 9	68.2%	31.8%	4.1%	19.1%	8.6%
	Grade 10	69.5%	30.5%	4.8%	19.0%	6.7%
	Grade 11	57.5%	42.5%	8.3%	26.8%	7.4%
	Grade 12	58.0%	42.0%	10.8%	25.9%	5.3%
<b>Wine</b>						
	All	70.1%	29.9%	2.2%	16.0%	11.7%
	Grade 7	84.0%	16.0%	1.2%	6.9%	7.9%
	Grade 8	77.2%	22.8%	1.6%	11.6%	9.6%
	Grade 9	67.3%	32.7%	2.1%	15.6%	15.0%
	Grade 10	67.0%	33.0%	2.4%	17.6%	13.0%
	Grade 11	61.3%	38.7%	2.7%	23.2%	12.8%
	Grade 12	62.4%	37.6%	3.3%	22.3%	12.0%
<b>Liquor</b>						
	All	65.5%	34.5%	8.3%	17.4%	8.8%
	Grade 7	88.8%	11.2%	1.5%	5.6%	4.1%
	Grade 8	78.2%	21.8%	3.4%	9.9%	8.4%
	Grade 9	65.7%	34.3%	6.3%	16.7%	11.3%
	Grade 10	59.3%	40.7%	8.4%	21.4%	11.0%
	Grade 11	50.4%	49.6%	14.4%	25.1%	10.1%
	Grade 12	47.8%	52.2%	16.8%	27.5%	7.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	87.0%	5.3%	3.1%	2.6%	0.7%	1.3%
Grade 7	95.1%	1.9%	1.0%	0.6%	0.3%	1.0%
Grade 8	93.4%	3.1%	1.0%	1.1%	0.4%	1.1%
Grade 9	88.1%	5.3%	3.9%	1.5%	0.2%	0.9%
Grade 10	85.6%	6.4%	3.3%	2.8%	1.0%	0.9%
Grade 11	82.6%	5.6%	4.6%	4.1%	1.1%	2.1%
Grade 12	75.5%	9.8%	5.5%	5.8%	1.3%	2.1%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.4	10.4	11.5	12.7	13.9	14.3	14.8

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	30.2%	11.3%	5.6%	11.6%	19.7%	21.5%
Grade 7	48.5%	20.6%	5.1%	8.2%	10.0%	7.5%
Grade 8	37.2%	16.1%	5.2%	11.8%	15.3%	14.5%
Grade 9	27.8%	9.5%	7.5%	13.8%	20.7%	20.7%
Grade 10	25.3%	9.8%	6.5%	12.7%	23.4%	22.3%
Grade 11	20.6%	5.5%	6.0%	12.2%	26.1%	29.7%
Grade 12	20.7%	5.6%	3.4%	11.0%	23.0%	36.3%

**Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.4%	3.9%	0.4%	0.3%
Grade 7	97.5%	2.3%	0.1%	0.1%
Grade 8	96.7%	2.9%	0.2%	0.3%
Grade 9	96.1%	3.4%	0.3%	0.1%
Grade 10	94.6%	4.1%	0.8%	0.5%
Grade 11	95.8%	3.5%	0.3%	0.3%
Grade 12	91.0%	7.6%	0.6%	0.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 9 of 125

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.7
Alcohol Non-Users	3.6
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.8

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.9%	4.1%	0.6%	0.4%
Grade 9	96.8%	2.7%	0.1%	0.3%
Grade 10	97.1%	2.2%	0.4%	0.4%
Grade 11	94.1%	4.8%	0.9%	0.3%
Grade 12	91.2%	7.0%	1.1%	0.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.9%	2.5%	0.3%	0.3%
Grade 7	98.2%	1.8%	0.0%	0.1%
Grade 8	96.4%	2.7%	0.4%	0.5%
Grade 9	96.4%	2.3%	0.9%	0.4%
Grade 10	97.0%	2.6%	0.0%	0.4%
Grade 11	96.5%	3.1%	0.2%	0.3%
Grade 12	96.9%	2.8%	0.3%	0.0%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	45.2%	25.3%	14.2%	11.2%	4.2%
Grade 7	76.0%	16.3%	4.3%	2.6%	0.9%
Grade 8	57.5%	24.2%	11.8%	4.7%	1.8%
Grade 9	41.1%	30.4%	14.4%	10.6%	3.4%
Grade 10	35.6%	27.1%	19.9%	13.3%	4.0%
Grade 11	28.6%	31.2%	17.6%	16.6%	6.0%
Grade 12	29.5%	22.5%	17.7%	20.7%	9.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 10 of 125

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.6%	7.6%	5.3%	9.7%	12.7%	2.2%	13.9%
Grade 7	73.6%	6.2%	3.3%	4.3%	1.9%	1.8%	8.9%
Grade 8	62.8%	7.5%	5.3%	6.6%	4.3%	1.8%	11.8%
Grade 9	45.3%	9.6%	6.4%	11.7%	8.9%	3.1%	15.0%
Grade 10	38.4%	7.9%	6.6%	12.2%	15.1%	3.1%	16.7%
Grade 11	32.6%	8.5%	5.5%	12.9%	22.3%	1.4%	16.8%
Grade 12	36.3%	5.8%	4.5%	11.1%	25.8%	1.9%	14.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 11 of 125

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	60.7%	18.9%	14.0%	4.6%	1.8%
	Grade 7	77.2%	14.7%	5.2%	2.2%	0.8%
	Grade 8	66.2%	18.0%	10.4%	3.8%	1.6%
	Grade 9	60.4%	19.5%	14.0%	4.5%	1.6%
	Grade 10	57.9%	19.0%	15.9%	4.9%	2.3%
	Grade 11	49.2%	22.1%	22.1%	5.0%	1.6%
	Grade 12	52.0%	20.2%	16.9%	7.7%	3.2%
<b>Friends?</b>						
	All	56.8%	16.8%	12.6%	10.9%	2.9%
	Grade 7	77.2%	16.7%	3.6%	2.0%	0.5%
	Grade 8	67.9%	16.1%	9.4%	5.3%	1.3%
	Grade 9	56.8%	18.0%	14.0%	8.6%	2.6%
	Grade 10	51.6%	16.6%	16.1%	12.4%	3.3%
	Grade 11	43.6%	19.1%	15.4%	17.0%	4.9%
	Grade 12	41.7%	14.2%	17.9%	21.2%	4.9%
<b>A Store?</b>						
	All	60.2%	30.6%	4.8%	3.0%	1.6%
	Grade 7	77.6%	19.9%	1.7%	0.2%	0.6%
	Grade 8	70.7%	24.9%	1.9%	2.0%	0.4%
	Grade 9	59.5%	32.5%	4.3%	2.2%	1.4%
	Grade 10	55.9%	35.0%	5.5%	2.0%	1.7%
	Grade 11	47.7%	37.0%	7.6%	5.4%	2.4%
	Grade 12	47.3%	35.0%	8.1%	6.4%	3.1%
<b>Parties?</b>						
	All	53.9%	13.4%	10.8%	11.1%	10.8%
	Grade 7	73.0%	13.9%	6.7%	4.3%	2.1%
	Grade 8	62.9%	14.7%	11.6%	5.4%	5.4%
	Grade 9	53.3%	14.6%	11.3%	12.0%	8.9%
	Grade 10	49.1%	13.1%	11.7%	12.5%	13.5%
	Grade 11	41.4%	13.4%	12.3%	16.5%	16.4%
	Grade 12	41.3%	10.1%	11.3%	17.0%	20.3%
<b>Other Sources?</b>						
	All	61.9%	21.8%	6.8%	4.8%	4.7%
	Grade 7	77.1%	17.6%	2.7%	1.7%	0.9%
	Grade 8	69.2%	17.5%	6.0%	4.3%	3.1%
	Grade 9	60.3%	24.5%	5.5%	4.8%	4.9%
	Grade 10	59.1%	23.0%	7.5%	4.7%	5.6%
	Grade 11	50.8%	26.0%	10.6%	6.1%	6.6%
	Grade 12	52.9%	22.4%	9.3%	8.0%	7.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	63.6%	13.8%	11.3%	3.0%	0.9%	7.5%
Grade 7	76.0%	7.9%	3.7%	0.9%	0.6%	10.8%
Grade 8	67.9%	11.5%	9.3%	1.5%	0.7%	9.0%
Grade 9	64.6%	16.2%	8.9%	2.4%	0.5%	7.3%
Grade 10	60.2%	15.2%	12.8%	3.8%	1.7%	6.4%
Grade 11	56.0%	16.5%	16.0%	4.4%	0.8%	6.4%
Grade 12	55.3%	15.8%	17.8%	5.4%	1.0%	4.8%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	50.8%	30.3%	12.3%	2.6%	3.9%
Grade 7	64.7%	21.1%	7.4%	2.0%	4.7%
Grade 8	51.6%	27.8%	13.3%	3.2%	4.1%
Grade 9	45.2%	32.5%	15.0%	2.7%	4.6%
Grade 10	45.1%	36.1%	12.9%	3.1%	2.8%
Grade 11	46.0%	33.2%	14.1%	2.5%	4.2%
Grade 12	52.0%	31.7%	11.1%	2.2%	3.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 13 of 125



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	19.0%	23.1%	29.3%	70.7%
Grade 7	5.5%	7.5%	9.3%	90.7%
Grade 8	11.2%	13.8%	17.6%	82.4%
Grade 9	18.5%	22.1%	26.6%	73.4%
Grade 10	23.1%	27.7%	34.6%	65.4%
Grade 11	25.8%	32.0%	42.1%	57.9%
Grade 12	31.8%	37.7%	48.3%	51.7%
<b>Marijuana?</b>				
All	18.4%	21.1%	27.5%	72.5%
Grade 7	4.9%	5.6%	6.8%	93.2%
Grade 8	10.6%	11.7%	15.5%	84.5%
Grade 9	17.7%	20.2%	24.7%	75.3%
Grade 10	22.9%	25.9%	33.3%	66.7%
Grade 11	25.2%	29.8%	40.5%	59.5%
Grade 12	31.0%	35.6%	46.8%	53.2%
<b>Cocaine?</b>				
All	3.0%	3.3%	4.8%	95.2%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	1.8%	1.8%	2.4%	97.6%
Grade 9	3.8%	4.0%	5.4%	94.6%
Grade 10	3.5%	3.8%	5.1%	94.9%
Grade 11	3.2%	3.9%	6.4%	93.6%
Grade 12	4.7%	5.3%	8.6%	91.4%
<b>Crack?</b>				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	0.9%	1.2%	2.0%	98.0%
Grade 10	1.2%	1.5%	1.8%	98.2%
Grade 11	0.6%	0.8%	1.2%	98.8%
Grade 12	0.6%	0.6%	1.7%	98.3%
<b>Hallucinogens?</b>				
All	1.7%	2.5%	4.5%	95.5%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	1.0%	1.2%	2.0%	98.0%
Grade 9	1.5%	2.4%	4.4%	95.6%
Grade 10	1.9%	2.2%	4.3%	95.7%
Grade 11	2.2%	3.0%	6.3%	93.7%
Grade 12	3.4%	6.4%	9.8%	90.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.2%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.3%	0.5%	99.5%
Steroids?				
All	0.4%	0.4%	1.1%	98.9%
Grade 7	0.7%	0.7%	1.3%	98.7%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.6%	1.6%	98.4%
Ecstasy?				
All	1.8%	2.7%	5.4%	94.6%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.6%	1.0%	2.2%	97.8%
Grade 9	1.5%	1.8%	3.7%	96.3%
Grade 10	2.0%	2.7%	4.6%	95.4%
Grade 11	2.0%	3.4%	8.6%	91.4%
Grade 12	4.9%	7.8%	13.4%	86.6%
Heroin?				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.2%	0.2%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.5%	0.8%	1.0%	99.0%
Grade 12	0.5%	0.5%	1.1%	98.9%
Methamphetamine?				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	1.0%	1.4%	2.0%	98.0%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.5%	0.5%	0.8%	99.2%
Grade 12	0.5%	0.7%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.6%	2.1%	4.2%	95.8%
Grade 7	0.7%	1.4%	2.4%	97.6%
Grade 8	1.5%	1.5%	2.7%	97.3%
Grade 9	2.6%	2.9%	4.9%	95.1%
Grade 10	1.6%	2.0%	4.6%	95.4%
Grade 11	1.5%	2.1%	4.9%	95.1%
Grade 12	2.1%	2.6%	5.9%	94.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
<b>Marijuana?</b>							
All	77.4%	2.1%	3.2%	4.3%	4.2%	4.3%	4.6%
Grade 7	94.9%	0.3%	0.7%	1.2%	1.3%	0.8%	0.9%
Grade 8	88.6%	0.6%	1.2%	3.2%	2.3%	2.0%	2.1%
Grade 9	79.8%	1.6%	4.5%	2.6%	4.3%	3.4%	3.8%
Grade 10	71.6%	2.4%	4.0%	5.9%	4.9%	5.0%	6.2%
Grade 11	67.4%	2.8%	4.1%	5.3%	5.9%	7.5%	7.0%
Grade 12	59.4%	5.3%	5.2%	7.8%	7.2%	7.2%	7.9%
<b>Cocaine?</b>							
All	96.9%	0.1%	0.2%	0.4%	0.6%	0.7%	1.1%
Grade 7	99.2%	0.0%	0.1%	0.1%	0.1%	0.0%	0.5%
Grade 8	98.8%	0.0%	0.0%	0.5%	0.1%	0.1%	0.5%
Grade 9	97.0%	0.2%	0.3%	0.6%	0.8%	0.5%	0.5%
Grade 10	96.1%	0.2%	0.2%	0.5%	0.8%	0.6%	1.6%
Grade 11	95.7%	0.0%	0.1%	0.2%	1.1%	0.9%	2.1%
Grade 12	94.0%	0.2%	0.6%	0.4%	0.9%	2.1%	1.7%
<b>Crack?</b>							
All	99.4%	0.0%	0.0%	0.1%	0.0%	0.2%	0.3%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.7%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%
Grade 9	98.8%	0.2%	0.0%	0.1%	0.0%	0.7%	0.2%
Grade 10	99.3%	0.0%	0.0%	0.0%	0.0%	0.1%	0.6%
Grade 11	99.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.5%
Grade 12	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
<b>Steroids?</b>							
All	99.4%	0.0%	0.1%	0.1%	0.0%	0.1%	0.4%
Grade 7	99.3%	0.1%	0.0%	0.0%	0.0%	0.2%	0.4%
Grade 8	99.3%	0.0%	0.1%	0.0%	0.1%	0.0%	0.5%
Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 10	99.2%	0.0%	0.0%	0.2%	0.1%	0.2%	0.3%
Grade 11	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
Grade 12	98.9%	0.0%	0.2%	0.2%	0.0%	0.0%	0.7%
<b>Ecstasy?</b>							
All	95.9%	0.0%	0.2%	0.4%	0.7%	1.3%	1.4%
Grade 7	99.3%	0.0%	0.0%	0.1%	0.1%	0.5%	0.1%
Grade 8	98.9%	0.0%	0.2%	0.0%	0.2%	0.3%	0.3%
Grade 9	97.1%	0.2%	0.2%	0.4%	0.4%	0.8%	0.7%
Grade 10	96.4%	0.0%	0.3%	0.8%	1.0%	1.0%	0.6%
Grade 11	93.8%	0.0%	0.2%	0.1%	1.1%	2.1%	2.7%
Grade 12	89.0%	0.0%	0.1%	1.4%	1.5%	3.5%	4.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 8	99.5%	0.0%	0.1%	0.3%	0.0%	0.0%	0.1%
	Grade 9	99.4%	0.0%	0.0%	0.0%	0.0%	0.1%	0.5%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 11	99.6%	0.2%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 12	99.6%	0.0%	0.0%	0.1%	0.0%	0.0%	0.3%
Methamphetamine?								
	All	99.4%	0.0%	0.0%	0.1%	0.1%	0.2%	0.2%
	Grade 7	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
	Grade 8	99.4%	0.0%	0.1%	0.3%	0.0%	0.0%	0.2%
	Grade 9	98.9%	0.0%	0.2%	0.1%	0.1%	0.4%	0.2%
	Grade 10	99.2%	0.0%	0.0%	0.1%	0.0%	0.2%	0.5%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%
	Grade 12	99.1%	0.0%	0.0%	0.0%	0.1%	0.3%	0.5%
Synthetic Marijuana?								
	All	97.4%	0.1%	0.1%	0.3%	0.4%	0.7%	0.9%
	Grade 7	98.8%	0.0%	0.2%	0.3%	0.1%	0.4%	0.2%
	Grade 8	98.6%	0.1%	0.0%	0.5%	0.2%	0.1%	0.5%
	Grade 9	96.5%	0.3%	0.3%	0.5%	0.5%	0.7%	1.1%
	Grade 10	97.1%	0.0%	0.3%	0.0%	0.4%	1.4%	0.9%
	Grade 11	96.9%	0.0%	0.0%	0.4%	0.8%	0.9%	1.0%
	Grade 12	96.4%	0.0%	0.0%	0.3%	0.5%	0.7%	2.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.5	12.3	12.9	14.0	14.5	14.9
Cocaine	14.8	11.3	12.8	13.1	14.7	15.7	16.3
Crack	14.2	12.0	13.2	11.6	15.4	16.0	15.6
Steroids	12.8	9.6	12.3	13.0	14.8	11.5	14.1
Ecstasy	14.9	12.8	12.9	13.6	14.6	15.1	15.8
Heroin	13.0	11.4	10.9	13.0	15.3	11.7	15.3
Methamphetamine	14.2	11.3	12.2	13.3	15.8	15.7	15.0
Synthetic Marijuana	14.1	12.0	11.8	13.8	14.4	15.3	14.9

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 19 of 125

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	35.0%	15.3%	5.7%	8.9%	13.8%	21.3%
	Grade 7	51.6%	26.3%	6.3%	6.6%	5.6%	3.6%
	Grade 8	41.7%	23.0%	6.7%	7.1%	10.5%	11.0%
	Grade 9	33.3%	12.1%	7.2%	10.0%	16.3%	21.1%
	Grade 10	30.7%	12.1%	5.3%	12.0%	16.5%	23.5%
	Grade 11	25.7%	9.1%	4.7%	10.1%	17.8%	32.6%
	Grade 12	25.6%	7.7%	3.9%	7.7%	16.6%	38.4%
Cocaine?							
	All	47.1%	23.6%	9.5%	8.9%	5.3%	5.6%
	Grade 7	55.9%	30.8%	6.6%	3.9%	1.2%	1.5%
	Grade 8	52.3%	28.0%	8.4%	5.7%	2.8%	2.7%
	Grade 9	46.6%	24.7%	10.2%	7.7%	5.7%	5.1%
	Grade 10	44.4%	22.8%	11.6%	9.9%	6.2%	5.2%
	Grade 11	41.7%	18.3%	10.5%	14.5%	6.0%	9.0%
	Grade 12	40.8%	15.6%	9.8%	12.4%	10.6%	10.8%
Crack?							
	All	51.4%	24.8%	9.9%	7.2%	3.1%	3.5%
	Grade 7	58.8%	30.0%	6.3%	2.6%	1.2%	1.2%
	Grade 8	54.9%	28.0%	9.4%	4.0%	1.5%	2.2%
	Grade 9	50.2%	25.6%	9.0%	7.5%	3.7%	4.0%
	Grade 10	48.6%	24.8%	12.3%	7.8%	3.3%	3.2%
	Grade 11	47.4%	20.6%	11.0%	11.1%	3.9%	5.9%
	Grade 12	48.1%	19.3%	11.8%	10.6%	5.2%	5.0%
Steroids?							
	All	53.6%	23.8%	9.5%	6.8%	3.2%	3.1%
	Grade 7	60.3%	28.4%	6.2%	2.8%	1.1%	1.2%
	Grade 8	56.8%	26.8%	7.8%	4.8%	2.2%	1.7%
	Grade 9	53.3%	24.1%	11.0%	6.1%	3.2%	2.4%
	Grade 10	51.0%	24.1%	11.5%	7.0%	3.3%	3.1%
	Grade 11	49.1%	20.8%	11.7%	9.3%	3.7%	5.4%
	Grade 12	51.0%	18.0%	8.9%	11.1%	6.0%	5.0%
Ecstasy?							
	All	54.0%	20.8%	7.9%	6.7%	5.1%	5.6%
	Grade 7	65.3%	25.1%	5.2%	2.8%	0.7%	1.0%
	Grade 8	61.6%	24.5%	6.1%	4.2%	1.9%	1.7%
	Grade 9	55.2%	20.5%	8.3%	6.9%	4.0%	5.1%
	Grade 10	50.2%	22.0%	9.7%	6.5%	6.4%	5.2%
	Grade 11	45.5%	17.1%	9.9%	9.9%	7.8%	9.8%
	Grade 12	45.1%	14.6%	8.3%	10.3%	10.4%	11.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 125

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	55.4%	24.9%	9.1%	5.4%	2.3%	2.9%
	Grade 7	62.3%	28.2%	6.0%	1.8%	1.0%	0.6%
	Grade 8	59.5%	26.4%	7.3%	3.6%	1.9%	1.2%
	Grade 9	54.5%	24.8%	8.7%	5.7%	2.7%	3.6%
	Grade 10	51.9%	26.7%	10.9%	5.4%	2.8%	2.3%
	Grade 11	50.0%	22.3%	11.4%	8.9%	2.5%	4.9%
	Grade 12	53.7%	20.1%	10.7%	7.4%	3.2%	4.9%
<b>Methamphetamine?</b>							
	All	57.5%	23.7%	8.5%	5.0%	2.4%	3.0%
	Grade 7	65.3%	25.6%	6.2%	1.8%	0.6%	0.6%
	Grade 8	61.6%	25.9%	6.4%	3.0%	1.6%	1.4%
	Grade 9	57.9%	22.1%	8.3%	4.5%	3.7%	3.5%
	Grade 10	52.8%	25.7%	11.0%	5.3%	2.5%	2.6%
	Grade 11	52.7%	22.0%	9.9%	8.7%	2.2%	4.5%
	Grade 12	54.3%	20.1%	9.3%	7.0%	3.8%	5.5%
<b>Synthetic Marijuana?</b>							
	All	55.4%	20.3%	7.6%	6.1%	4.9%	5.7%
	Grade 7	63.6%	25.3%	6.7%	2.0%	1.2%	1.2%
	Grade 8	61.6%	23.7%	5.2%	3.8%	3.0%	2.7%
	Grade 9	53.3%	21.0%	7.5%	7.3%	4.9%	6.1%
	Grade 10	52.0%	19.4%	10.3%	5.9%	5.9%	6.5%
	Grade 11	50.3%	16.6%	8.2%	9.4%	6.9%	8.7%
	Grade 12	51.0%	15.0%	7.9%	8.4%	8.2%	9.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	88.6%	6.3%	2.0%	3.1%
Grade 7	97.1%	2.2%	0.2%	0.5%
Grade 8	93.6%	4.3%	0.5%	1.6%
Grade 9	90.4%	4.4%	3.1%	2.1%
Grade 10	84.7%	7.8%	3.1%	4.4%
Grade 11	83.3%	10.4%	1.9%	4.4%
Grade 12	81.2%	9.3%	3.4%	6.0%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	95.5%	3.2%	0.7%	0.6%
Grade 7	97.7%	1.8%	0.2%	0.3%
Grade 8	97.3%	2.1%	0.2%	0.4%
Grade 9	94.5%	3.4%	1.2%	0.9%
Grade 10	93.9%	4.5%	1.1%	0.4%
Grade 11	96.2%	3.0%	0.4%	0.4%
Grade 12	93.2%	4.7%	1.0%	1.1%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.2
Marijuana Non-Users	3.8
Average Days Conduct Problems Reported	
Marijuana Users	3.1
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	92.9%	4.6%	1.2%	1.3%
Grade 9	96.2%	2.6%	0.5%	0.8%
Grade 10	94.7%	3.7%	0.7%	0.8%
Grade 11	93.1%	5.0%	1.2%	0.8%
Grade 12	86.9%	7.3%	2.6%	3.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.5%	2.8%	0.3%	0.3%
Grade 7	97.5%	2.1%	0.3%	0.1%
Grade 8	97.8%	1.6%	0.2%	0.4%
Grade 9	95.6%	3.0%	0.7%	0.7%
Grade 10	96.3%	3.5%	0.2%	0.1%
Grade 11	96.8%	2.7%	0.3%	0.2%
Grade 12	94.9%	4.4%	0.4%	0.3%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	49.0%	20.7%	12.9%	12.5%	4.9%
Grade 7	78.2%	11.9%	6.0%	3.0%	0.9%
Grade 8	61.8%	19.9%	9.3%	6.5%	2.5%
Grade 9	45.4%	24.3%	13.2%	12.2%	4.9%
Grade 10	38.1%	23.2%	17.0%	16.0%	5.7%
Grade 11	32.9%	23.7%	17.7%	19.3%	6.4%
Grade 12	35.1%	21.2%	14.3%	19.4%	10.0%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	56.7%	5.5%	4.3%	7.8%	9.1%	2.7%	13.9%
Grade 7	82.7%	3.0%	1.5%	2.6%	0.2%	1.2%	8.8%
Grade 8	72.4%	3.8%	3.6%	3.9%	2.6%	2.1%	11.6%
Grade 9	54.0%	7.3%	5.1%	7.8%	6.2%	4.2%	15.4%
Grade 10	47.3%	6.8%	5.4%	8.0%	12.1%	3.7%	16.8%
Grade 11	40.4%	6.8%	5.8%	12.1%	15.6%	2.1%	17.1%
Grade 12	40.0%	5.3%	4.4%	13.0%	19.8%	3.1%	14.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	74.9%	6.8%	7.4%	1.7%	1.7%	7.4%
Grade 7	82.1%	2.9%	2.2%	0.8%	0.9%	11.1%
Grade 8	77.8%	6.8%	5.0%	1.1%	1.2%	8.1%
Grade 9	76.0%	6.9%	6.7%	2.3%	1.2%	6.9%
Grade 10	72.4%	7.1%	7.9%	2.6%	2.9%	7.1%
Grade 11	71.7%	7.4%	10.9%	1.5%	2.1%	6.4%
Grade 12	68.4%	10.2%	12.5%	2.2%	1.8%	4.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	55.3%	13.9%	13.5%	13.0%	4.3%
	Grade 7	78.7%	8.2%	4.6%	2.7%	5.8%
	Grade 8	62.1%	17.8%	9.5%	7.4%	3.2%
	Grade 9	50.6%	15.5%	15.1%	13.7%	5.0%
	Grade 10	47.5%	16.5%	16.1%	16.4%	3.4%
	Grade 11	46.1%	13.7%	17.4%	18.7%	4.2%
	Grade 12	44.3%	11.5%	19.6%	20.3%	4.3%
Cocaine?						
	All	86.5%	7.0%	1.2%	0.5%	4.7%
	Grade 7	88.4%	4.8%	0.5%	0.1%	6.1%
	Grade 8	85.2%	8.9%	1.5%	0.5%	3.9%
	Grade 9	84.6%	8.6%	1.4%	1.0%	4.5%
	Grade 10	87.1%	7.1%	0.8%	0.4%	4.6%
	Grade 11	87.2%	6.5%	1.0%	0.4%	4.9%
	Grade 12	86.5%	6.3%	1.8%	0.8%	4.4%
Crack?						
	All	88.1%	5.8%	0.6%	0.4%	5.1%
	Grade 7	87.9%	5.0%	0.3%	0.1%	6.7%
	Grade 8	86.8%	7.4%	1.2%	0.5%	4.1%
	Grade 9	85.7%	7.7%	0.8%	1.0%	4.7%
	Grade 10	90.6%	4.7%	0.2%	0.1%	4.5%
	Grade 11	88.6%	5.0%	0.7%	0.2%	5.4%
	Grade 12	89.0%	4.7%	0.2%	0.8%	5.2%
Ecstasy?						
	All	82.7%	7.8%	1.8%	0.9%	6.9%
	Grade 7	85.0%	5.1%	0.4%	0.1%	9.5%
	Grade 8	83.4%	8.0%	1.7%	1.1%	5.8%
	Grade 9	80.6%	9.5%	1.6%	1.0%	7.3%
	Grade 10	83.4%	7.0%	2.2%	0.8%	6.7%
	Grade 11	83.4%	7.4%	2.1%	0.4%	6.8%
	Grade 12	79.8%	10.4%	2.9%	2.1%	4.9%
Steroids?						
	All	80.7%	9.4%	2.6%	0.8%	6.4%
	Grade 7	82.5%	7.3%	2.2%	0.1%	7.9%
	Grade 8	81.3%	10.5%	2.5%	0.4%	5.3%
	Grade 9	79.3%	10.4%	2.8%	1.6%	5.9%
	Grade 10	79.6%	10.2%	2.3%	0.9%	6.9%
	Grade 11	80.2%	9.1%	3.4%	0.8%	6.4%
	Grade 12	81.4%	9.0%	2.5%	1.2%	5.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	88.8%	4.4%	0.7%	0.4%	5.8%
	Grade 7	87.6%	3.7%	0.8%	0.1%	7.8%
	Grade 8	87.1%	6.3%	1.0%	0.2%	5.3%
	Grade 9	87.9%	5.4%	1.1%	0.8%	4.9%
	Grade 10	90.1%	3.8%	0.5%	0.1%	5.5%
	Grade 11	89.9%	3.4%	0.4%	0.2%	6.1%
	Grade 12	90.4%	3.4%	0.2%	0.8%	5.1%
<b>Methamphetamine?</b>						
	All	88.5%	4.4%	0.6%	0.5%	6.0%
	Grade 7	87.4%	4.1%	0.5%	0.2%	7.9%
	Grade 8	86.3%	6.2%	1.3%	0.6%	5.7%
	Grade 9	86.8%	5.4%	1.1%	1.0%	5.7%
	Grade 10	89.8%	3.8%	0.4%	0.2%	5.8%
	Grade 11	90.7%	3.1%	0.4%	0.2%	5.7%
	Grade 12	90.3%	3.5%	0.2%	0.8%	5.1%
<b>Synthetic Marijuana?</b>						
	All	83.6%	6.3%	2.3%	1.0%	6.7%
	Grade 7	86.8%	4.9%	0.4%	0.3%	7.6%
	Grade 8	83.4%	6.9%	2.0%	1.4%	6.3%
	Grade 9	81.9%	7.1%	3.5%	1.3%	6.2%
	Grade 10	82.9%	6.5%	3.0%	0.7%	6.9%
	Grade 11	83.4%	6.2%	2.3%	1.1%	7.0%
	Grade 12	83.4%	6.1%	3.1%	1.3%	6.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	8.3%	11.9%	20.1%	79.9%
Grade 7	6.0%	8.1%	13.2%	86.8%
Grade 8	7.6%	10.9%	17.7%	82.3%
Grade 9	11.0%	14.8%	21.6%	78.4%
Grade 10	7.5%	11.1%	20.1%	79.9%
Grade 11	9.1%	12.4%	23.2%	76.8%
Grade 12	9.0%	14.4%	25.9%	74.1%
<b>Codeine Cough Syrup?</b>				
All	5.6%	8.8%	15.7%	84.3%
Grade 7	4.0%	5.7%	10.5%	89.5%
Grade 8	5.9%	9.1%	13.5%	86.5%
Grade 9	8.1%	11.6%	17.2%	82.8%
Grade 10	3.9%	7.5%	15.3%	84.7%
Grade 11	6.6%	9.3%	19.1%	80.9%
Grade 12	5.1%	9.8%	19.2%	80.8%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	1.4%	2.2%	3.7%	96.3%
Grade 7	0.6%	0.8%	1.7%	98.3%
Grade 8	1.1%	1.5%	1.6%	98.4%
Grade 9	0.9%	1.8%	2.6%	97.4%
Grade 10	2.2%	3.1%	3.7%	96.3%
Grade 11	1.4%	2.2%	4.2%	95.8%
Grade 12	2.0%	3.8%	9.1%	90.9%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	2.2%	3.4%	6.5%	93.5%
Grade 7	0.7%	1.0%	2.5%	97.5%
Grade 8	2.0%	2.4%	4.0%	96.0%
Grade 9	3.5%	4.4%	6.9%	93.1%
Grade 10	3.0%	4.4%	7.0%	93.0%
Grade 11	1.3%	3.0%	7.0%	93.0%
Grade 12	2.7%	5.6%	12.1%	87.9%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.1%	1.7%	3.2%	96.8%
Grade 7	0.3%	0.6%	1.2%	98.8%
Grade 8	0.6%	1.0%	1.5%	98.5%
Grade 9	2.0%	2.5%	4.0%	96.0%
Grade 10	1.3%	1.9%	2.9%	97.1%
Grade 11	1.5%	2.3%	4.4%	95.6%
Grade 12	0.9%	1.7%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 27 of 125

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.1%	4.2%	7.9%	92.1%
Grade 7	2.9%	3.8%	6.5%	93.5%
Grade 8	2.7%	4.2%	7.7%	92.3%
Grade 9	3.4%	4.7%	9.8%	90.2%
Grade 10	3.2%	4.3%	7.8%	92.2%
Grade 11	2.6%	4.0%	7.2%	92.8%
Grade 12	3.7%	4.3%	8.4%	91.6%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.8%	3.6%	96.4%
Grade 7	1.9%	2.3%	3.4%	96.6%
Grade 8	1.7%	1.8%	4.3%	95.7%
Grade 9	1.2%	2.3%	4.1%	95.9%
Grade 10	1.3%	1.9%	3.7%	96.3%
Grade 11	1.0%	1.4%	3.2%	96.8%
Grade 12	0.6%	0.8%	2.4%	97.6%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.5%	11.2%	3.6%	1.3%	6.3%
Grade 7	81.9%	8.9%	1.8%	0.3%	7.1%
Grade 8	78.5%	12.0%	3.1%	1.4%	5.0%
Grade 9	76.3%	11.2%	4.2%	1.6%	6.7%
Grade 10	75.4%	11.2%	5.1%	1.3%	7.1%
Grade 11	75.6%	12.5%	4.6%	1.4%	5.9%
Grade 12	77.2%	12.0%	2.9%	1.9%	6.0%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	6.3%	7.9%	14.5%	85.5%
Grade 7	8.5%	10.0%	17.7%	82.3%
Grade 8	9.1%	11.1%	18.1%	81.9%
Grade 9	5.9%	7.1%	15.0%	85.0%
Grade 10	4.8%	6.7%	12.3%	87.7%
Grade 11	5.6%	7.0%	12.7%	87.3%
Grade 12	3.7%	5.3%	10.6%	89.4%
Spray Paint?				
All	0.7%	1.1%	2.7%	97.3%
Grade 7	0.8%	1.3%	2.5%	97.5%
Grade 8	1.0%	1.6%	3.8%	96.2%
Grade 9	0.5%	0.6%	2.7%	97.3%
Grade 10	0.6%	1.0%	2.1%	97.9%
Grade 11	0.7%	1.1%	2.6%	97.4%
Grade 12	0.3%	0.6%	2.2%	97.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.5%	2.0%	5.1%	94.9%
Grade 7	2.6%	3.4%	6.7%	93.3%
Grade 8	2.3%	2.8%	6.6%	93.4%
Grade 9	0.8%	1.6%	5.7%	94.3%
Grade 10	1.2%	1.7%	4.6%	95.4%
Grade 11	1.2%	1.6%	4.0%	96.0%
Grade 12	0.5%	0.6%	2.8%	97.2%
Computer Dusting Sprays?				
All	0.3%	0.7%	1.1%	98.9%
Grade 7	0.2%	0.6%	0.7%	99.3%
Grade 8	0.6%	1.3%	1.6%	98.4%
Grade 9	0.1%	0.5%	1.3%	98.7%
Grade 10	0.2%	0.5%	0.7%	99.3%
Grade 11	0.6%	0.6%	1.0%	99.0%
Grade 12	0.2%	0.4%	1.1%	98.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	2.6%	3.6%	7.2%	92.8%
Grade 7	3.6%	4.1%	9.6%	90.4%
Grade 8	3.4%	4.8%	9.2%	90.8%
Grade 9	3.1%	4.1%	7.9%	92.1%
Grade 10	2.0%	3.2%	5.8%	94.2%
Grade 11	2.0%	2.9%	5.5%	94.5%
Grade 12	1.4%	2.2%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 125



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.6%	0.9%	1.6%	98.4%
Grade 8	0.2%	0.4%	1.2%	98.8%
Grade 9	0.3%	0.6%	1.7%	98.3%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.0%	0.2%	0.9%	99.1%
Toluene, Paint Thinner, or Other Solvents?				
All	0.6%	0.8%	1.5%	98.5%
Grade 7	0.7%	0.7%	1.5%	98.5%
Grade 8	0.7%	1.1%	1.6%	98.4%
Grade 9	1.0%	1.0%	2.0%	98.0%
Grade 10	0.6%	0.9%	1.8%	98.2%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.4%	0.4%	0.9%	99.1%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	1.0%	1.2%	2.3%	97.7%
Grade 7	1.4%	1.4%	2.4%	97.6%
Grade 8	1.3%	1.4%	2.6%	97.4%
Grade 9	0.9%	1.2%	3.0%	97.0%
Grade 10	0.9%	1.3%	2.0%	98.0%
Grade 11	0.9%	0.9%	1.6%	98.4%
Grade 12	0.5%	1.0%	1.8%	98.2%
Other Aerosols/Sprays?				
All	0.7%	0.9%	1.6%	98.4%
Grade 7	0.9%	1.1%	2.3%	97.7%
Grade 8	0.7%	1.1%	2.0%	98.0%
Grade 9	1.0%	1.2%	2.2%	97.8%
Grade 10	0.3%	0.7%	0.9%	99.1%
Grade 11	0.9%	0.9%	1.1%	98.9%
Grade 12	0.4%	0.4%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 30 of 125

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.1%	0.2%	0.1%	0.3%	0.4%	0.6%	1.3%
Grade 7	96.3%	0.2%	0.3%	0.3%	0.5%	0.7%	1.6%
Grade 8	95.9%	0.3%	0.2%	0.5%	0.7%	0.8%	1.6%
Grade 9	97.3%	0.2%	0.0%	0.1%	0.6%	0.3%	1.5%
Grade 10	97.8%	0.0%	0.0%	0.1%	0.6%	0.6%	1.0%
Grade 11	97.7%	0.2%	0.2%	0.6%	0.1%	0.8%	0.4%
Grade 12	97.8%	0.0%	0.1%	0.1%	0.0%	0.5%	1.5%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	87.8%	7.4%	3.6%	1.3%
Grade 7	84.6%	9.8%	4.0%	1.5%
Grade 8	85.2%	8.4%	4.9%	1.4%
Grade 9	86.7%	7.6%	3.9%	1.8%
Grade 10	89.5%	6.9%	2.3%	1.3%
Grade 11	89.6%	6.2%	3.7%	0.5%
Grade 12	91.8%	4.9%	2.3%	1.0%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	12.2	10.7	11.6	11.9	12.8	13.9	14.0

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.1%	0.8%	0.1%	0.0%
Grade 7	98.7%	1.2%	0.1%	0.0%
Grade 8	98.8%	1.0%	0.2%	0.0%
Grade 9	99.0%	0.9%	0.0%	0.1%
Grade 10	99.4%	0.5%	0.1%	0.0%
Grade 11	99.1%	0.8%	0.1%	0.0%
Grade 12	99.4%	0.5%	0.0%	0.1%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.0
Inhalant Non-Users	4.0
Average Days Conduct Problems Reported	
Inhalant Users	4.0
Inhalant Non-Users	1.4

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	90.8%	6.1%	2.2%	0.6%	0.3%
Grade 7	89.9%	7.0%	2.2%	0.8%	0.1%
Grade 8	89.2%	7.9%	2.1%	0.7%	0.2%
Grade 9	88.8%	7.1%	3.0%	0.6%	0.5%
Grade 10	91.8%	5.1%	2.2%	0.8%	0.1%
Grade 11	92.7%	4.4%	2.0%	0.3%	0.5%
Grade 12	92.4%	5.0%	2.0%	0.6%	0.1%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.1%	12.2%	4.4%	0.9%	6.4%
Grade 7	76.1%	12.9%	4.1%	0.4%	6.5%
Grade 8	75.4%	13.5%	4.9%	1.0%	5.2%
Grade 9	74.5%	13.7%	4.2%	1.2%	6.5%
Grade 10	76.5%	11.1%	4.7%	0.6%	7.1%
Grade 11	77.0%	11.2%	4.0%	1.0%	6.8%
Grade 12	77.6%	10.8%	4.3%	1.2%	6.1%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	52.1%	13.7%	3.7%	4.6%	7.7%	18.3%
Grade 7	60.0%	19.0%	2.7%	3.2%	6.6%	8.6%
Grade 8	55.0%	17.7%	3.8%	4.4%	7.4%	11.6%
Grade 9	50.2%	12.3%	3.5%	5.1%	9.4%	19.4%
Grade 10	50.2%	13.4%	4.3%	3.7%	7.4%	20.9%
Grade 11	46.5%	11.4%	4.4%	5.9%	6.6%	25.4%
Grade 12	50.4%	7.4%	3.3%	5.4%	9.0%	24.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 32 of 125

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	60.5%
	Grade 7	57.5%
	Grade 8	70.8%
	Grade 9	53.1%
	Grade 10	65.5%
	Grade 11	62.3%
	Grade 12	52.1%
An Assembly Program		
	All	52.5%
	Grade 7	55.7%
	Grade 8	61.5%
	Grade 9	51.2%
	Grade 10	51.6%
	Grade 11	43.1%
	Grade 12	50.8%
Guidance Counselor		
	All	38.1%
	Grade 7	46.5%
	Grade 8	53.4%
	Grade 9	35.9%
	Grade 10	29.7%
	Grade 11	28.8%
	Grade 12	32.4%
School Nurse		
	All	26.4%
	Grade 7	34.1%
	Grade 8	32.8%
	Grade 9	23.5%
	Grade 10	20.0%
	Grade 11	21.2%
	Grade 12	25.8%
Science or Social Studies Class		
	All	32.5%
	Grade 7	30.6%
	Grade 8	32.9%
	Grade 9	33.5%
	Grade 10	31.9%
	Grade 11	32.0%
	Grade 12	34.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 33 of 125

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	23.3%
	Grade 7	23.8%
	Grade 8	24.2%
	Grade 9	21.3%
	Grade 10	19.7%
	Grade 11	22.7%
	Grade 12	28.9%
<b>An Invited School Guest</b>		
	All	41.6%
	Grade 7	44.0%
	Grade 8	50.8%
	Grade 9	35.5%
	Grade 10	40.6%
	Grade 11	35.9%
	Grade 12	41.6%
<b>Another Source at School</b>		
	All	35.6%
	Grade 7	37.0%
	Grade 8	38.4%
	Grade 9	32.7%
	Grade 10	35.4%
	Grade 11	32.8%
	Grade 12	37.0%
<b>Any School Source</b>		
	All	77.1%
	Grade 7	74.6%
	Grade 8	82.6%
	Grade 9	75.3%
	Grade 10	80.7%
	Grade 11	76.7%
	Grade 12	71.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	42.6%
	Grade 7	55.4%
	Grade 8	50.8%
	Grade 9	40.6%
	Grade 10	36.2%
	Grade 11	35.4%
	Grade 12	35.9%
<b>School Nurse</b>		
	All	27.4%
	Grade 7	38.4%
	Grade 8	33.7%
	Grade 9	24.9%
	Grade 10	22.2%
	Grade 11	21.0%
	Grade 12	23.1%
<b>Another Adult In School</b>		
	All	47.2%
	Grade 7	51.5%
	Grade 8	48.7%
	Grade 9	44.5%
	Grade 10	45.6%
	Grade 11	46.8%
	Grade 12	45.4%
<b>Counselor/Program Outside-School</b>		
	All	43.5%
	Grade 7	51.5%
	Grade 8	50.8%
	Grade 9	40.1%
	Grade 10	37.1%
	Grade 11	38.8%
	Grade 12	41.8%
<b>Your Parents</b>		
	All	71.9%
	Grade 7	76.2%
	Grade 8	74.1%
	Grade 9	71.5%
	Grade 10	73.7%
	Grade 11	70.1%
	Grade 12	64.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	61.8%
	Grade 7	68.3%
	Grade 8	66.4%
	Grade 9	61.9%
	Grade 10	58.8%
	Grade 11	57.5%
	Grade 12	56.8%
<b>Your Friends</b>		
	All	60.3%
	Grade 7	52.0%
	Grade 8	57.3%
	Grade 9	57.2%
	Grade 10	62.8%
	Grade 11	68.1%
	Grade 12	65.2%
<b>Another Adult</b>		
	All	60.1%
	Grade 7	58.7%
	Grade 8	62.6%
	Grade 9	60.2%
	Grade 10	57.4%
	Grade 11	61.2%
	Grade 12	60.6%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	9.3%
	Grade 7	6.0%
	Grade 8	9.8%
	Grade 9	12.5%
	Grade 10	9.1%
	Grade 11	9.1%
	Grade 12	9.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	7.9%	26.6%	25.6%	29.0%	11.0%
Grade 7	10.4%	24.1%	21.6%	27.7%	16.3%
Grade 8	9.9%	22.4%	25.9%	28.6%	13.3%
Grade 9	8.8%	26.0%	27.2%	29.6%	8.4%
Grade 10	7.9%	28.3%	24.5%	30.2%	9.2%
Grade 11	5.7%	29.9%	28.7%	27.2%	8.5%
Grade 12	4.1%	29.3%	25.6%	30.9%	10.2%
<b>Sometimes Carry Weapons?</b>					
All	85.4%	9.5%	3.4%	0.9%	0.8%
Grade 7	88.8%	7.4%	2.2%	0.8%	0.8%
Grade 8	88.7%	7.9%	2.2%	0.6%	0.6%
Grade 9	85.3%	10.2%	3.2%	1.3%	0.1%
Grade 10	86.0%	7.7%	5.3%	0.4%	0.6%
Grade 11	83.7%	11.0%	3.3%	1.0%	1.1%
Grade 12	79.0%	13.7%	4.0%	1.3%	2.0%
<b>Care About Making Good Grades?</b>					
All	2.5%	15.6%	25.7%	37.8%	18.3%
Grade 7	2.9%	15.1%	24.7%	35.2%	22.1%
Grade 8	3.2%	13.1%	24.3%	38.2%	21.1%
Grade 9	2.5%	18.6%	31.2%	34.1%	13.6%
Grade 10	3.3%	15.2%	25.4%	39.2%	16.9%
Grade 11	1.8%	16.1%	26.5%	39.4%	16.2%
Grade 12	1.3%	15.6%	21.6%	40.9%	20.5%
<b>Belong/Want to Belong to a Gang?</b>					
All	82.2%	11.3%	4.4%	1.2%	0.9%
Grade 7	82.4%	11.6%	4.0%	1.1%	0.9%
Grade 8	82.8%	11.2%	3.9%	1.4%	0.7%
Grade 9	77.4%	14.5%	6.1%	1.3%	0.7%
Grade 10	80.8%	12.2%	5.1%	1.2%	0.8%
Grade 11	84.0%	9.8%	3.9%	1.7%	0.6%
Grade 12	86.6%	8.0%	3.3%	0.4%	1.6%
<b>Wish They Could Drop Out of School?</b>					
All	51.1%	27.9%	13.0%	5.4%	2.6%
Grade 7	56.0%	26.4%	10.3%	5.0%	2.3%
Grade 8	53.3%	25.4%	12.0%	6.8%	2.4%
Grade 9	42.8%	32.6%	17.0%	4.9%	2.7%
Grade 10	50.0%	27.7%	12.9%	7.1%	2.3%
Grade 11	52.2%	27.9%	13.4%	3.8%	2.7%
Grade 12	52.5%	27.3%	12.5%	4.4%	3.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 37 of 125



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	85.8%	12.6%	0.7%	0.2%	0.6%
Grade 7	85.5%	13.0%	0.7%	0.1%	0.8%
Grade 8	85.2%	13.1%	1.0%	0.0%	0.7%
Grade 9	83.1%	15.1%	0.8%	0.3%	0.7%
Grade 10	85.5%	12.2%	0.9%	0.4%	1.0%
Grade 11	86.8%	12.1%	0.3%	0.4%	0.5%
Grade 12	89.0%	9.7%	0.9%	0.2%	0.1%
<b>Out In Your Neighborhood?</b>					
All	41.3%	48.7%	6.4%	1.3%	2.2%
Grade 7	33.9%	52.5%	8.2%	1.7%	3.7%
Grade 8	38.8%	50.7%	6.5%	1.7%	2.3%
Grade 9	40.0%	49.2%	6.4%	0.9%	3.5%
Grade 10	40.7%	48.3%	7.2%	1.2%	2.5%
Grade 11	42.5%	50.5%	5.0%	1.3%	0.6%
Grade 12	53.7%	39.6%	5.0%	1.1%	0.6%
<b>At School?</b>					
All	32.7%	48.0%	11.4%	3.6%	4.3%
Grade 7	37.7%	45.9%	9.3%	3.4%	3.8%
Grade 8	36.8%	46.6%	9.2%	2.7%	4.6%
Grade 9	27.5%	52.4%	11.0%	4.0%	5.2%
Grade 10	28.8%	50.5%	12.8%	3.2%	4.6%
Grade 11	29.1%	47.3%	15.0%	4.5%	4.1%
Grade 12	37.1%	44.5%	11.1%	4.0%	3.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 38 of 125

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.4%	19.0%	31.9%	68.1%
Grade 7	6.4%	7.3%	14.8%	85.2%
Grade 8	10.0%	11.9%	22.0%	78.0%
Grade 9	14.4%	17.0%	31.6%	68.4%
Grade 10	17.1%	21.0%	35.2%	64.8%
Grade 11	19.1%	25.5%	42.9%	57.1%
Grade 12	27.1%	33.3%	46.9%	53.1%
<b>Any Alcohol Product</b>				
All	32.1%	36.8%	54.5%	45.5%
Grade 7	15.0%	16.5%	33.2%	66.8%
Grade 8	22.0%	25.7%	45.8%	54.2%
Grade 9	32.5%	36.9%	56.8%	43.2%
Grade 10	36.2%	41.4%	58.6%	41.4%
Grade 11	42.5%	49.9%	68.2%	31.8%
Grade 12	46.1%	52.9%	66.1%	33.9%
<b>Any Illicit Drug</b>				
All	19.0%	23.1%	29.3%	70.7%
Grade 7	5.5%	7.5%	9.3%	90.7%
Grade 8	11.2%	13.8%	17.6%	82.4%
Grade 9	18.5%	22.1%	26.6%	73.4%
Grade 10	23.1%	27.7%	34.6%	65.4%
Grade 11	25.8%	32.0%	42.1%	57.9%
Grade 12	31.8%	37.7%	48.3%	51.7%
<b>Any Prescription Drug</b>				
All	8.3%	11.9%	20.1%	79.9%
Grade 7	6.0%	8.1%	13.2%	86.8%
Grade 8	7.6%	10.9%	17.7%	82.3%
Grade 9	11.0%	14.8%	21.6%	78.4%
Grade 10	7.5%	11.1%	20.1%	79.9%
Grade 11	9.1%	12.4%	23.2%	76.8%
Grade 12	9.0%	14.4%	25.9%	74.1%
<b>Any Inhalant</b>				
All	6.3%	7.9%	14.5%	85.5%
Grade 7	8.5%	10.0%	17.7%	82.3%
Grade 8	9.1%	11.1%	18.1%	81.9%
Grade 9	5.9%	7.1%	15.0%	85.0%
Grade 10	4.8%	6.7%	12.3%	87.7%
Grade 11	5.6%	7.0%	12.7%	87.3%
Grade 12	3.7%	5.3%	10.6%	89.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 40 of 125

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.3%	14.3%	25.5%	74.5%
Grade 7	4.4%	5.8%	10.9%	89.1%
Grade 8	6.1%	8.4%	17.5%	82.5%
Grade 9	9.8%	13.5%	25.9%	74.1%
Grade 10	10.9%	14.9%	28.2%	71.8%
Grade 11	14.3%	20.4%	34.7%	65.3%
Grade 12	17.1%	23.9%	37.4%	62.6%
<b>Marijuana</b>				
All	18.4%	21.1%	27.5%	72.5%
Grade 7	4.9%	5.6%	6.8%	93.2%
Grade 8	10.6%	11.7%	15.5%	84.5%
Grade 9	17.7%	20.2%	24.7%	75.3%
Grade 10	22.9%	25.9%	33.3%	66.7%
Grade 11	25.2%	29.8%	40.5%	59.5%
Grade 12	31.0%	35.6%	46.8%	53.2%
<b>Marijuana Only</b>				
All	9.9%	11.9%	17.1%	82.9%
Grade 7	2.0%	2.4%	3.1%	96.9%
Grade 8	5.8%	6.7%	10.0%	90.0%
Grade 9	9.5%	11.4%	15.1%	84.9%
Grade 10	13.4%	15.9%	22.0%	78.0%
Grade 11	14.2%	17.4%	26.0%	74.0%
Grade 12	15.7%	18.8%	27.9%	72.1%
<b>Cocaine or Crack</b>				
All	3.1%	3.4%	5.0%	95.0%
Grade 7	1.0%	1.1%	1.4%	98.6%
Grade 8	1.8%	1.9%	2.7%	97.3%
Grade 9	3.9%	4.2%	5.5%	94.5%
Grade 10	3.7%	3.9%	5.3%	94.7%
Grade 11	3.4%	4.2%	6.5%	93.5%
Grade 12	4.8%	5.4%	8.8%	91.2%
<b>Cocaine</b>				
All	3.0%	3.3%	4.8%	95.2%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	1.8%	1.8%	2.4%	97.6%
Grade 9	3.8%	4.0%	5.4%	94.6%
Grade 10	3.5%	3.8%	5.1%	94.9%
Grade 11	3.2%	3.9%	6.4%	93.6%
Grade 12	4.7%	5.3%	8.6%	91.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 41 of 125

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	0.9%	1.2%	2.0%	98.0%
Grade 10	1.2%	1.5%	1.8%	98.2%
Grade 11	0.6%	0.8%	1.2%	98.8%
Grade 12	0.6%	0.6%	1.7%	98.3%
<b>Hallucinogens</b>				
All	1.7%	2.5%	4.5%	95.5%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	1.0%	1.2%	2.0%	98.0%
Grade 9	1.5%	2.4%	4.4%	95.6%
Grade 10	1.9%	2.2%	4.3%	95.7%
Grade 11	2.2%	3.0%	6.3%	93.7%
Grade 12	3.4%	6.4%	9.8%	90.2%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.2%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.3%	0.5%	99.5%
<b>Steroids</b>				
All	0.4%	0.4%	1.1%	98.9%
Grade 7	0.7%	0.7%	1.3%	98.7%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.6%	1.6%	98.4%
<b>Ecstasy</b>				
All	1.8%	2.7%	5.4%	94.6%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.6%	1.0%	2.2%	97.8%
Grade 9	1.5%	1.8%	3.7%	96.3%
Grade 10	2.0%	2.7%	4.6%	95.4%
Grade 11	2.0%	3.4%	8.6%	91.4%
Grade 12	4.9%	7.8%	13.4%	86.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 42 of 125

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.2%	0.2%	1.4%	98.6%
Grade 10	0.2%	0.2%	0.5%	99.5%
Grade 11	0.5%	0.8%	1.0%	99.0%
Grade 12	0.5%	0.5%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	1.6%	2.1%	4.2%	95.8%
Grade 7	0.7%	1.4%	2.4%	97.6%
Grade 8	1.5%	1.5%	2.7%	97.3%
Grade 9	2.6%	2.9%	4.9%	95.1%
Grade 10	1.6%	2.0%	4.6%	95.4%
Grade 11	1.5%	2.1%	4.9%	95.1%
Grade 12	2.1%	2.6%	5.9%	94.1%
<b>Methamphetamine</b>				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	1.0%	1.4%	2.0%	98.0%
Grade 10	0.4%	0.6%	1.4%	98.6%
Grade 11	0.5%	0.5%	0.8%	99.2%
Grade 12	0.5%	0.7%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 43 of 125

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.2%	19.7%	33.2%	66.8%
Grade 7	7.3%	8.6%	16.6%	83.4%
Grade 8	8.8%	11.2%	21.6%	78.4%
Grade 9	14.0%	17.4%	32.6%	67.4%
Grade 10	20.1%	22.3%	38.0%	62.0%
Grade 11	18.5%	25.4%	43.9%	56.1%
Grade 12	30.1%	35.0%	47.8%	52.2%
<b>Any Alcohol Product</b>				
All	29.8%	34.7%	51.6%	48.4%
Grade 7	14.0%	15.7%	33.2%	66.8%
Grade 8	19.6%	23.2%	41.8%	58.2%
Grade 9	30.9%	34.9%	53.3%	46.7%
Grade 10	34.5%	40.1%	57.0%	43.0%
Grade 11	40.1%	47.2%	65.1%	34.9%
Grade 12	40.7%	48.2%	60.2%	39.8%
<b>Any Illicit Drug</b>				
All	18.9%	23.0%	29.6%	70.4%
Grade 7	5.7%	7.4%	10.3%	89.7%
Grade 8	11.9%	14.5%	17.8%	82.2%
Grade 9	17.5%	21.0%	26.5%	73.5%
Grade 10	21.2%	26.3%	33.2%	66.8%
Grade 11	26.5%	33.2%	43.6%	56.4%
Grade 12	32.2%	37.4%	48.0%	52.0%
<b>Any Prescription Drug</b>				
All	8.1%	11.8%	21.1%	78.9%
Grade 7	4.9%	6.4%	11.2%	88.8%
Grade 8	7.3%	11.2%	18.6%	81.4%
Grade 9	10.4%	14.0%	21.6%	78.4%
Grade 10	6.6%	10.2%	19.7%	80.3%
Grade 11	10.9%	14.0%	27.0%	73.0%
Grade 12	8.6%	15.7%	29.2%	70.8%
<b>Any Inhalant</b>				
All	5.7%	7.1%	13.0%	87.0%
Grade 7	6.5%	8.2%	14.6%	85.4%
Grade 8	8.5%	9.7%	14.6%	85.4%
Grade 9	5.5%	6.6%	14.5%	85.5%
Grade 10	4.9%	6.0%	10.4%	89.6%
Grade 11	5.3%	7.3%	13.5%	86.5%
Grade 12	3.0%	4.4%	9.8%	90.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 44 of 125

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.5%	15.0%	26.6%	73.4%
Grade 7	4.4%	6.6%	12.1%	87.9%
Grade 8	6.1%	8.5%	18.2%	81.8%
Grade 9	9.4%	14.6%	26.8%	73.2%
Grade 10	12.8%	16.0%	30.0%	70.0%
Grade 11	13.4%	20.9%	36.8%	63.2%
Grade 12	17.9%	24.4%	36.6%	63.4%
<b>Marijuana</b>				
All	18.5%	21.3%	27.9%	72.1%
Grade 7	5.5%	6.8%	8.6%	91.4%
Grade 8	10.9%	11.9%	15.5%	84.5%
Grade 9	17.2%	19.5%	24.8%	75.2%
Grade 10	21.1%	24.8%	32.3%	67.7%
Grade 11	26.0%	31.3%	42.0%	58.0%
Grade 12	31.7%	35.0%	46.3%	53.7%
<b>Marijuana Only</b>				
All	9.5%	11.6%	16.7%	83.3%
Grade 7	1.7%	2.6%	3.6%	96.4%
Grade 8	6.0%	6.9%	10.2%	89.8%
Grade 9	9.1%	10.9%	15.2%	84.8%
Grade 10	12.7%	15.9%	21.5%	78.5%
Grade 11	13.4%	17.5%	25.8%	74.2%
Grade 12	14.2%	16.4%	24.5%	75.5%
<b>Cocaine or Crack</b>				
All	3.4%	3.9%	5.7%	94.3%
Grade 7	1.3%	1.4%	1.7%	98.3%
Grade 8	1.7%	1.8%	2.7%	97.3%
Grade 9	3.5%	3.9%	5.1%	94.9%
Grade 10	3.8%	4.0%	6.1%	93.9%
Grade 11	4.3%	5.9%	8.3%	91.7%
Grade 12	6.0%	6.7%	10.8%	89.2%
<b>Cocaine</b>				
All	3.3%	3.8%	5.4%	94.6%
Grade 7	1.3%	1.4%	1.7%	98.3%
Grade 8	1.7%	1.8%	2.2%	97.8%
Grade 9	3.5%	3.9%	5.1%	94.9%
Grade 10	3.7%	3.8%	6.0%	94.0%
Grade 11	4.1%	5.5%	8.0%	92.0%
Grade 12	5.8%	6.6%	10.2%	89.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	0.2%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.2%	1.1%	98.9%
Grade 9	1.1%	1.7%	2.6%	97.4%
Grade 10	0.9%	1.3%	1.5%	98.5%
Grade 11	0.8%	1.2%	1.7%	98.3%
Grade 12	0.6%	0.6%	2.5%	97.5%
<b>Hallucinogens</b>				
All	1.7%	2.7%	5.0%	95.0%
Grade 7	0.2%	0.3%	1.2%	98.8%
Grade 8	1.0%	1.5%	2.5%	97.5%
Grade 9	0.8%	2.2%	4.3%	95.7%
Grade 10	1.9%	2.2%	4.2%	95.8%
Grade 11	1.9%	3.4%	7.7%	92.3%
Grade 12	4.4%	7.3%	10.6%	89.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.6%	99.4%
<b>Steroids</b>				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	1.1%	1.1%	2.4%	97.6%
Grade 8	0.2%	0.4%	1.5%	98.5%
Grade 9	0.5%	0.5%	1.4%	98.6%
Grade 10	0.5%	0.6%	1.6%	98.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.4%	1.5%	98.5%
<b>Ecstasy</b>				
All	1.9%	2.8%	5.2%	94.8%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.7%	1.4%	2.7%	97.3%
Grade 9	1.4%	1.6%	2.8%	97.2%
Grade 10	2.1%	2.6%	3.7%	96.3%
Grade 11	2.4%	3.8%	8.7%	91.3%
Grade 12	5.1%	7.9%	13.3%	86.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 125

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.1%	0.3%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.4%	0.4%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	1.0%	1.5%	1.7%	98.3%
Grade 12	0.6%	0.6%	1.5%	98.5%
<b>Synthetic Marijuana</b>				
All	1.5%	2.0%	4.4%	95.6%
Grade 7	0.9%	1.5%	3.1%	96.9%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	2.5%	3.0%	5.0%	95.0%
Grade 10	1.4%	2.4%	5.0%	95.0%
Grade 11	0.7%	1.7%	5.0%	95.0%
Grade 12	2.5%	2.7%	6.8%	93.2%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	1.2%	1.8%	2.5%	97.5%
Grade 10	0.0%	0.4%	1.0%	99.0%
Grade 11	0.8%	0.8%	1.2%	98.8%
Grade 12	0.1%	0.1%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 125

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.7%	18.3%	30.6%	69.4%
Grade 7	5.6%	6.0%	13.2%	86.8%
Grade 8	11.1%	12.7%	22.5%	77.5%
Grade 9	15.0%	16.5%	30.5%	69.5%
Grade 10	14.2%	19.7%	32.3%	67.7%
Grade 11	19.9%	25.8%	42.0%	58.0%
Grade 12	23.9%	31.4%	45.8%	54.2%
<b>Any Alcohol Product</b>				
All	34.5%	39.2%	57.5%	42.5%
Grade 7	16.3%	17.5%	33.8%	66.2%
Grade 8	24.3%	28.2%	49.8%	50.2%
Grade 9	33.9%	38.8%	60.5%	39.5%
Grade 10	38.2%	42.9%	60.2%	39.8%
Grade 11	45.4%	53.2%	71.6%	28.4%
Grade 12	51.8%	57.8%	72.3%	27.7%
<b>Any Illicit Drug</b>				
All	19.2%	23.3%	29.1%	70.9%
Grade 7	5.1%	7.5%	8.2%	91.8%
Grade 8	10.5%	13.2%	17.4%	82.6%
Grade 9	19.8%	23.5%	27.0%	73.0%
Grade 10	25.1%	29.0%	35.9%	64.1%
Grade 11	25.3%	30.9%	40.7%	59.3%
Grade 12	31.4%	38.0%	48.7%	51.3%
<b>Any Prescription Drug</b>				
All	8.5%	11.9%	19.1%	80.9%
Grade 7	7.0%	10.0%	15.3%	84.7%
Grade 8	7.9%	10.7%	16.8%	83.2%
Grade 9	11.8%	15.8%	21.2%	78.8%
Grade 10	8.5%	12.1%	20.5%	79.5%
Grade 11	6.8%	10.4%	18.9%	81.1%
Grade 12	9.5%	13.0%	22.4%	77.6%
<b>Any Inhalant</b>				
All	6.9%	8.7%	16.0%	84.0%
Grade 7	10.8%	12.1%	21.1%	78.9%
Grade 8	9.7%	12.4%	21.6%	78.4%
Grade 9	6.0%	7.0%	15.1%	84.9%
Grade 10	4.7%	7.5%	14.4%	85.6%
Grade 11	5.5%	6.3%	11.6%	88.4%
Grade 12	4.4%	6.3%	11.4%	88.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 48 of 125

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.0%	13.6%	24.4%	75.6%
Grade 7	4.4%	5.0%	9.9%	90.1%
Grade 8	6.0%	8.3%	16.8%	83.2%
Grade 9	10.3%	12.3%	24.9%	75.1%
Grade 10	8.9%	13.8%	26.3%	73.7%
Grade 11	15.4%	20.1%	32.6%	67.4%
Grade 12	16.4%	23.4%	38.4%	61.6%
<b>Marijuana</b>				
All	18.4%	21.0%	27.1%	72.9%
Grade 7	4.1%	4.2%	4.8%	95.2%
Grade 8	10.3%	11.6%	15.5%	84.5%
Grade 9	18.6%	21.2%	24.9%	75.1%
Grade 10	24.7%	26.8%	34.2%	65.8%
Grade 11	24.5%	28.4%	39.2%	60.8%
Grade 12	30.3%	36.2%	47.3%	52.7%
<b>Marijuana Only</b>				
All	10.5%	12.3%	17.6%	82.4%
Grade 7	2.2%	2.2%	2.7%	97.3%
Grade 8	5.6%	6.6%	9.8%	90.2%
Grade 9	10.0%	12.1%	15.1%	84.9%
Grade 10	14.0%	15.9%	22.4%	77.6%
Grade 11	15.2%	17.5%	26.5%	73.5%
Grade 12	17.2%	21.3%	31.4%	68.6%
<b>Cocaine or Crack</b>				
All	2.8%	2.9%	4.2%	95.8%
Grade 7	0.7%	0.8%	1.1%	98.9%
Grade 8	2.0%	2.0%	2.6%	97.4%
Grade 9	4.5%	4.5%	6.0%	94.0%
Grade 10	3.5%	3.9%	4.4%	95.6%
Grade 11	2.4%	2.4%	4.7%	95.3%
Grade 12	3.6%	4.0%	6.8%	93.2%
<b>Cocaine</b>				
All	2.6%	2.8%	4.1%	95.9%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	1.9%	1.9%	2.5%	97.5%
Grade 9	4.3%	4.3%	5.8%	94.2%
Grade 10	3.4%	3.7%	4.2%	95.8%
Grade 11	2.2%	2.2%	4.7%	95.3%
Grade 12	3.6%	4.0%	6.8%	93.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 49 of 125

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	1.1%	98.9%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	1.1%	1.1%	1.5%	98.5%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	1.7%	1.7%	2.0%	98.0%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.7%	0.7%	0.9%	99.1%
<b>Hallucinogens</b>				
All	1.8%	2.3%	4.1%	95.9%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	1.0%	1.0%	1.5%	98.5%
Grade 9	2.3%	2.6%	4.7%	95.3%
Grade 10	1.9%	2.2%	4.4%	95.6%
Grade 11	2.5%	2.7%	4.8%	95.2%
Grade 12	2.4%	5.5%	8.9%	91.1%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.2%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.3%	1.0%	99.0%
Grade 11	0.6%	0.6%	0.9%	99.1%
Grade 12	0.6%	0.8%	1.7%	98.3%
<b>Ecstasy</b>				
All	1.7%	2.6%	5.6%	94.4%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.5%	0.6%	1.7%	98.3%
Grade 9	1.5%	2.0%	4.7%	95.3%
Grade 10	1.9%	2.9%	5.5%	94.5%
Grade 11	1.6%	3.0%	8.6%	91.4%
Grade 12	4.7%	7.7%	13.5%	86.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.7%	0.8%	1.9%	98.1%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.5%	0.5%	0.7%	99.3%
Synthetic Marijuana				
All	1.8%	2.1%	4.0%	96.0%
Grade 7	0.4%	1.1%	1.5%	98.5%
Grade 8	2.1%	2.2%	3.9%	96.1%
Grade 9	2.6%	2.8%	4.8%	95.2%
Grade 10	1.7%	1.7%	4.1%	95.9%
Grade 11	2.4%	2.4%	4.9%	95.1%
Grade 12	1.6%	2.6%	4.9%	95.1%
Methamphetamine				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.7%	0.7%	2.0%	98.0%
Grade 9	0.7%	0.9%	1.4%	98.6%
Grade 10	0.9%	0.9%	1.6%	98.4%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.9%	1.3%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 125

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.6%	15.7%	23.9%	76.1%
Grade 7	2.7%	2.7%	10.3%	89.7%
Grade 8	11.6%	11.6%	19.0%	81.0%
Grade 9	11.4%	17.8%	22.8%	77.2%
Grade 10	7.4%	11.1%	22.8%	77.2%
Grade 11	28.7%	28.7%	38.1%	61.9%
Grade 12	25.4%	28.4%	37.8%	62.2%
<b>Any Alcohol Product</b>				
All	26.3%	29.3%	44.3%	55.7%
Grade 7	7.2%	7.2%	11.5%	88.5%
Grade 8	14.0%	18.5%	37.7%	62.3%
Grade 9	26.0%	30.7%	50.4%	49.6%
Grade 10	38.2%	44.1%	63.3%	36.7%
Grade 11	43.9%	43.9%	58.1%	41.9%
Grade 12	40.8%	44.2%	59.4%	40.6%
<b>Any Illicit Drug</b>				
All	15.4%	21.0%	25.1%	74.9%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	9.8%	14.2%	14.2%	85.8%
Grade 9	13.0%	22.6%	28.9%	71.1%
Grade 10	19.2%	25.0%	30.9%	69.1%
Grade 11	29.5%	35.4%	41.3%	58.7%
Grade 12	28.4%	38.1%	47.2%	52.8%
<b>Any Prescription Drug</b>				
All	7.0%	10.3%	19.3%	80.7%
Grade 7	2.2%	2.2%	11.1%	88.9%
Grade 8	5.5%	5.5%	12.9%	87.1%
Grade 9	13.0%	19.5%	30.7%	69.3%
Grade 10	5.9%	17.7%	17.7%	82.3%
Grade 11	5.7%	5.7%	17.2%	82.8%
Grade 12	10.6%	14.2%	30.0%	70.0%
<b>Any Inhalant</b>				
All	5.5%	7.2%	13.2%	86.8%
Grade 7	3.5%	3.5%	10.5%	89.5%
Grade 8	15.2%	23.9%	23.9%	76.1%
Grade 9	1.7%	1.7%	16.1%	83.9%
Grade 10	3.7%	3.7%	9.6%	90.4%
Grade 11	3.7%	3.7%	9.4%	90.6%
Grade 12	3.0%	3.0%	6.0%	94.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.0%	10.2%	17.5%	82.5%
Grade 7	1.3%	1.3%	3.5%	96.5%
Grade 8	3.3%	3.3%	15.4%	84.6%
Grade 9	4.9%	14.6%	17.9%	82.1%
Grade 10	3.7%	7.4%	19.2%	80.8%
Grade 11	28.7%	28.7%	32.4%	67.6%
Grade 12	10.4%	10.4%	22.7%	77.3%
<b>Marijuana</b>				
All	13.0%	16.5%	20.6%	79.4%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	6.9%	11.5%	11.5%	88.5%
Grade 9	9.8%	19.4%	21.0%	79.0%
Grade 10	19.2%	19.2%	25.0%	75.0%
Grade 11	23.7%	23.7%	35.4%	64.6%
Grade 12	25.1%	31.4%	40.5%	59.5%
<b>Marijuana Only</b>				
All	9.6%	12.0%	14.8%	85.2%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	2.4%	6.9%	6.9%	93.1%
Grade 9	6.3%	12.5%	14.1%	85.9%
Grade 10	19.2%	19.2%	25.0%	75.0%
Grade 11	23.0%	23.0%	28.7%	71.3%
Grade 12	12.2%	15.2%	21.3%	78.7%
<b>Cocaine or Crack</b>				
All	1.9%	1.9%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.2%	4.2%	7.4%	92.6%
Grade 9	3.2%	3.2%	3.2%	96.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.3%	3.3%	3.3%	96.7%
<b>Cocaine</b>				
All	1.9%	1.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.4%	4.4%	4.4%	95.6%
Grade 9	3.2%	3.2%	3.2%	96.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	3.3%	3.3%	3.3%	96.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.4%	1.4%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.2%	4.2%	7.4%	92.6%
Grade 9	3.2%	3.2%	3.2%	96.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	1.0%	1.0%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	6.9%	6.9%	13.1%	86.9%
<b>Synthetic Cathinones</b>				
All	0.9%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	6.1%	6.1%	6.1%	93.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.4%	1.6%	98.4%
Grade 7	2.2%	2.2%	2.2%	97.8%
Grade 8	0.0%	0.0%	4.2%	95.8%
Grade 9	0.0%	0.0%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	1.6%	2.1%	4.2%	95.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	3.1%	3.1%	7.4%	92.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	7.0%	10.4%	19.2%	80.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	4.7%	95.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.0%	0.0%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	3.2%	96.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.0%	0.0%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	3.2%	96.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.5%	15.2%	29.6%	70.4%
Grade 7	18.0%	18.0%	31.7%	68.3%
Grade 8	0.0%	0.0%	8.0%	92.0%
Grades 9-10	12.4%	12.4%	28.9%	71.1%
Grades 11-12	19.4%	25.0%	40.8%	59.2%
<b>Any Alcohol Product</b>				
All	18.7%	23.9%	42.1%	57.9%
Grade 7	10.0%	14.0%	39.7%	60.3%
Grade 8	8.0%	8.0%	22.4%	77.6%
Grades 9-10	14.8%	20.1%	40.4%	59.6%
Grades 11-12	35.1%	43.5%	56.4%	43.6%
<b>Any Illicit Drug</b>				
All	19.8%	22.9%	29.3%	70.7%
Grade 7	10.0%	10.0%	19.6%	80.4%
Grade 8	22.4%	22.4%	22.4%	77.6%
Grades 9-10	19.5%	19.5%	25.8%	74.2%
Grades 11-12	25.0%	35.7%	43.5%	56.5%
<b>Any Prescription Drug</b>				
All	8.6%	15.6%	23.9%	76.1%
Grade 7	10.6%	10.6%	10.6%	89.4%
Grade 8	21.3%	50.1%	50.1%	49.9%
Grades 9-10	3.3%	9.1%	16.4%	83.6%
Grades 11-12	7.0%	7.0%	27.1%	72.9%
<b>Any Inhalant</b>				
All	6.8%	10.0%	14.3%	85.7%
Grade 7	1.9%	1.9%	10.0%	90.0%
Grade 8	28.8%	36.8%	36.8%	63.2%
Grades 9-10	0.0%	5.3%	10.6%	89.4%
Grades 11-12	6.5%	6.5%	9.3%	90.7%
<b>Electronic Vapor Products</b>				
All	12.0%	13.6%	21.7%	78.3%
Grade 7	16.1%	16.1%	25.7%	74.3%
Grade 8	0.0%	0.0%	8.0%	92.0%
Grades 9-10	9.3%	9.3%	15.6%	84.4%
Grades 11-12	19.4%	25.0%	34.3%	65.7%
<b>Marijuana</b>				
All	19.8%	22.9%	27.0%	73.0%
Grade 7	10.0%	10.0%	19.6%	80.4%
Grade 8	22.4%	22.4%	22.4%	77.6%
Grades 9-10	19.5%	19.5%	25.8%	74.2%
Grades 11-12	25.0%	35.7%	35.7%	64.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>				
All	11.9%	14.9%	17.2%	82.8%
Grade 7	8.1%	8.1%	8.1%	91.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	19.5%	19.5%	25.8%	74.2%
Grades 11-12	11.3%	21.3%	21.3%	78.7%
<b>Cocaine or Crack</b>				
All	0.4%	0.4%	2.6%	97.4%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	7.8%	92.2%
<b>Cocaine</b>				
All	0.4%	0.4%	2.6%	97.4%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	7.8%	92.2%
<b>Crack</b>				
All	0.4%	0.4%	2.6%	97.4%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	7.8%	92.2%
<b>Hallucinogens</b>				
All	0.4%	2.7%	4.5%	95.5%
Grade 7	1.9%	1.9%	11.6%	88.4%
Grade 8	0.0%	14.4%	14.4%	85.6%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.4%	3.0%	97.0%
Grade 7	1.9%	1.9%	10.0%	90.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	3.2%	96.8%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 57 of 125

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Ecstasy</b>				
All	0.4%	2.6%	4.5%	95.5%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	0.0%	14.4%	14.4%	85.6%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	6.5%	93.5%
<b>Heroin</b>				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.3%	1.3%	3.1%	96.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	8.0%	8.0%	8.0%	92.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	6.5%	93.5%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	1.9%	1.9%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 58 of 125

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.5%	19.2%	32.4%	67.6%
Grade 7	6.3%	7.3%	14.7%	85.3%
Grade 8	10.1%	12.2%	22.6%	77.4%
Grade 9	14.9%	17.1%	32.3%	67.7%
Grade 10	17.6%	21.6%	36.1%	63.9%
Grade 11	17.9%	24.8%	42.4%	57.6%
Grade 12	27.7%	33.8%	47.9%	52.1%
<b>Any Alcohol Product</b>				
All	32.7%	37.6%	55.4%	44.6%
Grade 7	15.5%	17.0%	34.3%	65.7%
Grade 8	22.6%	26.4%	46.7%	53.3%
Grade 9	33.6%	38.1%	57.6%	42.4%
Grade 10	36.5%	41.6%	59.3%	40.7%
Grade 11	42.2%	50.2%	68.4%	31.6%
Grade 12	47.1%	53.9%	67.2%	32.8%
<b>Any Illicit Drug</b>				
All	19.3%	23.3%	29.7%	70.3%
Grade 7	5.6%	7.7%	9.5%	90.5%
Grade 8	11.1%	13.7%	17.8%	82.2%
Grade 9	19.0%	22.3%	26.8%	73.2%
Grade 10	23.3%	27.9%	34.8%	65.2%
Grade 11	25.5%	31.7%	42.1%	57.9%
Grade 12	32.6%	38.1%	48.9%	51.1%
<b>Any Prescription Drug</b>				
All	8.5%	11.9%	20.2%	79.8%
Grade 7	6.2%	8.6%	13.5%	86.5%
Grade 8	7.4%	10.5%	17.3%	82.7%
Grade 9	11.2%	14.8%	21.5%	78.5%
Grade 10	7.5%	10.6%	20.0%	80.0%
Grade 11	9.3%	12.9%	23.4%	76.6%
Grade 12	9.2%	14.7%	26.3%	73.7%
<b>Any Inhalant</b>				
All	6.3%	7.9%	14.6%	85.4%
Grade 7	8.8%	10.5%	18.2%	81.8%
Grade 8	8.4%	9.9%	17.5%	82.5%
Grade 9	6.3%	7.6%	15.4%	84.6%
Grade 10	4.8%	6.6%	12.1%	87.9%
Grade 11	5.7%	7.2%	13.1%	86.9%
Grade 12	3.7%	5.5%	10.9%	89.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.4%	14.5%	26.1%	73.9%
Grade 7	4.3%	5.8%	11.0%	89.0%
Grade 8	6.4%	8.9%	18.0%	82.0%
Grade 9	10.1%	13.6%	26.7%	73.3%
Grade 10	11.1%	15.3%	28.8%	71.2%
Grade 11	13.2%	19.7%	34.4%	65.6%
Grade 12	17.8%	24.7%	38.6%	61.4%
<b>Marijuana</b>				
All	18.8%	21.5%	28.0%	72.0%
Grade 7	5.0%	5.7%	6.8%	93.2%
Grade 8	10.6%	11.6%	15.6%	84.4%
Grade 9	18.6%	20.6%	25.5%	74.5%
Grade 10	23.0%	26.2%	33.7%	66.3%
Grade 11	25.1%	30.0%	40.7%	59.3%
Grade 12	31.9%	36.2%	47.8%	52.2%
<b>Marijuana Only</b>				
All	10.0%	11.9%	17.3%	82.7%
Grade 7	1.8%	2.3%	3.1%	96.9%
Grade 8	6.1%	6.9%	10.4%	89.6%
Grade 9	9.8%	11.5%	15.4%	84.6%
Grade 10	13.0%	15.6%	21.7%	78.3%
Grade 11	14.0%	17.3%	26.1%	73.9%
Grade 12	16.0%	18.9%	28.3%	71.7%
<b>Cocaine or Crack</b>				
All	3.2%	3.5%	5.1%	94.9%
Grade 7	1.0%	1.1%	1.4%	98.6%
Grade 8	1.7%	1.8%	2.4%	97.6%
Grade 9	3.9%	4.2%	5.7%	94.3%
Grade 10	3.8%	4.1%	5.6%	94.4%
Grade 11	3.5%	4.5%	7.0%	93.0%
Grade 12	5.1%	5.7%	9.1%	90.9%
<b>Cocaine</b>				
All	3.0%	3.4%	5.0%	95.0%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	1.7%	1.7%	2.2%	97.8%
Grade 9	3.8%	4.0%	5.5%	94.5%
Grade 10	3.7%	3.9%	5.4%	94.6%
Grade 11	3.3%	4.1%	6.8%	93.2%
Grade 12	5.0%	5.6%	8.8%	91.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 60 of 125

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.8%	1.3%	98.7%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.6%	0.9%	1.8%	98.2%
Grade 10	1.2%	1.4%	1.8%	98.2%
Grade 11	0.6%	0.9%	1.3%	98.7%
Grade 12	0.7%	0.7%	1.6%	98.4%
<b>Hallucinogens</b>				
All	1.8%	2.6%	4.6%	95.4%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	1.1%	1.1%	1.9%	98.1%
Grade 9	1.6%	2.5%	4.7%	95.3%
Grade 10	1.9%	2.2%	4.4%	95.6%
Grade 11	2.3%	3.3%	6.6%	93.4%
Grade 12	3.4%	6.6%	9.9%	90.1%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.1%	0.1%	99.9%
Grade 12	0.2%	0.3%	0.6%	99.4%
<b>Steroids</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.4%	0.7%	1.7%	98.3%
<b>Ecstasy</b>				
All	1.8%	2.8%	5.5%	94.5%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.5%	0.6%	1.6%	98.4%
Grade 9	1.6%	2.0%	4.1%	95.9%
Grade 10	2.0%	2.8%	4.8%	95.2%
Grade 11	2.1%	3.6%	9.0%	91.0%
Grade 12	5.0%	7.9%	13.6%	86.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.6%	0.8%	1.0%	99.0%
Grade 12	0.6%	0.6%	1.2%	98.8%
<b>Synthetic Marijuana</b>				
All	1.7%	2.2%	4.4%	95.6%
Grade 7	0.8%	1.5%	2.6%	97.4%
Grade 8	1.4%	1.5%	2.8%	97.2%
Grade 9	2.8%	3.1%	5.1%	94.9%
Grade 10	1.5%	2.1%	4.8%	95.2%
Grade 11	1.6%	2.2%	5.1%	94.9%
Grade 12	2.3%	2.9%	6.4%	93.6%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	1.1%	1.5%	2.0%	98.0%
Grade 10	0.5%	0.7%	1.3%	98.7%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.5%	0.7%	1.8%	98.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 62 of 125

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.3%	11.8%	20.4%	79.6%
Grade 7	4.2%	4.2%	10.2%	89.8%
Grade 8	5.4%	6.8%	15.1%	84.9%
Grade 9	10.7%	12.3%	23.0%	77.0%
Grade 10	6.9%	9.2%	14.9%	85.1%
Grade 11	18.0%	20.4%	32.5%	67.5%
Grade 12	14.5%	23.1%	33.5%	66.5%
<b>Any Alcohol Product</b>				
All	25.4%	30.2%	50.0%	50.0%
Grade 7	11.6%	13.0%	29.9%	70.1%
Grade 8	15.8%	20.3%	43.6%	56.4%
Grade 9	21.3%	24.7%	55.5%	44.5%
Grade 10	26.0%	31.2%	51.9%	48.1%
Grade 11	43.5%	54.0%	67.8%	32.2%
Grade 12	43.3%	48.6%	62.2%	37.8%
<b>Any Illicit Drug</b>				
All	11.5%	15.6%	21.3%	78.7%
Grade 7	1.2%	2.1%	3.2%	96.8%
Grade 8	4.6%	7.7%	11.3%	88.7%
Grade 9	13.2%	17.9%	21.0%	79.0%
Grade 10	9.2%	15.2%	24.5%	75.5%
Grade 11	23.5%	27.5%	37.6%	62.4%
Grade 12	25.1%	32.3%	41.5%	58.5%
<b>Any Prescription Drug</b>				
All	6.5%	9.9%	15.1%	84.9%
Grade 7	5.2%	7.0%	12.8%	87.2%
Grade 8	5.5%	9.0%	15.0%	85.0%
Grade 9	14.2%	18.9%	22.3%	77.7%
Grade 10	1.6%	5.5%	8.6%	91.4%
Grade 11	8.5%	11.6%	17.6%	82.4%
Grade 12	6.6%	10.5%	16.7%	83.3%
<b>Any Inhalant</b>				
All	3.8%	5.4%	10.7%	89.3%
Grade 7	4.3%	5.3%	11.7%	88.3%
Grade 8	4.5%	7.3%	13.3%	86.7%
Grade 9	4.9%	6.2%	10.9%	89.1%
Grade 10	1.6%	2.7%	7.1%	92.9%
Grade 11	4.8%	7.7%	12.2%	87.8%
Grade 12	2.5%	3.0%	7.9%	92.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting A Grades on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.1%	9.8%	16.6%	83.4%
Grade 7	3.7%	4.0%	7.7%	92.3%
Grade 8	3.3%	4.6%	13.2%	86.8%
Grade 9	8.8%	10.8%	19.0%	81.0%
Grade 10	4.3%	7.5%	12.8%	87.2%
Grade 11	14.7%	17.9%	25.5%	74.5%
Grade 12	11.1%	19.3%	27.1%	72.9%
<b>Marijuana</b>				
All	11.2%	13.9%	19.8%	80.2%
Grade 7	0.9%	1.2%	1.7%	98.3%
Grade 8	3.6%	6.0%	9.6%	90.4%
Grade 9	13.2%	17.2%	19.7%	80.3%
Grade 10	9.2%	12.5%	22.5%	77.5%
Grade 11	23.0%	25.1%	36.2%	63.8%
Grade 12	25.1%	30.0%	40.4%	59.6%
<b>Marijuana Only</b>				
All	7.8%	10.0%	15.2%	84.8%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	2.6%	4.9%	8.3%	91.7%
Grade 9	6.7%	10.0%	11.4%	88.6%
Grade 10	7.2%	9.3%	18.1%	81.9%
Grade 11	19.4%	20.9%	31.5%	68.5%
Grade 12	15.6%	20.4%	29.3%	70.7%
<b>Cocaine or Crack</b>				
All	0.9%	1.1%	1.9%	98.1%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	3.8%	3.8%	5.0%	95.0%
Grade 10	0.4%	0.4%	1.2%	98.8%
Grade 11	0.4%	1.3%	1.8%	98.2%
Grade 12	1.1%	1.1%	3.0%	97.0%
<b>Cocaine</b>				
All	1.0%	1.1%	1.7%	98.3%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	3.8%	3.8%	5.0%	95.0%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.4%	1.3%	1.8%	98.2%
Grade 12	1.1%	1.1%	3.0%	97.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 64 of 125

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.6%	1.2%	1.6%	98.4%
Grade 7	0.0%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.3%	1.3%	2.6%	97.4%
Grade 10	0.4%	1.2%	2.0%	98.0%
Grade 11	1.0%	1.9%	1.9%	98.1%
Grade 12	1.7%	3.7%	3.7%	96.3%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.1%	0.1%	1.1%	98.9%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	1.9%	98.1%
<b>Ecstasy</b>				
All	1.0%	1.6%	2.4%	97.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.9%	0.9%	1.4%	98.6%
Grade 9	1.4%	2.7%	3.3%	96.7%
Grade 10	0.4%	1.2%	1.2%	98.8%
Grade 11	1.0%	1.0%	2.0%	98.0%
Grade 12	2.3%	4.7%	7.2%	92.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.2%	0.5%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	3.3%	3.3%	4.0%	96.0%
Grade 10	0.4%	0.4%	2.3%	97.7%
Grade 11	0.0%	0.5%	1.5%	98.5%
Grade 12	0.6%	1.0%	4.2%	95.8%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 125

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.6%	20.4%	34.3%	65.7%
Grade 7	6.7%	7.7%	16.1%	83.9%
Grade 8	11.7%	13.9%	25.0%	75.0%
Grade 9	14.3%	16.8%	32.8%	67.2%
Grade 10	21.2%	25.5%	41.3%	58.7%
Grade 11	20.0%	27.8%	46.2%	53.8%
Grade 12	29.8%	35.5%	49.7%	50.3%
<b>Any Alcohol Product</b>				
All	32.9%	37.6%	55.1%	44.9%
Grade 7	15.8%	17.3%	34.2%	65.8%
Grade 8	24.5%	28.1%	47.3%	52.7%
Grade 9	33.4%	37.4%	56.0%	44.0%
Grade 10	40.8%	45.7%	62.0%	38.0%
Grade 11	41.3%	48.6%	69.4%	30.6%
Grade 12	47.0%	54.5%	66.6%	33.4%
<b>Any Illicit Drug</b>				
All	19.6%	23.8%	29.9%	70.1%
Grade 7	6.6%	9.1%	11.2%	88.8%
Grade 8	13.7%	16.2%	20.2%	79.8%
Grade 9	18.9%	22.1%	27.4%	72.6%
Grade 10	26.0%	30.7%	36.5%	63.5%
Grade 11	24.7%	31.6%	41.7%	58.3%
Grade 12	32.0%	37.8%	49.0%	51.0%
<b>Any Prescription Drug</b>				
All	8.5%	11.9%	21.1%	78.9%
Grade 7	6.3%	8.7%	13.7%	86.3%
Grade 8	8.5%	11.9%	19.0%	81.0%
Grade 9	10.4%	13.5%	20.9%	79.1%
Grade 10	8.6%	12.3%	24.2%	75.8%
Grade 11	8.7%	11.4%	23.3%	76.7%
Grade 12	9.0%	14.8%	27.6%	72.4%
<b>Any Inhalant</b>				
All	7.2%	8.9%	16.1%	83.9%
Grade 7	9.2%	10.8%	19.2%	80.8%
Grade 8	10.8%	12.6%	20.2%	79.8%
Grade 9	5.9%	7.2%	15.8%	84.2%
Grade 10	6.2%	8.3%	14.7%	85.3%
Grade 11	6.2%	7.4%	13.0%	87.0%
Grade 12	4.0%	6.2%	12.6%	87.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.7%	15.1%	27.2%	72.8%
Grade 7	4.1%	5.7%	11.5%	88.5%
Grade 8	7.2%	10.0%	19.6%	80.4%
Grade 9	9.5%	13.7%	26.2%	73.8%
Grade 10	13.2%	17.6%	32.8%	67.2%
Grade 11	14.4%	22.0%	37.7%	62.3%
Grade 12	18.3%	25.2%	39.7%	60.3%
<b>Marijuana</b>				
All	19.1%	21.8%	27.9%	72.1%
Grade 7	6.1%	6.9%	8.4%	91.6%
Grade 8	13.2%	13.9%	17.9%	82.1%
Grade 9	18.1%	20.4%	25.5%	74.5%
Grade 10	25.7%	29.1%	35.2%	64.8%
Grade 11	24.3%	29.6%	39.8%	60.2%
Grade 12	31.3%	35.6%	47.1%	52.9%
<b>Marijuana Only</b>				
All	10.0%	11.9%	16.7%	83.3%
Grade 7	2.4%	3.0%	3.9%	96.1%
Grade 8	7.0%	7.4%	10.7%	89.3%
Grade 9	10.2%	11.9%	16.0%	84.0%
Grade 10	13.9%	17.0%	21.9%	78.1%
Grade 11	13.1%	16.8%	25.2%	74.8%
Grade 12	15.3%	17.8%	26.6%	73.4%
<b>Cocaine or Crack</b>				
All	3.5%	3.8%	5.5%	94.5%
Grade 7	1.2%	1.3%	1.7%	98.3%
Grade 8	2.4%	2.4%	3.2%	96.8%
Grade 9	3.4%	3.6%	5.0%	95.0%
Grade 10	5.2%	5.3%	7.1%	92.9%
Grade 11	4.4%	5.1%	7.5%	92.5%
Grade 12	5.1%	5.7%	9.6%	90.4%
<b>Cocaine</b>				
All	3.4%	3.7%	5.3%	94.7%
Grade 7	1.2%	1.2%	1.7%	98.3%
Grade 8	2.3%	2.4%	3.0%	97.0%
Grade 9	3.4%	3.6%	5.0%	95.0%
Grade 10	5.0%	5.1%	6.9%	93.1%
Grade 11	4.3%	4.7%	7.3%	92.7%
Grade 12	4.9%	5.6%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting Grades Lower Than an A on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.0%	1.2%	1.8%	98.2%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.9%	0.9%	1.6%	98.4%
Grade 9	1.2%	1.6%	2.6%	97.4%
Grade 10	1.9%	2.2%	2.5%	97.5%
Grade 11	0.7%	1.1%	1.7%	98.3%
Grade 12	0.9%	0.9%	2.3%	97.7%
<b>Hallucinogens</b>				
All	2.0%	2.8%	5.1%	94.9%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	1.4%	1.7%	2.8%	97.2%
Grade 9	1.6%	2.8%	4.9%	95.1%
Grade 10	2.8%	2.9%	5.5%	94.5%
Grade 11	2.2%	2.9%	6.3%	93.7%
Grade 12	3.9%	7.3%	11.9%	88.1%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.3%	99.7%
<b>Steroids</b>				
All	0.5%	0.6%	1.2%	98.8%
Grade 7	0.9%	0.9%	1.5%	98.5%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.5%	0.7%	1.5%	98.5%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.6%	0.8%	1.5%	98.5%
<b>Ecstasy</b>				
All	1.8%	2.7%	5.5%	94.5%
Grade 7	0.2%	0.5%	1.2%	98.8%
Grade 8	0.5%	1.1%	2.6%	97.4%
Grade 9	1.4%	1.5%	3.7%	96.3%
Grade 10	2.5%	3.4%	5.5%	94.5%
Grade 11	2.1%	3.6%	8.6%	91.4%
Grade 12	4.7%	7.3%	13.6%	86.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.5%	98.5%
Grade 9	0.3%	0.3%	1.6%	98.4%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.5%	0.9%	1.0%	99.0%
Grade 12	0.7%	0.7%	1.3%	98.7%
<b>Synthetic Marijuana</b>				
All	1.7%	2.2%	4.6%	95.4%
Grade 7	0.7%	1.5%	2.9%	97.1%
Grade 8	2.0%	2.0%	3.6%	96.4%
Grade 9	1.8%	2.1%	4.1%	95.9%
Grade 10	1.8%	2.6%	5.4%	94.6%
Grade 11	1.7%	2.4%	5.7%	94.3%
Grade 12	2.2%	2.8%	6.6%	93.4%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.4%	98.6%
Grade 9	1.0%	1.4%	2.0%	98.0%
Grade 10	0.5%	0.8%	1.9%	98.1%
Grade 11	0.6%	0.6%	0.9%	99.1%
Grade 12	0.5%	0.8%	2.2%	97.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 70 of 125

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.9%	15.1%	27.6%	72.4%
Grade 7	3.8%	4.8%	9.8%	90.2%
Grade 8	6.7%	8.1%	17.7%	82.3%
Grade 9	11.7%	13.9%	27.8%	72.2%
Grade 10	15.5%	18.5%	33.6%	66.4%
Grade 11	16.0%	22.7%	40.8%	59.2%
Grade 12	21.3%	27.5%	42.7%	57.3%
<b>Any Alcohol Product</b>				
All	29.2%	33.3%	50.4%	49.6%
Grade 7	14.1%	15.4%	30.4%	69.6%
Grade 8	18.5%	21.8%	41.2%	58.8%
Grade 9	30.3%	32.8%	52.5%	47.5%
Grade 10	34.3%	39.7%	56.6%	43.4%
Grade 11	40.9%	47.4%	66.1%	33.9%
Grade 12	43.4%	49.9%	62.8%	37.2%
<b>Any Illicit Drug</b>				
All	14.3%	18.3%	24.0%	76.0%
Grade 7	3.3%	4.5%	5.7%	94.3%
Grade 8	7.8%	10.9%	14.0%	86.0%
Grade 9	15.6%	18.7%	22.0%	78.0%
Grade 10	19.8%	24.2%	31.1%	68.9%
Grade 11	18.9%	25.4%	35.8%	64.2%
Grade 12	24.5%	31.8%	43.3%	56.7%
<b>Any Prescription Drug</b>				
All	7.1%	10.2%	17.8%	82.2%
Grade 7	4.7%	6.7%	11.9%	88.1%
Grade 8	6.8%	9.9%	15.5%	84.5%
Grade 9	9.0%	13.7%	19.9%	80.1%
Grade 10	6.5%	8.9%	17.2%	82.8%
Grade 11	9.3%	12.7%	23.4%	76.6%
Grade 12	6.6%	10.3%	21.0%	79.0%
<b>Any Inhalant</b>				
All	5.7%	7.0%	13.1%	86.9%
Grade 7	7.3%	8.2%	14.4%	85.6%
Grade 8	7.8%	10.2%	16.7%	83.3%
Grade 9	5.6%	6.2%	14.9%	85.1%
Grade 10	5.0%	6.4%	11.1%	88.9%
Grade 11	4.3%	5.7%	11.6%	88.4%
Grade 12	3.6%	4.2%	8.5%	91.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.0%	11.3%	22.1%	77.9%
Grade 7	2.3%	3.5%	6.9%	93.1%
Grade 8	4.0%	5.8%	14.2%	85.8%
Grade 9	8.7%	11.7%	23.8%	76.2%
Grade 10	9.4%	12.9%	28.3%	71.7%
Grade 11	11.7%	17.5%	31.4%	68.6%
Grade 12	14.2%	19.8%	33.2%	66.8%
<b>Marijuana</b>				
All	13.7%	16.3%	22.2%	77.8%
Grade 7	3.0%	3.5%	4.2%	95.8%
Grade 8	6.8%	8.0%	11.2%	88.8%
Grade 9	15.0%	17.2%	20.1%	79.9%
Grade 10	19.7%	22.6%	30.1%	69.9%
Grade 11	18.1%	22.4%	33.7%	66.3%
Grade 12	24.2%	29.7%	41.6%	58.4%
<b>Marijuana Only</b>				
All	7.7%	9.6%	14.5%	85.5%
Grade 7	1.1%	1.3%	1.9%	98.1%
Grade 8	3.4%	4.3%	7.5%	92.5%
Grade 9	8.9%	10.6%	12.7%	87.3%
Grade 10	12.9%	15.2%	21.3%	78.7%
Grade 11	10.1%	13.0%	22.4%	77.6%
Grade 12	11.9%	16.1%	26.5%	73.5%
<b>Cocaine or Crack</b>				
All	2.4%	2.6%	3.9%	96.1%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	1.7%	1.7%	2.1%	97.9%
Grade 9	3.2%	3.4%	4.4%	95.6%
Grade 10	2.9%	2.9%	4.2%	95.8%
Grade 11	2.4%	3.0%	5.4%	94.6%
Grade 12	4.2%	4.9%	8.0%	92.0%
<b>Cocaine</b>				
All	2.2%	2.5%	3.7%	96.3%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	1.6%	1.6%	1.7%	98.3%
Grade 9	3.0%	3.2%	4.2%	95.8%
Grade 10	2.9%	2.9%	4.2%	95.8%
Grade 11	2.1%	2.7%	5.4%	94.6%
Grade 12	4.0%	4.7%	7.8%	92.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 72 of 125

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.8%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.0%	1.0%	1.3%	98.7%
Grade 9	0.9%	1.5%	1.7%	98.3%
Grade 10	0.5%	0.7%	0.8%	99.2%
Grade 11	0.6%	0.8%	0.8%	99.2%
Grade 12	0.6%	0.6%	0.8%	99.2%
<b>Hallucinogens</b>				
All	1.3%	2.0%	3.3%	96.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	1.0%	1.5%	2.6%	97.4%
Grade 10	0.8%	1.2%	3.1%	96.9%
Grade 11	1.5%	2.3%	4.9%	95.1%
Grade 12	4.1%	7.4%	9.5%	90.5%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.6%	0.6%	1.2%	98.8%
<b>Ecstasy</b>				
All	1.1%	1.8%	3.7%	96.3%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.4%	1.3%	98.7%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	1.1%	2.0%	3.3%	96.7%
Grade 11	0.8%	2.0%	5.5%	94.5%
Grade 12	4.2%	6.3%	11.9%	88.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.2%	0.8%	99.2%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	0.7%	99.3%
Grade 12	0.4%	0.4%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	1.4%	1.8%	3.1%	96.9%
Grade 7	0.8%	0.9%	1.4%	98.6%
Grade 8	1.2%	1.2%	2.3%	97.7%
Grade 9	2.5%	3.1%	4.6%	95.4%
Grade 10	1.1%	1.6%	3.0%	97.0%
Grade 11	1.3%	1.9%	4.5%	95.5%
Grade 12	1.9%	2.1%	3.4%	96.6%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.0%	1.4%	1.7%	98.3%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.2%	0.6%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 125

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.9%	24.1%	37.5%	62.5%
Grade 7	10.9%	11.7%	23.6%	76.4%
Grade 8	14.9%	17.8%	28.7%	71.3%
Grade 9	17.9%	20.9%	36.4%	63.6%
Grade 10	19.5%	24.4%	37.7%	62.3%
Grade 11	22.6%	28.9%	45.3%	54.7%
Grade 12	32.5%	38.9%	50.3%	49.7%
<b>Any Alcohol Product</b>				
All	35.7%	41.5%	59.7%	40.3%
Grade 7	16.7%	18.6%	37.8%	62.2%
Grade 8	27.1%	31.7%	52.4%	47.6%
Grade 9	35.5%	42.2%	62.6%	37.4%
Grade 10	38.6%	43.6%	61.1%	38.9%
Grade 11	44.5%	52.9%	71.1%	28.9%
Grade 12	48.5%	55.4%	68.9%	31.1%
<b>Any Illicit Drug</b>				
All	25.1%	29.3%	36.1%	63.9%
Grade 7	9.1%	12.6%	15.0%	85.0%
Grade 8	16.1%	18.1%	22.9%	77.1%
Grade 9	22.0%	26.4%	32.4%	67.6%
Grade 10	27.5%	32.4%	39.4%	60.6%
Grade 11	34.0%	39.8%	49.6%	50.4%
Grade 12	38.7%	43.1%	53.0%	47.0%
<b>Any Prescription Drug</b>				
All	10.0%	14.1%	23.3%	76.7%
Grade 7	8.3%	10.7%	15.5%	84.5%
Grade 8	8.7%	12.6%	21.0%	79.0%
Grade 9	13.4%	16.1%	23.8%	76.2%
Grade 10	8.9%	14.1%	24.0%	76.0%
Grade 11	9.1%	12.4%	23.3%	76.7%
Grade 12	11.5%	18.5%	31.2%	68.8%
<b>Any Inhalant</b>				
All	7.1%	9.2%	16.4%	83.6%
Grade 7	10.7%	13.1%	23.4%	76.6%
Grade 8	10.8%	12.2%	20.2%	79.8%
Grade 9	6.3%	8.3%	15.5%	84.5%
Grade 10	4.7%	7.2%	13.6%	86.4%
Grade 11	7.2%	8.6%	14.4%	85.6%
Grade 12	3.7%	6.5%	12.7%	87.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.1%	18.2%	29.9%	70.1%
Grade 7	7.9%	9.8%	18.0%	82.0%
Grade 8	9.0%	12.3%	22.6%	77.4%
Grade 9	11.2%	16.0%	28.6%	71.4%
Grade 10	12.9%	17.7%	28.5%	71.5%
Grade 11	17.2%	23.8%	38.3%	61.7%
Grade 12	19.5%	27.8%	41.3%	58.7%
<b>Marijuana</b>				
All	24.4%	27.2%	34.3%	65.7%
Grade 7	8.2%	9.1%	11.3%	88.7%
Grade 8	16.0%	17.2%	21.8%	78.2%
Grade 9	21.1%	23.9%	30.4%	69.6%
Grade 10	27.1%	30.2%	37.7%	62.3%
Grade 11	33.4%	38.5%	48.7%	51.3%
Grade 12	37.5%	40.9%	51.6%	48.4%
<b>Marijuana Only</b>				
All	12.7%	14.9%	20.4%	79.6%
Grade 7	3.5%	4.3%	5.2%	94.8%
Grade 8	9.2%	10.2%	13.7%	86.3%
Grade 9	10.2%	12.5%	18.0%	82.0%
Grade 10	14.1%	16.9%	23.0%	77.0%
Grade 11	19.0%	22.6%	30.5%	69.5%
Grade 12	18.7%	20.8%	28.9%	71.1%
<b>Cocaine or Crack</b>				
All	4.0%	4.5%	6.4%	93.6%
Grade 7	2.0%	2.1%	2.6%	97.4%
Grade 8	2.1%	2.3%	3.4%	96.6%
Grade 9	4.9%	5.1%	7.0%	93.0%
Grade 10	4.7%	5.2%	6.8%	93.2%
Grade 11	4.5%	5.7%	8.0%	92.0%
Grade 12	5.7%	6.1%	9.8%	90.2%
<b>Cocaine</b>				
All	4.0%	4.4%	6.1%	93.9%
Grade 7	2.0%	2.0%	2.5%	97.5%
Grade 8	2.1%	2.3%	3.2%	96.8%
Grade 9	4.9%	5.1%	7.0%	93.0%
Grade 10	4.4%	4.9%	6.3%	93.7%
Grade 11	4.5%	5.3%	7.7%	92.3%
Grade 12	5.7%	6.1%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 76 of 125

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.6%	0.7%	99.3%
Grade 8	0.2%	0.2%	1.4%	98.6%
Grade 9	0.9%	0.9%	2.4%	97.6%
Grade 10	2.2%	2.4%	3.0%	97.0%
Grade 11	0.5%	0.8%	1.8%	98.2%
Grade 12	0.7%	0.7%	2.5%	97.5%
<b>Hallucinogens</b>				
All	2.3%	3.3%	6.2%	93.8%
Grade 7	0.6%	0.9%	2.3%	97.7%
Grade 8	1.4%	2.0%	3.1%	96.9%
Grade 9	2.2%	3.4%	6.7%	93.3%
Grade 10	3.3%	3.5%	6.0%	94.0%
Grade 11	3.0%	4.0%	7.8%	92.2%
Grade 12	2.8%	5.5%	10.3%	89.7%
<b>Synthetic Cathinones</b>				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.8%	0.8%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.5%	0.7%	0.9%	99.1%
<b>Steroids</b>				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	1.5%	1.5%	2.4%	97.6%
Grade 8	0.2%	0.6%	1.4%	98.6%
Grade 9	0.5%	0.5%	1.2%	98.8%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.5%	0.5%	0.7%	99.3%
Grade 12	0.2%	0.7%	1.9%	98.1%
<b>Ecstasy</b>				
All	2.7%	3.9%	7.7%	92.3%
Grade 7	0.5%	0.7%	2.1%	97.9%
Grade 8	1.1%	1.9%	3.6%	96.4%
Grade 9	1.9%	2.6%	5.8%	94.2%
Grade 10	3.2%	3.6%	6.4%	93.6%
Grade 11	3.4%	5.1%	12.4%	87.6%
Grade 12	5.5%	9.2%	14.9%	85.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 125



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.2%	0.2%	2.0%	98.0%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.5%	1.1%	1.3%	98.7%
Grade 12	0.7%	0.7%	1.6%	98.4%
<b>Synthetic Marijuana</b>				
All	1.9%	2.5%	5.6%	94.4%
Grade 7	0.6%	2.2%	4.0%	96.0%
Grade 8	1.6%	1.7%	3.2%	96.8%
Grade 9	2.7%	2.7%	5.4%	94.6%
Grade 10	2.2%	2.7%	6.7%	93.3%
Grade 11	1.9%	2.2%	5.5%	94.5%
Grade 12	2.3%	3.3%	8.7%	91.3%
<b>Methamphetamine</b>				
All	0.7%	0.9%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.9%	1.4%	2.4%	97.6%
Grade 10	1.0%	1.3%	2.4%	97.6%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.8%	0.8%	2.7%	97.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 78 of 125

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.6%	18.2%	30.7%	69.3%
Grade 7	5.6%	6.7%	13.0%	87.0%
Grade 8	9.2%	11.3%	20.8%	79.2%
Grade 9	12.6%	15.2%	30.6%	69.4%
Grade 10	15.5%	19.3%	32.8%	67.2%
Grade 11	19.6%	25.7%	42.6%	57.4%
Grade 12	27.3%	34.2%	48.0%	52.0%
<b>Any Alcohol Product</b>				
All	30.4%	35.3%	54.0%	46.0%
Grade 7	13.2%	14.9%	32.4%	67.6%
Grade 8	20.4%	24.1%	44.2%	55.8%
Grade 9	30.1%	34.8%	56.2%	43.8%
Grade 10	34.7%	39.4%	58.6%	41.4%
Grade 11	41.1%	48.6%	68.0%	32.0%
Grade 12	46.1%	54.1%	67.4%	32.6%
<b>Any Illicit Drug</b>				
All	17.4%	21.4%	27.5%	72.5%
Grade 7	3.9%	5.9%	7.3%	92.7%
Grade 8	9.8%	12.2%	15.7%	84.3%
Grade 9	15.7%	19.2%	23.8%	76.2%
Grade 10	21.1%	25.5%	33.4%	66.6%
Grade 11	25.5%	31.1%	40.8%	59.2%
Grade 12	31.0%	37.5%	48.1%	51.9%
<b>Any Prescription Drug</b>				
All	7.6%	10.9%	18.8%	81.2%
Grade 7	5.8%	7.9%	13.0%	87.0%
Grade 8	7.1%	10.2%	16.4%	83.6%
Grade 9	9.3%	12.5%	20.1%	79.9%
Grade 10	6.7%	9.5%	17.3%	82.7%
Grade 11	8.4%	11.7%	22.0%	78.0%
Grade 12	8.7%	14.1%	25.7%	74.3%
<b>Any Inhalant</b>				
All	5.4%	6.9%	13.3%	86.7%
Grade 7	7.6%	9.2%	15.6%	84.4%
Grade 8	7.4%	9.2%	16.5%	83.5%
Grade 9	4.7%	5.8%	14.2%	85.8%
Grade 10	4.1%	5.6%	10.4%	89.6%
Grade 11	5.1%	6.4%	12.1%	87.9%
Grade 12	3.2%	4.5%	10.2%	89.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.1%	14.0%	24.4%	75.6%
Grade 7	4.1%	5.4%	9.3%	90.7%
Grade 8	6.4%	8.8%	17.0%	83.0%
Grade 9	8.5%	12.0%	24.1%	75.9%
Grade 10	10.8%	14.6%	25.7%	74.3%
Grade 11	15.1%	20.9%	35.0%	65.0%
Grade 12	17.1%	24.2%	38.3%	61.7%
<b>Marijuana</b>				
All	16.9%	19.5%	25.9%	74.1%
Grade 7	3.6%	4.3%	5.1%	94.9%
Grade 8	9.3%	10.1%	13.6%	86.4%
Grade 9	14.9%	17.5%	22.1%	77.9%
Grade 10	21.0%	23.9%	32.3%	67.7%
Grade 11	24.9%	29.0%	39.4%	60.6%
Grade 12	30.2%	35.1%	46.8%	53.2%
<b>Marijuana Only</b>				
All	9.5%	11.5%	16.9%	83.1%
Grade 7	1.6%	2.1%	2.9%	97.1%
Grade 8	4.9%	5.6%	8.7%	91.3%
Grade 9	7.5%	9.6%	13.1%	86.9%
Grade 10	13.8%	16.4%	23.7%	76.3%
Grade 11	14.7%	17.8%	26.5%	73.5%
Grade 12	15.5%	19.0%	28.8%	71.2%
<b>Cocaine or Crack</b>				
All	2.6%	2.8%	4.2%	95.8%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	1.9%	1.9%	2.7%	97.3%
Grade 9	3.7%	4.0%	5.3%	94.7%
Grade 10	2.2%	2.3%	3.6%	96.4%
Grade 11	2.9%	3.7%	5.4%	94.6%
Grade 12	4.3%	5.0%	8.1%	91.9%
<b>Cocaine</b>				
All	2.5%	2.7%	4.0%	96.0%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	1.9%	1.9%	2.3%	97.7%
Grade 9	3.6%	3.9%	5.2%	94.8%
Grade 10	2.1%	2.2%	3.4%	96.6%
Grade 11	2.8%	3.4%	5.2%	94.8%
Grade 12	4.2%	4.8%	7.7%	92.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 80 of 125

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.7%	0.7%	1.4%	98.6%
Grade 9	0.9%	1.3%	2.0%	98.0%
Grade 10	0.4%	0.7%	0.9%	99.1%
Grade 11	0.2%	0.5%	0.5%	99.5%
Grade 12	0.6%	0.6%	1.4%	98.6%
<b>Hallucinogens</b>				
All	1.5%	2.2%	3.9%	96.1%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	1.0%	1.0%	1.6%	98.4%
Grade 9	1.4%	2.3%	4.1%	95.9%
Grade 10	1.4%	1.8%	3.6%	96.4%
Grade 11	1.8%	2.8%	5.5%	94.5%
Grade 12	3.3%	6.2%	9.1%	90.9%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Steroids</b>				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.3%	0.6%	1.8%	98.2%
<b>Ecstasy</b>				
All	1.5%	2.4%	4.9%	95.1%
Grade 7	0.1%	0.3%	0.9%	99.1%
Grade 8	0.6%	0.7%	1.8%	98.2%
Grade 9	1.5%	1.9%	3.9%	96.1%
Grade 10	1.4%	1.8%	3.6%	96.4%
Grade 11	1.5%	3.2%	7.9%	92.1%
Grade 12	4.7%	7.6%	13.2%	86.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	1.0%	99.0%
Grade 9	0.3%	0.3%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.4%	0.5%	99.5%
Grade 12	0.6%	0.6%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	1.4%	1.8%	3.5%	96.5%
Grade 7	0.7%	1.2%	1.8%	98.2%
Grade 8	1.4%	1.4%	2.5%	97.5%
Grade 9	2.3%	2.7%	4.1%	95.9%
Grade 10	0.7%	1.2%	3.3%	96.7%
Grade 11	1.7%	2.3%	4.4%	95.6%
Grade 12	1.7%	2.3%	5.3%	94.7%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	1.0%	1.3%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.4%	0.4%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 82 of 125

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.2%	23.8%	38.2%	61.8%
Grade 7	11.0%	11.3%	25.1%	74.9%
Grade 8	13.7%	14.7%	29.5%	70.5%
Grade 9	22.0%	25.7%	38.6%	61.4%
Grade 10	27.2%	33.0%	46.8%	53.2%
Grade 11	21.2%	28.6%	49.3%	50.7%
Grade 12	26.4%	30.0%	40.6%	59.4%
<b>Any Alcohol Product</b>				
All	39.2%	43.6%	58.4%	41.6%
Grade 7	24.7%	25.2%	41.2%	58.8%
Grade 8	30.3%	34.2%	54.5%	45.5%
Grade 9	44.0%	47.6%	62.6%	37.4%
Grade 10	43.1%	54.4%	63.2%	36.8%
Grade 11	50.4%	57.4%	71.2%	28.8%
Grade 12	43.1%	44.3%	59.1%	40.9%
<b>Any Illicit Drug</b>				
All	27.2%	32.1%	37.9%	62.1%
Grade 7	13.4%	16.0%	20.6%	79.4%
Grade 8	17.3%	22.1%	26.1%	73.9%
Grade 9	31.8%	37.7%	41.9%	58.1%
Grade 10	36.8%	43.7%	44.8%	55.2%
Grade 11	29.1%	37.3%	49.0%	51.0%
Grade 12	34.6%	36.7%	45.2%	54.8%
<b>Any Prescription Drug</b>				
All	11.9%	16.5%	26.0%	74.0%
Grade 7	8.6%	11.3%	15.7%	84.3%
Grade 8	9.1%	14.5%	24.3%	75.7%
Grade 9	20.5%	24.9%	29.1%	70.9%
Grade 10	10.6%	17.4%	32.5%	67.5%
Grade 11	11.0%	14.0%	28.1%	71.9%
Grade 12	10.7%	16.6%	27.1%	72.9%
<b>Any Inhalant</b>				
All	10.2%	12.8%	20.5%	79.5%
Grade 7	13.7%	14.9%	29.8%	70.2%
Grade 8	17.5%	21.3%	27.3%	72.7%
Grade 9	11.8%	13.3%	17.7%	82.3%
Grade 10	6.7%	11.6%	23.5%	76.5%
Grade 11	6.1%	6.7%	10.7%	89.3%
Grade 12	5.9%	9.7%	14.5%	85.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.8%	16.0%	30.5%	69.5%
Grade 7	6.0%	8.2%	19.4%	80.6%
Grade 8	3.0%	4.8%	20.0%	80.0%
Grade 9	12.0%	18.9%	33.9%	66.1%
Grade 10	13.6%	20.7%	39.3%	60.7%
Grade 11	12.0%	18.9%	36.4%	63.6%
Grade 12	17.4%	23.6%	34.2%	65.8%
<b>Marijuana</b>				
All	26.3%	29.4%	35.1%	64.9%
Grade 7	12.2%	13.0%	16.8%	83.2%
Grade 8	16.5%	20.3%	24.3%	75.7%
Grade 9	31.8%	34.8%	39.1%	60.9%
Grade 10	35.7%	39.0%	41.9%	58.1%
Grade 11	28.0%	34.2%	46.5%	53.5%
Grade 12	33.7%	35.3%	42.2%	57.8%
<b>Marijuana Only</b>				
All	13.3%	15.2%	19.5%	80.5%
Grade 7	3.6%	3.6%	4.7%	95.3%
Grade 8	9.8%	12.2%	16.3%	83.7%
Grade 9	20.6%	22.9%	27.1%	72.9%
Grade 10	17.8%	20.5%	21.7%	78.3%
Grade 11	12.6%	17.0%	26.6%	73.4%
Grade 12	15.4%	15.4%	20.9%	79.1%
<b>Cocaine or Crack</b>				
All	4.9%	5.6%	7.9%	92.1%
Grade 7	3.3%	3.4%	4.6%	95.4%
Grade 8	1.7%	2.1%	3.2%	96.8%
Grade 9	3.6%	3.6%	5.8%	94.2%
Grade 10	9.1%	10.4%	12.1%	87.9%
Grade 11	4.9%	6.7%	11.2%	88.8%
Grade 12	6.8%	7.3%	10.6%	89.4%
<b>Cocaine</b>				
All	4.7%	5.4%	7.8%	92.2%
Grade 7	3.3%	3.4%	4.5%	95.5%
Grade 8	1.7%	2.1%	3.2%	96.8%
Grade 9	3.6%	3.6%	5.8%	94.2%
Grade 10	8.6%	9.9%	11.6%	88.4%
Grade 11	4.3%	6.0%	11.3%	88.7%
Grade 12	6.8%	7.3%	10.6%	89.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.5%	1.6%	2.9%	97.1%
Grade 7	0.8%	1.4%	1.5%	98.5%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.0%	1.6%	98.4%
Grade 10	4.5%	4.5%	5.6%	94.4%
Grade 11	3.0%	3.0%	5.4%	94.6%
Grade 12	0.7%	0.7%	2.8%	97.2%
<b>Hallucinogens</b>				
All	2.7%	3.7%	6.5%	93.5%
Grade 7	0.4%	0.9%	3.1%	96.9%
Grade 8	1.5%	3.3%	5.2%	94.8%
Grade 9	2.9%	3.6%	6.5%	93.5%
Grade 10	4.0%	4.0%	6.2%	93.8%
Grade 11	2.7%	2.7%	6.0%	94.0%
Grade 12	4.8%	7.5%	11.7%	88.3%
<b>Synthetic Cathinones</b>				
All	0.4%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.8%	1.8%	1.8%	98.2%
Grade 11	0.0%	0.7%	0.7%	99.3%
Grade 12	0.6%	1.1%	1.1%	98.9%
<b>Steroids</b>				
All	0.8%	1.0%	1.9%	98.1%
Grade 7	2.4%	2.4%	3.8%	96.2%
Grade 8	0.0%	1.0%	2.0%	98.0%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.6%	1.1%	4.0%	96.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Ecstasy</b>				
All	3.2%	4.6%	8.0%	92.0%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	1.0%	3.5%	5.5%	94.5%
Grade 9	2.1%	2.1%	2.8%	97.2%
Grade 10	5.6%	8.4%	10.3%	89.7%
Grade 11	3.6%	3.6%	13.4%	86.6%
Grade 12	6.3%	9.1%	15.0%	85.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.9%	1.0%	2.2%	97.8%
Grade 7	0.0%	0.4%	1.1%	98.9%
Grade 8	0.2%	0.6%	2.5%	97.5%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	1.8%	1.8%	3.5%	96.5%
Grade 11	3.2%	3.2%	3.9%	96.1%
Grade 12	0.6%	0.6%	1.8%	98.2%
<b>Synthetic Marijuana</b>				
All	2.7%	3.1%	6.7%	93.3%
Grade 7	1.3%	2.9%	6.2%	93.8%
Grade 8	1.5%	1.5%	3.8%	96.2%
Grade 9	4.2%	4.2%	7.7%	92.3%
Grade 10	4.6%	4.6%	7.6%	92.4%
Grade 11	0.7%	0.7%	6.6%	93.4%
Grade 12	3.8%	4.3%	7.7%	92.3%
<b>Methamphetamine</b>				
All	1.2%	1.4%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	2.6%	97.4%
Grade 9	0.7%	1.5%	2.9%	97.1%
Grade 10	3.4%	3.4%	5.7%	94.3%
Grade 11	2.5%	2.5%	2.5%	97.5%
Grade 12	0.9%	0.9%	2.8%	97.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 86 of 125

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	39,456	51.2%
Female	37,576	48.8%
Frequency Missing	272	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	5,901	7.7%
Yes	70,740	92.3%
Frequency Missing	662	

**Grade**

Q2	Frequency	Percent
Grade 7	13,322	17.3%
Grade 8	13,130	17.0%
Grade 9	13,003	16.8%
Grade 10	13,423	17.4%
Grade 11	13,050	16.9%
Grade 12	11,241	14.6%
Frequency Missing	134	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	3,119	4.5%
Asian American	311	0.5%
African American	2,803	4.1%
Pacific Islander	410	0.6%
White	30,431	44.3%
Other	22,181	32.3%
More Than One Race	9,426	13.7%
Frequency Missing	8,623	

**Live with Both Parents**

Q3	Frequency	Percent
No	33,488	43.8%
Yes	43,030	56.2%
Frequency Missing	785	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	290	0.4%
Mostly D's	1,462	2.1%
Mostly C's	12,757	18.7%
Mostly B's	38,035	55.8%
Mostly A's	15,650	22.9%
Frequency Missing	9,110	

**Age**

Q4	Frequency	Percent
11 or younger	402	0.5%
12	5,199	6.8%
13	11,481	14.9%
14	12,055	15.7%
15	12,649	16.4%
16	13,377	17.4%
17	13,064	17.0%
18	8,080	10.5%
19 or older	698	0.9%
Frequency Missing	299	

**Do You Have a Job**

Q7	Frequency	Percent
No	59,953	86.8%
Yes	9,107	13.2%
Frequency Missing	8,243	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	10,301	15.0%
Yes	41,674	60.7%
Don't Know	16,727	24.3%
Frequency Missing	8,602	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	53,950	89.9%
Yes	6,035	10.1%
Frequency Missing	17,318	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	34,346	53.0%
Yes	30,487	47.0%
Frequency Missing	12,471	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	47,970	78.6%
Yes	13,046	21.4%
Frequency Missing	16,287	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	47,935	77.8%
Yes	13,699	22.2%
Frequency Missing	15,670	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	44,489	73.1%
Yes	16,355	26.9%
Frequency Missing	16,459	

**Participate in School Choir**

Q9c	Frequency	Percent
No	55,136	91.8%
Yes	4,934	8.2%
Frequency Missing	17,233	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	41,282	66.9%
Yes	20,456	33.1%
Frequency Missing	15,565	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	55,202	92.1%
Yes	4,734	7.9%
Frequency Missing	17,367	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	49,221	81.6%
Yes	11,086	18.4%
Frequency Missing	16,996	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	65,885	85.8%
Somewhat Safe	9,696	12.6%
Not Very Safe	573	0.7%
Not Safe At All	172	0.2%
Don't Know	483	0.6%
Frequency Missing	493	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	7,935	10.8%
Some High School	11,913	16.2%
Finished High School	15,924	21.7%
Some College	11,699	15.9%
Finished College	11,184	15.2%
Post-Secondary	6,741	9.2%
Don't Know or N/A	8,041	10.9%
Frequency Missing	3,866	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	31,409	41.3%
Somewhat Safe	36,982	48.7%
Not Very Safe	4,885	6.4%
Not Safe At All	1,005	1.3%
Don't Know	1,707	2.2%
Frequency Missing	1,316	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	42,169	65.5%
Yes	22,171	34.5%
Frequency Missing	12,963	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	24,870	32.7%
Somewhat Safe	36,432	48.0%
Not Very Safe	8,658	11.4%
Not Safe At All	2,752	3.6%
Don't Know	3,254	4.3%
Frequency Missing	1,338	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	5,983	7.9%
A Few	20,227	26.6%
Some	19,437	25.6%
Most	22,046	29.0%
All	8,354	11.0%
Frequency Missing	1,256	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	7,314	10.1%
Some High School	11,430	15.8%
Finished High School	17,242	23.8%
Some College	8,848	12.2%
Finished College	8,882	12.3%
Post-Secondary	5,349	7.4%
Don't Know or N/A	13,287	18.4%
Frequency Missing	4,952	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	1,922	2.5%
A Few	11,795	15.6%
Some	19,420	25.7%
Most	28,539	37.8%
All	13,857	18.3%
Frequency Missing	1,770	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	38,080	51.1%
A Few	20,775	27.9%
Some	9,704	13.0%
Most	3,991	5.4%
All	1,926	2.6%
Frequency Missing	2,827	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	72,041	94.9%
In Your Lifetime	2,381	3.1%
Since School Began	390	0.5%
In the Past Month	1,110	1.5%
Frequency Missing	1,383	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	64,236	85.4%
A Few	7,173	9.5%
Some	2,521	3.4%
Most	658	0.9%
All	616	0.8%
Frequency Missing	2,099	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	74,560	98.9%
In Your Lifetime	315	0.4%
Since School Began	251	0.3%
In the Past Month	240	0.3%
Frequency Missing	1,937	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	62,216	82.2%
A Few	8,554	11.3%
Some	3,325	4.4%
Most	916	1.2%
All	657	0.9%
Frequency Missing	1,636	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	70,501	92.8%
In Your Lifetime	2,767	3.6%
Since School Began	753	1.0%
In the Past Month	1,964	2.6%
Frequency Missing	1,318	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	74,164	97.3%
In Your Lifetime	1,215	1.6%
Since School Began	297	0.4%
In the Past Month	508	0.7%
Frequency Missing	1,119	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	74,846	98.8%
In Your Lifetime	537	0.7%
Since School Began	139	0.2%
In the Past Month	265	0.3%
Frequency Missing	1,516	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	74,330	98.5%
In Your Lifetime	536	0.7%
Since School Began	94	0.1%
In the Past Month	490	0.6%
Frequency Missing	1,852	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	70,695	93.8%
In Your Lifetime	2,193	2.9%
Since School Began	600	0.8%
In the Past Month	1,892	2.5%
Frequency Missing	1,924	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	74,213	97.7%
In Your Lifetime	795	1.0%
Since School Began	173	0.2%
In the Past Month	743	1.0%
Frequency Missing	1,379	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	46,107	61.9%
In Your Lifetime	13,373	18.0%
Since School Began	3,954	5.3%
In the Past Month	11,045	14.8%
Frequency Missing	2,823	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	54,367	72.1%
In Your Lifetime	8,739	11.6%
Since School Began	3,578	4.7%
In the Past Month	8,762	11.6%
Frequency Missing	1,858	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	74,624	98.4%
In Your Lifetime	529	0.7%
Since School Began	153	0.2%
In the Past Month	534	0.7%
Frequency Missing	1,464	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	53,461	71.7%
In Your Lifetime	11,081	14.9%
Since School Began	3,522	4.7%
In the Past Month	6,455	8.7%
Frequency Missing	2,785	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	63,481	83.5%
In Your Lifetime	7,369	9.7%
Since School Began	1,419	1.9%
In the Past Month	3,731	4.9%
Frequency Missing	1,304	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	50,744	67.8%
In Your Lifetime	9,799	13.1%
Since School Began	4,189	5.6%
In the Past Month	10,164	13.6%
Frequency Missing	2,408	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	72,674	96.0%
In Your Lifetime	1,379	1.8%
Since School Began	367	0.5%
In the Past Month	1,264	1.7%
Frequency Missing	1,619	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	73,488	96.9%
In Your Lifetime	1,371	1.8%
Since School Began	337	0.4%
In the Past Month	605	0.8%
Frequency Missing	1,503	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	74,607	99.1%
In Your Lifetime	364	0.5%
Since School Began	114	0.2%
In the Past Month	212	0.3%
Frequency Missing	2,007	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	56,542	74.5%
In Your Lifetime	8,514	11.2%
Since School Began	3,038	4.0%
In the Past Month	7,787	10.3%
Frequency Missing	1,422	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	72,052	95.5%
In Your Lifetime	1,502	2.0%
Since School Began	630	0.8%
In the Past Month	1,281	1.7%
Frequency Missing	1,838	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	56,645	74.8%
In Your Lifetime	7,535	10.0%
Since School Began	2,965	3.9%
In the Past Month	8,564	11.3%
Frequency Missing	1,595	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	75,346	99.7%
In Your Lifetime	77	0.1%
Since School Began	30	0.0%
In the Past Month	155	0.2%
Frequency Missing	1,694	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	75,026	99.3%
In Your Lifetime	247	0.3%
Since School Began	61	0.1%
In the Past Month	236	0.3%
Frequency Missing	1,733	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	72,583	96.3%
In Your Lifetime	1,366	1.8%
Since School Began	275	0.4%
In the Past Month	1,117	1.5%
Frequency Missing	1,963	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	71,768	95.3%
In Your Lifetime	1,696	2.3%
Since School Began	600	0.8%
In the Past Month	1,282	1.7%
Frequency Missing	1,957	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	63,635	84.3%
In Your Lifetime	5,212	6.9%
Since School Began	2,418	3.2%
In the Past Month	4,221	5.6%
Frequency Missing	1,817	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	75,138	99.3%
In Your Lifetime	309	0.4%
Since School Began	64	0.1%
In the Past Month	163	0.2%
Frequency Missing	1,630	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	72,499	96.3%
In Your Lifetime	1,169	1.6%
Since School Began	609	0.8%
In the Past Month	1,025	1.4%
Frequency Missing	2,002	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	74,861	99.0%
In Your Lifetime	314	0.4%
Since School Began	86	0.1%
In the Past Month	346	0.5%
Frequency Missing	1,696	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	70,411	93.5%
In Your Lifetime	2,286	3.0%
Since School Began	931	1.2%
In the Past Month	1,645	2.2%
Frequency Missing	2,030	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	72,785	96.8%
In Your Lifetime	1,157	1.5%
Since School Began	429	0.6%
In the Past Month	823	1.1%
Frequency Missing	2,109	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	54,729	73.2%
1-2 times	12,002	16.1%
3-10 times	5,784	7.7%
11+ times	2,214	3.0%
Frequency Missing	2,575	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	69,014	92.1%
In Your Lifetime	2,743	3.7%
Since School Began	852	1.1%
In the Past Month	2,316	3.1%
Frequency Missing	2,378	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	73,496	98.1%
1-2 times	1,027	1.4%
3-10 times	313	0.4%
11+ times	122	0.2%
Frequency Missing	2,347	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	72,369	96.4%
In Your Lifetime	1,339	1.8%
Since School Began	344	0.5%
In the Past Month	981	1.3%
Frequency Missing	2,270	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	62,306	83.1%
1-2 times	5,911	7.9%
3-10 times	3,230	4.3%
11+ times	3,573	4.8%
Frequency Missing	2,283	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	69,037	92.2%
1-2 times	3,864	5.2%
3-10 times	1,290	1.7%
11+ times	702	0.9%
Frequency Missing	2,410	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	73,250	97.5%
1-2 times	1,292	1.7%
3-10 times	345	0.5%
11+ times	247	0.3%
Frequency Missing	2,169	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	74,468	99.4%
1-2 times	286	0.4%
3-10 times	92	0.1%
11+ times	70	0.1%
Frequency Missing	2,388	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	36,572	49.0%
A few	15,442	20.7%
Some	9,601	12.9%
Most	9,360	12.5%
All	3,694	4.9%
Frequency Missing	2,635	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	52,009	69.4%
A few	14,249	19.0%
Some	5,831	7.8%
Most	2,123	2.8%
All	713	1.0%
Frequency Missing	2,378	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	62,829	85.0%
8 or younger	601	0.8%
9 years old	281	0.4%
10 years old	519	0.7%
11 years old	517	0.7%
12 years old	1,260	1.7%
13 years old	1,340	1.8%
14 years old	1,611	2.2%
15 years old	1,832	2.5%
16 years old	1,728	2.3%
17 years old	943	1.3%
18 or older	440	0.6%
Frequency Missing	3,401	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	33,772	45.2%
A few	18,936	25.3%
Some	10,606	14.2%
Most	8,347	11.2%
All	3,109	4.2%
Frequency Missing	2,533	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	41,930	57.2%
8 or younger	2,933	4.0%
9 years old	914	1.2%
10 years old	1,464	2.0%
11 years old	1,400	1.9%
12 years old	2,943	4.0%
13 years old	4,279	5.8%
14 years old	4,970	6.8%
15 years old	5,636	7.7%
16 years old	4,040	5.5%
17 years old	2,079	2.8%
18 or older	704	1.0%
Frequency Missing	4,011	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	67,656	90.8%
A few	4,544	6.1%
Some	1,676	2.2%
Most	467	0.6%
All	195	0.3%
Frequency Missing	2,766	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	70,893	96.5%
8 or younger	223	0.3%
9 years old	180	0.2%
10 years old	178	0.2%
11 years old	370	0.5%
12 years old	525	0.7%
13 years old	375	0.5%
14 years old	289	0.4%
15 years old	231	0.3%
16 years old	139	0.2%
17 years old	96	0.1%
18 or older	0	0.0%
Frequency Missing	3,803	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	71,135	96.4%
8 or younger	67	0.1%
9 years old	21	0.0%
10 years old	0	0.0%
11 years old	82	0.1%
12 years old	163	0.2%
13 years old	308	0.4%
14 years old	299	0.4%
15 years old	563	0.8%
16 years old	592	0.8%
17 years old	419	0.6%
18 or older	165	0.2%
Frequency Missing	3,489	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	55,457	75.1%
8 or younger	374	0.5%
9 years old	290	0.4%
10 years old	718	1.0%
11 years old	734	1.0%
12 years old	2,212	3.0%
13 years old	2,530	3.4%
14 years old	3,187	4.3%
15 years old	3,457	4.7%
16 years old	3,307	4.5%
17 years old	1,168	1.6%
18 or older	418	0.6%
Frequency Missing	3,451	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	73,351	99.2%
8 or younger	41	0.1%
9 years old	11	0.0%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	47	0.1%
13 years old	123	0.2%
14 years old	43	0.1%
15 years old	93	0.1%
16 years old	110	0.1%
17 years old	63	0.1%
18 or older	33	0.0%
Frequency Missing	3,387	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	73,131	99.2%
8 or younger	55	0.1%
9 years old	57	0.1%
10 years old	0	0.0%
11 years old	16	0.0%
12 years old	47	0.1%
13 years old	155	0.2%
14 years old	79	0.1%
15 years old	86	0.1%
16 years old	31	0.0%
17 years old	21	0.0%
18 or older	13	0.0%
Frequency Missing	3,612	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	73,604	99.4%
8 or younger	57	0.1%
9 years old	0	0.0%
10 years old	47	0.1%
11 years old	27	0.0%
12 years old	7	0.0%
13 years old	88	0.1%
14 years old	65	0.1%
15 years old	14	0.0%
16 years old	39	0.1%
17 years old	65	0.1%
18 or older	0	0.0%
Frequency Missing	3,289	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	70,024	95.4%
8 or younger	79	0.1%
9 years old	0	0.0%
10 years old	11	0.0%
11 years old	57	0.1%
12 years old	129	0.2%
13 years old	364	0.5%
14 years old	407	0.6%
15 years old	1,009	1.4%
16 years old	851	1.2%
17 years old	415	0.6%
18 or older	81	0.1%
Frequency Missing	3,877	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	73,419	99.3%
8 or younger	35	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	29	0.0%
12 years old	47	0.1%
13 years old	41	0.1%
14 years old	55	0.1%
15 years old	127	0.2%
16 years old	116	0.2%
17 years old	53	0.1%
18 or older	0	0.0%
Frequency Missing	3,382	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Synthetic Marijuana**

Q211	Frequency	Percent
Never used it	71,622	97.0%
8 or younger	7	0.0%
9 years old	17	0.0%
10 years old	50	0.1%
11 years old	107	0.1%
12 years old	266	0.4%
13 years old	355	0.5%
14 years old	434	0.6%
15 years old	482	0.7%
16 years old	359	0.5%
17 years old	97	0.1%
18 or older	59	0.1%
Frequency Missing	3,447	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	29,134	39.1%
Impossible	12,228	16.4%
Very Difficult	4,212	5.7%
Somewhat diff	6,747	9.1%
Somewhat easy	9,267	12.4%
Very easy	12,924	17.3%
Frequency Missing	2,791	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	22,494	30.2%
Impossible	8,429	11.3%
Very Difficult	4,199	5.6%
Somewhat diff	8,642	11.6%
Somewhat easy	14,632	19.7%
Very easy	15,985	21.5%
Frequency Missing	2,923	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	38,639	52.1%
Impossible	10,153	13.7%
Very Difficult	2,727	3.7%
Somewhat diff	3,396	4.6%
Somewhat easy	5,705	7.7%
Very easy	13,533	18.3%
Frequency Missing	3,150	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	26,083	35.0%
Impossible	11,373	15.3%
Very Difficult	4,274	5.7%
Somewhat diff	6,659	8.9%
Somewhat easy	10,278	13.8%
Very easy	15,832	21.3%
Frequency Missing	2,805	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	35,092	47.1%
Impossible	17,565	23.6%
Very Difficult	7,061	9.5%
Somewhat diff	6,644	8.9%
Somewhat easy	3,947	5.3%
Very easy	4,165	5.6%
Frequency Missing	2,830	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	38,149	51.4%
Impossible	18,441	24.8%
Very Difficult	7,369	9.9%
Somewhat diff	5,329	7.2%
Somewhat easy	2,295	3.1%
Very easy	2,634	3.5%
Frequency Missing	3,086	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	39,788	53.6%
Impossible	17,672	23.8%
Very Difficult	7,057	9.5%
Somewhat diff	5,011	6.8%
Somewhat easy	2,356	3.2%
Very easy	2,285	3.1%
Frequency Missing	3,136	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	41,167	55.4%
Impossible	15,070	20.3%
Very Difficult	5,675	7.6%
Somewhat diff	4,505	6.1%
Somewhat easy	3,664	4.9%
Very easy	4,225	5.7%
Frequency Missing	2,997	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	40,101	54.0%
Impossible	15,421	20.8%
Very Difficult	5,853	7.9%
Somewhat diff	4,964	6.7%
Somewhat easy	3,772	5.1%
Very easy	4,131	5.6%
Frequency Missing	3,060	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	325	0.4%
Several times/wk	871	1.2%
Several times/mo	1,123	1.5%
About once/month	1,813	2.4%
About once/year	1,879	2.5%
Less than once/year	3,637	4.9%
Never used	64,647	87.0%
Frequency Missing	3,008	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	41,159	55.4%
Impossible	18,503	24.9%
Very Difficult	6,786	9.1%
Somewhat diff	4,023	5.4%
Somewhat easy	1,743	2.3%
Very easy	2,144	2.9%
Frequency Missing	2,945	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	236	0.3%
Several times/wk	1,870	2.5%
Several times/mo	5,326	7.2%
About once/month	7,817	10.6%
About once/year	6,921	9.4%
Less than once/year	5,855	7.9%
Never used	45,731	62.0%
Frequency Missing	3,547	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	42,814	57.5%
Impossible	17,618	23.7%
Very Difficult	6,321	8.5%
Somewhat diff	3,709	5.0%
Somewhat easy	1,764	2.4%
Very easy	2,210	3.0%
Frequency Missing	2,866	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	123	0.2%
Several times/wk	99	0.1%
Several times/mo	209	0.3%
About once/month	316	0.4%
About once/year	456	0.6%
Less than once/year	931	1.3%
Never used	71,636	97.1%
Frequency Missing	3,533	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	26	0.0%
Several times/wk	0	0.0%
Several times/mo	41	0.1%
About once/month	7	0.0%
About once/year	125	0.2%
Less than once/year	230	0.3%
Never used	73,856	99.4%
Frequency Missing	3,019	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	1,541	2.1%
Several times/wk	2,382	3.2%
Several times/mo	3,160	4.3%
About once/month	3,139	4.2%
About once/year	3,160	4.3%
Less than once/year	3,397	4.6%
Never used	57,337	77.4%
Frequency Missing	3,188	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	9	0.0%
Several times/wk	43	0.1%
Several times/mo	44	0.1%
About once/month	19	0.0%
About once/year	51	0.1%
Less than once/year	273	0.4%
Never used	73,669	99.4%
Frequency Missing	3,195	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	71	0.1%
Several times/wk	161	0.2%
Several times/mo	286	0.4%
About once/month	458	0.6%
About once/year	494	0.7%
Less than once/year	845	1.1%
Never used	71,931	96.9%
Frequency Missing	3,058	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	24	0.0%
Several times/wk	128	0.2%
Several times/mo	321	0.4%
About once/month	513	0.7%
About once/year	984	1.3%
Less than once/year	1,050	1.4%
Never used	71,183	95.9%
Frequency Missing	3,102	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	31	0.0%
Several times/wk	10	0.0%
Several times/mo	45	0.1%
About once/month	0	0.0%
About once/year	52	0.1%
Less than once/year	185	0.2%
Never used	73,989	99.6%
Frequency Missing	2,992	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	45,421	61.2%
12+ drinks	1,768	2.4%
9-11 drinks	1,171	1.6%
5-8 drinks	2,900	3.9%
3-4 drinks	4,770	6.4%
2 drinks	4,976	6.7%
1 drink	5,000	6.7%
Less than 1 drink	8,249	11.1%
Frequency Missing	3,049	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	0	0.0%
Several times/wk	37	0.0%
Several times/mo	64	0.1%
About once/month	52	0.1%
About once/year	149	0.2%
Less than once/year	177	0.2%
Never used	73,677	99.4%
Frequency Missing	3,148	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	52,165	70.7%
12+ drinks	1,088	1.5%
9-11 drinks	681	0.9%
5-8 drinks	2,148	2.9%
3-4 drinks	4,265	5.8%
2 drinks	4,266	5.8%
1 drink	4,703	6.4%
Less than 1 drink	4,506	6.1%
Frequency Missing	3,482	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	55	0.1%
Several times/wk	105	0.1%
Several times/mo	242	0.3%
About once/month	302	0.4%
About once/year	525	0.7%
Less than once/year	679	0.9%
Never used	71,919	97.4%
Frequency Missing	3,475	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	51,691	70.1%
12+ drinks	651	0.9%
9-11 drinks	239	0.3%
5-8 drinks	718	1.0%
3-4 drinks	2,127	2.9%
2 drinks	3,433	4.7%
1 drink	6,264	8.5%
Less than 1 drink	8,614	11.7%
Frequency Missing	3,565	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	48,453	65.5%
12+ drinks	1,972	2.7%
9-11 drinks	1,078	1.5%
5-8 drinks	3,067	4.1%
3-4 drinks	4,764	6.4%
2 drinks	3,646	4.9%
1 drink	4,494	6.1%
Less than 1 drink	6,507	8.8%
Frequency Missing	3,322	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	41,743	56.8%
Never	12,363	16.8%
Seldom	9,271	12.6%
Most of the Time	7,975	10.9%
Always	2,102	2.9%
Frequency Missing	3,848	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	41,568	56.6%
0 days	22,310	30.4%
1 day	3,856	5.3%
2 days	2,306	3.1%
3 to 5 days	1,890	2.6%
6 to 9 days	515	0.7%
10 or more days	982	1.3%
Frequency Missing	3,877	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	44,030	60.2%
Never	22,366	30.6%
Seldom	3,489	4.8%
Most of the Time	2,163	3.0%
Always	1,144	1.6%
Frequency Missing	4,111	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	44,749	60.7%
Never	13,897	18.9%
Seldom	10,300	14.0%
Most of the Time	3,392	4.6%
Always	1,342	1.8%
Frequency Missing	3,623	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	39,542	53.9%
Never	9,814	13.4%
Seldom	7,937	10.8%
Most of the Time	8,163	11.1%
Always	7,964	10.8%
Frequency Missing	3,884	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	44,863	61.9%
Never	15,782	21.8%
Seldom	4,956	6.8%
Most of the Time	3,509	4.8%
Always	3,380	4.7%
Frequency Missing	4,814	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	49,224	66.8%
Somewhat	15,521	21.1%
Not very	4,582	6.2%
Not at all	920	1.2%
Don't know	3,436	4.7%
Frequency Missing	3,620	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	63,458	86.5%
Somewhat	5,171	7.0%
Not very	844	1.2%
Not at all	387	0.5%
Don't know	3,482	4.7%
Frequency Missing	3,961	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	37,337	50.8%
Somewhat	22,274	30.3%
Not very	9,029	12.3%
Not at all	1,943	2.6%
Don't know	2,892	3.9%
Frequency Missing	3,828	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	64,601	88.1%
Somewhat	4,238	5.8%
Not very	423	0.6%
Not at all	315	0.4%
Don't know	3,749	5.1%
Frequency Missing	3,976	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	55,843	76.1%
Somewhat	8,969	12.2%
Not very	3,199	4.4%
Not at all	656	0.9%
Don't know	4,669	6.4%
Frequency Missing	3,968	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	60,604	82.7%
Somewhat	5,730	7.8%
Not very	1,313	1.8%
Not at all	635	0.9%
Don't know	5,028	6.9%
Frequency Missing	3,992	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	40,547	55.3%
Somewhat	10,219	13.9%
Not very	9,943	13.5%
Not at all	9,521	13.0%
Don't know	3,156	4.3%
Frequency Missing	3,917	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	59,230	80.7%
Somewhat	6,911	9.4%
Not very	1,918	2.6%
Not at all	592	0.8%
Don't know	4,709	6.4%
Frequency Missing	3,942	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	65,250	88.8%
Somewhat	3,216	4.4%
Not very	497	0.7%
Not at all	262	0.4%
Don't know	4,262	5.8%
Frequency Missing	3,816	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	43,594	59.7%
Somewhat	8,732	12.0%
Not very	9,283	12.7%
Not at all	7,292	10.0%
Don't know	4,081	5.6%
Frequency Missing	4,321	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	64,906	88.5%
Somewhat	3,213	4.4%
Not very	467	0.6%
Not at all	344	0.5%
Don't know	4,404	6.0%
Frequency Missing	3,969	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	58,043	79.4%
1-3 days	10,290	14.1%
4-9 days	2,779	3.8%
10+ days	1,968	2.7%
Frequency Missing	4,223	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	61,261	83.6%
Somewhat	4,610	6.3%
Not very	1,718	2.3%
Not at all	737	1.0%
Don't know	4,914	6.7%
Frequency Missing	4,063	

**Days Ill Since September**

Q28b	Frequency	Percent
None	22,943	31.5%
1-3 days	35,722	49.1%
4-9 days	11,331	15.6%
10+ days	2,794	3.8%
Frequency Missing	4,513	

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	56,730	77.5%
Somewhat	8,230	11.2%
Not very	2,657	3.6%
Not at all	955	1.3%
Don't know	4,629	6.3%
Frequency Missing	4,102	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	29,630	41.1%
1-3 days	33,359	46.3%
4-9 days	6,433	8.9%
10+ days	2,662	3.7%
Frequency Missing	5,219	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	64,820	88.9%
1-3 days	6,491	8.9%
4-9 days	816	1.1%
10+ days	773	1.1%
Frequency Missing	4,403	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	70,210	96.5%
1-3 times	2,063	2.8%
4-9 times	254	0.3%
10+ times	197	0.3%
Frequency Missing	4,580	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	65,356	89.7%
1-3 days	5,963	8.2%
4-9 days	790	1.1%
10+ days	736	1.0%
Frequency Missing	4,458	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	68,958	94.8%
1-3 times	2,508	3.4%
4-9 times	598	0.8%
10+ times	642	0.9%
Frequency Missing	4,597	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	70,694	96.9%
1-3 times	1,850	2.5%
4-9 times	223	0.3%
10+ times	200	0.3%
Frequency Missing	4,337	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	69,494	95.4%
1-3 days	2,834	3.9%
4-9 days	270	0.4%
10+ days	254	0.3%
Frequency Missing	4,452	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	69,990	96.2%
1-3 times	2,207	3.0%
4-9 times	324	0.4%
10+ times	226	0.3%
Frequency Missing	4,557	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	64,419	88.6%
1-3 days	4,600	6.3%
4-9 days	1,461	2.0%
10+ days	2,248	3.1%
Frequency Missing	4,576	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	71,844	99.1%
1-3 days	601	0.8%
4-9 days	62	0.1%
10+ days	26	0.0%
Frequency Missing	4,771	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	60,946	90.7%
Yes	6,246	9.3%
Frequency Missing	10,111	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	69,333	95.5%
1-3 days	2,324	3.2%
4-9 days	497	0.7%
10+ days	411	0.6%
Frequency Missing	4,738	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	40,977	57.4%
Yes	30,465	42.6%
Frequency Missing	5,861	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	35,266	48.6%
Seldom	5,518	7.6%
Half the time	3,836	5.3%
Most of the Time	7,055	9.7%
Always	9,220	12.7%
Don't Know	1,562	2.2%
Didn't attend	10,112	13.9%
Frequency Missing	4,733	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	51,547	72.6%
Yes	19,463	27.4%
Frequency Missing	6,293	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	37,569	52.8%
Yes	33,549	47.2%
Frequency Missing	6,186	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	41,104	56.7%
Seldom	3,977	5.5%
Half the time	3,100	4.3%
Most of the Time	5,623	7.8%
Always	6,618	9.1%
Don't Know	1,965	2.7%
Didn't attend	10,110	13.9%
Frequency Missing	4,805	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	20,166	28.1%
Yes	51,588	71.9%
Frequency Missing	5,549	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	27,139	38.2%
Yes	43,876	61.8%
Frequency Missing	6,289	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	27,904	39.5%
Yes	42,756	60.5%
Frequency Missing	6,643	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	28,011	39.7%
Yes	42,530	60.3%
Frequency Missing	6,762	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	33,399	47.5%
Yes	36,880	52.5%
Frequency Missing	7,024	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	28,406	39.9%
Yes	42,797	60.1%
Frequency Missing	6,101	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	43,196	61.9%
Yes	26,632	38.1%
Frequency Missing	7,476	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	40,157	56.5%
Yes	30,901	43.5%
Frequency Missing	6,244	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	51,419	73.6%
Yes	18,400	26.4%
Frequency Missing	7,485	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	53,774	77.9%
Yes	15,265	22.1%
Frequency Missing	8,264	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	47,055	67.5%
Yes	22,633	32.5%
Frequency Missing	7,615	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	53,322	76.7%
Yes	16,219	23.3%
Frequency Missing	7,762	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	40,750	58.4%
Yes	28,983	41.6%
Frequency Missing	7,571	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	44,559	64.4%
Yes	24,589	35.6%
Frequency Missing	8,156	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	57,800	79.6%
Mild disapprove	4,393	6.0%
Neither	3,590	4.9%
Mildly approve	697	1.0%
Strongly approve	578	0.8%
Don't know	5,556	7.7%
Frequency Missing	4,689	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	46,032	63.6%
Mild disapprove	9,972	13.8%
Neither	8,156	11.3%
Mildly approve	2,171	3.0%
Strongly approve	634	0.9%
Don't know	5,454	7.5%
Frequency Missing	4,885	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	54,227	74.9%
Mild disapprove	4,926	6.8%
Neither	5,350	7.4%
Mildly approve	1,251	1.7%
Strongly approve	1,231	1.7%
Don't know	5,388	7.4%
Frequency Missing	4,928	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_l)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



