

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2018



HHSC REGION 11 REPORT

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>110</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 11. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	12.8%	15.8%	26.7%	73.3%
Grade 7	5.5%	6.6%	14.1%	85.9%
Grade 8	6.2%	8.3%	15.3%	84.7%
Grade 9	11.4%	15.0%	25.0%	75.0%
Grade 10	15.1%	18.8%	31.8%	68.2%
Grade 11	17.1%	20.9%	35.4%	64.6%
Grade 12	23.4%	27.3%	41.1%	58.9%
<b>Cigarettes?</b>				
All	5.1%	6.8%	15.8%	84.2%
Grade 7	2.4%	3.1%	8.7%	91.3%
Grade 8	1.2%	2.1%	7.2%	92.8%
Grade 9	3.7%	4.6%	12.0%	88.0%
Grade 10	5.5%	8.1%	19.2%	80.8%
Grade 11	6.8%	9.4%	22.9%	77.1%
Grade 12	12.1%	15.1%	27.1%	72.9%
<b>Smokeless Tobacco?</b>				
All	2.3%	3.1%	6.0%	94.0%
Grade 7	1.3%	1.7%	3.4%	96.6%
Grade 8	0.5%	0.5%	2.5%	97.5%
Grade 9	1.5%	2.2%	4.7%	95.3%
Grade 10	2.5%	4.0%	7.0%	93.0%
Grade 11	4.2%	5.6%	9.1%	90.9%
Grade 12	3.8%	5.4%	10.1%	89.9%
<b>Electronic Vapor Products?</b>				
All	7.1%	10.2%	19.6%	80.4%
Grade 7	3.0%	4.2%	10.0%	90.0%
Grade 8	3.6%	5.6%	10.6%	89.4%
Grade 9	6.9%	10.6%	19.1%	80.9%
Grade 10	7.7%	10.7%	23.0%	77.0%
Grade 11	9.5%	13.9%	25.3%	74.7%
Grade 12	12.6%	17.0%	31.5%	68.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 125

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	88.3%	0.7%	0.9%	1.6%	2.6%	2.3%	3.7%
Grade 7	94.9%	0.1%	0.5%	0.4%	0.8%	0.8%	2.4%
Grade 8	95.3%	0.0%	0.1%	0.7%	1.4%	1.3%	1.3%
Grade 9	90.6%	0.3%	0.6%	1.1%	1.9%	1.9%	3.6%
Grade 10	85.0%	0.6%	1.0%	1.7%	3.6%	3.5%	4.7%
Grade 11	82.6%	1.2%	1.1%	2.3%	3.7%	3.2%	5.9%
Grade 12	79.1%	2.1%	2.3%	3.7%	4.7%	3.4%	4.7%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.6	10.9	11.9	12.8	13.4	14.1	15.2

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.6%	16.9%	5.4%	8.9%	12.0%	15.2%
Grade 7	51.3%	23.0%	5.8%	7.1%	6.6%	6.1%
Grade 8	46.8%	22.4%	5.7%	8.8%	9.4%	7.0%
Grade 9	44.1%	15.2%	6.6%	9.9%	11.9%	12.3%
Grade 10	36.0%	15.3%	5.5%	10.6%	16.7%	15.8%
Grade 11	35.6%	13.8%	4.4%	9.7%	14.2%	22.3%
Grade 12	34.2%	10.9%	4.1%	6.7%	13.2%	31.0%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	73.6%	17.2%	6.3%	2.2%	0.7%
Grade 7	84.2%	11.1%	3.3%	1.0%	0.4%
Grade 8	85.9%	9.7%	3.4%	0.8%	0.2%
Grade 9	75.8%	16.4%	5.9%	1.6%	0.3%
Grade 10	65.6%	22.4%	7.8%	3.0%	1.2%
Grade 11	67.4%	20.9%	7.9%	3.2%	0.5%
Grade 12	60.3%	23.6%	9.8%	4.2%	2.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 4 of 125

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.9%	6.4%	4.9%	1.1%	0.7%	8.1%
Grade 7	81.6%	5.1%	2.3%	0.6%	0.4%	10.0%
Grade 8	83.5%	4.3%	2.8%	0.5%	0.8%	8.1%
Grade 9	78.1%	6.3%	4.8%	0.7%	0.9%	9.3%
Grade 10	80.6%	6.2%	5.0%	0.9%	0.6%	6.7%
Grade 11	77.6%	8.3%	5.9%	1.4%	0.8%	6.0%
Grade 12	71.0%	8.5%	9.2%	2.7%	0.6%	8.0%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	65.7%	20.2%	6.4%	2.0%	5.7%
Grade 7	74.8%	14.2%	4.0%	1.5%	5.4%
Grade 8	73.1%	17.4%	4.3%	1.5%	3.7%
Grade 9	68.0%	19.2%	5.4%	1.4%	6.0%
Grade 10	57.2%	24.8%	8.3%	2.9%	6.8%
Grade 11	59.8%	24.7%	7.7%	2.2%	5.6%
Grade 12	59.6%	21.7%	9.4%	2.6%	6.8%
<b>Electronic Vapor Products?</b>					
All	61.7%	10.4%	11.3%	9.7%	7.0%
Grade 7	71.2%	10.2%	7.0%	5.0%	6.7%
Grade 8	67.7%	10.8%	8.2%	7.5%	5.8%
Grade 9	61.1%	10.6%	12.1%	9.4%	6.9%
Grade 10	55.5%	10.9%	12.0%	12.6%	9.0%
Grade 11	54.1%	11.0%	16.7%	12.0%	6.2%
Grade 12	59.7%	8.8%	12.1%	12.2%	7.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 5 of 125



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	29.0%	33.5%	48.2%	51.8%
Grade 7	14.3%	17.4%	32.8%	67.2%
Grade 8	17.2%	21.0%	34.4%	65.6%
Grade 9	28.6%	31.7%	46.3%	53.7%
Grade 10	38.6%	45.1%	58.3%	41.7%
Grade 11	34.5%	40.2%	58.5%	41.5%
Grade 12	43.1%	47.9%	61.2%	38.8%
Beer?				
All	11.9%	17.0%	37.3%	62.7%
Grade 7	4.1%	6.0%	24.6%	75.4%
Grade 8	5.7%	8.3%	24.7%	75.3%
Grade 9	11.2%	15.2%	35.7%	64.3%
Grade 10	16.1%	24.3%	46.2%	53.8%
Grade 11	14.9%	21.2%	45.6%	54.4%
Grade 12	20.9%	29.1%	49.0%	51.0%
Wine Coolers?				
All	9.2%	13.6%	28.3%	71.7%
Grade 7	3.3%	4.8%	15.4%	84.6%
Grade 8	4.8%	6.9%	16.4%	83.6%
Grade 9	6.4%	10.3%	25.9%	74.1%
Grade 10	13.5%	18.8%	36.4%	63.6%
Grade 11	11.7%	17.4%	37.2%	62.8%
Grade 12	17.0%	25.4%	41.2%	58.8%
Wine?				
All	7.3%	11.1%	28.2%	71.8%
Grade 7	4.2%	5.7%	17.6%	82.4%
Grade 8	5.3%	6.9%	18.9%	81.1%
Grade 9	6.1%	9.2%	26.0%	74.0%
Grade 10	8.3%	14.2%	34.5%	65.5%
Grade 11	8.9%	14.0%	35.3%	64.7%
Grade 12	11.7%	17.6%	38.7%	61.3%
Liquor?				
All	11.2%	16.8%	33.5%	66.5%
Grade 7	2.5%	4.8%	14.8%	85.2%
Grade 8	5.5%	8.0%	18.8%	81.2%
Grade 9	8.9%	13.7%	30.8%	69.2%
Grade 10	15.3%	23.3%	44.1%	55.9%
Grade 11	16.6%	23.5%	45.5%	54.5%
Grade 12	20.6%	30.2%	50.4%	49.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 125

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	64.5%	0.3%	2.0%	6.8%	10.2%	8.9%	7.2%
Grade 7	81.9%	0.1%	0.9%	2.2%	3.5%	4.6%	6.7%
Grade 8	80.3%	0.0%	1.2%	3.3%	4.1%	6.0%	5.1%
Grade 9	65.5%	0.6%	1.5%	5.2%	10.2%	8.9%	8.1%
Grade 10	53.1%	0.4%	3.3%	8.9%	15.8%	10.5%	8.2%
Grade 11	54.3%	0.2%	1.9%	9.6%	13.0%	12.0%	9.1%
Grade 12	49.0%	0.2%	3.9%	13.2%	15.5%	12.3%	5.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	66.8%	33.2%	6.2%	17.6%	9.4%
	Grade 7	78.5%	21.5%	1.3%	10.6%	9.6%
	Grade 8	78.5%	21.5%	1.7%	11.0%	8.8%
	Grade 9	68.1%	31.9%	4.0%	17.4%	10.5%
	Grade 10	57.6%	42.4%	9.6%	23.6%	9.2%
	Grade 11	59.6%	40.4%	7.6%	22.2%	10.6%
	Grade 12	56.7%	43.3%	14.3%	21.8%	7.1%
<b>Wine Coolers</b>						
	All	75.2%	24.8%	5.4%	14.0%	5.4%
	Grade 7	87.3%	12.7%	2.2%	5.6%	4.9%
	Grade 8	85.7%	14.3%	1.9%	8.2%	4.3%
	Grade 9	77.7%	22.3%	3.2%	12.5%	6.7%
	Grade 10	67.9%	32.1%	7.7%	18.3%	6.2%
	Grade 11	66.8%	33.2%	7.2%	20.0%	6.0%
	Grade 12	63.4%	36.6%	11.4%	20.8%	4.4%
<b>Wine</b>						
	All	75.6%	24.4%	2.3%	12.9%	9.2%
	Grade 7	84.9%	15.1%	1.4%	6.9%	6.8%
	Grade 8	84.1%	15.9%	0.7%	6.6%	8.7%
	Grade 9	76.9%	23.1%	1.8%	12.0%	9.3%
	Grade 10	70.0%	30.0%	2.9%	16.7%	10.4%
	Grade 11	68.8%	31.2%	2.6%	17.4%	11.2%
	Grade 12	67.0%	33.0%	5.2%	18.8%	9.0%
<b>Liquor</b>						
	All	68.9%	31.1%	7.4%	16.0%	7.6%
	Grade 7	86.3%	13.7%	2.0%	5.9%	5.8%
	Grade 8	83.3%	16.7%	2.5%	7.7%	6.5%
	Grade 9	72.4%	27.6%	5.4%	14.4%	7.8%
	Grade 10	57.6%	42.4%	9.6%	24.0%	8.7%
	Grade 11	57.7%	42.3%	10.3%	22.6%	9.4%
	Grade 12	53.0%	47.0%	15.9%	23.4%	7.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.4%	4.6%	2.7%	2.2%	0.8%	1.3%
Grade 7	95.4%	2.3%	0.7%	1.0%	0.3%	0.3%
Grade 8	94.1%	3.0%	1.3%	0.7%	0.4%	0.5%
Grade 9	90.4%	3.9%	1.9%	1.9%	0.7%	1.3%
Grade 10	85.0%	5.1%	4.3%	2.4%	0.9%	2.2%
Grade 11	84.9%	6.4%	4.3%	2.4%	0.8%	1.2%
Grade 12	79.0%	7.8%	3.9%	5.3%	1.7%	2.2%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.4	10.8	11.5	12.8	13.4	14.3	15.3

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	32.3%	12.7%	4.6%	10.3%	16.9%	23.2%
Grade 7	44.1%	19.4%	5.3%	8.2%	9.9%	13.1%
Grade 8	41.5%	19.0%	4.6%	9.1%	12.0%	13.9%
Grade 9	33.5%	11.7%	4.0%	11.5%	17.0%	22.3%
Grade 10	25.9%	8.5%	5.1%	11.2%	22.3%	27.1%
Grade 11	23.2%	9.1%	3.5%	12.0%	21.5%	30.6%
Grade 12	23.8%	7.5%	5.0%	9.5%	19.7%	34.5%

**Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.9%	3.1%	0.5%	0.5%
Grade 7	96.2%	3.0%	0.4%	0.4%
Grade 8	96.9%	2.7%	0.3%	0.1%
Grade 9	95.8%	3.1%	0.6%	0.5%
Grade 10	96.0%	2.9%	0.7%	0.4%
Grade 11	95.9%	3.4%	0.2%	0.6%
Grade 12	94.9%	3.5%	0.9%	0.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 9 of 125

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.4
Alcohol Non-Users	3.4
Average Days Conduct Problems Reported	
Alcohol Users	2.5
Alcohol Non-Users	1.0

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.1%	3.6%	0.5%	0.7%
Grade 9	97.6%	1.7%	0.3%	0.4%
Grade 10	96.2%	2.9%	0.0%	0.9%
Grade 11	94.1%	5.0%	0.4%	0.6%
Grade 12	91.8%	5.4%	1.5%	1.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.6%	2.9%	0.3%	0.2%
Grade 7	97.9%	1.5%	0.3%	0.2%
Grade 8	97.7%	1.9%	0.1%	0.3%
Grade 9	96.9%	2.4%	0.4%	0.3%
Grade 10	95.2%	4.5%	0.1%	0.2%
Grade 11	95.7%	3.7%	0.4%	0.2%
Grade 12	95.9%	3.4%	0.5%	0.2%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	49.8%	24.1%	13.6%	9.1%	3.3%
Grade 7	72.9%	17.0%	6.6%	2.6%	0.9%
Grade 8	69.7%	20.3%	6.5%	3.2%	0.4%
Grade 9	49.3%	26.8%	15.3%	6.7%	1.9%
Grade 10	34.0%	28.8%	17.7%	13.5%	6.1%
Grade 11	35.8%	27.1%	20.1%	12.1%	5.0%
Grade 12	34.7%	24.3%	16.2%	18.2%	6.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 10 of 125

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	52.6%	7.3%	5.8%	8.0%	10.4%	2.3%	13.7%
Grade 7	75.0%	5.7%	4.2%	4.1%	1.6%	2.1%	7.4%
Grade 8	69.2%	7.6%	5.3%	3.7%	2.1%	2.0%	10.1%
Grade 9	50.5%	10.5%	7.4%	8.3%	6.2%	2.5%	14.6%
Grade 10	39.8%	7.7%	6.1%	10.4%	15.6%	3.7%	16.6%
Grade 11	39.5%	5.9%	6.8%	10.6%	16.7%	1.8%	18.7%
Grade 12	38.7%	5.6%	4.7%	11.3%	22.4%	1.6%	15.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	62.6%	18.5%	12.9%	3.9%	2.0%
	Grade 7	70.2%	18.5%	7.3%	3.0%	1.0%
	Grade 8	72.7%	14.2%	8.5%	2.9%	1.7%
	Grade 9	62.8%	16.7%	15.2%	3.2%	2.2%
	Grade 10	57.5%	18.3%	16.7%	5.4%	2.2%
	Grade 11	56.2%	22.6%	15.3%	3.4%	2.5%
	Grade 12	54.5%	21.7%	14.9%	5.9%	2.9%
<b>Friends?</b>						
	All	60.1%	16.1%	10.7%	9.9%	3.3%
	Grade 7	72.9%	18.6%	3.9%	3.5%	1.1%
	Grade 8	75.0%	15.6%	5.4%	3.1%	1.0%
	Grade 9	63.0%	16.4%	9.5%	8.0%	3.0%
	Grade 10	50.6%	16.9%	13.7%	15.0%	3.9%
	Grade 11	51.1%	14.7%	17.2%	12.8%	4.2%
	Grade 12	44.8%	14.0%	15.8%	18.5%	6.9%
<b>A Store?</b>						
	All	62.8%	28.4%	3.9%	3.2%	1.6%
	Grade 7	71.8%	24.6%	1.5%	1.0%	1.1%
	Grade 8	75.2%	20.0%	2.7%	1.6%	0.4%
	Grade 9	65.5%	28.4%	3.4%	1.8%	0.9%
	Grade 10	55.8%	32.9%	5.0%	4.3%	1.9%
	Grade 11	55.8%	33.3%	4.8%	4.2%	1.9%
	Grade 12	50.4%	32.3%	6.4%	7.2%	3.8%
<b>Parties?</b>						
	All	57.4%	14.2%	9.0%	10.7%	8.7%
	Grade 7	69.3%	16.6%	6.3%	4.8%	3.0%
	Grade 8	70.3%	13.8%	7.4%	5.4%	3.1%
	Grade 9	60.8%	14.9%	9.2%	9.3%	5.8%
	Grade 10	49.1%	14.9%	8.4%	16.5%	11.1%
	Grade 11	47.9%	12.9%	12.0%	14.1%	13.1%
	Grade 12	44.2%	11.6%	11.1%	15.2%	18.0%
<b>Other Sources?</b>						
	All	63.9%	20.4%	6.1%	5.2%	4.4%
	Grade 7	72.3%	18.9%	3.8%	2.7%	2.3%
	Grade 8	73.5%	16.3%	4.3%	3.8%	2.0%
	Grade 9	65.9%	20.6%	5.8%	4.5%	3.2%
	Grade 10	58.1%	22.7%	6.9%	6.1%	6.2%
	Grade 11	58.2%	21.0%	8.1%	6.6%	6.1%
	Grade 12	53.3%	23.1%	8.4%	8.0%	7.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	64.3%	12.2%	10.7%	4.0%	1.1%	7.6%
Grade 7	74.6%	7.8%	5.0%	1.5%	1.0%	10.1%
Grade 8	73.5%	9.4%	5.8%	2.0%	1.6%	7.7%
Grade 9	63.6%	12.6%	10.2%	3.6%	1.1%	8.9%
Grade 10	60.5%	13.5%	12.9%	5.4%	1.0%	6.6%
Grade 11	58.0%	16.0%	14.1%	5.9%	0.9%	5.1%
Grade 12	54.1%	14.2%	17.6%	6.0%	1.2%	6.9%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	53.0%	26.5%	13.3%	3.3%	3.9%
Grade 7	61.6%	19.6%	11.1%	3.2%	4.5%
Grade 8	59.2%	24.3%	10.1%	3.2%	3.2%
Grade 9	53.2%	25.5%	13.9%	3.0%	4.4%
Grade 10	46.0%	29.6%	16.6%	4.1%	3.6%
Grade 11	48.4%	30.5%	14.7%	3.3%	3.1%
Grade 12	48.7%	30.5%	13.4%	3.0%	4.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 13 of 125



## Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	14.8%	17.6%	22.9%	77.1%
Grade 7	6.5%	8.4%	10.6%	89.4%
Grade 8	7.4%	9.2%	11.4%	88.6%
Grade 9	14.0%	17.1%	22.6%	77.4%
Grade 10	19.1%	22.5%	28.3%	71.7%
Grade 11	19.7%	22.4%	31.1%	68.9%
Grade 12	23.5%	27.5%	35.5%	64.5%
<b>Marijuana?</b>				
All	14.5%	16.4%	21.6%	78.4%
Grade 7	5.9%	6.9%	8.8%	91.2%
Grade 8	7.2%	7.9%	10.1%	89.9%
Grade 9	13.6%	15.6%	21.0%	79.0%
Grade 10	19.0%	21.3%	26.8%	73.2%
Grade 11	19.7%	21.9%	30.5%	69.5%
Grade 12	22.9%	26.7%	35.0%	65.0%
<b>Cocaine?</b>				
All	2.0%	2.3%	3.6%	96.4%
Grade 7	1.4%	1.4%	2.0%	98.0%
Grade 8	1.2%	1.4%	2.1%	97.9%
Grade 9	1.1%	1.2%	1.7%	98.3%
Grade 10	2.8%	3.3%	5.0%	95.0%
Grade 11	2.2%	3.1%	5.7%	94.3%
Grade 12	3.5%	3.9%	5.9%	94.1%
<b>Crack?</b>				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	1.2%	1.4%	1.4%	98.6%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.7%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	0.5%	0.7%	1.0%	99.0%
<b>Hallucinogens?</b>				
All	0.9%	1.2%	2.7%	97.3%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.8%	1.9%	98.1%
Grade 10	0.9%	1.4%	2.9%	97.1%
Grade 11	0.9%	1.7%	3.9%	96.1%
Grade 12	2.3%	2.8%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 14 of 125

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids?				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.2%	0.4%	0.9%	99.1%
Grade 12	0.2%	0.6%	1.3%	98.7%
Ecstasy?				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.4%	1.6%	98.4%
Grade 10	0.9%	1.3%	3.0%	97.0%
Grade 11	1.0%	1.2%	3.6%	96.4%
Grade 12	1.1%	1.5%	3.2%	96.8%
Heroin?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.2%	0.5%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.3%	99.7%
Methamphetamine?				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.5%	0.6%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.1%	1.6%	3.9%	96.1%
Grade 7	0.9%	1.4%	2.5%	97.5%
Grade 8	1.0%	1.4%	2.7%	97.3%
Grade 9	1.0%	1.5%	3.7%	96.3%
Grade 10	1.2%	2.0%	4.0%	96.0%
Grade 11	1.5%	2.1%	6.4%	93.6%
Grade 12	1.1%	1.3%	4.2%	95.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 16 of 125

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	82.0%	1.8%	2.4%	3.1%	4.0%	2.9%	3.7%
Grade 7	92.8%	0.7%	1.6%	0.5%	1.4%	1.1%	1.9%
Grade 8	91.8%	0.5%	0.8%	2.0%	2.1%	1.0%	1.8%
Grade 9	83.4%	1.2%	2.3%	2.8%	3.0%	3.3%	3.9%
Grade 10	76.6%	2.5%	3.4%	4.0%	5.5%	3.6%	4.3%
Grade 11	73.1%	2.9%	2.8%	4.2%	6.0%	4.9%	6.1%
Grade 12	72.4%	3.0%	3.8%	5.7%	6.8%	3.8%	4.4%
Cocaine?							
All	97.5%	0.1%	0.1%	0.3%	0.6%	0.5%	0.8%
Grade 7	98.8%	0.0%	0.2%	0.1%	0.3%	0.2%	0.5%
Grade 8	98.4%	0.0%	0.0%	0.1%	0.6%	0.3%	0.5%
Grade 9	98.9%	0.1%	0.0%	0.1%	0.3%	0.3%	0.3%
Grade 10	96.5%	0.4%	0.1%	0.5%	0.9%	0.9%	0.7%
Grade 11	95.7%	0.1%	0.3%	0.3%	1.0%	0.9%	1.8%
Grade 12	96.5%	0.1%	0.4%	0.7%	0.5%	0.6%	1.1%
Crack?							
All	99.4%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 7	98.9%	0.0%	0.2%	0.0%	0.3%	0.2%	0.4%
Grade 8	99.5%	0.0%	0.0%	0.0%	0.2%	0.1%	0.2%
Grade 9	99.6%	0.2%	0.1%	0.0%	0.1%	0.0%	0.1%
Grade 10	99.7%	0.2%	0.0%	0.0%	0.1%	0.0%	0.1%
Grade 11	99.5%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%
Grade 12	99.5%	0.1%	0.0%	0.0%	0.0%	0.1%	0.4%
Steroids?							
All	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 7	99.4%	0.1%	0.0%	0.1%	0.2%	0.1%	0.1%
Grade 8	99.6%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
Grade 10	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.4%	0.0%	0.0%	0.1%	0.2%	0.0%	0.2%
Grade 12	99.4%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
Ecstasy?							
All	98.6%	0.0%	0.0%	0.1%	0.1%	0.5%	0.6%
Grade 7	99.7%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
Grade 8	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
Grade 9	99.2%	0.1%	0.0%	0.1%	0.0%	0.5%	0.1%
Grade 10	97.9%	0.0%	0.2%	0.2%	0.4%	0.9%	0.4%
Grade 11	97.1%	0.0%	0.0%	0.3%	0.2%	0.7%	1.6%
Grade 12	97.5%	0.0%	0.0%	0.1%	0.2%	0.8%	1.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 125

**Table D-2: How Often Do You Normally Use...**  
(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?							
All	99.6%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
Grade 7	99.5%	0.0%	0.3%	0.0%	0.0%	0.1%	0.1%
Grade 8	99.7%	0.2%	0.0%	0.0%	0.1%	0.0%	0.0%
Grade 9	99.6%	0.0%	0.0%	0.2%	0.2%	0.0%	0.1%
Grade 10	99.8%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
Grade 11	99.3%	0.0%	0.0%	0.1%	0.0%	0.2%	0.4%
Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?							
All	99.5%	0.0%	0.1%	0.1%	0.1%	0.1%	0.2%
Grade 7	99.3%	0.0%	0.2%	0.3%	0.1%	0.2%	0.0%
Grade 8	99.5%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 9	99.8%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
Grade 10	99.8%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%
Grade 11	99.2%	0.0%	0.1%	0.0%	0.0%	0.2%	0.6%
Grade 12	99.2%	0.0%	0.0%	0.2%	0.0%	0.2%	0.4%
Synthetic Marijuana?							
All	97.4%	0.1%	0.2%	0.3%	0.3%	0.6%	1.1%
Grade 7	98.2%	0.1%	0.1%	0.2%	0.4%	0.4%	0.7%
Grade 8	98.2%	0.1%	0.1%	0.5%	0.3%	0.3%	0.6%
Grade 9	98.0%	0.2%	0.1%	0.3%	0.4%	0.6%	0.5%
Grade 10	96.8%	0.1%	0.5%	0.4%	0.3%	0.8%	1.2%
Grade 11	95.2%	0.1%	0.4%	0.1%	0.6%	1.0%	2.7%
Grade 12	97.9%	0.1%	0.3%	0.2%	0.1%	0.5%	1.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.5	12.3	13.1	14.0	14.5	15.3
Cocaine	14.5	11.8	12.7	12.8	14.4	15.2	16.2
Crack	13.5	12.7	12.7	11.3	14.6	15.1	15.0
Steroids	13.1	11.2	10.8	13.0	13.2	14.3	14.8
Ecstasy	14.8	11.6	12.5	13.8	14.8	15.2	16.3
Heroin	12.6	11.0	10.0	9.6	13.4	15.4	15.6
Methamphetamine	13.3	11.5	11.2	9.3	12.6	14.9	15.5
Synthetic Marijuana	13.7	11.5	12.5	13.3	13.6	14.5	14.9

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 19 of 125

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	38.3%	17.8%	5.3%	7.9%	12.0%	18.7%
	Grade 7	50.3%	25.3%	6.1%	6.0%	6.5%	5.8%
	Grade 8	45.8%	25.2%	6.4%	6.4%	7.6%	8.4%
	Grade 9	39.4%	15.5%	6.2%	8.2%	13.8%	16.8%
	Grade 10	30.8%	14.2%	5.3%	10.1%	15.3%	24.3%
	Grade 11	31.2%	14.0%	3.4%	9.3%	13.9%	28.3%
	Grade 12	30.4%	12.1%	4.1%	7.1%	15.5%	30.8%
Cocaine?							
	All	50.4%	25.2%	7.5%	6.1%	5.2%	5.6%
	Grade 7	56.2%	28.0%	7.5%	3.7%	2.2%	2.3%
	Grade 8	53.7%	30.8%	6.2%	3.5%	2.8%	3.0%
	Grade 9	52.4%	24.1%	8.7%	5.1%	4.9%	4.8%
	Grade 10	44.0%	26.0%	8.5%	8.2%	7.7%	5.7%
	Grade 11	46.3%	22.4%	8.0%	8.2%	6.4%	8.8%
	Grade 12	48.9%	18.8%	6.0%	8.6%	7.9%	9.8%
Crack?							
	All	53.6%	25.5%	8.1%	5.6%	3.5%	3.8%
	Grade 7	58.4%	27.6%	6.3%	3.5%	1.9%	2.2%
	Grade 8	55.8%	30.5%	5.8%	3.3%	2.0%	2.7%
	Grade 9	54.2%	24.5%	8.9%	4.7%	3.9%	3.7%
	Grade 10	48.7%	26.1%	10.1%	6.5%	5.1%	3.4%
	Grade 11	50.9%	22.6%	9.3%	8.2%	2.9%	6.2%
	Grade 12	53.3%	21.0%	7.9%	7.7%	5.0%	5.0%
Steroids?							
	All	55.3%	25.0%	7.5%	5.0%	3.7%	3.4%
	Grade 7	59.5%	27.3%	6.5%	3.1%	2.0%	1.7%
	Grade 8	57.4%	28.3%	5.9%	3.6%	2.8%	1.9%
	Grade 9	56.0%	24.2%	6.9%	5.4%	4.5%	3.0%
	Grade 10	51.5%	25.8%	10.0%	5.9%	3.3%	3.6%
	Grade 11	52.6%	23.6%	8.7%	6.1%	4.1%	5.0%
	Grade 12	54.5%	20.3%	7.6%	6.3%	5.9%	5.4%
Ecstasy?							
	All	60.3%	21.6%	6.3%	4.6%	3.4%	3.7%
	Grade 7	68.8%	21.4%	5.7%	2.0%	0.7%	1.4%
	Grade 8	64.6%	24.7%	4.3%	2.9%	1.7%	1.8%
	Grade 9	60.6%	22.8%	6.7%	3.5%	3.1%	3.4%
	Grade 10	56.9%	21.0%	6.8%	6.7%	4.5%	4.2%
	Grade 11	56.1%	20.6%	7.1%	5.8%	4.0%	6.4%
	Grade 12	53.9%	18.6%	7.2%	7.2%	7.1%	5.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 125

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	58.1%	25.6%	7.2%	3.7%	2.1%	3.2%
	Grade 7	63.9%	24.4%	5.6%	3.1%	0.8%	2.1%
	Grade 8	60.0%	28.7%	5.3%	2.4%	1.7%	1.8%
	Grade 9	59.0%	26.0%	6.9%	2.8%	2.1%	3.2%
	Grade 10	53.3%	27.8%	8.9%	4.3%	3.2%	2.6%
	Grade 11	55.0%	25.2%	7.5%	5.0%	2.1%	5.2%
	Grade 12	56.9%	21.2%	9.5%	5.1%	2.9%	4.3%
<b>Methamphetamine?</b>							
	All	60.2%	24.2%	7.0%	3.5%	1.8%	3.2%
	Grade 7	65.9%	23.4%	5.7%	1.9%	1.0%	2.1%
	Grade 8	62.3%	27.0%	4.1%	3.2%	1.6%	1.7%
	Grade 9	62.1%	23.5%	7.0%	2.7%	1.7%	3.0%
	Grade 10	55.4%	26.7%	8.6%	4.1%	2.6%	2.6%
	Grade 11	55.9%	24.3%	7.9%	4.7%	1.7%	5.5%
	Grade 12	58.9%	20.0%	9.1%	4.7%	2.6%	4.7%
<b>Synthetic Marijuana?</b>							
	All	58.1%	21.2%	5.5%	4.8%	4.7%	5.7%
	Grade 7	65.7%	22.0%	5.4%	2.5%	2.0%	2.5%
	Grade 8	61.4%	26.1%	3.5%	3.1%	3.1%	2.9%
	Grade 9	59.6%	18.8%	6.1%	5.2%	4.5%	5.8%
	Grade 10	52.4%	22.3%	6.7%	5.4%	6.9%	6.3%
	Grade 11	52.6%	19.8%	5.9%	6.6%	5.4%	9.6%
	Grade 12	56.3%	17.9%	5.2%	6.0%	6.8%	7.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	92.9%	4.2%	1.2%	1.6%
Grade 7	96.2%	2.5%	0.6%	0.7%
Grade 8	96.3%	2.3%	0.8%	0.6%
Grade 9	93.9%	4.3%	0.5%	1.3%
Grade 10	90.0%	4.9%	2.0%	3.0%
Grade 11	90.6%	5.3%	2.2%	2.0%
Grade 12	89.8%	6.2%	1.5%	2.5%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	97.3%	1.8%	0.4%	0.4%
Grade 7	97.5%	1.7%	0.3%	0.5%
Grade 8	97.9%	1.4%	0.5%	0.2%
Grade 9	97.8%	1.5%	0.4%	0.3%
Grade 10	96.2%	2.8%	0.3%	0.7%
Grade 11	96.9%	2.2%	0.4%	0.5%
Grade 12	97.4%	1.3%	0.8%	0.5%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.1
Marijuana Non-Users	3.6
Average Days Conduct Problems Reported	
Marijuana Users	4.0
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	95.4%	3.1%	0.7%	0.7%
Grade 9	98.3%	1.2%	0.4%	0.1%
Grade 10	96.2%	2.8%	0.1%	0.9%
Grade 11	94.8%	3.7%	0.9%	0.6%
Grade 12	91.6%	5.2%	1.6%	1.6%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.9%	2.4%	0.4%	0.3%
Grade 7	97.1%	2.1%	0.5%	0.3%
Grade 8	97.7%	1.8%	0.2%	0.3%
Grade 9	97.1%	2.4%	0.4%	0.1%
Grade 10	95.9%	3.4%	0.4%	0.4%
Grade 11	96.6%	2.6%	0.5%	0.3%
Grade 12	96.9%	2.4%	0.4%	0.3%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	57.6%	19.4%	11.8%	7.9%	3.4%
Grade 7	78.6%	11.9%	5.4%	3.0%	1.1%
Grade 8	75.0%	14.2%	6.9%	3.1%	0.8%
Grade 9	55.7%	20.1%	12.9%	8.3%	3.0%
Grade 10	44.4%	24.2%	14.5%	11.0%	5.9%
Grade 11	45.6%	24.4%	15.5%	10.6%	3.9%
Grade 12	44.4%	21.8%	16.3%	11.7%	5.9%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	61.5%	5.1%	4.2%	5.4%	7.6%	2.6%	13.7%
Grade 7	82.5%	3.6%	2.0%	1.3%	1.5%	2.0%	7.0%
Grade 8	80.7%	2.6%	2.1%	2.0%	1.4%	1.3%	9.9%
Grade 9	60.1%	7.3%	4.7%	5.8%	4.9%	2.8%	14.4%
Grade 10	48.6%	4.8%	6.5%	7.6%	10.9%	4.8%	16.7%
Grade 11	47.8%	6.6%	5.2%	7.0%	12.3%	2.1%	19.0%
Grade 12	46.1%	5.6%	4.5%	9.1%	16.3%	2.6%	15.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.5%	5.6%	6.0%	1.6%	1.4%	7.8%
Grade 7	82.3%	3.7%	1.9%	0.7%	1.6%	9.9%
Grade 8	82.2%	3.4%	4.1%	1.1%	1.0%	8.2%
Grade 9	75.0%	5.6%	6.6%	1.3%	1.9%	9.6%
Grade 10	77.9%	6.2%	6.1%	2.2%	1.6%	6.0%
Grade 11	74.7%	8.0%	8.2%	2.7%	0.9%	5.6%
Grade 12	72.4%	7.1%	9.9%	1.7%	1.6%	7.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	60.4%	12.9%	10.8%	11.6%	4.3%
	Grade 7	77.0%	9.3%	5.6%	3.5%	4.6%
	Grade 8	71.2%	12.1%	6.0%	6.7%	3.9%
	Grade 9	58.6%	15.4%	11.1%	10.2%	4.8%
	Grade 10	51.5%	14.4%	14.4%	15.1%	4.6%
	Grade 11	51.9%	12.9%	12.8%	18.2%	4.2%
	Grade 12	50.4%	12.7%	15.6%	17.4%	3.9%
Cocaine?						
	All	85.5%	7.3%	0.9%	0.9%	5.4%
	Grade 7	86.7%	5.6%	1.3%	1.2%	5.2%
	Grade 8	86.6%	7.1%	1.1%	1.0%	4.2%
	Grade 9	85.0%	7.4%	0.5%	0.4%	6.7%
	Grade 10	82.9%	8.3%	1.0%	1.5%	6.3%
	Grade 11	85.4%	8.5%	1.0%	0.8%	4.3%
	Grade 12	86.7%	6.8%	0.7%	0.5%	5.3%
Crack?						
	All	86.9%	5.7%	0.9%	0.8%	5.7%
	Grade 7	86.2%	5.6%	1.2%	1.3%	5.7%
	Grade 8	87.4%	6.2%	0.9%	0.8%	4.7%
	Grade 9	86.5%	5.6%	0.7%	0.4%	6.7%
	Grade 10	85.0%	6.5%	0.7%	1.2%	6.5%
	Grade 11	87.8%	5.8%	1.2%	0.7%	4.5%
	Grade 12	89.1%	4.5%	0.4%	0.4%	5.5%
Ecstasy?						
	All	82.4%	6.5%	1.9%	1.0%	8.2%
	Grade 7	83.0%	5.0%	1.0%	1.3%	9.7%
	Grade 8	85.8%	5.6%	1.0%	1.1%	6.4%
	Grade 9	81.7%	6.9%	1.1%	0.5%	9.8%
	Grade 10	77.8%	8.0%	3.3%	1.7%	9.1%
	Grade 11	82.1%	7.3%	2.9%	0.8%	6.9%
	Grade 12	84.1%	6.5%	2.2%	0.5%	6.6%
Steroids?						
	All	78.9%	9.9%	2.9%	1.1%	7.2%
	Grade 7	80.1%	8.0%	2.7%	1.5%	7.7%
	Grade 8	81.4%	9.5%	2.0%	1.5%	5.6%
	Grade 9	78.1%	9.8%	3.2%	0.7%	8.1%
	Grade 10	75.2%	11.8%	3.2%	1.5%	8.4%
	Grade 11	77.9%	11.0%	3.9%	1.1%	6.1%
	Grade 12	80.7%	9.2%	2.3%	0.5%	7.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	87.4%	4.5%	0.7%	0.8%	6.6%
	Grade 7	85.7%	4.9%	1.2%	1.4%	6.8%
	Grade 8	87.9%	5.2%	0.4%	1.1%	5.5%
	Grade 9	86.5%	5.0%	0.5%	0.2%	7.8%
	Grade 10	85.7%	4.5%	0.9%	1.3%	7.6%
	Grade 11	88.9%	4.1%	1.1%	0.6%	5.3%
	Grade 12	90.3%	3.1%	0.3%	0.0%	6.3%
<b>Methamphetamine?</b>						
	All	87.1%	4.3%	0.8%	0.8%	7.0%
	Grade 7	84.8%	4.5%	1.0%	1.6%	8.1%
	Grade 8	87.5%	4.9%	0.5%	1.1%	6.0%
	Grade 9	86.9%	4.1%	0.9%	0.3%	7.8%
	Grade 10	84.8%	4.9%	0.9%	1.0%	8.3%
	Grade 11	88.5%	4.0%	1.1%	0.8%	5.6%
	Grade 12	90.6%	3.4%	0.2%	0.1%	5.6%
<b>Synthetic Marijuana?</b>						
	All	82.5%	6.7%	2.1%	1.4%	7.3%
	Grade 7	83.2%	5.2%	1.7%	1.5%	8.4%
	Grade 8	85.0%	6.3%	1.4%	1.6%	5.8%
	Grade 9	81.2%	7.8%	1.8%	1.1%	8.0%
	Grade 10	79.3%	7.5%	2.7%	1.8%	8.6%
	Grade 11	80.9%	7.9%	3.1%	2.0%	6.1%
	Grade 12	85.6%	5.4%	1.7%	0.5%	6.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	6.3%	9.3%	15.9%	84.1%
Grade 7	7.0%	10.0%	15.1%	84.9%
Grade 8	6.3%	9.3%	14.2%	85.8%
Grade 9	5.8%	8.3%	15.8%	84.2%
Grade 10	7.1%	10.1%	17.5%	82.5%
Grade 11	6.4%	10.3%	18.7%	81.3%
Grade 12	5.5%	7.6%	14.1%	85.9%
<b>Codeine Cough Syrup?</b>				
All	4.0%	6.4%	12.0%	88.0%
Grade 7	4.9%	7.3%	11.7%	88.3%
Grade 8	4.2%	7.0%	11.4%	88.6%
Grade 9	3.6%	5.4%	12.2%	87.8%
Grade 10	4.6%	7.4%	12.9%	87.1%
Grade 11	3.8%	6.3%	13.3%	86.7%
Grade 12	2.7%	5.0%	10.4%	89.6%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.6%	1.2%	2.3%	97.7%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.7%	1.6%	2.5%	97.5%
Grade 10	1.0%	2.2%	3.1%	96.9%
Grade 11	0.3%	0.9%	2.9%	97.1%
Grade 12	1.3%	1.6%	3.0%	97.0%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.7%	2.5%	4.8%	95.2%
Grade 7	0.6%	1.0%	2.0%	98.0%
Grade 8	1.3%	1.7%	3.0%	97.0%
Grade 9	2.0%	2.5%	4.8%	95.2%
Grade 10	2.3%	3.6%	5.5%	94.5%
Grade 11	1.5%	3.3%	7.7%	92.3%
Grade 12	2.4%	3.3%	6.1%	93.9%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	0.9%	1.2%	2.4%	97.6%
Grade 7	0.6%	0.9%	1.6%	98.4%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.2%	0.4%	1.2%	98.8%
Grade 10	1.3%	2.1%	3.1%	96.9%
Grade 11	1.2%	1.7%	4.0%	96.0%
Grade 12	1.6%	1.9%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.4%	3.5%	6.4%	93.6%
Grade 7	2.8%	4.7%	7.4%	92.6%
Grade 8	2.5%	3.8%	5.8%	94.2%
Grade 9	2.4%	3.5%	6.5%	93.5%
Grade 10	2.6%	3.7%	6.6%	93.4%
Grade 11	2.3%	3.3%	7.6%	92.4%
Grade 12	1.7%	2.0%	4.1%	95.9%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.7%	3.2%	96.8%
Grade 7	0.8%	1.7%	3.6%	96.4%
Grade 8	1.2%	1.7%	3.5%	96.5%
Grade 9	1.9%	2.3%	3.9%	96.1%
Grade 10	1.1%	1.4%	2.6%	97.4%
Grade 11	1.3%	1.7%	3.3%	96.7%
Grade 12	1.5%	1.5%	2.2%	97.8%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.5%	11.5%	3.2%	1.7%	7.1%
Grade 7	78.8%	9.0%	2.9%	2.4%	6.9%
Grade 8	78.2%	11.6%	2.4%	1.9%	5.9%
Grade 9	77.6%	11.0%	2.5%	1.0%	7.9%
Grade 10	71.5%	14.0%	4.1%	1.8%	8.6%
Grade 11	74.9%	12.4%	4.4%	1.9%	6.4%
Grade 12	77.7%	11.4%	3.0%	1.0%	6.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 28 of 125

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.8%	6.4%	12.5%	87.5%
Grade 7	8.6%	10.6%	17.5%	82.5%
Grade 8	4.4%	5.9%	13.1%	86.9%
Grade 9	4.6%	6.0%	11.8%	88.2%
Grade 10	4.2%	5.4%	11.5%	88.5%
Grade 11	3.4%	4.7%	10.0%	90.0%
Grade 12	3.5%	5.7%	11.0%	89.0%
Spray Paint?				
All	0.7%	0.8%	2.5%	97.5%
Grade 7	1.0%	1.0%	3.4%	96.6%
Grade 8	0.6%	1.0%	2.1%	97.9%
Grade 9	0.3%	0.4%	2.0%	98.0%
Grade 10	1.0%	1.2%	3.1%	96.9%
Grade 11	0.8%	0.8%	2.6%	97.4%
Grade 12	0.3%	0.5%	1.6%	98.4%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.5%	2.1%	5.2%	94.8%
Grade 7	3.0%	4.3%	8.5%	91.5%
Grade 8	1.5%	2.4%	5.9%	94.1%
Grade 9	1.0%	1.4%	3.6%	96.4%
Grade 10	1.7%	2.1%	6.2%	93.8%
Grade 11	0.8%	1.1%	3.7%	96.3%
Grade 12	0.8%	1.1%	3.0%	97.0%
Computer Dusting Sprays?				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.6%	0.9%	1.3%	98.7%
Grade 8	0.1%	0.4%	0.7%	99.3%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.3%	0.3%	0.9%	99.1%
Grade 11	0.6%	0.8%	1.4%	98.6%
Grade 12	0.2%	0.4%	0.5%	99.5%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.8%	2.7%	6.8%	93.2%
Grade 7	3.0%	4.6%	9.6%	90.4%
Grade 8	1.5%	2.6%	7.9%	92.1%
Grade 9	1.5%	2.2%	5.9%	94.1%
Grade 10	1.5%	2.8%	6.4%	93.6%
Grade 11	1.4%	1.8%	5.9%	94.1%
Grade 12	1.5%	2.4%	4.8%	95.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 29 of 125



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.7%	0.8%	1.9%	98.1%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.2%	1.3%	98.7%
Grade 11	0.4%	0.4%	1.7%	98.3%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.3%	0.7%	0.9%	99.1%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.5%	0.7%	1.5%	98.5%
Grade 11	0.5%	0.5%	1.3%	98.7%
Grade 12	0.4%	0.4%	0.8%	99.2%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	1.0%	1.2%	2.5%	97.5%
Grade 7	1.3%	1.7%	3.6%	96.4%
Grade 8	0.9%	1.1%	2.4%	97.6%
Grade 9	0.9%	1.1%	2.3%	97.7%
Grade 10	1.5%	1.6%	2.7%	97.3%
Grade 11	0.9%	1.1%	2.1%	97.9%
Grade 12	0.6%	0.7%	1.9%	98.1%
<b>Other Aerosols/Sprays?</b>				
All	0.6%	0.7%	1.6%	98.4%
Grade 7	1.0%	1.4%	3.3%	96.7%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.3%	0.5%	1.1%	98.9%
Grade 10	0.8%	0.8%	1.8%	98.2%
Grade 11	0.5%	0.6%	1.0%	99.0%
Grade 12	0.4%	0.6%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.1%	0.1%	0.1%	0.3%	0.4%	0.7%	1.2%
Grade 7	95.3%	0.3%	0.4%	0.6%	0.9%	1.0%	1.6%
Grade 8	97.5%	0.1%	0.0%	0.3%	0.6%	0.8%	0.7%
Grade 9	97.6%	0.1%	0.0%	0.4%	0.1%	0.8%	1.1%
Grade 10	96.6%	0.1%	0.3%	0.2%	0.6%	0.7%	1.5%
Grade 11	97.7%	0.1%	0.1%	0.0%	0.4%	0.4%	1.1%
Grade 12	98.0%	0.1%	0.0%	0.3%	0.1%	0.4%	1.0%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.1%	6.2%	3.3%	1.4%
Grade 7	84.4%	8.1%	5.3%	2.2%
Grade 8	87.9%	6.4%	4.5%	1.1%
Grade 9	90.3%	5.8%	2.9%	0.9%
Grade 10	89.2%	5.8%	2.8%	2.2%
Grade 11	91.4%	5.2%	2.1%	1.3%
Grade 12	91.7%	5.7%	1.8%	0.8%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.9	10.9	11.7	12.0	12.4	12.6	13.6

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.9%	0.7%	0.1%	0.3%
Grade 7	98.5%	1.0%	0.2%	0.4%
Grade 8	99.3%	0.4%	0.1%	0.1%
Grade 9	99.3%	0.5%	0.0%	0.2%
Grade 10	99.0%	0.4%	0.0%	0.5%
Grade 11	98.9%	0.8%	0.0%	0.2%
Grade 12	98.4%	1.0%	0.2%	0.3%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.0
Inhalant Non-Users	3.7
Average Days Conduct Problems Reported	
Inhalant Users	5.4
Inhalant Non-Users	1.4

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.1%	4.7%	1.3%	0.6%	0.2%
Grade 7	90.2%	6.3%	2.1%	1.3%	0.2%
Grade 8	93.0%	5.1%	1.5%	0.4%	0.0%
Grade 9	92.2%	5.3%	1.4%	0.8%	0.3%
Grade 10	92.4%	5.0%	1.8%	0.5%	0.5%
Grade 11	95.5%	3.6%	0.5%	0.2%	0.2%
Grade 12	96.4%	2.7%	0.6%	0.1%	0.3%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.6%	12.0%	4.3%	1.9%	7.2%
Grade 7	75.3%	11.0%	5.2%	1.9%	6.6%
Grade 8	76.5%	11.4%	4.6%	2.4%	5.2%
Grade 9	74.7%	12.6%	3.9%	0.8%	8.0%
Grade 10	70.1%	15.0%	3.9%	2.8%	8.2%
Grade 11	74.6%	11.2%	4.6%	2.3%	7.2%
Grade 12	76.6%	10.5%	3.7%	1.6%	7.7%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	54.3%	13.5%	2.6%	4.2%	6.5%	18.9%
Grade 7	57.6%	18.2%	2.6%	4.0%	4.9%	12.8%
Grade 8	55.5%	16.1%	2.5%	4.6%	6.7%	14.5%
Grade 9	56.5%	13.3%	2.5%	4.3%	6.2%	17.2%
Grade 10	51.2%	10.4%	3.8%	5.6%	7.8%	21.2%
Grade 11	50.2%	12.2%	2.4%	3.6%	5.7%	26.0%
Grade 12	54.1%	10.7%	1.9%	2.9%	7.7%	22.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	49.8%
	Grade 7	52.6%
	Grade 8	57.4%
	Grade 9	46.4%
	Grade 10	49.6%
	Grade 11	46.7%
	Grade 12	45.9%
An Assembly Program		
	All	44.9%
	Grade 7	52.2%
	Grade 8	45.5%
	Grade 9	42.4%
	Grade 10	45.1%
	Grade 11	45.0%
	Grade 12	39.0%
Guidance Counselor		
	All	36.5%
	Grade 7	46.4%
	Grade 8	42.1%
	Grade 9	35.0%
	Grade 10	32.5%
	Grade 11	31.3%
	Grade 12	30.7%
School Nurse		
	All	24.7%
	Grade 7	31.6%
	Grade 8	24.2%
	Grade 9	23.2%
	Grade 10	23.1%
	Grade 11	21.9%
	Grade 12	24.2%
Science or Social Studies Class		
	All	29.0%
	Grade 7	31.0%
	Grade 8	23.8%
	Grade 9	33.1%
	Grade 10	25.4%
	Grade 11	28.4%
	Grade 12	31.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 33 of 125

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	18.0%
	Grade 7	19.1%
	Grade 8	15.7%
	Grade 9	19.7%
	Grade 10	16.5%
	Grade 11	16.9%
	Grade 12	20.1%
<b>An Invited School Guest</b>		
	All	34.6%
	Grade 7	37.0%
	Grade 8	35.4%
	Grade 9	29.2%
	Grade 10	34.4%
	Grade 11	37.7%
	Grade 12	34.6%
<b>Another Source at School</b>		
	All	30.3%
	Grade 7	31.3%
	Grade 8	31.4%
	Grade 9	31.7%
	Grade 10	29.0%
	Grade 11	29.3%
	Grade 12	28.8%
<b>Any School Source</b>		
	All	69.3%
	Grade 7	72.7%
	Grade 8	72.5%
	Grade 9	66.9%
	Grade 10	69.5%
	Grade 11	69.7%
	Grade 12	64.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	45.7%
	Grade 7	55.2%
	Grade 8	51.6%
	Grade 9	43.2%
	Grade 10	39.1%
	Grade 11	41.8%
	Grade 12	42.9%
<b>School Nurse</b>		
	All	29.2%
	Grade 7	37.6%
	Grade 8	35.9%
	Grade 9	27.2%
	Grade 10	23.9%
	Grade 11	23.6%
	Grade 12	26.6%
<b>Another Adult In School</b>		
	All	47.8%
	Grade 7	53.9%
	Grade 8	51.6%
	Grade 9	44.7%
	Grade 10	44.9%
	Grade 11	46.1%
	Grade 12	45.5%
<b>Counselor/Program Outside-School</b>		
	All	45.2%
	Grade 7	49.2%
	Grade 8	49.7%
	Grade 9	43.6%
	Grade 10	42.4%
	Grade 11	43.2%
	Grade 12	42.7%
<b>Your Parents</b>		
	All	71.2%
	Grade 7	75.9%
	Grade 8	76.0%
	Grade 9	71.6%
	Grade 10	69.3%
	Grade 11	67.6%
	Grade 12	65.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 35 of 125

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	60.8%
	Grade 7	68.9%
	Grade 8	66.4%
	Grade 9	58.7%
	Grade 10	59.0%
	Grade 11	55.4%
	Grade 12	55.6%
<b>Your Friends</b>		
	All	59.1%
	Grade 7	51.3%
	Grade 8	56.7%
	Grade 9	60.1%
	Grade 10	59.9%
	Grade 11	63.7%
	Grade 12	63.4%
<b>Another Adult</b>		
	All	62.6%
	Grade 7	65.8%
	Grade 8	67.7%
	Grade 9	61.0%
	Grade 10	61.2%
	Grade 11	60.9%
	Grade 12	58.4%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	6.8%
	Grade 7	7.8%
	Grade 8	5.8%
	Grade 9	6.5%
	Grade 10	8.0%
	Grade 11	5.8%
	Grade 12	7.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 36 of 125

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	7.0%	23.1%	22.0%	34.0%	13.9%
Grade 7	9.0%	18.7%	21.1%	33.6%	17.6%
Grade 8	7.8%	21.1%	20.2%	36.8%	14.2%
Grade 9	7.4%	22.2%	22.9%	32.7%	14.7%
Grade 10	5.4%	24.6%	24.3%	34.2%	11.4%
Grade 11	5.9%	25.2%	21.5%	33.6%	13.7%
Grade 12	5.9%	27.3%	22.0%	33.2%	11.6%
Sometimes Carry Weapons?					
All	84.8%	9.6%	3.4%	1.2%	1.0%
Grade 7	91.5%	5.3%	2.2%	0.4%	0.5%
Grade 8	85.7%	10.5%	2.3%	0.8%	0.7%
Grade 9	85.3%	9.1%	3.7%	1.3%	0.6%
Grade 10	82.4%	11.3%	3.8%	1.4%	1.1%
Grade 11	82.0%	9.9%	4.8%	1.6%	1.7%
Grade 12	81.2%	11.6%	3.8%	2.0%	1.4%
Care About Making Good Grades?					
All	2.8%	11.8%	23.8%	39.1%	22.5%
Grade 7	3.0%	12.0%	25.9%	34.9%	24.1%
Grade 8	2.3%	10.5%	23.0%	38.4%	25.9%
Grade 9	2.5%	12.1%	23.2%	40.7%	21.6%
Grade 10	3.0%	13.2%	24.5%	40.7%	18.6%
Grade 11	3.1%	10.1%	22.5%	39.5%	24.8%
Grade 12	3.0%	12.8%	23.6%	40.4%	20.2%
Belong/Want to Belong to a Gang?					
All	84.9%	9.8%	3.1%	1.4%	0.8%
Grade 7	80.0%	13.7%	3.7%	1.4%	1.2%
Grade 8	83.1%	11.4%	2.8%	1.9%	0.8%
Grade 9	82.5%	12.4%	3.5%	1.3%	0.3%
Grade 10	86.4%	8.1%	3.7%	1.3%	0.4%
Grade 11	88.4%	6.3%	3.0%	1.7%	0.6%
Grade 12	90.2%	5.9%	1.9%	0.6%	1.4%
Wish They Could Drop Out of School?					
All	53.9%	27.9%	11.5%	4.4%	2.3%
Grade 7	55.8%	27.7%	9.8%	4.2%	2.4%
Grade 8	58.9%	27.4%	8.6%	3.9%	1.2%
Grade 9	51.5%	27.0%	14.1%	5.0%	2.4%
Grade 10	48.3%	32.1%	11.7%	4.9%	3.0%
Grade 11	53.8%	27.1%	12.3%	4.7%	2.1%
Grade 12	55.7%	25.6%	12.4%	3.4%	3.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 37 of 125



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.9%	11.3%	0.7%	0.2%	0.9%
Grade 7	84.5%	12.4%	1.8%	0.3%	1.0%
Grade 8	86.9%	11.6%	0.7%	0.1%	0.7%
Grade 9	85.7%	12.7%	0.4%	0.2%	1.0%
Grade 10	85.8%	12.8%	0.7%	0.1%	0.6%
Grade 11	88.9%	9.6%	0.3%	0.2%	0.9%
Grade 12	90.5%	8.3%	0.2%	0.1%	1.0%
<b>Out In Your Neighborhood?</b>					
All	40.6%	48.1%	6.7%	1.4%	3.1%
Grade 7	35.7%	49.1%	8.4%	2.3%	4.5%
Grade 8	39.2%	48.1%	7.1%	0.9%	4.8%
Grade 9	38.6%	49.7%	8.3%	1.1%	2.3%
Grade 10	39.7%	50.0%	6.4%	1.6%	2.3%
Grade 11	45.4%	45.9%	4.7%	1.5%	2.4%
Grade 12	46.5%	44.9%	5.1%	1.3%	2.2%
<b>At School?</b>					
All	39.2%	45.1%	7.9%	4.1%	3.7%
Grade 7	45.2%	39.5%	8.2%	3.4%	3.6%
Grade 8	45.9%	43.5%	4.7%	3.0%	2.9%
Grade 9	31.0%	48.9%	9.7%	5.6%	4.9%
Grade 10	32.0%	48.6%	10.6%	4.4%	4.4%
Grade 11	38.0%	46.4%	8.8%	3.3%	3.6%
Grade 12	44.9%	42.7%	5.0%	4.8%	2.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 38 of 125

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.8%	15.8%	26.7%	73.3%
Grade 7	5.5%	6.6%	14.1%	85.9%
Grade 8	6.2%	8.3%	15.3%	84.7%
Grade 9	11.4%	15.0%	25.0%	75.0%
Grade 10	15.1%	18.8%	31.8%	68.2%
Grade 11	17.1%	20.9%	35.4%	64.6%
Grade 12	23.4%	27.3%	41.1%	58.9%
<b>Any Alcohol Product</b>				
All	29.0%	33.5%	48.2%	51.8%
Grade 7	14.3%	17.4%	32.8%	67.2%
Grade 8	17.2%	21.0%	34.4%	65.6%
Grade 9	28.6%	31.7%	46.3%	53.7%
Grade 10	38.6%	45.1%	58.3%	41.7%
Grade 11	34.5%	40.2%	58.5%	41.5%
Grade 12	43.1%	47.9%	61.2%	38.8%
<b>Any Illicit Drug</b>				
All	14.8%	17.6%	22.9%	77.1%
Grade 7	6.5%	8.4%	10.6%	89.4%
Grade 8	7.4%	9.2%	11.4%	88.6%
Grade 9	14.0%	17.1%	22.6%	77.4%
Grade 10	19.1%	22.5%	28.3%	71.7%
Grade 11	19.7%	22.4%	31.1%	68.9%
Grade 12	23.5%	27.5%	35.5%	64.5%
<b>Any Prescription Drug</b>				
All	6.3%	9.3%	15.9%	84.1%
Grade 7	7.0%	10.0%	15.1%	84.9%
Grade 8	6.3%	9.3%	14.2%	85.8%
Grade 9	5.8%	8.3%	15.8%	84.2%
Grade 10	7.1%	10.1%	17.5%	82.5%
Grade 11	6.4%	10.3%	18.7%	81.3%
Grade 12	5.5%	7.6%	14.1%	85.9%
<b>Any Inhalant</b>				
All	4.8%	6.4%	12.5%	87.5%
Grade 7	8.6%	10.6%	17.5%	82.5%
Grade 8	4.4%	5.9%	13.1%	86.9%
Grade 9	4.6%	6.0%	11.8%	88.2%
Grade 10	4.2%	5.4%	11.5%	88.5%
Grade 11	3.4%	4.7%	10.0%	90.0%
Grade 12	3.5%	5.7%	11.0%	89.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 125

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.1%	10.2%	19.6%	80.4%
Grade 7	3.0%	4.2%	10.0%	90.0%
Grade 8	3.6%	5.6%	10.6%	89.4%
Grade 9	6.9%	10.6%	19.1%	80.9%
Grade 10	7.7%	10.7%	23.0%	77.0%
Grade 11	9.5%	13.9%	25.3%	74.7%
Grade 12	12.6%	17.0%	31.5%	68.5%
<b>Marijuana</b>				
All	14.5%	16.4%	21.6%	78.4%
Grade 7	5.9%	6.9%	8.8%	91.2%
Grade 8	7.2%	7.9%	10.1%	89.9%
Grade 9	13.6%	15.6%	21.0%	79.0%
Grade 10	19.0%	21.3%	26.8%	73.2%
Grade 11	19.7%	21.9%	30.5%	69.5%
Grade 12	22.9%	26.7%	35.0%	65.0%
<b>Marijuana Only</b>				
All	8.5%	10.0%	14.4%	85.6%
Grade 7	2.5%	3.5%	5.1%	94.9%
Grade 8	3.5%	4.2%	6.1%	93.9%
Grade 9	8.8%	10.5%	15.1%	84.9%
Grade 10	11.8%	13.3%	18.0%	82.0%
Grade 11	11.4%	12.4%	19.7%	80.3%
Grade 12	13.8%	16.9%	23.7%	76.3%
<b>Cocaine or Crack</b>				
All	2.2%	2.6%	3.8%	96.2%
Grade 7	2.0%	2.0%	2.4%	97.6%
Grade 8	1.2%	1.6%	2.3%	97.7%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	2.8%	3.3%	5.0%	95.0%
Grade 11	2.2%	3.1%	5.7%	94.3%
Grade 12	3.8%	4.1%	6.0%	94.0%
<b>Cocaine</b>				
All	2.0%	2.3%	3.6%	96.4%
Grade 7	1.4%	1.4%	2.0%	98.0%
Grade 8	1.2%	1.4%	2.1%	97.9%
Grade 9	1.1%	1.2%	1.7%	98.3%
Grade 10	2.8%	3.3%	5.0%	95.0%
Grade 11	2.2%	3.1%	5.7%	94.3%
Grade 12	3.5%	3.9%	5.9%	94.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade**  
**All Students**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	1.2%	1.4%	1.4%	98.6%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.7%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	0.5%	0.7%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.9%	1.2%	2.7%	97.3%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.8%	1.9%	98.1%
Grade 10	0.9%	1.4%	2.9%	97.1%
Grade 11	0.9%	1.7%	3.9%	96.1%
Grade 12	2.3%	2.8%	5.6%	94.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.2%	0.4%	0.9%	99.1%
Grade 12	0.2%	0.6%	1.3%	98.7%
<b>Ecstasy</b>				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.4%	1.6%	98.4%
Grade 10	0.9%	1.3%	3.0%	97.0%
Grade 11	1.0%	1.2%	3.6%	96.4%
Grade 12	1.1%	1.5%	3.2%	96.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.5%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.2%	0.5%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.1%	1.6%	3.9%	96.1%
Grade 7	0.9%	1.4%	2.5%	97.5%
Grade 8	1.0%	1.4%	2.7%	97.3%
Grade 9	1.0%	1.5%	3.7%	96.3%
Grade 10	1.2%	2.0%	4.0%	96.0%
Grade 11	1.5%	2.1%	6.4%	93.6%
Grade 12	1.1%	1.3%	4.2%	95.8%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.5%	0.6%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 43 of 125

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.7%	17.0%	27.9%	72.1%
Grade 7	5.5%	6.7%	14.3%	85.7%
Grade 8	6.8%	8.7%	15.6%	84.4%
Grade 9	10.8%	15.2%	26.0%	74.0%
Grade 10	15.5%	20.5%	31.7%	68.3%
Grade 11	17.1%	21.0%	34.0%	66.0%
Grade 12	28.8%	32.7%	48.8%	51.2%
<b>Any Alcohol Product</b>				
All	27.6%	32.2%	47.1%	52.9%
Grade 7	12.5%	15.5%	31.2%	68.8%
Grade 8	15.8%	19.9%	34.5%	65.5%
Grade 9	28.2%	31.8%	45.6%	54.4%
Grade 10	35.4%	42.7%	54.4%	45.6%
Grade 11	30.0%	34.6%	53.7%	46.3%
Grade 12	46.4%	51.2%	66.0%	34.0%
<b>Any Illicit Drug</b>				
All	15.5%	18.6%	24.4%	75.6%
Grade 7	6.3%	8.1%	11.1%	88.9%
Grade 8	7.0%	9.3%	12.8%	87.2%
Grade 9	15.4%	19.2%	25.8%	74.2%
Grade 10	19.8%	23.9%	28.3%	71.7%
Grade 11	18.9%	22.0%	30.6%	69.4%
Grade 12	27.0%	30.7%	39.6%	60.4%
<b>Any Prescription Drug</b>				
All	6.6%	9.4%	17.3%	82.7%
Grade 7	7.0%	9.0%	15.2%	84.8%
Grade 8	5.4%	8.8%	14.8%	85.2%
Grade 9	6.3%	9.2%	18.0%	82.0%
Grade 10	8.1%	11.1%	19.5%	80.5%
Grade 11	5.5%	8.6%	18.2%	81.8%
Grade 12	7.2%	9.7%	17.8%	82.2%
<b>Any Inhalant</b>				
All	4.5%	6.0%	12.2%	87.8%
Grade 7	6.3%	7.6%	15.7%	84.3%
Grade 8	4.7%	5.6%	11.8%	88.2%
Grade 9	4.4%	6.3%	11.9%	88.1%
Grade 10	4.7%	6.3%	12.5%	87.5%
Grade 11	2.6%	3.6%	9.6%	90.4%
Grade 12	4.1%	6.4%	11.8%	88.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	11.0%	21.0%	79.0%
Grade 7	2.5%	3.6%	10.6%	89.4%
Grade 8	4.1%	6.3%	11.4%	88.6%
Grade 9	7.1%	11.2%	20.0%	80.0%
Grade 10	7.6%	11.5%	23.4%	76.6%
Grade 11	10.0%	14.2%	24.9%	75.1%
Grade 12	15.3%	20.2%	37.9%	62.1%
Marijuana				
All	15.3%	17.5%	23.4%	76.6%
Grade 7	6.2%	7.1%	10.0%	90.0%
Grade 8	7.0%	7.8%	11.5%	88.5%
Grade 9	15.3%	17.9%	24.2%	75.8%
Grade 10	19.7%	22.9%	27.5%	72.5%
Grade 11	18.9%	21.3%	29.9%	70.1%
Grade 12	25.9%	29.7%	39.0%	61.0%
Marijuana Only				
All	9.2%	10.7%	15.5%	84.5%
Grade 7	3.0%	3.7%	6.1%	93.9%
Grade 8	3.2%	3.8%	6.9%	93.1%
Grade 9	10.1%	12.2%	18.1%	81.9%
Grade 10	12.9%	15.0%	18.6%	81.4%
Grade 11	11.3%	12.3%	19.4%	80.6%
Grade 12	15.1%	17.8%	24.8%	75.2%
Cocaine or Crack				
All	2.2%	2.8%	4.1%	95.9%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	0.7%	1.6%	1.8%	98.2%
Grade 9	1.1%	1.3%	2.1%	97.9%
Grade 10	3.8%	4.2%	5.7%	94.3%
Grade 11	2.2%	3.6%	6.2%	93.8%
Grade 12	4.8%	5.2%	8.4%	91.6%
Cocaine				
All	2.1%	2.5%	3.9%	96.1%
Grade 7	1.0%	1.0%	1.2%	98.8%
Grade 8	0.7%	1.2%	1.5%	98.5%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	3.7%	4.1%	5.6%	94.4%
Grade 11	2.2%	3.6%	6.2%	93.8%
Grade 12	4.2%	4.6%	8.1%	91.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 45 of 125



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.6%	0.6%	99.4%
Grade 9	0.3%	0.5%	0.5%	99.5%
Grade 10	0.1%	0.1%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	1.0%	1.3%	1.6%	98.4%
<b>Hallucinogens</b>				
All	1.1%	1.5%	3.1%	96.9%
Grade 7	0.1%	0.1%	1.3%	98.7%
Grade 8	1.0%	1.1%	1.9%	98.1%
Grade 9	1.0%	1.6%	2.5%	97.5%
Grade 10	1.3%	1.7%	3.1%	96.9%
Grade 11	0.4%	1.2%	3.6%	96.4%
Grade 12	3.0%	3.7%	7.1%	92.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.2%	0.7%	1.4%	98.6%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.1%	0.5%	99.5%
Grade 12	0.5%	1.2%	2.4%	97.6%
<b>Ecstasy</b>				
All	0.7%	1.0%	2.3%	97.7%
Grade 7	0.6%	0.9%	1.4%	98.6%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.6%	2.4%	97.6%
Grade 10	1.2%	1.6%	2.8%	97.2%
Grade 11	0.1%	0.6%	3.1%	96.9%
Grade 12	1.7%	2.0%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.1%	0.6%	0.7%	99.3%
Grade 12	0.0%	0.1%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	1.2%	1.6%	3.9%	96.1%
Grade 7	0.9%	1.4%	2.3%	97.7%
Grade 8	1.5%	1.8%	2.9%	97.1%
Grade 9	1.2%	1.4%	3.5%	96.5%
Grade 10	1.1%	1.8%	3.8%	96.2%
Grade 11	0.9%	1.4%	5.6%	94.4%
Grade 12	1.7%	2.1%	5.7%	94.3%
<b>Methamphetamine</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.9%	0.9%	1.2%	98.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.4%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.9%	1.2%	1.9%	98.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 125

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.1%	14.7%	25.6%	74.4%
Grade 7	5.6%	6.6%	14.0%	86.0%
Grade 8	5.6%	7.9%	14.7%	85.3%
Grade 9	12.0%	14.9%	24.2%	75.8%
Grade 10	14.8%	17.3%	31.9%	68.1%
Grade 11	17.1%	20.7%	36.7%	63.3%
Grade 12	18.4%	22.3%	34.2%	65.8%
<b>Any Alcohol Product</b>				
All	30.4%	34.7%	49.3%	50.7%
Grade 7	15.7%	18.8%	34.1%	65.9%
Grade 8	18.6%	22.1%	34.4%	65.6%
Grade 9	29.3%	31.8%	47.5%	52.5%
Grade 10	41.9%	47.6%	62.4%	37.6%
Grade 11	38.9%	45.7%	63.1%	36.9%
Grade 12	40.0%	44.9%	56.7%	43.3%
<b>Any Illicit Drug</b>				
All	14.1%	16.8%	21.6%	78.4%
Grade 7	6.7%	8.8%	10.3%	89.7%
Grade 8	7.9%	9.2%	10.3%	89.7%
Grade 9	12.7%	15.2%	19.7%	80.3%
Grade 10	18.4%	21.3%	28.3%	71.7%
Grade 11	20.4%	22.9%	31.6%	68.4%
Grade 12	20.3%	24.7%	31.6%	68.4%
<b>Any Prescription Drug</b>				
All	6.1%	9.2%	14.6%	85.4%
Grade 7	6.7%	10.7%	14.9%	85.1%
Grade 8	7.1%	9.9%	13.7%	86.3%
Grade 9	5.3%	7.4%	13.8%	86.2%
Grade 10	6.1%	9.2%	15.6%	84.4%
Grade 11	7.4%	12.0%	19.2%	80.8%
Grade 12	4.0%	5.7%	10.7%	89.3%
<b>Any Inhalant</b>				
All	5.2%	6.9%	12.8%	87.2%
Grade 7	10.8%	13.4%	19.1%	80.9%
Grade 8	4.2%	6.2%	14.4%	85.6%
Grade 9	4.9%	5.7%	11.8%	88.2%
Grade 10	3.7%	4.6%	10.5%	89.5%
Grade 11	4.1%	5.8%	10.4%	89.6%
Grade 12	3.0%	5.1%	10.1%	89.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.6%	9.4%	18.3%	81.7%
Grade 7	3.6%	4.7%	9.6%	90.4%
Grade 8	3.0%	4.8%	9.8%	90.2%
Grade 9	6.8%	10.2%	18.2%	81.8%
Grade 10	7.9%	10.0%	22.7%	77.3%
Grade 11	9.0%	13.5%	25.7%	74.3%
Grade 12	10.1%	14.0%	25.5%	74.5%
<b>Marijuana</b>				
All	13.7%	15.5%	20.1%	79.9%
Grade 7	5.6%	6.8%	7.7%	92.3%
Grade 8	7.3%	8.0%	8.9%	91.1%
Grade 9	12.2%	13.5%	17.9%	82.1%
Grade 10	18.4%	19.8%	26.2%	73.8%
Grade 11	20.4%	22.5%	31.1%	68.9%
Grade 12	20.1%	23.9%	31.3%	68.7%
<b>Marijuana Only</b>				
All	7.9%	9.3%	13.3%	86.7%
Grade 7	2.1%	3.3%	4.2%	95.8%
Grade 8	3.9%	4.6%	5.3%	94.7%
Grade 9	7.7%	8.9%	12.3%	87.7%
Grade 10	10.7%	11.7%	17.4%	82.6%
Grade 11	11.4%	12.6%	19.9%	80.1%
Grade 12	12.6%	16.0%	22.6%	77.4%
<b>Cocaine or Crack</b>				
All	2.1%	2.4%	3.6%	96.4%
Grade 7	2.7%	2.7%	3.3%	96.7%
Grade 8	1.7%	1.7%	2.8%	97.2%
Grade 9	1.5%	1.7%	2.1%	97.9%
Grade 10	1.9%	2.5%	4.4%	95.6%
Grade 11	2.2%	2.6%	5.2%	94.8%
Grade 12	2.9%	3.2%	3.9%	96.1%
<b>Cocaine</b>				
All	2.0%	2.2%	3.3%	96.7%
Grade 7	1.9%	1.9%	2.7%	97.3%
Grade 8	1.7%	1.7%	2.6%	97.4%
Grade 9	1.3%	1.5%	1.7%	98.3%
Grade 10	1.9%	2.5%	4.4%	95.6%
Grade 11	2.2%	2.6%	5.2%	94.8%
Grade 12	2.9%	3.2%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 49 of 125

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	1.7%	2.0%	2.1%	97.9%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.7%	0.9%	1.3%	98.7%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.9%	0.9%	1.8%	98.2%
Grade 12	0.0%	0.1%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.7%	1.0%	2.2%	97.8%
Grade 7	0.6%	0.7%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.6%	1.1%	2.7%	97.3%
Grade 11	1.4%	2.3%	4.2%	95.8%
Grade 12	1.6%	1.9%	4.3%	95.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.1%	0.6%	1.1%	98.9%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.4%	0.4%	1.4%	98.6%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.4%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Ecstasy</b>				
All	0.6%	0.7%	1.9%	98.1%
Grade 7	0.2%	0.5%	0.8%	99.2%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.6%	1.0%	3.2%	96.8%
Grade 11	1.8%	1.8%	4.2%	95.8%
Grade 12	0.5%	0.9%	2.9%	97.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.2%	0.5%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	1.0%	1.6%	3.8%	96.2%
Grade 7	0.9%	1.4%	2.7%	97.3%
Grade 8	0.6%	1.2%	2.4%	97.6%
Grade 9	0.8%	1.6%	4.0%	96.0%
Grade 10	1.4%	2.2%	4.2%	95.8%
Grade 11	2.1%	2.8%	7.2%	92.8%
Grade 12	0.5%	0.6%	2.7%	97.3%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.4%	0.4%	1.4%	98.6%
Grade 12	0.1%	0.1%	0.7%	99.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 125

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.2%	20.9%	29.4%	70.6%
Grade 7	2.4%	2.4%	7.9%	92.1%
Grade 8	5.1%	5.1%	9.8%	90.2%
Grade 9	19.2%	26.6%	34.1%	65.9%
Grade 10	17.5%	21.7%	36.5%	63.5%
Grade 11	34.8%	42.2%	49.6%	50.4%
Grade 12	27.6%	30.4%	42.9%	57.1%
<b>Any Alcohol Product</b>				
All	26.9%	33.6%	46.0%	54.0%
Grade 7	5.9%	8.4%	20.3%	79.7%
Grade 8	15.7%	21.7%	35.4%	64.6%
Grade 9	26.7%	32.2%	44.6%	55.4%
Grade 10	39.9%	54.2%	64.0%	36.0%
Grade 11	44.3%	53.2%	63.0%	37.0%
Grade 12	32.8%	35.5%	53.2%	46.8%
<b>Any Illicit Drug</b>				
All	9.6%	13.8%	19.6%	80.4%
Grade 7	0.9%	5.7%	8.2%	91.8%
Grade 8	0.0%	3.5%	3.5%	96.5%
Grade 9	10.6%	20.2%	23.2%	76.8%
Grade 10	15.5%	17.1%	23.7%	76.3%
Grade 11	21.2%	22.8%	34.6%	65.4%
Grade 12	11.1%	13.8%	26.4%	73.6%
<b>Any Prescription Drug</b>				
All	3.4%	6.1%	14.4%	85.6%
Grade 7	2.6%	5.7%	11.7%	88.3%
Grade 8	0.0%	2.6%	8.3%	91.7%
Grade 9	0.0%	4.2%	8.3%	91.7%
Grade 10	10.9%	15.9%	17.8%	82.2%
Grade 11	3.5%	3.5%	26.3%	73.7%
Grade 12	4.0%	5.3%	15.3%	84.7%
<b>Any Inhalant</b>				
All	2.7%	4.1%	9.3%	90.7%
Grade 7	6.2%	6.2%	9.7%	90.3%
Grade 8	1.7%	3.5%	7.8%	92.2%
Grade 9	0.0%	3.0%	12.3%	87.7%
Grade 10	0.9%	4.3%	7.6%	92.4%
Grade 11	7.4%	7.4%	14.7%	85.3%
Grade 12	0.0%	0.0%	2.7%	97.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.3%	16.5%	24.4%	75.6%
Grade 7	1.5%	1.5%	4.1%	95.9%
Grade 8	3.6%	3.6%	6.0%	94.0%
Grade 9	14.8%	21.9%	28.0%	72.0%
Grade 10	12.5%	12.5%	31.7%	68.3%
Grade 11	27.5%	38.7%	46.1%	53.9%
Grade 12	21.8%	21.8%	33.1%	66.9%
Marijuana				
All	9.5%	12.1%	18.5%	81.5%
Grade 7	0.0%	2.7%	5.2%	94.8%
Grade 8	0.0%	3.5%	3.5%	96.5%
Grade 9	10.6%	17.3%	21.7%	78.3%
Grade 10	15.5%	17.1%	23.7%	76.3%
Grade 11	21.2%	21.2%	33.1%	66.9%
Grade 12	11.1%	11.1%	26.4%	73.6%
Marijuana Only				
All	5.3%	7.3%	12.5%	87.5%
Grade 7	0.0%	1.0%	3.5%	96.5%
Grade 8	0.0%	3.5%	3.5%	96.5%
Grade 9	7.0%	13.7%	16.7%	83.3%
Grade 10	12.7%	12.7%	19.4%	80.6%
Grade 11	8.4%	8.4%	16.8%	83.2%
Grade 12	3.9%	3.9%	16.2%	83.8%
Cocaine or Crack				
All	1.6%	1.6%	3.8%	96.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	5.1%	5.1%	12.4%	87.6%
Grade 12	4.6%	4.6%	10.2%	89.8%
Cocaine				
All	1.6%	1.6%	3.8%	96.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	1.4%	98.6%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	5.1%	5.1%	12.4%	87.6%
Grade 12	4.6%	4.6%	10.2%	89.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	0.4%	1.1%	1.3%	98.7%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	1.6%	5.7%	5.7%	94.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.5%	1.5%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	1.6%	1.6%	5.4%	94.6%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 54 of 125

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	3.9%	3.9%	96.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.6%	0.6%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	3.6%	96.4%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	3.9%	3.9%	8.9%	91.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Methamphetamine</b>				
All	0.4%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.8%	2.8%	2.8%	97.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 55 of 125

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	10.2%	17.2%	25.3%	74.7%
Grades 7-8	0.0%	3.0%	7.2%	92.8%
Grades 9-10	0.0%	16.6%	29.8%	70.2%
Grades 11-12	35.2%	35.2%	42.1%	57.9%
<b>Any Alcohol Product</b>				
All	29.5%	39.6%	47.3%	52.7%
Grades 7-8	18.6%	26.0%	42.9%	57.1%
Grades 9-10	8.5%	29.8%	29.8%	70.2%
Grades 11-12	68.2%	68.2%	74.0%	26.0%
<b>Any Illicit Drug</b>				
All	22.7%	27.3%	28.4%	71.6%
Grades 7-8	0.0%	7.4%	10.4%	89.6%
Grades 9-10	46.4%	46.4%	46.4%	53.6%
Grades 11-12	21.8%	28.6%	28.6%	71.4%
<b>Any Prescription Drug</b>				
All	8.4%	11.4%	20.8%	79.2%
Grades 7-8	10.6%	10.6%	10.6%	89.4%
Grades 9-10	0.0%	8.3%	16.6%	83.4%
Grades 11-12	15.9%	15.9%	37.7%	62.3%
<b>Any Inhalant</b>				
All	2.7%	3.7%	14.7%	85.3%
Grades 7-8	7.4%	10.4%	15.2%	84.8%
Grades 9-10	0.0%	0.0%	13.1%	86.9%
Grades 11-12	0.0%	0.0%	15.9%	84.1%
<b>Electronic Vapor Products</b>				
All	8.5%	15.5%	23.6%	76.4%
Grades 7-8	0.0%	3.0%	7.2%	92.8%
Grades 9-10	0.0%	16.6%	29.8%	70.2%
Grades 11-12	29.3%	29.3%	36.2%	63.8%
<b>Marijuana</b>				
All	22.7%	25.3%	26.4%	73.6%
Grades 7-8	0.0%	7.4%	10.4%	89.6%
Grades 9-10	46.4%	46.4%	46.4%	53.6%
Grades 11-12	21.8%	21.8%	21.8%	78.2%
<b>Marijuana Only</b>				
All	11.8%	14.4%	15.4%	84.6%
Grades 7-8	0.0%	6.9%	9.6%	90.4%
Grades 9-10	29.6%	29.6%	29.6%	70.4%
Grades 11-12	5.8%	5.8%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Cocaine or Crack</b>				
All	7.6%	7.6%	7.6%	92.4%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	8.5%	8.5%	8.5%	91.5%
Grades 11-12	15.9%	15.9%	15.9%	84.1%
<b>Cocaine</b>				
All	7.6%	7.6%	7.6%	92.4%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	8.5%	8.5%	8.5%	91.5%
Grades 11-12	15.9%	15.9%	15.9%	84.1%
<b>Crack</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Hallucinogens</b>				
All	4.6%	4.6%	7.6%	92.4%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	8.3%	91.7%
Grades 11-12	15.9%	15.9%	15.9%	84.1%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
<b>Ecstasy</b>				
All	4.6%	4.6%	4.6%	95.4%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	15.9%	15.9%	15.9%	84.1%
<b>Heroin</b>				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 57 of 125

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.0%	2.0%	2.0%	98.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	6.9%	6.9%	93.1%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grades 7-8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 58 of 125

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.7%	15.6%	26.6%	73.4%
Grade 7	5.7%	6.9%	14.5%	85.5%
Grade 8	6.3%	8.6%	15.7%	84.3%
Grade 9	11.1%	14.4%	24.6%	75.4%
Grade 10	15.1%	18.7%	31.6%	68.4%
Grade 11	16.3%	19.9%	34.7%	65.3%
Grade 12	23.0%	27.0%	41.0%	59.0%
<b>Any Alcohol Product</b>				
All	29.2%	33.5%	48.3%	51.7%
Grade 7	14.8%	17.8%	33.6%	66.4%
Grade 8	17.3%	21.0%	34.2%	65.8%
Grade 9	28.9%	31.8%	46.6%	53.4%
Grade 10	38.9%	44.9%	58.2%	41.8%
Grade 11	33.9%	39.5%	58.3%	41.7%
Grade 12	43.3%	48.3%	61.3%	38.7%
<b>Any Illicit Drug</b>				
All	15.1%	17.8%	23.1%	76.9%
Grade 7	6.8%	8.5%	10.7%	89.3%
Grade 8	8.0%	9.7%	12.0%	88.0%
Grade 9	13.9%	16.8%	22.4%	77.6%
Grade 10	19.1%	22.7%	28.4%	71.6%
Grade 11	19.9%	22.7%	31.2%	68.8%
Grade 12	24.2%	28.1%	36.0%	64.0%
<b>Any Prescription Drug</b>				
All	6.5%	9.5%	16.0%	84.0%
Grade 7	7.3%	10.4%	15.5%	84.5%
Grade 8	6.6%	9.7%	14.5%	85.5%
Grade 9	6.1%	8.4%	16.1%	83.9%
Grade 10	6.9%	9.9%	17.6%	82.4%
Grade 11	6.6%	10.8%	18.3%	81.7%
Grade 12	5.4%	7.6%	13.9%	86.1%
<b>Any Inhalant</b>				
All	5.0%	6.6%	12.7%	87.3%
Grade 7	8.7%	10.7%	17.9%	82.1%
Grade 8	4.6%	6.1%	13.5%	86.5%
Grade 9	4.9%	6.2%	11.8%	88.2%
Grade 10	4.4%	5.5%	11.5%	88.5%
Grade 11	3.2%	4.7%	9.7%	90.3%
Grade 12	3.6%	5.9%	11.4%	88.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.8%	9.8%	19.4%	80.6%
Grade 7	3.1%	4.3%	10.4%	89.6%
Grade 8	3.6%	5.8%	10.8%	89.2%
Grade 9	6.6%	10.0%	18.6%	81.4%
Grade 10	7.4%	10.5%	22.4%	77.6%
Grade 11	8.6%	12.6%	24.4%	75.6%
Grade 12	12.0%	16.6%	31.2%	68.8%
<b>Marijuana</b>				
All	14.8%	16.7%	21.8%	78.2%
Grade 7	6.3%	7.1%	8.9%	91.1%
Grade 8	7.7%	8.3%	10.6%	89.4%
Grade 9	13.6%	15.3%	20.7%	79.3%
Grade 10	19.1%	21.4%	26.8%	73.2%
Grade 11	19.9%	22.3%	30.7%	69.3%
Grade 12	23.6%	27.4%	35.5%	64.5%
<b>Marijuana Only</b>				
All	8.7%	10.1%	14.5%	85.5%
Grade 7	2.7%	3.6%	5.1%	94.9%
Grade 8	3.8%	4.3%	6.3%	93.7%
Grade 9	8.9%	10.2%	14.9%	85.1%
Grade 10	11.6%	13.3%	17.8%	82.2%
Grade 11	11.7%	12.9%	20.1%	79.9%
Grade 12	14.5%	17.5%	24.2%	75.8%
<b>Cocaine or Crack</b>				
All	2.2%	2.6%	3.8%	96.2%
Grade 7	2.1%	2.1%	2.6%	97.4%
Grade 8	1.3%	1.8%	2.4%	97.6%
Grade 9	1.4%	1.6%	2.1%	97.9%
Grade 10	2.9%	3.4%	5.1%	94.9%
Grade 11	2.0%	3.0%	5.4%	94.6%
Grade 12	3.6%	3.9%	5.7%	94.3%
<b>Cocaine</b>				
All	2.0%	2.3%	3.6%	96.4%
Grade 7	1.5%	1.5%	2.1%	97.9%
Grade 8	1.3%	1.6%	2.2%	97.8%
Grade 9	1.2%	1.3%	1.7%	98.3%
Grade 10	2.8%	3.3%	5.1%	94.9%
Grade 11	2.0%	3.0%	5.4%	94.6%
Grade 12	3.3%	3.6%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	1.3%	1.5%	1.5%	98.5%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.5%	0.8%	1.0%	99.0%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	0.5%	0.7%	1.1%	98.9%
<b>Hallucinogens</b>				
All	0.9%	1.2%	2.7%	97.3%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	0.5%	0.8%	1.9%	98.1%
Grade 10	1.0%	1.5%	3.0%	97.0%
Grade 11	0.9%	1.5%	3.9%	96.1%
Grade 12	2.2%	2.7%	5.8%	94.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.2%	0.5%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.2%	0.5%	0.9%	99.1%
Grade 12	0.3%	0.6%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.6%	0.9%	2.2%	97.8%
Grade 7	0.3%	0.7%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.4%	1.7%	98.3%
Grade 10	1.0%	1.4%	3.2%	96.8%
Grade 11	0.9%	1.2%	3.6%	96.4%
Grade 12	0.9%	1.3%	3.2%	96.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.1%	1.7%	4.0%	96.0%
Grade 7	0.9%	1.5%	2.7%	97.3%
Grade 8	1.1%	1.6%	2.8%	97.2%
Grade 9	1.0%	1.6%	3.7%	96.3%
Grade 10	1.3%	2.1%	4.1%	95.9%
Grade 11	1.4%	1.9%	6.3%	93.7%
Grade 12	1.1%	1.4%	4.4%	95.6%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.4%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 62 of 125

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	8.7%	11.2%	19.4%	80.6%
Grade 7	1.4%	2.0%	7.7%	92.3%
Grade 8	3.9%	4.5%	8.2%	91.8%
Grade 9	9.1%	11.7%	18.5%	81.5%
Grade 10	8.4%	11.6%	19.0%	81.0%
Grade 11	12.6%	16.6%	29.2%	70.8%
Grade 12	16.6%	20.0%	34.1%	65.9%
<b>Any Alcohol Product</b>				
All	24.3%	29.2%	46.2%	53.8%
Grade 7	7.9%	10.5%	24.3%	75.7%
Grade 8	16.5%	19.1%	34.8%	65.2%
Grade 9	27.2%	30.6%	49.3%	50.7%
Grade 10	29.5%	37.1%	52.8%	47.2%
Grade 11	25.3%	32.2%	54.1%	45.9%
Grade 12	37.0%	44.0%	59.0%	41.0%
<b>Any Illicit Drug</b>				
All	8.9%	11.4%	15.7%	84.3%
Grade 7	1.6%	4.5%	6.2%	93.8%
Grade 8	4.8%	5.8%	8.0%	92.0%
Grade 9	9.2%	11.9%	16.2%	83.8%
Grade 10	8.4%	10.6%	15.8%	84.2%
Grade 11	13.7%	15.3%	21.3%	78.7%
Grade 12	15.4%	20.0%	26.1%	73.9%
<b>Any Prescription Drug</b>				
All	5.3%	8.1%	13.3%	86.7%
Grade 7	5.1%	8.0%	11.4%	88.6%
Grade 8	6.6%	10.0%	13.6%	86.4%
Grade 9	4.9%	7.0%	14.1%	85.9%
Grade 10	5.1%	8.4%	12.4%	87.6%
Grade 11	6.0%	9.6%	16.3%	83.7%
Grade 12	4.3%	6.0%	11.5%	88.5%
<b>Any Inhalant</b>				
All	2.9%	4.5%	9.4%	90.6%
Grade 7	3.3%	6.1%	12.7%	87.3%
Grade 8	2.3%	3.3%	10.4%	89.6%
Grade 9	4.0%	5.3%	11.9%	88.1%
Grade 10	2.9%	4.9%	7.7%	92.3%
Grade 11	2.0%	3.5%	6.8%	93.2%
Grade 12	2.3%	3.6%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.1%	7.2%	14.5%	85.5%
Grade 7	1.0%	1.6%	4.9%	95.1%
Grade 8	2.9%	3.4%	6.1%	93.9%
Grade 9	5.5%	7.6%	13.8%	86.2%
Grade 10	4.9%	7.6%	14.3%	85.7%
Grade 11	6.6%	10.5%	22.1%	77.9%
Grade 12	9.5%	12.4%	25.7%	74.3%
<b>Marijuana</b>				
All	8.7%	10.0%	14.1%	85.9%
Grade 7	1.4%	2.7%	3.9%	96.1%
Grade 8	4.2%	4.2%	6.4%	93.6%
Grade 9	8.9%	10.0%	14.0%	86.0%
Grade 10	8.4%	9.0%	13.9%	86.1%
Grade 11	13.8%	15.2%	20.9%	79.1%
Grade 12	15.1%	18.7%	25.1%	74.9%
<b>Marijuana Only</b>				
All	6.0%	7.0%	10.5%	89.5%
Grade 7	0.9%	1.8%	3.0%	97.0%
Grade 8	3.2%	3.2%	5.1%	94.9%
Grade 9	6.1%	7.2%	10.9%	89.1%
Grade 10	5.0%	5.1%	8.9%	91.1%
Grade 11	10.9%	11.5%	16.4%	83.6%
Grade 12	9.6%	12.7%	18.3%	81.7%
<b>Cocaine or Crack</b>				
All	0.9%	1.1%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.8%	1.9%	3.2%	96.8%
Grade 11	1.0%	1.3%	2.3%	97.7%
Grade 12	2.5%	2.5%	3.6%	96.4%
<b>Cocaine</b>				
All	0.8%	1.0%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.8%	1.9%	3.2%	96.8%
Grade 11	1.0%	1.3%	2.3%	97.7%
Grade 12	2.1%	2.1%	3.4%	96.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.2%	0.5%	0.5%	99.5%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.9%	0.9%	0.9%	99.1%
Hallucinogens				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.3%	0.6%	1.6%	98.4%
Grade 12	2.1%	3.0%	5.8%	94.2%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	0.5%	0.6%	0.8%	99.2%
Grade 12	0.1%	0.5%	1.6%	98.4%
Ecstasy				
All	0.5%	0.5%	1.4%	98.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.3%	0.3%	1.2%	98.8%
Grade 10	0.6%	0.6%	2.5%	97.5%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	1.5%	1.6%	4.0%	96.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	0.5%	0.8%	1.6%	98.4%
Grade 7	0.2%	0.9%	0.9%	99.1%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.7%	1.2%	2.0%	98.0%
Grade 10	0.6%	0.6%	1.5%	98.5%
Grade 11	0.7%	1.2%	3.5%	96.5%
Grade 12	0.5%	0.6%	1.5%	98.5%
Methamphetamine				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 125

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.1%	17.1%	29.0%	71.0%
Grade 7	7.2%	8.2%	16.0%	84.0%
Grade 8	6.6%	9.4%	17.6%	82.4%
Grade 9	12.2%	15.7%	27.5%	72.5%
Grade 10	17.5%	21.6%	36.9%	63.1%
Grade 11	18.9%	22.7%	38.3%	61.7%
Grade 12	26.0%	29.8%	43.6%	56.4%
<b>Any Alcohol Product</b>				
All	30.1%	34.4%	47.8%	52.2%
Grade 7	16.6%	20.0%	35.1%	64.9%
Grade 8	17.1%	21.9%	33.7%	66.3%
Grade 9	28.7%	31.6%	44.0%	56.0%
Grade 10	41.8%	48.0%	60.5%	39.5%
Grade 11	38.3%	43.0%	59.6%	40.4%
Grade 12	44.4%	48.1%	60.3%	39.7%
<b>Any Illicit Drug</b>				
All	16.8%	19.8%	25.3%	74.7%
Grade 7	7.9%	9.4%	11.7%	88.3%
Grade 8	8.1%	10.6%	12.8%	87.2%
Grade 9	16.3%	20.0%	25.9%	74.1%
Grade 10	22.5%	26.5%	32.7%	67.3%
Grade 11	23.0%	26.0%	35.5%	64.5%
Grade 12	27.1%	30.6%	38.9%	61.1%
<b>Any Prescription Drug</b>				
All	6.9%	10.0%	17.1%	82.9%
Grade 7	7.8%	10.6%	16.0%	84.0%
Grade 8	6.2%	9.1%	14.6%	85.4%
Grade 9	6.3%	9.2%	17.1%	82.9%
Grade 10	8.1%	11.0%	20.0%	80.0%
Grade 11	6.4%	11.1%	19.5%	80.5%
Grade 12	6.3%	8.6%	15.5%	84.5%
<b>Any Inhalant</b>				
All	5.9%	7.5%	13.9%	86.1%
Grade 7	10.9%	12.5%	19.2%	80.8%
Grade 8	5.3%	6.7%	13.6%	86.4%
Grade 9	5.0%	6.6%	11.9%	88.1%
Grade 10	5.2%	6.1%	13.2%	86.8%
Grade 11	3.8%	5.1%	10.7%	89.3%
Grade 12	4.3%	7.2%	13.6%	86.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.7%	10.8%	21.0%	79.0%
Grade 7	3.8%	5.1%	11.3%	88.7%
Grade 8	3.5%	5.9%	11.7%	88.3%
Grade 9	7.7%	11.4%	21.3%	78.7%
Grade 10	8.8%	11.8%	25.9%	74.1%
Grade 11	10.1%	14.8%	26.6%	73.4%
Grade 12	14.0%	18.5%	33.0%	67.0%
Marijuana				
All	16.5%	18.7%	24.2%	75.8%
Grade 7	7.1%	8.0%	10.1%	89.9%
Grade 8	7.9%	9.1%	11.4%	88.6%
Grade 9	16.2%	18.7%	24.6%	75.4%
Grade 10	22.4%	25.5%	31.3%	68.7%
Grade 11	23.0%	25.3%	34.9%	65.1%
Grade 12	26.6%	30.3%	38.9%	61.1%
Marijuana Only				
All	9.3%	11.1%	15.5%	84.5%
Grade 7	2.8%	3.8%	5.5%	94.5%
Grade 8	3.5%	4.6%	6.4%	93.6%
Grade 9	10.4%	12.4%	17.3%	82.7%
Grade 10	13.9%	16.3%	21.3%	78.7%
Grade 11	12.2%	13.4%	21.3%	78.7%
Grade 12	15.5%	18.6%	25.1%	74.9%
Cocaine or Crack				
All	2.7%	3.2%	4.7%	95.3%
Grade 7	3.0%	3.0%	3.4%	96.6%
Grade 8	1.5%	2.0%	2.7%	97.3%
Grade 9	1.6%	1.9%	2.9%	97.1%
Grade 10	4.1%	4.5%	6.0%	94.0%
Grade 11	2.3%	3.5%	7.2%	92.8%
Grade 12	4.2%	4.6%	7.0%	93.0%
Cocaine				
All	2.5%	2.9%	4.4%	95.6%
Grade 7	2.2%	2.2%	2.8%	97.2%
Grade 8	1.5%	1.9%	2.6%	97.4%
Grade 9	1.4%	1.6%	2.4%	97.6%
Grade 10	4.0%	4.4%	5.9%	94.1%
Grade 11	2.3%	3.5%	7.2%	92.8%
Grade 12	3.9%	4.3%	6.9%	93.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.7%	0.8%	1.4%	98.6%
Grade 7	1.8%	2.1%	2.1%	97.9%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	0.1%	0.1%	1.0%	99.0%
Grade 11	0.5%	0.5%	1.6%	98.4%
Grade 12	0.4%	0.7%	1.3%	98.7%
<b>Hallucinogens</b>				
All	1.1%	1.5%	3.1%	96.9%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	0.8%	1.1%	2.3%	97.7%
Grade 10	1.5%	2.3%	4.0%	96.0%
Grade 11	1.0%	2.2%	5.1%	94.9%
Grade 12	2.3%	2.6%	5.9%	94.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.7%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.4%	0.5%	1.6%	98.4%
Grade 10	0.0%	0.0%	0.9%	99.1%
Grade 11	0.0%	0.3%	1.0%	99.0%
Grade 12	0.3%	0.6%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.7%	1.1%	2.5%	97.5%
Grade 7	0.5%	0.9%	1.4%	98.6%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.5%	1.9%	98.1%
Grade 10	1.2%	1.9%	3.7%	96.3%
Grade 11	1.2%	1.6%	5.0%	95.0%
Grade 12	0.8%	1.4%	3.1%	96.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.7%	0.8%	1.4%	98.6%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.1%	0.4%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.5%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.3%	1.9%	4.7%	95.3%
Grade 7	1.2%	1.6%	3.1%	96.9%
Grade 8	1.2%	1.7%	3.3%	96.7%
Grade 9	1.1%	1.5%	4.6%	95.4%
Grade 10	1.6%	2.7%	5.0%	95.0%
Grade 11	1.5%	2.2%	7.1%	92.9%
Grade 12	1.5%	1.8%	5.5%	94.5%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	1.5%	1.5%	1.9%	98.1%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	1.4%	98.6%
Grade 12	0.5%	0.7%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 70 of 125

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.3%	13.9%	23.8%	76.2%
Grade 7	5.2%	6.2%	11.9%	88.1%
Grade 8	4.4%	6.1%	11.8%	88.2%
Grade 9	9.0%	12.4%	22.5%	77.5%
Grade 10	13.0%	16.3%	28.7%	71.3%
Grade 11	15.5%	18.8%	32.5%	67.5%
Grade 12	23.2%	25.9%	38.5%	61.5%
<b>Any Alcohol Product</b>				
All	27.4%	31.4%	45.6%	54.4%
Grade 7	13.1%	15.6%	29.3%	70.7%
Grade 8	15.3%	18.8%	30.8%	69.2%
Grade 9	26.4%	29.8%	44.6%	55.4%
Grade 10	39.1%	44.2%	56.8%	43.2%
Grade 11	31.4%	37.0%	55.3%	44.7%
Grade 12	41.9%	46.5%	59.8%	40.2%
<b>Any Illicit Drug</b>				
All	12.2%	15.1%	19.4%	80.6%
Grade 7	4.6%	6.2%	8.0%	92.0%
Grade 8	4.6%	6.7%	8.3%	91.7%
Grade 9	12.3%	15.7%	19.7%	80.3%
Grade 10	15.4%	19.4%	24.5%	75.5%
Grade 11	16.1%	18.5%	25.9%	74.1%
Grade 12	22.1%	25.9%	32.6%	67.4%
<b>Any Prescription Drug</b>				
All	6.0%	8.5%	15.2%	84.8%
Grade 7	7.6%	10.3%	15.1%	84.9%
Grade 8	5.4%	7.4%	12.1%	87.9%
Grade 9	5.6%	7.8%	16.1%	83.9%
Grade 10	5.5%	8.5%	16.9%	83.1%
Grade 11	6.0%	9.9%	17.9%	82.1%
Grade 12	5.4%	7.1%	12.7%	87.3%
<b>Any Inhalant</b>				
All	4.9%	6.5%	12.3%	87.7%
Grade 7	7.7%	9.7%	16.7%	83.3%
Grade 8	3.8%	5.2%	12.0%	88.0%
Grade 9	5.4%	6.8%	12.6%	87.4%
Grade 10	4.4%	5.7%	11.1%	88.9%
Grade 11	3.3%	4.6%	9.6%	90.4%
Grade 12	4.2%	6.5%	11.2%	88.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 71 of 125

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.3%	8.9%	17.8%	82.2%
Grade 7	2.8%	3.8%	9.0%	91.0%
Grade 8	3.0%	5.0%	8.5%	91.5%
Grade 9	5.4%	8.3%	16.7%	83.3%
Grade 10	7.5%	9.9%	21.5%	78.5%
Grade 11	7.8%	11.4%	24.1%	75.9%
Grade 12	12.7%	16.6%	29.6%	70.4%
<b>Marijuana</b>				
All	11.9%	13.9%	18.2%	81.8%
Grade 7	4.0%	4.9%	6.3%	93.7%
Grade 8	4.6%	5.5%	7.1%	92.9%
Grade 9	11.9%	14.2%	18.1%	81.9%
Grade 10	15.3%	18.3%	23.2%	76.8%
Grade 11	16.1%	17.8%	25.3%	74.7%
Grade 12	21.7%	25.0%	32.1%	67.9%
<b>Marijuana Only</b>				
All	7.2%	8.6%	12.3%	87.7%
Grade 7	1.7%	2.4%	3.7%	96.3%
Grade 8	2.7%	3.4%	4.8%	95.2%
Grade 9	7.5%	9.2%	12.5%	87.5%
Grade 10	10.1%	12.0%	16.2%	83.8%
Grade 11	8.5%	9.4%	15.9%	84.1%
Grade 12	14.2%	16.8%	22.8%	77.2%
<b>Cocaine or Crack</b>				
All	1.7%	1.9%	2.9%	97.1%
Grade 7	1.8%	1.8%	1.9%	98.1%
Grade 8	0.4%	0.7%	0.9%	99.1%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	1.7%	1.9%	3.7%	96.3%
Grade 11	1.3%	2.1%	4.4%	95.6%
Grade 12	3.9%	4.0%	5.1%	94.9%
<b>Cocaine</b>				
All	1.5%	1.8%	2.8%	97.2%
Grade 7	1.3%	1.3%	1.6%	98.4%
Grade 8	0.4%	0.6%	0.9%	99.1%
Grade 9	1.2%	1.3%	1.7%	98.3%
Grade 10	1.6%	1.8%	3.6%	96.4%
Grade 11	1.3%	2.1%	4.4%	95.6%
Grade 12	3.6%	3.7%	5.0%	95.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.9%	1.2%	1.2%	98.8%
Grade 8	0.1%	0.3%	0.3%	99.7%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.5%	0.6%	0.8%	99.2%
Hallucinogens				
All	0.6%	1.1%	2.3%	97.7%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.8%	2.0%	98.0%
Grade 10	0.2%	0.9%	1.8%	98.2%
Grade 11	0.8%	2.1%	3.9%	96.1%
Grade 12	2.0%	2.4%	5.3%	94.7%
Synthetic Cathinones				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.5%	1.2%	98.8%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.2%	0.2%	0.7%	99.3%
Ecstasy				
All	0.5%	0.7%	1.8%	98.2%
Grade 7	0.3%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.5%	0.5%	1.7%	98.3%
Grade 10	0.1%	0.5%	1.9%	98.1%
Grade 11	0.8%	1.2%	3.2%	96.8%
Grade 12	1.1%	1.1%	3.2%	96.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 73 of 125

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.3%	0.7%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	0.9%	1.3%	3.2%	96.8%
Grade 7	0.5%	1.0%	1.7%	98.3%
Grade 8	0.7%	0.9%	1.9%	98.1%
Grade 9	1.0%	1.3%	2.9%	97.1%
Grade 10	1.0%	1.5%	2.9%	97.1%
Grade 11	1.2%	2.0%	6.3%	93.7%
Grade 12	1.3%	1.5%	3.7%	96.3%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.6%	0.6%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 125

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	15.0%	18.9%	31.4%	68.6%
Grade 7	6.1%	7.5%	18.3%	81.7%
Grade 8	9.1%	11.9%	20.9%	79.1%
Grade 9	14.6%	18.6%	28.8%	71.2%
Grade 10	18.1%	22.4%	36.6%	63.4%
Grade 11	19.1%	23.8%	39.8%	60.2%
Grade 12	23.8%	29.5%	45.5%	54.5%
<b>Any Alcohol Product</b>				
All	31.6%	36.6%	52.4%	47.6%
Grade 7	16.6%	20.4%	38.8%	61.2%
Grade 8	20.2%	24.4%	40.2%	59.8%
Grade 9	31.5%	34.0%	48.9%	51.1%
Grade 10	38.1%	46.4%	60.6%	39.4%
Grade 11	39.4%	45.4%	63.6%	36.4%
Grade 12	44.9%	50.2%	63.8%	36.2%
<b>Any Illicit Drug</b>				
All	18.6%	21.5%	28.3%	71.7%
Grade 7	10.0%	12.6%	15.7%	84.3%
Grade 8	11.8%	13.4%	16.4%	83.6%
Grade 9	16.2%	19.3%	26.6%	73.4%
Grade 10	23.8%	26.3%	33.5%	66.5%
Grade 11	25.4%	28.4%	39.3%	60.7%
Grade 12	25.3%	29.8%	39.6%	60.4%
<b>Any Prescription Drug</b>				
All	7.0%	10.3%	16.9%	83.1%
Grade 7	6.1%	9.9%	15.7%	84.3%
Grade 8	7.8%	12.4%	17.5%	82.5%
Grade 9	5.9%	8.8%	15.0%	85.0%
Grade 10	9.1%	11.9%	17.8%	82.2%
Grade 11	7.3%	11.1%	20.5%	79.5%
Grade 12	5.7%	8.0%	15.6%	84.4%
<b>Any Inhalant</b>				
All	4.7%	6.1%	12.6%	87.4%
Grade 7	10.6%	12.3%	19.0%	81.0%
Grade 8	5.6%	7.2%	15.1%	84.9%
Grade 9	2.9%	4.3%	10.6%	89.4%
Grade 10	3.8%	4.0%	10.8%	89.2%
Grade 11	3.1%	4.6%	10.0%	90.0%
Grade 12	2.5%	4.6%	10.3%	89.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.3%	12.2%	22.6%	77.4%
Grade 7	3.5%	4.9%	12.3%	87.7%
Grade 8	4.7%	6.7%	14.2%	85.8%
Grade 9	9.2%	14.2%	22.9%	77.1%
Grade 10	7.8%	11.9%	25.1%	74.9%
Grade 11	12.2%	17.4%	27.0%	73.0%
Grade 12	12.4%	17.7%	34.3%	65.7%
<b>Marijuana</b>				
All	18.3%	20.2%	27.0%	73.0%
Grade 7	9.3%	10.9%	13.6%	86.4%
Grade 8	11.1%	11.7%	15.0%	85.0%
Grade 9	16.3%	17.9%	25.4%	74.6%
Grade 10	23.8%	25.0%	31.5%	68.5%
Grade 11	25.4%	28.0%	38.6%	61.4%
Grade 12	24.5%	29.0%	39.2%	60.8%
<b>Marijuana Only</b>				
All	10.5%	12.0%	17.6%	82.4%
Grade 7	4.1%	5.6%	7.9%	92.1%
Grade 8	4.8%	5.4%	8.0%	92.0%
Grade 9	11.1%	12.7%	19.1%	80.9%
Grade 10	13.5%	14.6%	20.1%	79.9%
Grade 11	16.1%	17.1%	25.8%	74.2%
Grade 12	13.3%	17.0%	25.2%	74.8%
<b>Cocaine or Crack</b>				
All	2.8%	3.4%	5.1%	94.9%
Grade 7	2.4%	2.4%	3.3%	96.7%
Grade 8	2.5%	3.2%	4.6%	95.4%
Grade 9	1.2%	1.2%	1.8%	98.2%
Grade 10	4.2%	5.3%	6.9%	93.1%
Grade 11	3.2%	4.2%	7.4%	92.6%
Grade 12	3.8%	4.5%	7.5%	92.5%
<b>Cocaine</b>				
All	2.6%	3.1%	4.8%	95.2%
Grade 7	1.7%	1.7%	2.7%	97.3%
Grade 8	2.5%	2.8%	4.0%	96.0%
Grade 9	1.0%	1.0%	1.6%	98.4%
Grade 10	4.2%	5.3%	6.9%	93.1%
Grade 11	3.2%	4.2%	7.4%	92.6%
Grade 12	3.4%	4.1%	7.4%	92.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 76 of 125

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.2%	98.8%
Grade 7	1.8%	1.8%	1.9%	98.1%
Grade 8	0.5%	0.8%	1.7%	98.3%
Grade 9	0.2%	0.5%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.5%	0.8%	1.4%	98.6%
Hallucinogens				
All	1.3%	1.5%	3.1%	96.9%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	1.0%	1.0%	2.2%	97.8%
Grade 9	0.3%	0.6%	1.4%	98.6%
Grade 10	2.2%	2.2%	4.7%	95.3%
Grade 11	1.1%	1.2%	3.9%	96.1%
Grade 12	2.7%	3.4%	5.7%	94.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	0.5%	0.5%	1.7%	98.3%
Grade 9	0.4%	0.6%	1.5%	98.5%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.4%	1.1%	2.1%	97.9%
Ecstasy				
All	0.8%	1.1%	2.6%	97.4%
Grade 7	0.6%	1.1%	1.9%	98.1%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.3%	1.2%	98.8%
Grade 10	2.1%	2.7%	4.9%	95.1%
Grade 11	0.8%	0.8%	3.9%	96.1%
Grade 12	1.1%	1.9%	3.3%	96.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 125



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.7%	0.7%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.1%	0.1%	99.9%
Synthetic Marijuana				
All	1.3%	2.1%	4.9%	95.1%
Grade 7	1.6%	2.3%	4.0%	96.0%
Grade 8	1.6%	2.4%	3.8%	96.2%
Grade 9	0.8%	1.7%	4.7%	95.3%
Grade 10	1.5%	2.7%	5.7%	94.3%
Grade 11	1.9%	2.3%	6.2%	93.8%
Grade 12	0.8%	1.0%	4.9%	95.1%
Methamphetamine				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	1.4%	1.4%	2.1%	97.9%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	1.3%	98.7%
Grade 12	0.3%	0.6%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 78 of 125

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.1%	14.0%	24.5%	75.5%
Grade 7	4.1%	4.7%	11.3%	88.7%
Grade 8	4.9%	6.5%	13.9%	86.1%
Grade 9	10.7%	14.3%	23.7%	76.3%
Grade 10	13.7%	17.5%	29.7%	70.3%
Grade 11	14.0%	18.1%	32.5%	67.5%
Grade 12	21.1%	25.0%	39.0%	61.0%
<b>Any Alcohol Product</b>				
All	27.3%	31.7%	46.5%	53.5%
Grade 7	12.1%	14.9%	29.4%	70.6%
Grade 8	15.6%	18.9%	32.1%	67.9%
Grade 9	27.4%	30.6%	44.7%	55.3%
Grade 10	37.5%	43.5%	57.4%	42.6%
Grade 11	33.4%	39.7%	58.3%	41.7%
Grade 12	40.9%	46.3%	60.6%	39.4%
<b>Any Illicit Drug</b>				
All	12.4%	15.3%	20.4%	79.6%
Grade 7	4.0%	5.5%	7.1%	92.9%
Grade 8	4.9%	6.9%	9.0%	91.0%
Grade 9	13.0%	15.7%	20.9%	79.1%
Grade 10	16.5%	20.2%	26.1%	73.9%
Grade 11	16.5%	19.6%	28.1%	71.9%
Grade 12	21.6%	26.0%	34.1%	65.9%
<b>Any Prescription Drug</b>				
All	5.8%	8.3%	14.8%	85.2%
Grade 7	6.0%	8.1%	12.8%	87.2%
Grade 8	6.1%	8.7%	13.2%	86.8%
Grade 9	5.5%	7.7%	15.9%	84.1%
Grade 10	6.3%	9.1%	16.7%	83.3%
Grade 11	5.9%	9.0%	16.9%	83.1%
Grade 12	5.0%	6.8%	13.3%	86.7%
<b>Any Inhalant</b>				
All	4.0%	5.4%	10.8%	89.2%
Grade 7	6.5%	8.3%	14.0%	86.0%
Grade 8	4.1%	5.3%	12.7%	87.3%
Grade 9	4.6%	5.6%	10.5%	89.5%
Grade 10	3.1%	4.2%	9.2%	90.8%
Grade 11	2.2%	3.4%	8.1%	91.9%
Grade 12	3.2%	5.1%	9.9%	90.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.0%	8.9%	17.8%	82.2%
Grade 7	2.2%	2.8%	7.7%	92.3%
Grade 8	2.9%	4.3%	9.2%	90.8%
Grade 9	6.5%	10.2%	18.3%	81.7%
Grade 10	6.8%	10.0%	20.9%	79.1%
Grade 11	7.7%	12.0%	23.2%	76.8%
Grade 12	11.0%	15.3%	29.7%	70.3%
<b>Marijuana</b>				
All	12.3%	14.2%	19.2%	80.8%
Grade 7	3.7%	4.4%	5.6%	94.4%
Grade 8	4.8%	5.5%	7.6%	92.4%
Grade 9	12.8%	14.1%	19.4%	80.6%
Grade 10	16.4%	18.8%	24.8%	75.2%
Grade 11	16.6%	19.1%	27.5%	72.5%
Grade 12	21.5%	25.3%	33.8%	66.2%
<b>Marijuana Only</b>				
All	7.6%	8.9%	13.4%	86.6%
Grade 7	1.5%	2.3%	3.3%	96.7%
Grade 8	2.2%	2.8%	4.6%	95.4%
Grade 9	8.8%	9.9%	14.7%	85.3%
Grade 10	10.2%	11.8%	16.9%	83.1%
Grade 11	10.7%	11.9%	19.0%	81.0%
Grade 12	13.1%	16.4%	23.8%	76.2%
<b>Cocaine or Crack</b>				
All	1.5%	1.9%	2.9%	97.1%
Grade 7	1.3%	1.3%	1.5%	98.5%
Grade 8	0.6%	1.2%	1.8%	98.2%
Grade 9	0.8%	0.8%	1.4%	98.6%
Grade 10	2.4%	3.0%	4.1%	95.9%
Grade 11	1.0%	1.8%	3.9%	96.1%
Grade 12	3.2%	3.5%	5.1%	94.9%
<b>Cocaine</b>				
All	1.4%	1.7%	2.7%	97.3%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	0.8%	0.8%	1.1%	98.9%
Grade 10	2.4%	3.0%	4.1%	95.9%
Grade 11	1.0%	1.8%	3.9%	96.1%
Grade 12	3.0%	3.3%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.5%	0.7%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.6%	0.8%	2.1%	97.9%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	0.3%	0.5%	1.4%	98.6%
Grade 10	0.9%	1.0%	2.2%	97.8%
Grade 11	0.4%	1.0%	3.0%	97.0%
Grade 12	1.3%	1.7%	4.4%	95.6%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.3%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.3%	0.9%	99.1%
Grade 12	0.2%	0.5%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.4%	0.6%	1.8%	98.2%
Grade 7	0.2%	0.6%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.3%	0.4%	1.5%	98.5%
Grade 10	0.9%	0.9%	2.8%	97.2%
Grade 11	0.4%	0.7%	3.1%	96.9%
Grade 12	0.6%	0.8%	2.7%	97.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.1%	0.4%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.8%	1.2%	3.1%	96.9%
Grade 7	0.6%	1.0%	1.8%	98.2%
Grade 8	0.9%	1.2%	2.1%	97.9%
Grade 9	1.0%	1.1%	3.1%	96.9%
Grade 10	0.8%	1.3%	2.9%	97.1%
Grade 11	0.7%	1.1%	5.0%	95.0%
Grade 12	1.1%	1.3%	4.0%	96.0%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.5%	0.6%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 82 of 125

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.1%	24.6%	38.4%	61.6%
Grade 7	12.9%	16.4%	31.0%	69.0%
Grade 8	13.0%	16.9%	22.6%	77.4%
Grade 9	13.7%	17.6%	31.2%	68.8%
Grade 10	23.7%	27.1%	46.0%	54.0%
Grade 11	33.6%	35.8%	51.0%	49.0%
Grade 12	30.3%	34.1%	48.5%	51.5%
<b>Any Alcohol Product</b>				
All	39.5%	44.2%	59.4%	40.6%
Grade 7	29.2%	33.5%	53.7%	46.3%
Grade 8	26.1%	34.4%	51.8%	48.2%
Grade 9	36.1%	37.2%	53.0%	47.0%
Grade 10	47.7%	57.3%	68.3%	31.7%
Grade 11	45.7%	49.7%	66.4%	33.6%
Grade 12	50.9%	53.5%	64.0%	36.0%
<b>Any Illicit Drug</b>				
All	27.7%	31.1%	37.0%	63.0%
Grade 7	21.7%	27.6%	33.7%	66.3%
Grade 8	21.8%	22.8%	25.8%	74.2%
Grade 9	17.8%	23.5%	29.2%	70.8%
Grade 10	34.3%	36.9%	41.8%	58.2%
Grade 11	38.2%	40.0%	48.5%	51.5%
Grade 12	33.5%	36.6%	43.3%	56.7%
<b>Any Prescription Drug</b>				
All	9.2%	14.9%	23.1%	76.9%
Grade 7	13.0%	23.0%	32.1%	67.9%
Grade 8	6.7%	11.5%	19.5%	80.5%
Grade 9	6.6%	9.3%	13.9%	86.1%
Grade 10	10.6%	15.2%	23.4%	76.6%
Grade 11	10.4%	19.4%	33.2%	66.8%
Grade 12	8.4%	12.2%	18.7%	81.3%
<b>Any Inhalant</b>				
All	9.3%	12.4%	22.8%	77.2%
Grade 7	20.7%	24.1%	39.6%	60.4%
Grade 8	6.8%	10.4%	17.9%	82.1%
Grade 9	5.4%	8.4%	18.0%	82.0%
Grade 10	8.3%	11.1%	22.1%	77.9%
Grade 11	11.4%	13.3%	22.6%	77.4%
Grade 12	4.5%	8.4%	17.9%	82.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.8%	15.9%	29.2%	70.8%
Grade 7	7.3%	10.3%	22.5%	77.5%
Grade 8	7.9%	11.4%	17.7%	82.3%
Grade 9	9.1%	13.5%	24.9%	75.1%
Grade 10	10.0%	13.6%	34.1%	65.9%
Grade 11	17.1%	22.7%	38.8%	61.2%
Grade 12	19.1%	23.6%	36.8%	63.2%
<b>Marijuana</b>				
All	26.8%	29.7%	35.2%	64.8%
Grade 7	20.6%	24.1%	30.4%	69.6%
Grade 8	20.3%	21.2%	24.2%	75.8%
Grade 9	17.4%	22.7%	27.8%	72.2%
Grade 10	34.3%	36.0%	39.3%	60.7%
Grade 11	38.2%	39.2%	47.9%	52.1%
Grade 12	31.2%	35.3%	42.3%	57.7%
<b>Marijuana Only</b>				
All	14.4%	16.6%	21.0%	79.0%
Grade 7	8.6%	11.5%	17.7%	82.3%
Grade 8	11.9%	12.9%	15.2%	84.8%
Grade 9	10.1%	14.3%	18.6%	81.4%
Grade 10	21.0%	22.7%	25.4%	74.6%
Grade 11	16.7%	17.6%	24.4%	75.6%
Grade 12	18.4%	20.7%	24.5%	75.5%
<b>Cocaine or Crack</b>				
All	5.8%	6.2%	8.9%	91.1%
Grade 7	5.9%	5.9%	7.7%	92.3%
Grade 8	3.2%	3.2%	4.1%	95.9%
Grade 9	3.4%	4.1%	4.3%	95.7%
Grade 10	6.8%	6.8%	10.7%	89.3%
Grade 11	8.6%	9.8%	16.0%	84.0%
Grade 12	7.1%	7.3%	11.1%	88.9%
<b>Cocaine</b>				
All	5.4%	5.8%	8.7%	91.3%
Grade 7	5.2%	5.2%	7.7%	92.3%
Grade 8	3.2%	3.2%	4.1%	95.9%
Grade 9	2.9%	3.6%	3.7%	96.3%
Grade 10	6.4%	6.4%	10.3%	89.7%
Grade 11	8.6%	9.8%	16.0%	84.0%
Grade 12	6.8%	7.0%	10.7%	89.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.3%	1.7%	2.4%	97.6%
Grade 7	2.9%	4.1%	4.1%	95.9%
Grade 8	0.7%	0.7%	1.6%	98.4%
Grade 9	0.5%	1.3%	1.3%	98.7%
Grade 10	0.4%	0.4%	2.4%	97.6%
Grade 11	3.2%	3.2%	4.2%	95.8%
Grade 12	0.4%	0.4%	1.0%	99.0%
<b>Hallucinogens</b>				
All	2.5%	3.8%	6.2%	93.8%
Grade 7	0.4%	0.8%	2.4%	97.6%
Grade 8	0.8%	0.8%	1.5%	98.5%
Grade 9	1.2%	2.3%	3.8%	96.2%
Grade 10	1.8%	4.7%	7.4%	92.6%
Grade 11	4.2%	6.5%	10.4%	89.6%
Grade 12	6.8%	7.8%	11.3%	88.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.2%	1.0%	1.9%	98.1%
Grade 7	0.4%	2.3%	2.3%	97.7%
Grade 8	0.0%	0.0%	1.5%	98.5%
Grade 9	0.7%	1.6%	2.4%	97.6%
Grade 10	0.3%	0.3%	1.7%	98.3%
Grade 11	0.0%	1.2%	1.2%	98.8%
Grade 12	0.0%	0.4%	2.3%	97.7%
<b>Ecstasy</b>				
All	1.9%	2.4%	3.6%	96.4%
Grade 7	1.7%	1.7%	3.3%	96.7%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.7%	0.7%	1.4%	98.6%
Grade 10	1.4%	2.9%	4.3%	95.7%
Grade 11	4.8%	4.8%	6.7%	93.3%
Grade 12	3.1%	4.1%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.7%	1.4%	3.2%	96.8%
Grade 8	1.6%	1.6%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	1.0%	1.0%	2.2%	97.8%
Grade 12	0.0%	0.2%	1.1%	98.9%
<b>Synthetic Marijuana</b>				
All	2.9%	4.2%	8.3%	91.7%
Grade 7	3.1%	4.7%	8.0%	92.0%
Grade 8	1.9%	3.8%	6.5%	93.5%
Grade 9	0.9%	2.8%	5.1%	94.9%
Grade 10	4.3%	5.9%	9.6%	90.4%
Grade 11	6.4%	7.4%	15.1%	84.9%
Grade 12	1.2%	1.4%	5.9%	94.1%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	1.2%	1.2%	1.6%	98.4%
Grade 8	0.6%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	1.0%	1.0%	2.2%	97.8%
Grade 12	0.0%	0.2%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 86 of 125

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	110,081	48.9%
Female	115,101	51.1%
Frequency Missing	689	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	13,429	6.0%
Yes	210,408	94.0%
Frequency Missing	2,035	

**Grade**

Q2	Frequency	Percent
Grade 7	38,455	17.1%
Grade 8	37,331	16.6%
Grade 9	43,152	19.1%
Grade 10	37,624	16.7%
Grade 11	35,532	15.8%
Grade 12	33,324	14.8%
Frequency Missing	454	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	4,429	2.2%
Asian American	986	0.5%
African American	4,835	2.4%
Pacific Islander	729	0.4%
White	122,008	59.7%
Other	48,499	23.7%
More Than One Race	22,816	11.2%
Frequency Missing	21,570	

**Live with Both Parents**

Q3	Frequency	Percent
No	86,177	38.7%
Yes	136,725	61.3%
Frequency Missing	2,970	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	728	0.4%
Mostly D's	2,264	1.1%
Mostly C's	28,538	14.0%
Mostly B's	102,702	50.4%
Mostly A's	69,344	34.1%
Frequency Missing	22,295	

**Age**

Q4	Frequency	Percent
11 or younger	210	0.1%
12	12,485	5.6%
13	38,498	17.2%
14	34,026	15.2%
15	42,823	19.1%
16	39,970	17.8%
17	33,482	14.9%
18	19,623	8.7%
19 or older	3,308	1.5%
Frequency Missing	1,446	

**Do You Have a Job**

Q7	Frequency	Percent
No	181,711	88.9%
Yes	22,687	11.1%
Frequency Missing	21,473	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	18,120	9.0%
Yes	122,347	60.8%
Don't Know	60,795	30.2%
Frequency Missing	24,610	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	163,304	94.2%
Yes	10,050	5.8%
Frequency Missing	52,518	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	92,026	47.4%
Yes	102,266	52.6%
Frequency Missing	31,579	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	138,635	78.3%
Yes	38,405	21.7%
Frequency Missing	48,831	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	136,464	75.8%
Yes	43,472	24.2%
Frequency Missing	45,935	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	130,032	73.8%
Yes	46,083	26.2%
Frequency Missing	49,757	

**Participate in School Choir**

Q9c	Frequency	Percent
No	159,766	92.2%
Yes	13,508	7.8%
Frequency Missing	52,598	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	125,267	69.7%
Yes	54,374	30.3%
Frequency Missing	46,231	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	160,216	92.0%
Yes	13,979	8.0%
Frequency Missing	51,677	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	140,638	80.0%
Yes	35,090	20.0%
Frequency Missing	50,144	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	195,103	86.9%
Somewhat Safe	25,472	11.3%
Not Very Safe	1,566	0.7%
Not Safe At All	367	0.2%
Don't Know	1,925	0.9%
Frequency Missing	1,438	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	20,370	9.6%
Some High School	34,468	16.2%
Finished High School	47,212	22.2%
Some College	29,071	13.7%
Finished College	36,536	17.2%
Post-Secondary	18,640	8.8%
Don't Know or N/A	26,513	12.5%
Frequency Missing	13,061	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	90,653	40.6%
Somewhat Safe	107,222	48.1%
Not Very Safe	15,053	6.7%
Not Safe At All	3,221	1.4%
Don't Know	6,918	3.1%
Frequency Missing	2,805	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	117,139	61.4%
Yes	73,522	38.6%
Frequency Missing	35,211	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	87,390	39.2%
Somewhat Safe	100,465	45.1%
Not Very Safe	17,661	7.9%
Not Safe At All	9,158	4.1%
Don't Know	8,319	3.7%
Frequency Missing	2,878	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	15,413	7.0%
A Few	51,144	23.1%
Some	48,849	22.0%
Most	75,357	34.0%
All	30,893	13.9%
Frequency Missing	4,217	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	20,903	9.9%
Some High School	33,845	16.0%
Finished High School	50,558	23.9%
Some College	24,222	11.4%
Finished College	28,867	13.6%
Post-Secondary	14,167	6.7%
Don't Know or N/A	39,296	18.5%
Frequency Missing	14,014	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	6,266	2.8%
A Few	26,038	11.8%
Some	52,601	23.8%
Most	86,514	39.1%
All	49,804	22.5%
Frequency Missing	4,649	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	116,635	53.9%
A Few	60,278	27.9%
Some	24,899	11.5%
Most	9,487	4.4%
All	5,070	2.3%
Frequency Missing	9,502	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	210,366	94.8%
In Your Lifetime	6,877	3.1%
Since School Began	1,299	0.6%
In the Past Month	3,301	1.5%
Frequency Missing	4,029	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	186,135	84.8%
A Few	21,021	9.6%
Some	7,535	3.4%
Most	2,695	1.2%
All	2,166	1.0%
Frequency Missing	6,320	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	217,668	99.0%
In Your Lifetime	925	0.4%
Since School Began	352	0.2%
In the Past Month	847	0.4%
Frequency Missing	6,079	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	187,659	84.9%
A Few	21,638	9.8%
Some	6,931	3.1%
Most	3,049	1.4%
All	1,668	0.8%
Frequency Missing	4,926	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	206,788	93.2%
In Your Lifetime	8,943	4.0%
Since School Began	2,180	1.0%
In the Past Month	3,888	1.8%
Frequency Missing	4,072	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	217,100	97.5%
In Your Lifetime	3,663	1.6%
Since School Began	350	0.2%
In the Past Month	1,475	0.7%
Frequency Missing	3,283	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	218,214	98.7%
In Your Lifetime	1,887	0.9%
Since School Began	232	0.1%
In the Past Month	769	0.3%
Frequency Missing	4,770	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	217,653	98.8%
In Your Lifetime	1,283	0.6%
Since School Began	328	0.1%
In the Past Month	967	0.4%
Frequency Missing	5,641	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	206,161	94.0%
In Your Lifetime	6,246	2.8%
Since School Began	1,957	0.9%
In the Past Month	4,948	2.3%
Frequency Missing	6,560	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	215,479	97.5%
In Your Lifetime	2,877	1.3%
Since School Began	409	0.2%
In the Past Month	2,236	1.0%
Frequency Missing	4,871	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	144,435	66.6%
In Your Lifetime	34,371	15.8%
Since School Began	11,453	5.3%
In the Past Month	26,697	12.3%
Frequency Missing	8,916	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	166,857	76.1%
In Your Lifetime	22,171	10.1%
Since School Began	9,786	4.5%
In the Past Month	20,585	9.4%
Frequency Missing	6,472	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	217,866	98.4%
In Your Lifetime	1,907	0.9%
Since School Began	342	0.2%
In the Past Month	1,292	0.6%
Frequency Missing	4,465	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	162,640	75.2%
In Your Lifetime	28,800	13.3%
Since School Began	8,370	3.9%
In the Past Month	16,349	7.6%
Frequency Missing	9,712	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	186,672	84.2%
In Your Lifetime	19,932	9.0%
Since School Began	3,853	1.7%
In the Past Month	11,301	5.1%
Frequency Missing	4,113	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	153,353	70.0%
In Your Lifetime	27,950	12.8%
Since School Began	12,532	5.7%
In the Past Month	25,135	11.5%
Frequency Missing	6,901	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	215,491	96.8%
In Your Lifetime	3,725	1.7%
Since School Began	1,012	0.5%
In the Past Month	2,394	1.1%
Frequency Missing	3,250	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	213,349	96.5%
In Your Lifetime	4,587	2.1%
Since School Began	803	0.4%
In the Past Month	2,301	1.0%
Frequency Missing	4,832	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	219,989	99.3%
In Your Lifetime	849	0.4%
Since School Began	317	0.1%
In the Past Month	483	0.2%
Frequency Missing	4,234	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	177,944	80.4%
In Your Lifetime	20,900	9.4%
Since School Began	6,802	3.1%
In the Past Month	15,725	7.1%
Frequency Missing	4,499	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	215,702	97.3%
In Your Lifetime	3,163	1.4%
Since School Began	771	0.3%
In the Past Month	1,970	0.9%
Frequency Missing	4,265	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	178,043	80.0%
In Your Lifetime	19,366	8.7%
Since School Began	6,974	3.1%
In the Past Month	18,220	8.2%
Frequency Missing	3,269	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	221,576	99.8%
In Your Lifetime	332	0.1%
Since School Began	32	0.0%
In the Past Month	150	0.1%
Frequency Missing	3,782	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	220,287	99.2%
In Your Lifetime	1,124	0.5%
Since School Began	349	0.2%
In the Past Month	313	0.1%
Frequency Missing	3,799	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	213,702	96.5%
In Your Lifetime	4,982	2.3%
Since School Began	922	0.4%
In the Past Month	1,811	0.8%
Frequency Missing	4,455	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	217,203	98.0%
In Your Lifetime	2,668	1.2%
Since School Began	457	0.2%
In the Past Month	1,242	0.6%
Frequency Missing	4,301	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	192,840	88.0%
In Your Lifetime	12,270	5.6%
Since School Began	5,295	2.4%
In the Past Month	8,732	4.0%
Frequency Missing	6,735	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	221,015	99.6%
In Your Lifetime	329	0.1%
Since School Began	134	0.1%
In the Past Month	347	0.2%
Frequency Missing	4,047	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	213,256	97.7%
In Your Lifetime	2,362	1.1%
Since School Began	1,322	0.6%
In the Past Month	1,401	0.6%
Frequency Missing	7,531	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	221,036	99.5%
In Your Lifetime	497	0.2%
Since School Began	100	0.0%
In the Past Month	438	0.2%
Frequency Missing	3,799	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	207,725	95.2%
In Your Lifetime	4,949	2.3%
Since School Began	1,854	0.8%
In the Past Month	3,692	1.7%
Frequency Missing	7,652	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	212,701	97.6%
In Your Lifetime	2,527	1.2%
Since School Began	804	0.4%
In the Past Month	1,858	0.9%
Frequency Missing	7,982	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	161,743	74.7%
1-2 times	34,201	15.8%
3-10 times	13,687	6.3%
11+ times	6,974	3.2%
Frequency Missing	9,267	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	203,778	93.6%
In Your Lifetime	6,166	2.8%
Since School Began	2,493	1.1%
In the Past Month	5,211	2.4%
Frequency Missing	8,224	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	214,362	98.3%
1-2 times	2,578	1.2%
3-10 times	699	0.3%
11+ times	478	0.2%
Frequency Missing	7,755	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	211,241	96.8%
In Your Lifetime	3,262	1.5%
Since School Began	934	0.4%
In the Past Month	2,821	1.3%
Frequency Missing	7,614	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	189,263	86.6%
1-2 times	14,215	6.5%
3-10 times	6,865	3.1%
11+ times	8,097	3.7%
Frequency Missing	7,431	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	202,015	92.6%
1-2 times	9,779	4.5%
3-10 times	3,354	1.5%
11+ times	2,919	1.3%
Frequency Missing	7,805	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	214,293	98.2%
1-2 times	2,598	1.2%
3-10 times	752	0.3%
11+ times	568	0.3%
Frequency Missing	7,660	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	217,369	99.6%
1-2 times	745	0.3%
3-10 times	77	0.0%
11+ times	32	0.0%
Frequency Missing	7,649	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	125,488	57.6%
A few	42,218	19.4%
Some	25,759	11.8%
Most	17,193	7.9%
All	7,355	3.4%
Frequency Missing	7,859	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	160,478	73.6%
A few	37,513	17.2%
Some	13,664	6.3%
Most	4,892	2.2%
All	1,632	0.7%
Frequency Missing	7,693	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	188,040	86.5%
8 or younger	1,420	0.7%
9 years old	1,149	0.5%
10 years old	1,128	0.5%
11 years old	2,149	1.0%
12 years old	3,180	1.5%
13 years old	4,078	1.9%
14 years old	4,281	2.0%
15 years old	4,009	1.8%
16 years old	3,984	1.8%
17 years old	2,598	1.2%
18 or older	1,251	0.6%
Frequency Missing	8,604	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	108,524	49.8%
A few	52,472	24.1%
Some	29,728	13.6%
Most	19,900	9.1%
All	7,290	3.3%
Frequency Missing	7,958	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	131,627	61.0%
8 or younger	7,224	3.3%
9 years old	2,391	1.1%
10 years old	3,605	1.7%
11 years old	4,527	2.1%
12 years old	7,734	3.6%
13 years old	10,851	5.0%
14 years old	14,316	6.6%
15 years old	15,513	7.2%
16 years old	10,761	5.0%
17 years old	4,898	2.3%
18 or older	2,371	1.1%
Frequency Missing	10,055	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	202,342	93.1%
A few	10,267	4.7%
Some	2,880	1.3%
Most	1,232	0.6%
All	531	0.2%
Frequency Missing	8,620	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	210,013	96.8%
8 or younger	736	0.3%
9 years old	300	0.1%
10 years old	882	0.4%
11 years old	886	0.4%
12 years old	1,224	0.6%
13 years old	1,457	0.7%
14 years old	623	0.3%
15 years old	549	0.3%
16 years old	296	0.1%
17 years old	23	0.0%
18 or older	32	0.0%
Frequency Missing	8,851	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	211,352	96.9%
8 or younger	40	0.0%
9 years old	122	0.1%
10 years old	139	0.1%
11 years old	290	0.1%
12 years old	596	0.3%
13 years old	658	0.3%
14 years old	915	0.4%
15 years old	1,695	0.8%
16 years old	1,278	0.6%
17 years old	713	0.3%
18 or older	287	0.1%
Frequency Missing	7,788	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	174,949	80.4%
8 or younger	857	0.4%
9 years old	749	0.3%
10 years old	1,434	0.7%
11 years old	1,640	0.8%
12 years old	4,653	2.1%
13 years old	7,087	3.3%
14 years old	7,501	3.4%
15 years old	7,437	3.4%
16 years old	6,370	2.9%
17 years old	3,866	1.8%
18 or older	1,025	0.5%
Frequency Missing	8,304	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	216,900	99.4%
8 or younger	32	0.0%
9 years old	0	0.0%
10 years old	63	0.0%
11 years old	72	0.0%
12 years old	155	0.1%
13 years old	383	0.2%
14 years old	180	0.1%
15 years old	151	0.1%
16 years old	133	0.1%
17 years old	87	0.0%
18 or older	0	0.0%
Frequency Missing	7,715	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	216,607	99.3%
8 or younger	191	0.1%
9 years old	63	0.0%
10 years old	69	0.0%
11 years old	33	0.0%
12 years old	126	0.1%
13 years old	368	0.2%
14 years old	191	0.1%
15 years old	169	0.1%
16 years old	279	0.1%
17 years old	96	0.0%
18 or older	0	0.0%
Frequency Missing	7,680	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	217,377	99.5%
8 or younger	242	0.1%
9 years old	0	0.0%
10 years old	64	0.0%
11 years old	0	0.0%
12 years old	157	0.1%
13 years old	91	0.0%
14 years old	96	0.0%
15 years old	141	0.1%
16 years old	152	0.1%
17 years old	19	0.0%
18 or older	47	0.0%
Frequency Missing	7,486	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	213,725	98.3%
8 or younger	53	0.0%
9 years old	0	0.0%
10 years old	65	0.0%
11 years old	45	0.0%
12 years old	177	0.1%
13 years old	373	0.2%
14 years old	492	0.2%
15 years old	973	0.4%
16 years old	1,074	0.5%
17 years old	324	0.1%
18 or older	111	0.1%
Frequency Missing	8,461	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	217,011	99.4%
8 or younger	94	0.0%
9 years old	32	0.0%
10 years old	22	0.0%
11 years old	170	0.1%
12 years old	132	0.1%
13 years old	177	0.1%
14 years old	206	0.1%
15 years old	38	0.0%
16 years old	288	0.1%
17 years old	95	0.0%
18 or older	0	0.0%
Frequency Missing	7,604	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Synthetic Marijuana**

Q211	Frequency	Percent
Never used it	211,669	97.0%
8 or younger	58	0.0%
9 years old	22	0.0%
10 years old	280	0.1%
11 years old	454	0.2%
12 years old	651	0.3%
13 years old	1,383	0.6%
14 years old	1,561	0.7%
15 years old	1,088	0.5%
16 years old	890	0.4%
17 years old	117	0.1%
18 or older	47	0.0%
Frequency Missing	7,653	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	91,117	41.6%
Impossible	36,984	16.9%
Very Difficult	11,844	5.4%
Somewhat diff	19,371	8.9%
Somewhat easy	26,155	12.0%
Very easy	33,361	15.2%
Frequency Missing	7,040	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	70,298	32.3%
Impossible	27,586	12.7%
Very Difficult	9,975	4.6%
Somewhat diff	22,378	10.3%
Somewhat easy	36,868	16.9%
Very easy	50,583	23.2%
Frequency Missing	8,185	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	118,054	54.3%
Impossible	29,447	13.5%
Very Difficult	5,717	2.6%
Somewhat diff	9,129	4.2%
Somewhat easy	14,091	6.5%
Very easy	41,050	18.9%
Frequency Missing	8,384	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	83,370	38.3%
Impossible	38,859	17.8%
Very Difficult	11,617	5.3%
Somewhat diff	17,102	7.9%
Somewhat easy	26,241	12.0%
Very easy	40,674	18.7%
Frequency Missing	8,009	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	109,529	50.4%
Impossible	54,689	25.2%
Very Difficult	16,406	7.5%
Somewhat diff	13,295	6.1%
Somewhat easy	11,390	5.2%
Very easy	12,129	5.6%
Frequency Missing	8,432	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	116,554	53.6%
Impossible	55,393	25.5%
Very Difficult	17,499	8.1%
Somewhat diff	12,107	5.6%
Somewhat easy	7,519	3.5%
Very easy	8,278	3.8%
Frequency Missing	8,521	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	120,203	55.3%
Impossible	54,311	25.0%
Very Difficult	16,393	7.5%
Somewhat diff	10,946	5.0%
Somewhat easy	8,086	3.7%
Very easy	7,337	3.4%
Frequency Missing	8,596	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	126,487	58.1%
Impossible	46,059	21.2%
Very Difficult	11,934	5.5%
Somewhat diff	10,367	4.8%
Somewhat easy	10,251	4.7%
Very easy	12,488	5.7%
Frequency Missing	8,285	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	131,003	60.3%
Impossible	46,948	21.6%
Very Difficult	13,656	6.3%
Somewhat diff	9,946	4.6%
Somewhat easy	7,437	3.4%
Very easy	8,139	3.7%
Frequency Missing	8,744	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	1,457	0.7%
Several times/wk	1,955	0.9%
Several times/mo	3,431	1.6%
About once/month	5,606	2.6%
About once/year	4,994	2.3%
Less than once/year	8,054	3.7%
Never used	191,524	88.3%
Frequency Missing	8,851	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	126,495	58.1%
Impossible	55,841	25.6%
Very Difficult	15,766	7.2%
Somewhat diff	8,132	3.7%
Somewhat easy	4,613	2.1%
Very easy	6,902	3.2%
Frequency Missing	8,123	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	546	0.3%
Several times/wk	4,431	2.0%
Several times/mo	14,798	6.8%
About once/month	22,069	10.2%
About once/year	19,302	8.9%
Less than once/year	15,617	7.2%
Never used	139,424	64.5%
Frequency Missing	9,686	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	131,215	60.2%
Impossible	52,740	24.2%
Very Difficult	15,318	7.0%
Somewhat diff	7,624	3.5%
Somewhat easy	4,018	1.8%
Very easy	6,976	3.2%
Frequency Missing	7,981	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	256	0.1%
Several times/wk	278	0.1%
Several times/mo	650	0.3%
About once/month	957	0.4%
About once/year	1,558	0.7%
Less than once/year	2,578	1.2%
Never used	210,995	97.1%
Frequency Missing	8,600	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	157	0.1%
Several times/wk	89	0.0%
Several times/mo	49	0.0%
About once/month	256	0.1%
About once/year	194	0.1%
Less than once/year	464	0.2%
Never used	216,545	99.4%
Frequency Missing	8,118	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	3,810	1.8%
Several times/wk	5,228	2.4%
Several times/mo	6,832	3.1%
About once/month	8,760	4.0%
About once/year	6,366	2.9%
Less than once/year	8,090	3.7%
Never used	178,584	82.0%
Frequency Missing	8,203	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	51	0.0%
Several times/wk	79	0.0%
Several times/mo	69	0.0%
About once/month	182	0.1%
About once/year	178	0.1%
Less than once/year	453	0.2%
Never used	216,515	99.5%
Frequency Missing	8,345	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	244	0.1%
Several times/wk	318	0.1%
Several times/mo	632	0.3%
About once/month	1,266	0.6%
About once/year	1,174	0.5%
Less than once/year	1,725	0.8%
Never used	211,921	97.5%
Frequency Missing	8,592	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	45	0.0%
Several times/wk	90	0.0%
Several times/mo	308	0.1%
About once/month	304	0.1%
About once/year	1,120	0.5%
Less than once/year	1,270	0.6%
Never used	214,060	98.6%
Frequency Missing	8,673	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	72	0.0%
Several times/wk	184	0.1%
Several times/mo	84	0.0%
About once/month	103	0.0%
About once/year	135	0.1%
Less than once/year	254	0.1%
Never used	216,732	99.6%
Frequency Missing	8,307	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	145,909	66.8%
12+ drinks	5,178	2.4%
9-11 drinks	2,789	1.3%
5-8 drinks	5,537	2.5%
3-4 drinks	12,735	5.8%
2 drinks	12,859	5.9%
1 drink	12,857	5.9%
Less than 1 drink	20,455	9.4%
Frequency Missing	7,552	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	44	0.0%
Several times/wk	115	0.1%
Several times/mo	168	0.1%
About once/month	140	0.1%
About once/year	232	0.1%
Less than once/year	432	0.2%
Never used	216,520	99.5%
Frequency Missing	8,222	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	163,284	75.2%
12+ drinks	3,608	1.7%
9-11 drinks	1,994	0.9%
5-8 drinks	6,112	2.8%
3-4 drinks	10,210	4.7%
2 drinks	9,506	4.4%
1 drink	10,614	4.9%
Less than 1 drink	11,805	5.4%
Frequency Missing	8,737	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	178	0.1%
Several times/wk	477	0.2%
Several times/mo	592	0.3%
About once/month	721	0.3%
About once/year	1,282	0.6%
Less than once/year	2,363	1.1%
Never used	211,233	97.4%
Frequency Missing	9,028	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	163,800	75.6%
12+ drinks	2,229	1.0%
9-11 drinks	801	0.4%
5-8 drinks	2,046	0.9%
3-4 drinks	6,021	2.8%
2 drinks	7,716	3.6%
1 drink	14,183	6.5%
Less than 1 drink	19,972	9.2%
Frequency Missing	9,104	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	149,985	68.9%
12+ drinks	5,364	2.5%
9-11 drinks	2,693	1.2%
5-8 drinks	8,002	3.7%
3-4 drinks	13,100	6.0%
2 drinks	10,467	4.8%
1 drink	11,347	5.2%
Less than 1 drink	16,596	7.6%
Frequency Missing	8,317	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	130,855	60.1%
Never	35,051	16.1%
Seldom	23,329	10.7%
Most of the Time	21,536	9.9%
Always	7,101	3.3%
Frequency Missing	7,999	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	122,564	56.7%
0 days	68,426	31.7%
1 day	10,039	4.6%
2 days	5,768	2.7%
3 to 5 days	4,796	2.2%
6 to 9 days	1,669	0.8%
10 or more days	2,774	1.3%
Frequency Missing	9,833	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	136,047	62.8%
Never	61,552	28.4%
Seldom	8,412	3.9%
Most of the Time	6,970	3.2%
Always	3,503	1.6%
Frequency Missing	9,388	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	136,410	62.6%
Never	40,384	18.5%
Seldom	28,200	12.9%
Most of the Time	8,570	3.9%
Always	4,469	2.0%
Frequency Missing	7,839	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	125,068	57.4%
Never	30,965	14.2%
Seldom	19,587	9.0%
Most of the Time	23,344	10.7%
Always	18,932	8.7%
Frequency Missing	7,975	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	137,748	63.9%
Never	43,870	20.4%
Seldom	13,189	6.1%
Most of the Time	11,175	5.2%
Always	9,436	4.4%
Frequency Missing	10,454	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	143,183	65.7%
Somewhat	44,069	20.2%
Not very	13,963	6.4%
Not at all	4,322	2.0%
Don't know	12,457	5.7%
Frequency Missing	7,877	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	185,531	85.5%
Somewhat	15,776	7.3%
Not very	2,027	0.9%
Not at all	1,957	0.9%
Don't know	11,640	5.4%
Frequency Missing	8,941	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	115,018	53.0%
Somewhat	57,451	26.5%
Not very	28,898	13.3%
Not at all	7,159	3.3%
Don't know	8,469	3.9%
Frequency Missing	8,876	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	188,546	86.9%
Somewhat	12,429	5.7%
Not very	1,884	0.9%
Not at all	1,745	0.8%
Don't know	12,255	5.7%
Frequency Missing	9,012	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	161,533	74.6%
Somewhat	25,950	12.0%
Not very	9,383	4.3%
Not at all	4,154	1.9%
Don't know	15,500	7.2%
Frequency Missing	9,352	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	178,186	82.4%
Somewhat	14,160	6.5%
Not very	4,047	1.9%
Not at all	2,151	1.0%
Don't know	17,733	8.2%
Frequency Missing	9,594	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	130,868	60.4%
Somewhat	27,845	12.9%
Not very	23,421	10.8%
Not at all	25,138	11.6%
Don't know	9,405	4.3%
Frequency Missing	9,194	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	170,648	78.9%
Somewhat	21,378	9.9%
Not very	6,266	2.9%
Not at all	2,469	1.1%
Don't know	15,624	7.2%
Frequency Missing	9,487	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	189,147	87.4%
Somewhat	9,779	4.5%
Not very	1,577	0.7%
Not at all	1,676	0.8%
Don't know	14,231	6.6%
Frequency Missing	9,463	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	132,782	61.7%
Somewhat	22,379	10.4%
Not very	24,275	11.3%
Not at all	20,895	9.7%
Don't know	14,967	7.0%
Frequency Missing	10,574	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	188,451	87.1%
Somewhat	9,344	4.3%
Not very	1,749	0.8%
Not at all	1,783	0.8%
Don't know	15,047	7.0%
Frequency Missing	9,498	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	172,453	79.8%
1-3 days	30,737	14.2%
4-9 days	8,022	3.7%
10+ days	4,810	2.2%
Frequency Missing	9,849	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	178,151	82.5%
Somewhat	14,556	6.7%
Not very	4,476	2.1%
Not at all	3,070	1.4%
Don't know	15,804	7.3%
Frequency Missing	9,814	

**Days Ill Since September**

Q28b	Frequency	Percent
None	71,015	33.1%
1-3 days	110,651	51.5%
4-9 days	26,050	12.1%
10+ days	7,022	3.3%
Frequency Missing	11,133	

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	165,037	76.5%
Somewhat	24,895	11.5%
Not very	6,879	3.2%
Not at all	3,594	1.7%
Don't know	15,403	7.1%
Frequency Missing	10,065	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	86,209	40.5%
1-3 days	103,767	48.7%
4-9 days	17,002	8.0%
10+ days	6,050	2.8%
Frequency Missing	12,844	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	189,466	88.0%
1-3 days	19,864	9.2%
4-9 days	3,372	1.6%
10+ days	2,574	1.2%
Frequency Missing	10,595	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	208,085	96.9%
1-3 times	5,221	2.4%
4-9 times	848	0.4%
10+ times	590	0.3%
Frequency Missing	11,128	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	191,219	89.0%
1-3 days	17,992	8.4%
4-9 days	2,985	1.4%
10+ days	2,688	1.3%
Frequency Missing	10,988	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	207,047	96.5%
1-3 times	5,043	2.3%
4-9 times	1,226	0.6%
10+ times	1,286	0.6%
Frequency Missing	11,271	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	208,267	96.6%
1-3 times	6,200	2.9%
4-9 times	641	0.3%
10+ times	509	0.2%
Frequency Missing	10,255	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	206,173	95.9%
1-3 days	6,637	3.1%
4-9 days	1,097	0.5%
10+ days	977	0.5%
Frequency Missing	10,988	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	206,696	96.2%
1-3 times	6,067	2.8%
4-9 times	867	0.4%
10+ times	1,248	0.6%
Frequency Missing	10,994	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	199,149	92.9%
1-3 days	9,031	4.2%
4-9 days	2,605	1.2%
10+ days	3,534	1.6%
Frequency Missing	11,552	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	211,635	98.9%
1-3 days	1,482	0.7%
4-9 days	159	0.1%
10+ days	619	0.3%
Frequency Missing	11,977	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	181,239	93.2%
Yes	13,301	6.8%
Frequency Missing	31,332	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	207,606	97.3%
1-3 days	3,859	1.8%
4-9 days	927	0.4%
10+ days	958	0.4%
Frequency Missing	12,521	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	114,173	54.3%
Yes	96,261	45.7%
Frequency Missing	15,438	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	112,584	52.6%
Seldom	15,649	7.3%
Half the time	12,374	5.8%
Most of the Time	17,084	8.0%
Always	22,190	10.4%
Don't Know	4,944	2.3%
Didn't attend	29,406	13.7%
Frequency Missing	11,641	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	147,767	70.8%
Yes	61,042	29.2%
Frequency Missing	17,062	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	109,191	52.2%
Yes	99,953	47.8%
Frequency Missing	16,728	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	131,403	61.5%
Seldom	10,886	5.1%
Half the time	8,878	4.2%
Most of the Time	11,510	5.4%
Always	16,231	7.6%
Don't Know	5,613	2.6%
Didn't attend	29,283	13.7%
Frequency Missing	12,067	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	60,819	28.8%
Yes	150,243	71.2%
Frequency Missing	14,810	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	81,685	39.2%
Yes	126,772	60.8%
Frequency Missing	17,415	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	104,170	50.2%
Yes	103,311	49.8%
Frequency Missing	18,390	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	85,185	40.9%
Yes	122,932	59.1%
Frequency Missing	17,755	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	113,672	55.1%
Yes	92,749	44.9%
Frequency Missing	19,451	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	78,269	37.4%
Yes	130,861	62.6%
Frequency Missing	16,742	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	130,781	63.5%
Yes	75,160	36.5%
Frequency Missing	19,931	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	114,712	54.8%
Yes	94,535	45.2%
Frequency Missing	16,625	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	154,137	75.3%
Yes	50,597	24.7%
Frequency Missing	21,138	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	163,478	80.2%
Yes	40,459	19.8%
Frequency Missing	21,934	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	144,943	71.0%
Yes	59,256	29.0%
Frequency Missing	21,673	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	168,088	82.0%
Yes	36,997	18.0%
Frequency Missing	20,787	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	134,682	65.4%
Yes	71,108	34.6%
Frequency Missing	20,082	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	142,478	69.7%
Yes	62,012	30.3%
Frequency Missing	21,382	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	169,202	78.9%
Mild disapprove	13,711	6.4%
Neither	10,558	4.9%
Mildly approve	2,271	1.1%
Strongly approve	1,474	0.7%
Don't know	17,346	8.1%
Frequency Missing	11,310	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	137,500	64.3%
Mild disapprove	25,994	12.2%
Neither	22,960	10.7%
Mildly approve	8,559	4.0%
Strongly approve	2,450	1.1%
Don't know	16,309	7.6%
Frequency Missing	12,100	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	165,514	77.5%
Mild disapprove	11,962	5.6%
Neither	12,919	6.0%
Mildly approve	3,406	1.6%
Strongly approve	3,084	1.4%
Don't know	16,770	7.8%
Frequency Missing	12,217	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



