
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2016



HHSC REGION 9 AND 10 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	14
Inhalants	28
Miscellaneous	32
2 Prevalence Tables	38
Table B-1: All Students	39
Table B-2: Male Students	43
Table B-3: Female Students	47
Table B-4: White Non-Hispanic Students	51
Table B-5: African American Non-Hispanic Students	55
Table B-6: Hispanic or Latino Students	59
Table B-7: Students Reporting A Grades on Average	63
Table B-8: Students Reporting Grades Lower Than an A on Average	67
Table B-9: Students Living with 2 Parents	71
Table B-10: Students Not Living with 2 Parents	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	83
3 Margin Tables	87
Appendix: Reporting Methods for Prevalence & Recency of Use	107

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 9 and 10. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	17.3%	21.6%	35.7%	64.3%
Grade 7	7.6%	10.0%	17.8%	82.2%
Grade 8	12.2%	14.1%	27.1%	72.9%
Grade 9	16.2%	19.0%	32.6%	67.4%
Grade 10	20.6%	26.3%	43.2%	56.8%
Grade 11	20.9%	26.4%	44.2%	55.8%
Grade 12	28.2%	37.1%	52.6%	47.4%
Cigarettes?				
All	7.0%	10.1%	21.2%	78.8%
Grade 7	2.0%	3.2%	9.0%	91.0%
Grade 8	3.8%	4.7%	14.0%	86.0%
Grade 9	6.1%	7.8%	17.3%	82.7%
Grade 10	7.9%	11.6%	25.8%	74.2%
Grade 11	9.0%	13.5%	26.7%	73.3%
Grade 12	14.5%	22.0%	37.9%	62.1%
Smokeless Tobacco?				
All	3.8%	5.1%	9.2%	90.8%
Grade 7	1.0%	1.5%	3.0%	97.0%
Grade 8	2.5%	2.8%	5.2%	94.8%
Grade 9	3.2%	4.3%	8.1%	91.9%
Grade 10	4.6%	6.1%	11.5%	88.5%
Grade 11	4.7%	5.8%	10.8%	89.2%
Grade 12	7.4%	11.0%	18.3%	81.7%
Electronic Vapor Products?				
All	10.5%	15.3%	29.3%	70.7%
Grade 7	5.0%	7.6%	14.7%	85.3%
Grade 8	8.6%	10.7%	22.6%	77.4%
Grade 9	11.2%	14.5%	27.5%	72.5%
Grade 10	10.4%	17.3%	36.5%	63.5%
Grade 11	11.9%	17.7%	35.4%	64.6%
Grade 12	16.9%	25.4%	41.6%	58.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 120

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	84.3%	1.4%	1.8%	2.0%	3.2%	3.0%	4.2%
Grade 7	94.9%	0.3%	0.1%	1.0%	0.7%	0.9%	2.0%
Grade 8	91.7%	0.6%	0.4%	0.7%	2.0%	1.7%	2.9%
Grade 9	87.7%	1.1%	1.7%	1.4%	2.2%	2.5%	3.4%
Grade 10	81.1%	1.8%	2.0%	2.5%	3.8%	4.4%	4.3%
Grade 11	78.8%	1.5%	2.7%	2.7%	4.4%	4.4%	5.4%
Grade 12	68.5%	3.4%	4.1%	4.3%	6.9%	4.3%	8.5%

Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.0%	19.1%	7.4%	10.7%	14.4%	19.3%
Grade 7	37.9%	31.7%	8.5%	7.5%	8.0%	6.3%
Grade 8	33.5%	24.7%	7.7%	11.7%	12.1%	10.3%
Grade 9	32.4%	20.3%	9.3%	10.7%	13.6%	13.7%
Grade 10	25.4%	15.5%	8.3%	14.1%	17.1%	19.6%
Grade 11	23.8%	12.8%	6.1%	11.7%	19.6%	26.1%
Grade 12	18.9%	7.8%	3.8%	8.3%	16.7%	44.6%

Table T-4: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	64.8%	20.3%	9.2%	4.4%	1.3%
Grade 7	83.2%	12.2%	3.3%	1.0%	0.2%
Grade 8	78.3%	14.7%	4.4%	1.9%	0.7%
Grade 9	67.4%	20.9%	7.0%	3.7%	1.1%
Grade 10	58.0%	22.5%	12.6%	5.0%	1.9%
Grade 11	52.9%	25.6%	13.4%	6.7%	1.4%
Grade 12	45.1%	27.3%	16.0%	9.1%	2.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.0%	7.3%	5.5%	1.1%	0.7%	6.4%
Grade 7	84.3%	2.8%	1.7%	0.9%	0.4%	9.9%
Grade 8	83.1%	4.8%	3.2%	0.5%	0.6%	7.7%
Grade 9	81.0%	6.7%	5.1%	0.7%	0.8%	5.7%
Grade 10	80.2%	7.7%	5.0%	1.6%	0.3%	5.2%
Grade 11	76.2%	10.2%	6.5%	1.1%	0.6%	5.5%
Grade 12	66.7%	12.6%	12.5%	2.4%	1.6%	4.2%

Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	64.8%	22.3%	7.2%	1.7%	4.1%
	Grade 7	76.7%	14.9%	3.0%	0.6%	4.8%
	Grade 8	66.9%	21.4%	5.6%	1.7%	4.4%
	Grade 9	65.0%	23.5%	6.4%	1.4%	3.7%
	Grade 10	61.4%	25.4%	7.3%	1.5%	4.4%
	Grade 11	62.7%	22.0%	9.0%	2.0%	4.3%
	Grade 12	54.2%	27.2%	12.9%	3.0%	2.6%
Electronic Vapor Products?						
	All	53.9%	14.3%	14.4%	12.0%	5.4%
	Grade 7	66.0%	12.4%	9.0%	6.4%	6.2%
	Grade 8	58.7%	12.7%	13.2%	10.4%	4.9%
	Grade 9	52.2%	18.0%	13.2%	12.0%	4.6%
	Grade 10	47.7%	15.0%	16.6%	14.6%	6.1%
	Grade 11	51.1%	13.8%	16.7%	12.0%	6.5%
	Grade 12	46.7%	13.3%	18.7%	17.2%	4.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	34.8%	40.2%	59.4%	40.6%
Grade 7	17.7%	20.5%	40.6%	59.4%
Grade 8	25.5%	29.1%	50.4%	49.6%
Grade 9	34.2%	39.1%	60.5%	39.5%
Grade 10	40.1%	45.7%	64.0%	36.0%
Grade 11	43.0%	50.7%	68.5%	31.5%
Grade 12	51.4%	60.1%	75.1%	24.9%
Beer?				
All	16.6%	23.6%	48.6%	51.4%
Grade 7	6.1%	8.6%	30.7%	69.3%
Grade 8	9.9%	14.1%	39.2%	60.8%
Grade 9	14.5%	20.6%	47.9%	52.1%
Grade 10	19.8%	27.3%	52.9%	47.1%
Grade 11	22.7%	32.6%	57.6%	42.4%
Grade 12	29.1%	42.0%	66.9%	33.1%
Wine Coolers?				
All	13.0%	18.8%	38.6%	61.4%
Grade 7	4.4%	6.4%	18.3%	81.7%
Grade 8	8.4%	11.3%	29.2%	70.8%
Grade 9	11.7%	15.7%	36.9%	63.1%
Grade 10	13.9%	20.2%	43.3%	56.7%
Grade 11	19.3%	27.6%	49.3%	50.7%
Grade 12	22.3%	34.9%	58.2%	41.8%
Wine?				
All	10.2%	15.4%	38.8%	61.2%
Grade 7	5.3%	7.5%	23.8%	76.2%
Grade 8	7.2%	10.0%	30.7%	69.3%
Grade 9	8.4%	12.5%	39.2%	60.8%
Grade 10	10.2%	15.5%	41.5%	58.5%
Grade 11	13.1%	20.9%	45.5%	54.5%
Grade 12	18.9%	28.9%	54.5%	45.5%
Liquor?				
All	14.7%	21.0%	40.5%	59.5%
Grade 7	4.1%	5.4%	16.0%	84.0%
Grade 8	8.2%	11.8%	28.7%	71.3%
Grade 9	13.5%	18.5%	39.1%	60.9%
Grade 10	15.9%	23.8%	46.6%	53.4%
Grade 11	20.7%	29.8%	54.2%	45.8%
Grade 12	28.1%	40.3%	63.1%	36.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 120

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	58.0%	0.3%	3.2%	8.6%	11.7%	10.0%	8.3%
Grade 7	81.3%	0.1%	1.0%	2.5%	4.0%	4.9%	6.3%
Grade 8	69.5%	0.4%	2.1%	4.3%	7.5%	7.8%	8.4%
Grade 9	59.7%	0.2%	2.7%	6.6%	11.1%	9.9%	9.8%
Grade 10	50.1%	0.6%	3.8%	10.5%	14.7%	11.1%	9.1%
Grade 11	45.6%	0.2%	4.5%	11.9%	14.9%	13.6%	9.4%
Grade 12	37.1%	0.6%	5.5%	17.4%	19.7%	13.4%	6.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	56.2%	43.8%	10.6%	20.5%	12.7%
	Grade 7	74.2%	25.8%	2.5%	10.2%	13.1%
	Grade 8	64.7%	35.3%	5.6%	15.0%	14.7%
	Grade 9	56.8%	43.2%	7.8%	21.5%	14.0%
	Grade 10	51.0%	49.0%	13.9%	24.5%	10.5%
	Grade 11	47.5%	52.5%	15.8%	23.9%	12.9%
	Grade 12	39.7%	60.3%	20.3%	29.6%	10.5%
Wine Coolers						
	All	65.8%	34.2%	7.0%	18.8%	8.4%
	Grade 7	84.8%	15.2%	2.2%	7.4%	5.6%
	Grade 8	75.9%	24.1%	4.7%	11.0%	8.3%
	Grade 9	67.9%	32.1%	6.1%	17.7%	8.3%
	Grade 10	61.1%	38.9%	7.7%	22.7%	8.4%
	Grade 11	55.1%	44.9%	9.9%	25.3%	9.8%
	Grade 12	45.9%	54.1%	12.6%	31.0%	10.5%
Wine						
	All	66.3%	33.7%	3.0%	16.8%	14.0%
	Grade 7	79.5%	20.5%	1.5%	7.8%	11.2%
	Grade 8	74.1%	25.9%	2.3%	10.4%	13.2%
	Grade 9	65.9%	34.1%	3.1%	16.2%	14.8%
	Grade 10	63.6%	36.4%	3.6%	18.8%	14.1%
	Grade 11	59.5%	40.5%	3.7%	21.3%	15.5%
	Grade 12	52.5%	47.5%	4.2%	28.1%	15.1%
Liquor						
	All	62.7%	37.3%	9.2%	18.9%	9.2%
	Grade 7	86.7%	13.3%	1.6%	5.6%	6.0%
	Grade 8	74.5%	25.5%	4.9%	9.7%	10.9%
	Grade 9	63.7%	36.3%	8.0%	17.9%	10.5%
	Grade 10	56.9%	43.1%	11.6%	23.3%	8.2%
	Grade 11	49.1%	50.9%	12.7%	27.8%	10.4%
	Grade 12	40.7%	59.3%	18.5%	31.8%	9.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	84.9%	5.0%	3.5%	3.1%	1.2%	2.3%
Grade 7	95.3%	2.2%	0.7%	0.5%	0.3%	1.0%
Grade 8	90.1%	3.1%	2.9%	1.4%	0.6%	1.8%
Grade 9	87.3%	5.1%	3.0%	2.3%	0.8%	1.5%
Grade 10	82.3%	5.7%	3.4%	3.7%	1.4%	3.5%
Grade 11	79.3%	6.8%	4.6%	5.0%	1.6%	2.7%
Grade 12	72.2%	7.6%	7.0%	6.8%	2.7%	3.7%

Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.9%	12.6%	6.3%	11.9%	20.7%	26.6%
Grade 7	33.0%	22.1%	8.3%	9.7%	13.1%	13.8%
Grade 8	26.5%	17.3%	7.5%	12.2%	16.7%	19.8%
Grade 9	23.0%	12.6%	5.9%	13.0%	22.3%	23.2%
Grade 10	18.2%	9.8%	6.7%	12.8%	23.3%	29.2%
Grade 11	15.3%	7.1%	5.4%	11.9%	24.2%	36.1%
Grade 12	13.6%	5.1%	3.8%	11.7%	25.3%	40.5%

Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.6%	3.4%	0.5%	0.5%
Grade 7	97.5%	1.8%	0.4%	0.2%
Grade 8	95.6%	3.4%	0.6%	0.4%
Grade 9	95.2%	4.0%	0.4%	0.4%
Grade 10	94.6%	4.3%	0.4%	0.7%
Grade 11	95.4%	3.8%	0.4%	0.4%
Grade 12	95.2%	3.1%	0.7%	1.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-7: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.4
Alcohol Non-Users	3.5
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.7

Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	92.7%	5.4%	0.9%	1.0%
Grade 9	96.3%	3.0%	0.4%	0.3%
Grade 10	95.1%	3.8%	0.4%	0.7%
Grade 11	91.4%	6.6%	1.1%	0.9%
Grade 12	86.6%	9.1%	2.1%	2.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.8%	3.6%	0.4%	0.2%
Grade 7	98.0%	1.3%	0.4%	0.2%
Grade 8	96.9%	2.6%	0.3%	0.2%
Grade 9	95.7%	3.7%	0.3%	0.2%
Grade 10	95.0%	4.5%	0.1%	0.4%
Grade 11	95.1%	4.2%	0.5%	0.2%
Grade 12	94.0%	5.4%	0.5%	0.0%

Table A-9: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	42.7%	24.2%	15.8%	12.9%	4.5%
Grade 7	73.0%	16.3%	6.7%	3.5%	0.5%
Grade 8	57.8%	21.7%	12.1%	6.0%	2.4%
Grade 9	41.6%	28.7%	16.7%	10.4%	2.7%
Grade 10	30.7%	26.5%	20.9%	15.4%	6.4%
Grade 11	27.5%	25.8%	19.7%	20.8%	6.2%
Grade 12	21.7%	25.7%	19.2%	23.5%	9.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	45.6%	9.5%	6.4%	9.7%	14.1%	2.0%	12.8%
Grade 7	69.3%	8.3%	4.5%	4.7%	2.5%	1.5%	9.3%
Grade 8	57.6%	12.2%	4.9%	7.6%	4.7%	3.0%	9.9%
Grade 9	46.3%	12.5%	8.9%	9.9%	7.6%	2.4%	12.4%
Grade 10	35.8%	8.9%	8.9%	12.6%	17.1%	2.4%	14.2%
Grade 11	33.6%	7.8%	5.4%	10.7%	23.8%	1.4%	17.2%
Grade 12	27.2%	6.1%	5.3%	13.0%	33.3%	0.9%	14.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	57.0%	21.8%	15.1%	4.7%	1.4%
	Grade 7	69.3%	19.7%	8.2%	2.2%	0.6%
	Grade 8	64.7%	19.8%	11.5%	3.1%	0.9%
	Grade 9	56.4%	20.9%	15.9%	5.1%	1.7%
	Grade 10	52.8%	22.9%	17.7%	4.8%	1.8%
	Grade 11	51.1%	24.6%	16.5%	6.1%	1.6%
	Grade 12	45.5%	23.5%	21.8%	7.2%	1.9%
Friends?						
	All	52.4%	16.9%	14.6%	11.9%	4.3%
	Grade 7	69.0%	21.2%	4.6%	4.1%	1.1%
	Grade 8	62.7%	19.3%	10.3%	5.4%	2.3%
	Grade 9	53.8%	17.7%	16.3%	10.0%	2.3%
	Grade 10	45.9%	15.0%	18.0%	15.9%	5.4%
	Grade 11	43.1%	15.4%	19.2%	16.3%	6.0%
	Grade 12	36.5%	11.6%	20.1%	21.5%	10.2%
A Store?						
	All	56.6%	32.9%	4.5%	3.9%	2.2%
	Grade 7	70.9%	26.1%	1.4%	1.2%	0.5%
	Grade 8	66.6%	27.9%	2.1%	1.9%	1.5%
	Grade 9	57.6%	34.4%	3.5%	3.3%	1.2%
	Grade 10	51.9%	37.6%	5.5%	3.5%	1.5%
	Grade 11	48.9%	35.7%	6.2%	6.4%	2.9%
	Grade 12	40.7%	36.1%	9.2%	7.9%	6.1%
Parties?						
	All	49.5%	14.1%	11.5%	13.3%	11.5%
	Grade 7	66.0%	19.0%	5.9%	6.3%	2.7%
	Grade 8	58.7%	15.8%	11.5%	8.1%	5.9%
	Grade 9	49.8%	14.5%	14.1%	12.7%	8.9%
	Grade 10	43.8%	12.9%	11.4%	16.7%	15.2%
	Grade 11	41.1%	11.2%	13.1%	18.5%	16.0%
	Grade 12	34.7%	10.3%	13.2%	19.0%	22.9%
Other Sources?						
	All	57.3%	23.1%	9.5%	5.4%	4.8%
	Grade 7	69.8%	21.4%	4.6%	2.6%	1.6%
	Grade 8	64.4%	20.8%	7.5%	4.4%	3.0%
	Grade 9	58.2%	23.5%	10.1%	5.0%	3.2%
	Grade 10	53.0%	24.4%	11.2%	5.9%	5.6%
	Grade 11	50.6%	24.8%	11.1%	7.5%	6.1%
	Grade 12	44.9%	23.9%	13.0%	7.8%	10.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	64.4%	14.3%	10.7%	3.5%	1.0%	6.1%
Grade 7	75.4%	7.9%	4.8%	1.7%	0.5%	9.8%
Grade 8	70.8%	12.7%	6.4%	1.6%	0.7%	7.8%
Grade 9	65.1%	15.5%	10.4%	2.6%	1.1%	5.3%
Grade 10	61.5%	16.0%	12.7%	4.3%	0.6%	4.9%
Grade 11	59.2%	16.4%	14.3%	4.5%	1.1%	4.4%
Grade 12	52.0%	17.7%	17.1%	7.1%	2.1%	4.1%

Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	51.2%	30.5%	12.4%	2.6%	3.2%
Grade 7	61.9%	22.2%	9.8%	1.7%	4.3%
Grade 8	53.3%	26.1%	13.2%	3.4%	3.9%
Grade 9	48.8%	32.3%	13.2%	2.7%	3.0%
Grade 10	46.4%	34.5%	13.6%	2.3%	3.1%
Grade 11	50.8%	30.9%	12.3%	2.8%	3.1%
Grade 12	45.4%	37.9%	12.3%	2.5%	1.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	15.0%	19.2%	25.4%	74.6%
Grade 7	6.3%	8.4%	9.8%	90.2%
Grade 8	10.2%	13.9%	16.8%	83.2%
Grade 9	14.3%	17.5%	21.4%	78.6%
Grade 10	18.6%	24.0%	33.4%	66.6%
Grade 11	19.1%	24.2%	33.0%	67.0%
Grade 12	23.2%	29.3%	41.7%	58.3%
Marijuana?				
All	14.3%	17.4%	24.0%	76.0%
Grade 7	5.8%	6.9%	8.3%	91.7%
Grade 8	9.5%	11.4%	14.6%	85.4%
Grade 9	13.9%	16.5%	20.3%	79.7%
Grade 10	17.2%	21.5%	31.4%	68.6%
Grade 11	18.1%	22.6%	32.3%	67.7%
Grade 12	22.5%	27.1%	40.7%	59.3%
Cocaine?				
All	2.4%	2.7%	4.4%	95.6%
Grade 7	0.9%	1.0%	1.1%	98.9%
Grade 8	1.4%	1.6%	2.2%	97.8%
Grade 9	2.0%	2.3%	3.6%	96.4%
Grade 10	2.8%	3.0%	4.9%	95.1%
Grade 11	4.0%	4.4%	6.9%	93.1%
Grade 12	3.5%	4.6%	8.5%	91.5%
Crack?				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.8%	0.9%	0.9%	99.1%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	1.0%	1.1%	1.4%	98.6%
Grade 10	0.9%	1.0%	1.4%	98.6%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.6%	0.9%	1.9%	98.1%
Hallucinogens?				
All	1.1%	1.7%	3.5%	96.5%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	1.5%	2.0%	4.2%	95.8%
Grade 10	1.3%	2.1%	3.7%	96.3%
Grade 11	1.6%	2.6%	5.4%	94.6%
Grade 12	1.3%	2.5%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.4%	0.5%	99.5%
Steroids?				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	1.4%	98.6%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.5%	1.1%	98.9%
Grade 12	0.2%	0.5%	1.0%	99.0%
Ecstasy?				
All	1.5%	2.6%	5.0%	95.0%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	1.4%	2.6%	4.7%	95.3%
Grade 10	2.2%	3.5%	6.8%	93.2%
Grade 11	2.9%	4.7%	8.1%	91.9%
Grade 12	1.9%	3.9%	9.3%	90.7%
Heroin?				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.8%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.3%	1.4%	98.6%
Methamphetamine?				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.9%	1.4%	98.6%
Grade 9	0.5%	0.6%	1.6%	98.4%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.5%	0.6%	1.4%	98.6%
Grade 12	0.3%	0.9%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.6%	2.4%	5.2%	94.8%
Grade 7	0.9%	1.7%	2.8%	97.2%
Grade 8	2.1%	2.6%	4.2%	95.8%
Grade 9	1.9%	2.8%	5.7%	94.3%
Grade 10	1.8%	2.6%	5.4%	94.6%
Grade 11	1.4%	2.4%	6.3%	93.7%
Grade 12	1.4%	2.5%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	80.8%	1.8%	2.1%	2.9%	3.7%	4.2%	4.3%
	Grade 7	93.1%	0.4%	0.7%	1.5%	1.1%	1.4%	1.7%
	Grade 8	88.7%	1.0%	1.0%	2.3%	2.2%	2.7%	2.1%
	Grade 9	83.1%	1.6%	2.8%	2.4%	3.7%	2.8%	3.5%
	Grade 10	75.3%	2.0%	2.4%	3.9%	5.4%	5.5%	5.5%
	Grade 11	74.4%	2.8%	2.8%	3.7%	4.5%	6.1%	5.9%
	Grade 12	67.4%	3.6%	3.2%	3.9%	6.0%	7.7%	8.2%
Cocaine?								
	All	97.1%	0.1%	0.2%	0.5%	0.6%	0.7%	1.0%
	Grade 7	99.3%	0.1%	0.2%	0.1%	0.0%	0.1%	0.2%
	Grade 8	98.4%	0.1%	0.1%	0.4%	0.3%	0.4%	0.3%
	Grade 9	98.4%	0.0%	0.1%	0.2%	0.5%	0.4%	0.3%
	Grade 10	96.8%	0.1%	0.2%	0.6%	0.4%	0.4%	1.5%
	Grade 11	94.8%	0.2%	0.3%	0.9%	1.4%	1.3%	1.2%
	Grade 12	93.8%	0.0%	0.1%	0.5%	1.0%	1.7%	2.9%
Crack?								
	All	99.4%	0.1%	0.0%	0.1%	0.1%	0.2%	0.1%
	Grade 7	99.6%	0.0%	0.1%	0.1%	0.1%	0.1%	0.0%
	Grade 8	99.6%	0.0%	0.1%	0.1%	0.0%	0.3%	0.0%
	Grade 9	99.1%	0.1%	0.0%	0.1%	0.2%	0.5%	0.0%
	Grade 10	99.2%	0.1%	0.0%	0.0%	0.1%	0.2%	0.3%
	Grade 11	99.3%	0.3%	0.1%	0.1%	0.0%	0.1%	0.2%
	Grade 12	99.2%	0.1%	0.0%	0.0%	0.0%	0.3%	0.3%
Steroids?								
	All	99.3%	0.1%	0.1%	0.0%	0.1%	0.2%	0.2%
	Grade 7	99.3%	0.1%	0.0%	0.1%	0.0%	0.0%	0.5%
	Grade 8	99.4%	0.1%	0.1%	0.0%	0.1%	0.1%	0.1%
	Grade 9	99.3%	0.1%	0.2%	0.0%	0.1%	0.1%	0.2%
	Grade 10	99.1%	0.1%	0.0%	0.0%	0.1%	0.4%	0.3%
	Grade 11	99.7%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 12	99.4%	0.0%	0.0%	0.0%	0.1%	0.4%	0.1%
Ecstasy?								
	All	96.1%	0.0%	0.2%	0.4%	0.9%	1.1%	1.3%
	Grade 7	99.4%	0.0%	0.2%	0.1%	0.0%	0.0%	0.2%
	Grade 8	99.2%	0.0%	0.0%	0.2%	0.1%	0.1%	0.3%
	Grade 9	96.0%	0.0%	0.4%	0.1%	1.2%	1.2%	1.2%
	Grade 10	94.0%	0.0%	0.2%	0.6%	1.5%	1.5%	2.3%
	Grade 11	93.1%	0.0%	0.2%	0.9%	2.0%	2.0%	1.7%
	Grade 12	94.3%	0.1%	0.0%	0.4%	0.8%	2.3%	2.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 120

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.5%	0.0%	0.1%	0.1%	0.1%	0.1%	0.2%
	Grade 7	99.7%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%
	Grade 8	99.1%	0.0%	0.0%	0.3%	0.5%	0.0%	0.2%
	Grade 9	99.7%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 11	99.4%	0.2%	0.1%	0.0%	0.0%	0.1%	0.2%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.0%	0.3%	0.6%
Methamphetamine?								
	All	99.2%	0.0%	0.1%	0.1%	0.1%	0.3%	0.2%
	Grade 7	99.6%	0.0%	0.0%	0.2%	0.1%	0.0%	0.1%
	Grade 8	99.2%	0.0%	0.0%	0.1%	0.3%	0.1%	0.2%
	Grade 9	98.8%	0.1%	0.0%	0.2%	0.1%	0.4%	0.4%
	Grade 10	99.5%	0.0%	0.1%	0.0%	0.2%	0.2%	0.0%
	Grade 11	98.9%	0.0%	0.3%	0.2%	0.0%	0.4%	0.2%
	Grade 12	98.9%	0.1%	0.0%	0.0%	0.1%	0.6%	0.4%
Synthetic Marijuana?								
	All	96.6%	0.1%	0.1%	0.3%	0.5%	0.7%	1.6%
	Grade 7	98.7%	0.2%	0.0%	0.1%	0.4%	0.3%	0.4%
	Grade 8	96.3%	0.4%	0.3%	0.4%	0.5%	0.6%	1.5%
	Grade 9	96.1%	0.0%	0.2%	0.5%	0.7%	1.1%	1.3%
	Grade 10	96.2%	0.1%	0.1%	0.3%	0.5%	0.7%	2.1%
	Grade 11	96.0%	0.0%	0.1%	0.5%	0.7%	1.0%	1.8%
	Grade 12	96.4%	0.1%	0.0%	0.0%	0.4%	0.4%	2.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	28.0%	20.7%	7.6%	10.1%	14.1%	19.6%
	Grade 7	38.4%	35.5%	8.0%	5.2%	6.3%	6.6%
	Grade 8	32.1%	28.4%	7.8%	9.4%	10.9%	11.3%
	Grade 9	30.7%	21.7%	8.1%	9.5%	13.0%	17.1%
	Grade 10	23.3%	15.6%	7.4%	13.4%	16.9%	23.4%
	Grade 11	21.4%	11.6%	7.4%	12.3%	19.0%	28.3%
	Grade 12	20.1%	8.9%	6.7%	11.4%	19.4%	33.4%
Cocaine?							
	All	37.4%	29.7%	11.9%	8.8%	6.0%	6.1%
	Grade 7	42.9%	41.0%	8.6%	3.8%	2.1%	1.5%
	Grade 8	38.1%	36.2%	10.5%	6.6%	5.0%	3.6%
	Grade 9	40.5%	31.0%	10.9%	8.6%	5.1%	4.0%
	Grade 10	35.4%	26.5%	14.4%	10.0%	7.4%	6.2%
	Grade 11	33.5%	22.5%	12.4%	11.9%	9.3%	10.3%
	Grade 12	32.8%	19.0%	15.5%	12.8%	7.6%	12.3%
Crack?							
	All	41.1%	30.8%	12.4%	7.8%	3.9%	4.0%
	Grade 7	46.2%	39.9%	7.5%	3.4%	1.8%	1.2%
	Grade 8	40.7%	36.1%	10.8%	6.3%	3.3%	2.9%
	Grade 9	43.9%	31.0%	10.7%	7.7%	3.2%	3.6%
	Grade 10	38.6%	28.2%	15.2%	9.1%	4.8%	4.0%
	Grade 11	38.8%	25.3%	13.6%	11.1%	5.4%	5.8%
	Grade 12	37.6%	22.9%	17.6%	10.0%	5.0%	6.9%
Steroids?							
	All	42.4%	30.0%	11.2%	8.3%	4.0%	4.0%
	Grade 7	47.6%	36.2%	7.0%	5.3%	2.1%	1.8%
	Grade 8	42.4%	34.4%	8.3%	7.8%	4.0%	3.1%
	Grade 9	43.8%	31.9%	10.4%	7.1%	3.7%	3.2%
	Grade 10	40.4%	28.2%	13.5%	9.4%	4.7%	3.8%
	Grade 11	40.0%	25.0%	13.4%	10.8%	5.1%	5.7%
	Grade 12	39.5%	22.9%	15.4%	10.2%	4.5%	7.4%
Ecstasy?							
	All	46.4%	25.5%	9.1%	6.7%	5.8%	6.4%
	Grade 7	61.4%	28.9%	5.1%	2.1%	0.9%	1.6%
	Grade 8	51.7%	30.0%	7.9%	4.9%	2.3%	3.2%
	Grade 9	48.9%	27.2%	7.4%	6.0%	5.7%	4.8%
	Grade 10	39.0%	24.7%	11.6%	9.0%	7.8%	8.0%
	Grade 11	37.8%	21.3%	10.6%	10.1%	10.0%	10.2%
	Grade 12	37.6%	19.6%	13.0%	9.0%	8.9%	11.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	46.7%	30.8%	11.3%	5.5%	2.7%	3.0%
	Grade 7	54.6%	33.7%	6.1%	2.3%	2.1%	1.2%
	Grade 8	46.4%	34.8%	9.2%	4.1%	2.6%	2.9%
	Grade 9	49.5%	30.6%	10.0%	5.0%	2.3%	2.6%
	Grade 10	43.2%	31.4%	13.8%	5.8%	2.8%	2.9%
	Grade 11	43.1%	26.8%	13.5%	8.8%	3.8%	4.0%
	Grade 12	42.4%	26.9%	16.0%	7.7%	2.8%	4.2%
Methamphetamine?							
	All	47.7%	30.3%	10.9%	5.3%	2.6%	3.1%
	Grade 7	56.7%	33.3%	6.2%	1.6%	0.9%	1.4%
	Grade 8	47.8%	34.1%	8.1%	5.1%	1.8%	3.1%
	Grade 9	49.1%	31.2%	9.6%	4.2%	3.3%	2.6%
	Grade 10	44.7%	30.6%	12.9%	6.7%	2.1%	3.1%
	Grade 11	44.2%	25.5%	13.9%	7.5%	4.5%	4.4%
	Grade 12	43.0%	26.3%	15.8%	7.1%	3.2%	4.6%
Synthetic Marijuana?							
	All	46.0%	24.8%	8.7%	7.0%	6.3%	7.2%
	Grade 7	57.2%	29.0%	5.6%	3.0%	2.1%	3.0%
	Grade 8	46.4%	30.6%	7.1%	6.9%	3.5%	5.5%
	Grade 9	48.1%	25.3%	6.8%	6.5%	6.6%	6.7%
	Grade 10	42.3%	23.4%	9.2%	8.7%	8.5%	7.9%
	Grade 11	41.2%	20.3%	11.2%	7.6%	9.3%	10.5%
	Grade 12	39.3%	18.7%	13.3%	9.9%	8.3%	10.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	91.7%	4.7%	1.5%	2.1%
Grade 7	96.9%	1.9%	0.8%	0.3%
Grade 8	93.6%	3.7%	0.9%	1.8%
Grade 9	91.1%	4.7%	1.4%	2.8%
Grade 10	89.6%	6.2%	2.1%	2.1%
Grade 11	89.7%	5.9%	1.7%	2.7%
Grade 12	88.7%	5.8%	2.2%	3.3%
Attended Class While High from Use of Some Other Drug?				
All	96.8%	2.0%	0.5%	0.7%
Grade 7	98.3%	1.2%	0.2%	0.3%
Grade 8	97.5%	1.6%	0.2%	0.6%
Grade 9	96.2%	2.1%	0.6%	1.1%
Grade 10	96.3%	2.2%	0.6%	1.0%
Grade 11	96.1%	2.5%	0.8%	0.6%
Grade 12	96.3%	2.5%	0.8%	0.4%

Table D-5: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.8
Marijuana Non-Users	3.8
Average Days Conduct Problems Reported	
Marijuana Users	3.4
Marijuana Non-Users	1.1

Percentages have been weighted to reflect proportions within the population.

Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.2%	4.0%	0.4%	1.5%
Grade 9	96.4%	2.7%	0.1%	0.8%
Grade 10	95.8%	3.0%	0.2%	1.0%
Grade 11	93.3%	4.6%	0.7%	1.4%
Grade 12	90.3%	6.1%	0.5%	3.1%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.6%	2.8%	0.3%	0.3%
Grade 7	97.9%	1.8%	0.2%	0.1%
Grade 8	96.8%	2.7%	0.1%	0.5%
Grade 9	96.2%	3.1%	0.3%	0.4%
Grade 10	96.6%	2.7%	0.3%	0.4%
Grade 11	95.7%	3.4%	0.8%	0.1%
Grade 12	96.6%	3.0%	0.2%	0.2%

Table D-7: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	54.3%	21.3%	11.8%	9.3%	3.2%
Grade 7	78.1%	13.1%	5.2%	2.5%	1.0%
Grade 8	64.8%	19.2%	8.0%	5.6%	2.4%
Grade 9	55.7%	21.6%	9.9%	9.7%	3.0%
Grade 10	43.3%	24.8%	16.2%	11.1%	4.6%
Grade 11	42.3%	24.5%	15.8%	13.9%	3.6%
Grade 12	38.8%	25.6%	16.6%	13.8%	5.2%

Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.9%	7.9%	5.2%	5.8%	6.7%	2.7%	12.8%
Grade 7	82.0%	3.5%	1.5%	1.3%	1.3%	1.3%	9.0%
Grade 8	71.2%	6.7%	4.1%	2.5%	2.3%	3.3%	9.9%
Grade 9	63.2%	7.1%	5.1%	4.8%	4.4%	2.5%	12.8%
Grade 10	49.9%	10.2%	6.6%	7.4%	8.0%	4.0%	14.0%
Grade 11	43.8%	9.7%	7.1%	8.3%	11.2%	2.6%	17.3%
Grade 12	37.9%	11.0%	7.6%	11.9%	15.0%	2.7%	14.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	80.2%	5.7%	5.3%	1.3%	1.5%	6.1%
Grade 7	84.0%	2.5%	2.1%	0.8%	0.8%	9.8%
Grade 8	83.5%	3.7%	3.4%	0.7%	1.5%	7.1%
Grade 9	80.2%	5.5%	5.7%	1.1%	2.0%	5.5%
Grade 10	79.3%	6.5%	6.1%	1.7%	1.2%	5.1%
Grade 11	77.8%	8.1%	6.6%	1.4%	1.5%	4.7%
Grade 12	75.3%	8.5%	8.0%	2.1%	2.1%	4.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	58.7%	14.1%	11.4%	11.9%	3.9%
	Grade 7	77.9%	8.1%	5.0%	3.7%	5.3%
	Grade 8	66.3%	13.1%	8.1%	8.1%	4.4%
	Grade 9	60.1%	16.4%	10.0%	9.8%	3.7%
	Grade 10	50.3%	16.0%	15.2%	15.2%	3.3%
	Grade 11	50.6%	14.9%	14.1%	16.1%	4.2%
	Grade 12	43.9%	16.0%	17.3%	20.2%	2.6%
Cocaine?						
	All	87.7%	6.6%	0.9%	0.6%	4.1%
	Grade 7	90.0%	4.2%	0.6%	0.7%	4.6%
	Grade 8	87.9%	5.3%	1.3%	0.9%	4.6%
	Grade 9	87.2%	7.0%	1.0%	0.9%	3.9%
	Grade 10	85.9%	8.9%	0.6%	0.3%	4.3%
	Grade 11	86.8%	7.3%	1.0%	0.4%	4.5%
	Grade 12	88.6%	6.9%	0.9%	0.7%	2.9%
Crack?						
	All	89.0%	5.2%	0.8%	0.4%	4.5%
	Grade 7	89.3%	3.9%	0.7%	0.6%	5.5%
	Grade 8	87.5%	5.2%	1.6%	0.8%	5.0%
	Grade 9	88.2%	6.3%	1.0%	0.3%	4.2%
	Grade 10	89.0%	6.2%	0.6%	0.3%	4.0%
	Grade 11	89.1%	5.1%	0.8%	0.3%	4.7%
	Grade 12	91.6%	4.3%	0.4%	0.4%	3.3%
Ecstasy?						
	All	82.6%	8.1%	1.9%	0.8%	6.5%
	Grade 7	85.0%	3.7%	0.6%	0.6%	10.0%
	Grade 8	84.1%	6.1%	1.3%	0.9%	7.6%
	Grade 9	81.5%	9.3%	1.7%	1.1%	6.4%
	Grade 10	80.7%	9.9%	2.8%	0.8%	5.7%
	Grade 11	82.0%	9.5%	2.5%	0.7%	5.2%
	Grade 12	82.3%	10.5%	2.5%	0.7%	4.0%
Steroids?						
	All	78.3%	11.5%	3.4%	1.0%	5.9%
	Grade 7	78.1%	10.0%	2.9%	1.0%	7.9%
	Grade 8	79.3%	10.5%	3.1%	1.3%	5.8%
	Grade 9	76.6%	12.3%	4.2%	0.9%	5.9%
	Grade 10	77.2%	12.4%	4.1%	0.8%	5.5%
	Grade 11	80.0%	10.8%	2.9%	0.6%	5.7%
	Grade 12	78.7%	12.9%	2.5%	1.2%	4.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.5%	4.2%	0.4%	0.6%	5.4%
	Grade 7	86.9%	3.5%	0.4%	1.0%	8.1%
	Grade 8	88.0%	4.7%	0.7%	1.2%	5.4%
	Grade 9	88.9%	5.2%	0.2%	0.3%	5.3%
	Grade 10	90.7%	4.1%	0.3%	0.3%	4.6%
	Grade 11	90.5%	3.9%	0.2%	0.3%	5.0%
	Grade 12	92.8%	3.1%	0.3%	0.5%	3.3%
Methamphetamine?						
	All	89.7%	3.9%	0.5%	0.5%	5.5%
	Grade 7	87.5%	3.0%	0.4%	0.4%	8.7%
	Grade 8	88.1%	4.2%	0.9%	0.8%	6.0%
	Grade 9	88.4%	5.2%	0.3%	0.5%	5.6%
	Grade 10	90.7%	3.8%	0.6%	0.4%	4.5%
	Grade 11	91.2%	3.4%	0.3%	0.2%	4.9%
	Grade 12	92.8%	3.2%	0.3%	0.5%	3.2%
Synthetic Marijuana?						
	All	83.3%	7.1%	1.9%	1.3%	6.4%
	Grade 7	85.2%	3.9%	1.3%	1.1%	8.5%
	Grade 8	83.5%	6.1%	2.1%	1.5%	6.8%
	Grade 9	82.1%	8.6%	1.5%	1.5%	6.3%
	Grade 10	80.5%	9.0%	2.6%	1.4%	6.5%
	Grade 11	83.8%	7.6%	2.0%	1.1%	5.5%
	Grade 12	84.9%	7.5%	1.9%	1.2%	4.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	9.7%	13.3%	19.0%	81.0%
Grade 7	8.4%	10.9%	15.6%	84.4%
Grade 8	7.7%	11.2%	16.7%	83.3%
Grade 9	10.1%	12.5%	18.4%	81.6%
Grade 10	10.2%	13.7%	20.4%	79.6%
Grade 11	10.9%	16.1%	22.4%	77.6%
Grade 12	11.0%	15.9%	21.7%	78.3%
Codeine Cough Syrup?				
All	6.1%	8.9%	14.2%	85.8%
Grade 7	5.0%	6.8%	11.7%	88.3%
Grade 8	6.1%	8.6%	13.4%	86.6%
Grade 9	6.1%	8.1%	13.0%	87.0%
Grade 10	6.2%	8.9%	14.9%	85.1%
Grade 11	6.3%	10.6%	15.7%	84.3%
Grade 12	7.1%	10.6%	17.0%	83.0%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.0%	3.1%	4.5%	95.5%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.8%	1.2%	1.4%	98.6%
Grade 9	1.5%	1.9%	3.2%	96.8%
Grade 10	2.4%	3.1%	4.6%	95.4%
Grade 11	3.1%	5.4%	8.0%	92.0%
Grade 12	4.3%	7.1%	9.9%	90.1%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.8%	2.7%	4.1%	95.9%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	2.0%	2.8%	4.8%	95.2%
Grade 10	2.8%	3.7%	5.4%	94.6%
Grade 11	2.3%	3.9%	6.2%	93.8%
Grade 12	2.5%	4.4%	6.4%	93.6%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.1%	1.8%	2.7%	97.3%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	1.1%	1.3%	1.9%	98.1%
Grade 10	1.2%	1.8%	2.5%	97.5%
Grade 11	1.3%	2.8%	4.5%	95.5%
Grade 12	2.4%	3.9%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.9%	5.2%	8.4%	91.6%
Grade 7	4.4%	5.8%	8.8%	91.2%
Grade 8	3.3%	5.4%	8.9%	91.1%
Grade 9	4.6%	5.6%	9.6%	90.4%
Grade 10	4.4%	5.5%	8.9%	91.1%
Grade 11	3.3%	4.6%	7.7%	92.3%
Grade 12	3.2%	4.3%	6.0%	94.0%

Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.9%	2.8%	4.5%	95.5%
Grade 7	1.7%	2.6%	4.9%	95.1%
Grade 8	1.2%	2.2%	4.3%	95.7%
Grade 9	1.7%	2.7%	4.4%	95.6%
Grade 10	2.3%	2.8%	4.8%	95.2%
Grade 11	2.1%	2.8%	4.6%	95.4%
Grade 12	2.6%	3.5%	4.0%	96.0%

Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.0%	13.0%	3.9%	1.5%	6.7%
Grade 7	77.9%	9.1%	3.2%	1.2%	8.7%
Grade 8	75.0%	13.1%	3.9%	1.8%	6.3%
Grade 9	74.6%	13.7%	2.9%	2.5%	6.2%
Grade 10	72.7%	15.1%	4.4%	1.0%	6.7%
Grade 11	76.3%	11.9%	4.4%	1.4%	5.9%
Grade 12	73.2%	15.2%	4.7%	0.8%	6.2%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	6.0%	7.8%	14.7%	85.3%
Grade 7	7.8%	9.1%	15.4%	84.6%
Grade 8	8.4%	10.8%	18.9%	81.1%
Grade 9	6.2%	7.4%	14.5%	85.5%
Grade 10	5.1%	6.8%	14.8%	85.2%
Grade 11	4.2%	6.2%	10.6%	89.4%
Grade 12	4.2%	6.3%	13.7%	86.3%
Spray Paint?				
All	0.6%	0.8%	2.6%	97.4%
Grade 7	0.3%	0.7%	1.8%	98.2%
Grade 8	0.5%	0.6%	2.6%	97.4%
Grade 9	0.8%	1.0%	2.7%	97.3%
Grade 10	0.5%	0.5%	3.5%	96.5%
Grade 11	1.0%	1.2%	2.4%	97.6%
Grade 12	0.4%	0.7%	2.8%	97.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.4%	2.0%	5.8%	94.2%
Grade 7	2.5%	2.9%	7.1%	92.9%
Grade 8	2.1%	3.4%	8.7%	91.3%
Grade 9	1.4%	1.9%	6.0%	94.0%
Grade 10	0.9%	1.0%	5.0%	95.0%
Grade 11	1.0%	1.6%	3.7%	96.3%
Grade 12	0.2%	0.8%	3.6%	96.4%
Computer Dusting Sprays?				
All	0.6%	0.8%	2.1%	97.9%
Grade 7	0.7%	0.9%	1.3%	98.7%
Grade 8	0.6%	0.8%	1.9%	98.1%
Grade 9	0.5%	0.5%	1.6%	98.4%
Grade 10	0.4%	0.8%	3.1%	96.9%
Grade 11	1.1%	1.4%	2.3%	97.7%
Grade 12	0.4%	0.5%	2.7%	97.3%
Helium, Butane, Propane, Whippets, or Freon?				
All	2.2%	3.1%	7.7%	92.3%
Grade 7	2.5%	3.4%	7.9%	92.1%
Grade 8	3.7%	4.9%	10.3%	89.7%
Grade 9	2.0%	2.7%	7.1%	92.9%
Grade 10	1.5%	2.4%	7.9%	92.1%
Grade 11	1.7%	2.4%	5.5%	94.5%
Grade 12	1.5%	2.5%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.7%	1.2%	2.0%	98.0%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.5%	1.5%	98.5%
Grade 11	0.2%	0.5%	1.2%	98.8%
Grade 12	0.4%	0.5%	1.1%	98.9%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.2%	0.3%	1.1%	98.9%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.3%	0.4%	1.7%	98.3%
Grade 11	0.5%	0.6%	1.4%	98.6%
Grade 12	0.2%	0.3%	0.8%	99.2%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	1.0%	1.2%	2.4%	97.6%
Grade 7	0.9%	1.2%	2.1%	97.9%
Grade 8	1.5%	1.6%	3.0%	97.0%
Grade 9	0.9%	1.2%	2.4%	97.6%
Grade 10	0.8%	0.9%	2.3%	97.7%
Grade 11	0.7%	1.0%	2.1%	97.9%
Grade 12	1.1%	1.5%	2.2%	97.8%
Other Aerosols/Sprays?				
All	0.7%	1.0%	2.2%	97.8%
Grade 7	1.2%	1.7%	3.0%	97.0%
Grade 8	1.3%	1.4%	2.6%	97.4%
Grade 9	0.6%	0.9%	2.0%	98.0%
Grade 10	0.4%	0.6%	2.6%	97.4%
Grade 11	0.4%	0.7%	1.8%	98.2%
Grade 12	0.3%	0.6%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.0%	0.1%	0.2%	0.3%	0.5%	0.7%	1.2%
Grade 7	96.0%	0.2%	0.3%	0.5%	1.0%	0.9%	1.1%
Grade 8	96.3%	0.0%	0.4%	0.6%	0.9%	0.5%	1.3%
Grade 9	97.2%	0.0%	0.2%	0.3%	0.5%	0.8%	1.0%
Grade 10	97.3%	0.1%	0.2%	0.1%	0.1%	0.7%	1.5%
Grade 11	97.7%	0.2%	0.1%	0.2%	0.3%	0.5%	1.1%
Grade 12	97.5%	0.1%	0.2%	0.0%	0.3%	0.4%	1.5%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	87.1%	7.2%	4.1%	1.5%
Grade 7	86.5%	7.5%	4.6%	1.4%
Grade 8	83.2%	9.7%	4.8%	2.3%
Grade 9	86.9%	8.1%	3.9%	1.0%
Grade 10	86.8%	7.0%	4.3%	1.9%
Grade 11	91.0%	4.5%	2.9%	1.6%
Grade 12	88.6%	6.1%	4.2%	1.2%

Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.8%	0.9%	0.1%	0.2%
Grade 7	98.5%	1.2%	0.0%	0.3%
Grade 8	98.4%	1.1%	0.1%	0.3%
Grade 9	98.9%	0.7%	0.1%	0.3%
Grade 10	99.1%	0.4%	0.1%	0.4%
Grade 11	98.7%	1.1%	0.2%	0.0%
Grade 12	98.9%	0.9%	0.1%	0.1%

Percentages have been weighted to reflect proportions within the population.

Table I-5: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	5.8
Inhalant Non-Users	3.9
Average Days Conduct Problems Reported	
Inhalant Users	4.1
Inhalant Non-Users	1.3

Table I-6: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	90.4%	6.4%	2.3%	0.6%	0.3%
Grade 7	90.4%	7.2%	2.0%	0.4%	0.1%
Grade 8	88.4%	8.0%	2.3%	1.0%	0.3%
Grade 9	89.8%	6.3%	2.8%	0.7%	0.4%
Grade 10	88.6%	7.1%	2.9%	0.8%	0.6%
Grade 11	92.2%	4.9%	1.9%	0.7%	0.2%
Grade 12	93.6%	4.3%	1.7%	0.1%	0.3%

Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	77.3%	12.2%	3.3%	1.0%	6.1%
Grade 7	74.7%	13.4%	3.6%	1.1%	7.2%
Grade 8	73.0%	15.2%	4.6%	1.7%	5.5%
Grade 9	77.0%	12.2%	3.7%	1.2%	5.8%
Grade 10	78.2%	11.9%	3.1%	0.7%	6.1%
Grade 11	80.2%	10.1%	2.3%	0.6%	6.7%
Grade 12	81.4%	10.1%	2.1%	0.8%	5.6%

Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	41.6%	15.6%	4.9%	6.8%	9.3%	21.8%
Grade 7	45.0%	22.4%	4.0%	4.5%	7.1%	17.1%
Grade 8	39.6%	19.8%	5.1%	6.3%	8.0%	21.3%
Grade 9	44.5%	15.8%	4.2%	6.9%	9.5%	19.2%
Grade 10	40.1%	14.6%	6.2%	7.2%	10.6%	21.3%
Grade 11	40.0%	12.2%	5.9%	7.2%	10.2%	24.5%
Grade 12	39.8%	7.7%	4.1%	8.8%	10.4%	29.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	57.6%
	Grade 7	67.2%
	Grade 8	62.2%
	Grade 9	51.1%
	Grade 10	59.9%
	Grade 11	56.7%
	Grade 12	48.3%
An Assembly Program		
	All	54.2%
	Grade 7	59.3%
	Grade 8	66.4%
	Grade 9	50.6%
	Grade 10	49.0%
	Grade 11	53.0%
	Grade 12	46.2%
Guidance Counselor		
	All	31.9%
	Grade 7	38.8%
	Grade 8	45.6%
	Grade 9	27.1%
	Grade 10	28.0%
	Grade 11	28.1%
	Grade 12	23.5%
School Nurse		
	All	22.2%
	Grade 7	28.4%
	Grade 8	29.4%
	Grade 9	19.7%
	Grade 10	19.9%
	Grade 11	19.8%
	Grade 12	15.2%
Science or Social Studies Class		
	All	30.1%
	Grade 7	29.1%
	Grade 8	29.5%
	Grade 9	33.4%
	Grade 10	31.6%
	Grade 11	30.9%
	Grade 12	24.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 32 of 120

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Student Group or Club Meeting at School		
	All	19.3%
	Grade 7	16.7%
	Grade 8	20.3%
	Grade 9	18.1%
	Grade 10	21.5%
	Grade 11	20.6%
	Grade 12	18.8%
An Invited School Guest		
	All	40.9%
	Grade 7	43.4%
	Grade 8	49.6%
	Grade 9	36.9%
	Grade 10	38.8%
	Grade 11	40.9%
	Grade 12	35.3%
Another Source at School		
	All	33.5%
	Grade 7	33.5%
	Grade 8	39.2%
	Grade 9	31.4%
	Grade 10	32.5%
	Grade 11	35.0%
	Grade 12	29.0%
Any School Source		
	All	76.0%
	Grade 7	81.4%
	Grade 8	82.6%
	Grade 9	73.0%
	Grade 10	75.6%
	Grade 11	75.2%
	Grade 12	67.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	42.0%
	Grade 7	55.2%
	Grade 8	47.4%
	Grade 9	40.5%
	Grade 10	37.7%
	Grade 11	37.3%
	Grade 12	32.8%
School Nurse		
	All	26.1%
	Grade 7	36.9%
	Grade 8	31.7%
	Grade 9	25.8%
	Grade 10	21.1%
	Grade 11	20.9%
	Grade 12	19.2%
Another Adult In School		
	All	47.0%
	Grade 7	49.4%
	Grade 8	49.4%
	Grade 9	45.8%
	Grade 10	43.6%
	Grade 11	47.8%
	Grade 12	46.1%
Counselor/Program Outside-School		
	All	42.3%
	Grade 7	50.4%
	Grade 8	45.2%
	Grade 9	40.8%
	Grade 10	40.6%
	Grade 11	40.0%
	Grade 12	36.1%
Your Parents		
	All	71.3%
	Grade 7	79.2%
	Grade 8	73.4%
	Grade 9	69.2%
	Grade 10	68.8%
	Grade 11	68.4%
	Grade 12	68.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	58.9%
	Grade 7	68.7%
	Grade 8	62.1%
	Grade 9	56.7%
	Grade 10	56.4%
	Grade 11	56.5%
	Grade 12	52.2%
Your Friends		
	All	63.2%
	Grade 7	54.4%
	Grade 8	57.5%
	Grade 9	63.8%
	Grade 10	65.6%
	Grade 11	68.9%
	Grade 12	70.7%
Another Adult		
	All	64.5%
	Grade 7	67.9%
	Grade 8	63.9%
	Grade 9	66.0%
	Grade 10	63.5%
	Grade 11	65.1%
	Grade 12	60.0%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	8.4%
	Grade 7	8.1%
	Grade 8	9.2%
	Grade 9	8.2%
	Grade 10	9.2%
	Grade 11	8.5%
	Grade 12	7.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.7%	23.2%	24.2%	36.2%	10.7%
Grade 7	8.5%	21.6%	21.8%	33.0%	15.1%
Grade 8	5.4%	20.9%	24.1%	37.4%	12.3%
Grade 9	5.4%	24.9%	25.5%	34.8%	9.4%
Grade 10	6.5%	22.9%	23.1%	38.2%	9.3%
Grade 11	4.3%	21.3%	27.4%	37.5%	9.6%
Grade 12	3.9%	27.9%	23.0%	36.4%	8.7%
Sometimes Carry Weapons?					
All	75.5%	14.9%	5.3%	2.8%	1.4%
Grade 7	83.1%	12.6%	2.3%	1.1%	0.9%
Grade 8	75.6%	17.0%	4.4%	1.7%	1.3%
Grade 9	75.5%	13.6%	5.7%	4.1%	1.2%
Grade 10	71.4%	15.9%	7.3%	4.2%	1.2%
Grade 11	76.3%	13.8%	5.6%	2.8%	1.5%
Grade 12	70.7%	16.9%	6.8%	2.9%	2.7%
Care About Making Good Grades?					
All	2.3%	12.7%	25.9%	41.5%	17.7%
Grade 7	2.5%	13.9%	23.8%	35.2%	24.6%
Grade 8	2.8%	10.8%	25.5%	43.1%	17.9%
Grade 9	2.9%	14.0%	27.2%	41.1%	14.8%
Grade 10	1.8%	13.3%	27.8%	41.0%	16.2%
Grade 11	2.0%	10.9%	22.9%	47.9%	16.3%
Grade 12	1.4%	13.2%	28.2%	40.7%	16.5%
Belong/Want to Belong to a Gang?					
All	82.0%	11.6%	4.1%	1.5%	0.8%
Grade 7	83.5%	10.4%	3.6%	1.7%	0.7%
Grade 8	80.1%	13.2%	4.5%	1.4%	0.8%
Grade 9	79.4%	13.3%	4.5%	2.3%	0.6%
Grade 10	80.0%	13.0%	4.3%	1.5%	1.2%
Grade 11	83.0%	10.8%	4.1%	1.4%	0.7%
Grade 12	87.5%	8.1%	3.0%	0.8%	0.6%
Wish They Could Drop Out of School?					
All	55.6%	26.4%	12.1%	4.0%	1.9%
Grade 7	64.1%	22.0%	7.5%	4.8%	1.6%
Grade 8	57.7%	26.2%	11.5%	2.8%	1.7%
Grade 9	53.3%	28.3%	12.4%	4.2%	1.8%
Grade 10	50.5%	29.1%	14.0%	4.4%	2.0%
Grade 11	52.6%	27.5%	12.8%	4.5%	2.6%
Grade 12	55.8%	24.6%	14.3%	3.4%	1.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 36 of 120

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	87.7%	10.9%	0.7%	0.3%	0.5%
Grade 7	86.3%	11.6%	1.1%	0.1%	0.8%
Grade 8	85.2%	13.0%	0.9%	0.3%	0.6%
Grade 9	86.7%	11.5%	0.7%	0.5%	0.6%
Grade 10	88.1%	10.9%	0.5%	0.1%	0.4%
Grade 11	90.2%	8.7%	0.5%	0.1%	0.4%
Grade 12	90.3%	8.9%	0.2%	0.4%	0.2%
Out In Your Neighborhood?					
All	44.5%	46.6%	5.7%	1.2%	2.1%
Grade 7	36.4%	50.6%	8.1%	1.5%	3.4%
Grade 8	40.9%	49.3%	5.9%	1.3%	2.6%
Grade 9	42.1%	48.8%	5.9%	1.2%	2.0%
Grade 10	47.1%	44.8%	5.4%	1.0%	1.8%
Grade 11	49.9%	43.3%	4.4%	1.0%	1.4%
Grade 12	51.9%	41.6%	4.3%	1.0%	1.2%
At School?					
All	43.1%	44.1%	6.9%	2.5%	3.4%
Grade 7	50.3%	38.3%	5.6%	2.2%	3.5%
Grade 8	45.4%	42.3%	6.4%	2.7%	3.3%
Grade 9	37.2%	47.3%	8.7%	2.9%	4.0%
Grade 10	38.4%	48.9%	6.9%	2.0%	3.9%
Grade 11	42.0%	45.4%	6.5%	2.6%	3.5%
Grade 12	46.9%	41.4%	7.2%	2.6%	1.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 37 of 120

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.3%	21.6%	35.7%	64.3%
Grade 7	7.6%	10.0%	17.8%	82.2%
Grade 8	12.2%	14.1%	27.1%	72.9%
Grade 9	16.2%	19.0%	32.6%	67.4%
Grade 10	20.6%	26.3%	43.2%	56.8%
Grade 11	20.9%	26.4%	44.2%	55.8%
Grade 12	28.2%	37.1%	52.6%	47.4%
Any Alcohol Product				
All	34.8%	40.2%	59.4%	40.6%
Grade 7	17.7%	20.5%	40.6%	59.4%
Grade 8	25.5%	29.1%	50.4%	49.6%
Grade 9	34.2%	39.1%	60.5%	39.5%
Grade 10	40.1%	45.7%	64.0%	36.0%
Grade 11	43.0%	50.7%	68.5%	31.5%
Grade 12	51.4%	60.1%	75.1%	24.9%
Any Illicit Drug				
All	15.0%	19.2%	25.4%	74.6%
Grade 7	6.3%	8.4%	9.8%	90.2%
Grade 8	10.2%	13.9%	16.8%	83.2%
Grade 9	14.3%	17.5%	21.4%	78.6%
Grade 10	18.6%	24.0%	33.4%	66.6%
Grade 11	19.1%	24.2%	33.0%	67.0%
Grade 12	23.2%	29.3%	41.7%	58.3%
Any Prescription Drug				
All	9.7%	13.3%	19.0%	81.0%
Grade 7	8.4%	10.9%	15.6%	84.4%
Grade 8	7.7%	11.2%	16.7%	83.3%
Grade 9	10.1%	12.5%	18.4%	81.6%
Grade 10	10.2%	13.7%	20.4%	79.6%
Grade 11	10.9%	16.1%	22.4%	77.6%
Grade 12	11.0%	15.9%	21.7%	78.3%
Any Inhalant				
All	6.0%	7.8%	14.7%	85.3%
Grade 7	7.8%	9.1%	15.4%	84.6%
Grade 8	8.4%	10.8%	18.9%	81.1%
Grade 9	6.2%	7.4%	14.5%	85.5%
Grade 10	5.1%	6.8%	14.8%	85.2%
Grade 11	4.2%	6.2%	10.6%	89.4%
Grade 12	4.2%	6.3%	13.7%	86.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	15.3%	29.3%	70.7%
Grade 7	5.0%	7.6%	14.7%	85.3%
Grade 8	8.6%	10.7%	22.6%	77.4%
Grade 9	11.2%	14.5%	27.5%	72.5%
Grade 10	10.4%	17.3%	36.5%	63.5%
Grade 11	11.9%	17.7%	35.4%	64.6%
Grade 12	16.9%	25.4%	41.6%	58.4%
Marijuana				
All	14.3%	17.4%	24.0%	76.0%
Grade 7	5.8%	6.9%	8.3%	91.7%
Grade 8	9.5%	11.4%	14.6%	85.4%
Grade 9	13.9%	16.5%	20.3%	79.7%
Grade 10	17.2%	21.5%	31.4%	68.6%
Grade 11	18.1%	22.6%	32.3%	67.7%
Grade 12	22.5%	27.1%	40.7%	59.3%
Marijuana Only				
All	6.6%	8.7%	13.9%	86.1%
Grade 7	2.7%	3.4%	4.5%	95.5%
Grade 8	4.8%	6.5%	9.0%	91.0%
Grade 9	5.8%	7.4%	10.1%	89.9%
Grade 10	7.6%	10.7%	19.0%	81.0%
Grade 11	8.6%	11.0%	19.0%	81.0%
Grade 12	10.9%	13.9%	24.0%	76.0%
Cocaine or Crack				
All	2.7%	3.0%	4.7%	95.3%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	1.7%	1.8%	2.6%	97.4%
Grade 9	2.4%	2.7%	4.1%	95.9%
Grade 10	3.1%	3.3%	5.3%	94.7%
Grade 11	4.0%	4.4%	6.9%	93.1%
Grade 12	4.0%	5.1%	9.0%	91.0%
Cocaine				
All	2.4%	2.7%	4.4%	95.6%
Grade 7	0.9%	1.0%	1.1%	98.9%
Grade 8	1.4%	1.6%	2.2%	97.8%
Grade 9	2.0%	2.3%	3.6%	96.4%
Grade 10	2.8%	3.0%	4.9%	95.1%
Grade 11	4.0%	4.4%	6.9%	93.1%
Grade 12	3.5%	4.6%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.8%	0.9%	0.9%	99.1%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	1.0%	1.1%	1.4%	98.6%
Grade 10	0.9%	1.0%	1.4%	98.6%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.6%	0.9%	1.9%	98.1%
Hallucinogens				
All	1.1%	1.7%	3.5%	96.5%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	1.5%	2.0%	4.2%	95.8%
Grade 10	1.3%	2.1%	3.7%	96.3%
Grade 11	1.6%	2.6%	5.4%	94.6%
Grade 12	1.3%	2.5%	5.8%	94.2%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.1%	0.4%	0.5%	99.5%
Steroids				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	1.4%	98.6%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.4%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.5%	1.1%	98.9%
Grade 12	0.2%	0.5%	1.0%	99.0%
Ecstasy				
All	1.5%	2.6%	5.0%	95.0%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	1.4%	2.6%	4.7%	95.3%
Grade 10	2.2%	3.5%	6.8%	93.2%
Grade 11	2.9%	4.7%	8.1%	91.9%
Grade 12	1.9%	3.9%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.8%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.3%	1.4%	98.6%
Synthetic Marijuana				
All	1.6%	2.4%	5.2%	94.8%
Grade 7	0.9%	1.7%	2.8%	97.2%
Grade 8	2.1%	2.6%	4.2%	95.8%
Grade 9	1.9%	2.8%	5.7%	94.3%
Grade 10	1.8%	2.6%	5.4%	94.6%
Grade 11	1.4%	2.4%	6.3%	93.7%
Grade 12	1.4%	2.5%	6.9%	93.1%
Methamphetamine				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.5%	0.9%	1.4%	98.6%
Grade 9	0.5%	0.6%	1.6%	98.4%
Grade 10	0.3%	0.5%	0.9%	99.1%
Grade 11	0.5%	0.6%	1.4%	98.6%
Grade 12	0.3%	0.9%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.5%	25.1%	38.9%	61.1%
Grade 7	9.0%	11.5%	19.2%	80.8%
Grade 8	13.2%	15.3%	28.3%	71.7%
Grade 9	17.9%	21.0%	34.3%	65.7%
Grade 10	23.9%	29.8%	47.2%	52.8%
Grade 11	25.1%	30.5%	49.6%	50.4%
Grade 12	36.6%	45.9%	58.6%	41.4%
Any Alcohol Product				
All	34.4%	39.7%	58.5%	41.5%
Grade 7	16.4%	19.6%	40.6%	59.4%
Grade 8	26.2%	29.4%	48.4%	51.6%
Grade 9	32.4%	37.8%	59.1%	40.9%
Grade 10	38.2%	43.1%	61.3%	38.7%
Grade 11	44.1%	51.6%	68.7%	31.3%
Grade 12	52.0%	60.1%	74.9%	25.1%
Any Illicit Drug				
All	16.3%	20.0%	26.9%	73.1%
Grade 7	7.0%	8.9%	10.1%	89.9%
Grade 8	10.6%	14.1%	17.9%	82.1%
Grade 9	14.6%	17.8%	22.4%	77.6%
Grade 10	18.9%	24.2%	33.8%	66.2%
Grade 11	21.4%	25.6%	35.2%	64.8%
Grade 12	27.1%	31.5%	45.4%	54.6%
Any Prescription Drug				
All	9.7%	13.3%	19.4%	80.6%
Grade 7	8.0%	10.7%	15.5%	84.5%
Grade 8	6.4%	9.0%	14.9%	85.1%
Grade 9	8.8%	11.3%	17.6%	82.4%
Grade 10	10.8%	14.5%	21.6%	78.4%
Grade 11	12.6%	18.5%	25.0%	75.0%
Grade 12	12.2%	17.4%	23.3%	76.7%
Any Inhalant				
All	5.7%	7.7%	14.1%	85.9%
Grade 7	5.8%	7.0%	11.9%	88.1%
Grade 8	6.4%	9.4%	17.3%	82.7%
Grade 9	5.6%	6.7%	12.2%	87.8%
Grade 10	5.9%	7.8%	15.4%	84.6%
Grade 11	4.6%	6.7%	10.7%	89.3%
Grade 12	5.5%	8.7%	17.0%	83.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.4%	17.3%	32.3%	67.7%
Grade 7	5.8%	8.5%	16.0%	84.0%
Grade 8	8.6%	10.6%	23.0%	77.0%
Grade 9	12.2%	15.7%	28.8%	71.2%
Grade 10	12.1%	18.8%	39.5%	60.5%
Grade 11	15.0%	21.0%	40.5%	59.5%
Grade 12	21.7%	31.5%	48.8%	51.2%
Marijuana				
All	15.3%	18.3%	25.6%	74.4%
Grade 7	6.4%	7.4%	8.7%	91.3%
Grade 8	9.6%	11.4%	15.5%	84.5%
Grade 9	14.4%	17.4%	21.8%	78.2%
Grade 10	17.0%	21.2%	31.7%	68.3%
Grade 11	19.7%	24.2%	34.5%	65.5%
Grade 12	26.7%	30.3%	44.5%	55.5%
Marijuana Only				
All	6.6%	8.6%	14.1%	85.9%
Grade 7	2.5%	3.3%	4.1%	95.9%
Grade 8	5.1%	6.6%	10.1%	89.9%
Grade 9	4.5%	5.9%	9.0%	91.0%
Grade 10	7.0%	10.3%	18.4%	81.6%
Grade 11	8.9%	11.7%	20.1%	79.9%
Grade 12	12.7%	15.1%	25.5%	74.5%
Cocaine or Crack				
All	3.3%	3.7%	5.7%	94.3%
Grade 7	1.0%	1.2%	1.3%	98.7%
Grade 8	1.7%	1.9%	2.5%	97.5%
Grade 9	2.5%	2.7%	4.9%	95.1%
Grade 10	3.7%	3.8%	6.0%	94.0%
Grade 11	5.8%	6.3%	9.2%	90.8%
Grade 12	5.4%	6.9%	11.0%	89.0%
Cocaine				
All	3.1%	3.5%	5.4%	94.6%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	1.6%	1.8%	2.2%	97.8%
Grade 9	2.3%	2.5%	4.5%	95.5%
Grade 10	3.6%	3.7%	5.8%	94.2%
Grade 11	5.8%	6.3%	9.2%	90.8%
Grade 12	5.3%	6.8%	10.9%	89.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.8%	1.5%	98.5%
Grade 7	0.6%	0.8%	0.9%	99.1%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	1.2%	1.3%	1.7%	98.3%
Grade 11	1.1%	1.1%	1.6%	98.4%
Grade 12	0.2%	0.8%	2.1%	97.9%
Hallucinogens				
All	1.5%	2.2%	4.5%	95.5%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	0.5%	0.5%	1.9%	98.1%
Grade 9	1.5%	2.3%	4.7%	95.3%
Grade 10	1.4%	2.3%	4.6%	95.4%
Grade 11	2.1%	3.3%	6.0%	94.0%
Grade 12	2.2%	3.8%	8.7%	91.3%
Synthetic Cathinones				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.4%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.7%	1.0%	99.0%
Steroids				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.4%	1.2%	98.8%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.5%	0.6%	1.4%	98.6%
Grade 11	0.6%	1.0%	1.8%	98.2%
Grade 12	0.3%	0.9%	1.9%	98.1%
Ecstasy				
All	1.8%	2.9%	5.2%	94.8%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	0.3%	0.4%	1.4%	98.6%
Grade 9	1.6%	2.6%	5.0%	95.0%
Grade 10	2.5%	4.3%	7.3%	92.7%
Grade 11	3.3%	5.4%	8.0%	92.0%
Grade 12	2.3%	4.2%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.6%	1.1%	98.9%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.5%	1.4%	1.9%	98.1%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.6%	0.9%	1.5%	98.5%
Grade 12	0.5%	0.5%	2.3%	97.7%
Synthetic Marijuana				
All	1.8%	2.6%	5.6%	94.4%
Grade 7	1.1%	2.0%	3.2%	96.8%
Grade 8	2.0%	2.6%	4.2%	95.8%
Grade 9	2.4%	3.4%	7.0%	93.0%
Grade 10	1.8%	2.4%	5.1%	94.9%
Grade 11	1.7%	2.2%	6.3%	93.7%
Grade 12	2.0%	2.6%	8.0%	92.0%
Methamphetamine				
All	0.5%	0.8%	1.4%	98.6%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.9%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.4%	98.6%
Grade 10	0.4%	0.7%	1.1%	98.9%
Grade 11	1.0%	1.2%	1.9%	98.1%
Grade 12	0.4%	1.0%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 120

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.8%	18.0%	32.3%	67.7%
Grade 7	6.2%	8.6%	16.4%	83.6%
Grade 8	10.8%	12.5%	25.2%	74.8%
Grade 9	14.1%	16.6%	30.7%	69.3%
Grade 10	17.3%	22.8%	39.2%	60.8%
Grade 11	16.8%	22.4%	39.4%	60.6%
Grade 12	19.3%	27.6%	46.2%	53.8%
Any Alcohol Product				
All	35.3%	40.8%	60.4%	39.6%
Grade 7	18.9%	21.2%	40.2%	59.8%
Grade 8	24.6%	28.4%	52.4%	47.6%
Grade 9	36.1%	40.6%	62.1%	37.9%
Grade 10	42.4%	48.7%	67.4%	32.6%
Grade 11	42.0%	49.7%	68.1%	31.9%
Grade 12	51.2%	60.6%	75.6%	24.4%
Any Illicit Drug				
All	13.7%	18.3%	23.8%	76.2%
Grade 7	5.7%	8.0%	9.5%	90.5%
Grade 8	9.2%	13.2%	15.2%	84.8%
Grade 9	14.1%	17.3%	20.2%	79.8%
Grade 10	18.5%	23.8%	33.2%	66.8%
Grade 11	16.9%	22.5%	30.7%	69.3%
Grade 12	19.3%	27.2%	38.1%	61.9%
Any Prescription Drug				
All	9.7%	13.2%	18.7%	81.3%
Grade 7	8.2%	10.6%	15.2%	84.8%
Grade 8	9.3%	13.7%	18.9%	81.1%
Grade 9	11.7%	13.9%	19.3%	80.7%
Grade 10	9.5%	12.9%	19.2%	80.8%
Grade 11	9.4%	14.1%	20.2%	79.8%
Grade 12	9.9%	14.6%	19.9%	80.1%
Any Inhalant				
All	6.4%	7.9%	15.3%	84.7%
Grade 7	9.6%	11.0%	18.6%	81.4%
Grade 8	10.4%	12.1%	20.4%	79.6%
Grade 9	6.9%	8.2%	17.0%	83.0%
Grade 10	4.3%	5.7%	14.0%	86.0%
Grade 11	3.8%	5.5%	10.3%	89.7%
Grade 12	2.7%	3.8%	10.1%	89.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.6%	13.1%	26.3%	73.7%
Grade 7	4.2%	6.7%	13.5%	86.5%
Grade 8	8.8%	11.0%	22.1%	77.9%
Grade 9	10.0%	13.1%	26.1%	73.9%
Grade 10	8.7%	15.9%	33.6%	66.4%
Grade 11	8.7%	14.5%	30.7%	69.3%
Grade 12	11.7%	18.8%	34.1%	65.9%
Marijuana				
All	13.1%	16.3%	22.4%	77.6%
Grade 7	5.1%	6.3%	8.0%	92.0%
Grade 8	9.0%	11.0%	13.2%	86.8%
Grade 9	13.5%	15.7%	18.5%	81.5%
Grade 10	17.6%	22.1%	31.5%	68.5%
Grade 11	16.4%	20.9%	29.9%	70.1%
Grade 12	18.2%	23.9%	37.0%	63.0%
Marijuana Only				
All	6.6%	8.7%	13.7%	86.3%
Grade 7	2.9%	3.6%	5.0%	95.0%
Grade 8	4.4%	6.2%	7.9%	92.1%
Grade 9	7.4%	9.1%	11.2%	88.8%
Grade 10	8.3%	11.3%	19.9%	80.1%
Grade 11	8.2%	10.2%	17.8%	82.2%
Grade 12	9.2%	12.9%	22.6%	77.4%
Cocaine or Crack				
All	2.0%	2.3%	3.8%	96.2%
Grade 7	1.3%	1.3%	1.5%	98.5%
Grade 8	1.3%	1.4%	2.5%	97.5%
Grade 9	2.2%	2.8%	3.3%	96.7%
Grade 10	2.5%	2.8%	4.5%	95.5%
Grade 11	2.3%	2.6%	4.7%	95.3%
Grade 12	2.6%	3.2%	6.9%	93.1%
Cocaine				
All	1.6%	1.9%	3.3%	96.7%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	1.0%	1.1%	2.0%	98.0%
Grade 9	1.6%	2.2%	2.7%	97.3%
Grade 10	2.0%	2.2%	4.0%	96.0%
Grade 11	2.3%	2.6%	4.7%	95.3%
Grade 12	1.6%	2.2%	6.0%	94.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.1%	98.9%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	1.4%	1.4%	1.5%	98.5%
Grade 10	0.6%	0.7%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	1.1%	1.1%	1.8%	98.2%
Hallucinogens				
All	0.8%	1.2%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.3%	1.0%	99.0%
Grade 9	1.4%	1.7%	3.6%	96.4%
Grade 10	1.1%	1.8%	2.7%	97.3%
Grade 11	1.2%	1.8%	4.5%	95.5%
Grade 12	0.3%	1.1%	2.7%	97.3%
Synthetic Cathinones				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.4%	1.6%	98.4%
Grade 8	0.2%	0.5%	0.6%	99.4%
Grade 9	0.7%	0.7%	1.0%	99.0%
Grade 10	0.3%	0.4%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.2%	99.8%
Ecstasy				
All	1.2%	2.3%	4.9%	95.1%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.8%	1.2%	98.8%
Grade 9	1.1%	2.6%	4.5%	95.5%
Grade 10	1.9%	2.8%	6.4%	93.6%
Grade 11	2.6%	4.0%	8.2%	91.8%
Grade 12	1.3%	3.4%	9.7%	90.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.1%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.3%	2.3%	4.7%	95.3%
Grade 7	0.6%	1.3%	2.2%	97.8%
Grade 8	2.1%	2.5%	4.2%	95.8%
Grade 9	1.4%	2.1%	4.3%	95.7%
Grade 10	1.8%	2.9%	5.7%	94.3%
Grade 11	1.2%	2.6%	6.3%	93.7%
Grade 12	0.9%	2.4%	5.8%	94.2%
Methamphetamine				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.9%	0.9%	1.6%	98.4%
Grade 9	0.5%	0.6%	1.8%	98.2%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.2%	0.6%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.3%	24.7%	35.8%	64.2%
Grade 7	3.7%	7.7%	11.7%	88.3%
Grade 8	12.4%	14.4%	23.9%	76.1%
Grade 9	21.4%	23.0%	35.5%	64.5%
Grade 10	23.8%	30.6%	43.4%	56.6%
Grade 11	24.8%	30.4%	45.9%	54.1%
Grade 12	38.8%	46.4%	59.2%	40.8%
Any Alcohol Product				
All	30.2%	36.0%	59.0%	41.0%
Grade 7	11.9%	14.7%	37.5%	62.5%
Grade 8	22.6%	24.4%	48.8%	51.2%
Grade 9	28.7%	35.8%	66.4%	33.6%
Grade 10	33.4%	39.1%	65.2%	34.8%
Grade 11	37.1%	44.6%	61.9%	38.1%
Grade 12	51.8%	62.3%	76.3%	23.7%
Any Illicit Drug				
All	10.2%	14.9%	20.6%	79.4%
Grade 7	4.2%	6.0%	7.3%	92.7%
Grade 8	7.7%	10.6%	12.9%	87.1%
Grade 9	9.1%	14.6%	16.5%	83.5%
Grade 10	13.2%	18.7%	25.7%	74.3%
Grade 11	9.0%	13.6%	23.8%	76.2%
Grade 12	19.7%	27.8%	41.5%	58.5%
Any Prescription Drug				
All	12.8%	18.7%	25.6%	74.4%
Grade 7	10.9%	13.2%	17.1%	82.9%
Grade 8	10.6%	18.1%	23.8%	76.2%
Grade 9	11.4%	13.0%	23.0%	77.0%
Grade 10	12.4%	18.1%	26.8%	73.2%
Grade 11	15.2%	24.7%	34.5%	65.5%
Grade 12	17.4%	27.5%	30.1%	69.9%
Any Inhalant				
All	5.0%	6.9%	12.9%	87.1%
Grade 7	4.1%	4.6%	9.3%	90.7%
Grade 8	9.6%	10.2%	18.0%	82.0%
Grade 9	3.5%	4.8%	8.3%	91.7%
Grade 10	3.0%	5.9%	10.7%	89.3%
Grade 11	6.0%	6.7%	9.9%	90.1%
Grade 12	4.0%	9.5%	23.5%	76.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.9%	17.7%	28.3%	71.7%
Grade 7	1.3%	5.4%	7.2%	92.8%
Grade 8	8.4%	10.0%	17.9%	82.1%
Grade 9	17.5%	20.1%	29.9%	70.1%
Grade 10	13.0%	21.3%	37.0%	63.0%
Grade 11	15.5%	20.0%	32.9%	67.1%
Grade 12	23.1%	31.4%	48.2%	51.8%
Marijuana				
All	9.3%	12.7%	19.1%	80.9%
Grade 7	3.5%	5.0%	6.2%	93.8%
Grade 8	5.7%	6.3%	9.6%	90.4%
Grade 9	9.1%	14.2%	16.1%	83.9%
Grade 10	11.3%	14.0%	22.0%	78.0%
Grade 11	8.3%	12.9%	23.8%	76.2%
Grade 12	19.7%	25.6%	40.6%	59.4%
Marijuana Only				
All	3.7%	5.3%	10.7%	89.3%
Grade 7	1.9%	3.4%	4.6%	95.4%
Grade 8	2.3%	2.3%	4.3%	95.7%
Grade 9	3.8%	5.4%	6.3%	93.7%
Grade 10	3.1%	4.5%	12.2%	87.8%
Grade 11	2.9%	5.5%	14.7%	85.3%
Grade 12	8.8%	11.5%	25.2%	74.8%
Cocaine or Crack				
All	2.0%	2.4%	3.8%	96.2%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	2.0%	2.0%	3.0%	97.0%
Grade 9	1.4%	1.4%	2.5%	97.5%
Grade 10	3.5%	3.5%	4.2%	95.8%
Grade 11	0.9%	1.6%	3.9%	96.1%
Grade 12	2.4%	4.8%	8.8%	91.2%
Cocaine				
All	1.8%	2.3%	3.7%	96.3%
Grade 7	1.6%	1.6%	1.6%	98.4%
Grade 8	2.0%	2.0%	3.0%	97.0%
Grade 9	1.0%	1.0%	2.1%	97.9%
Grade 10	3.2%	3.2%	3.9%	96.1%
Grade 11	0.9%	1.6%	3.9%	96.1%
Grade 12	2.4%	4.8%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.9%	1.6%	98.4%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	1.4%	1.4%	1.4%	98.6%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	2.4%	4.8%	95.2%
Hallucinogens				
All	1.2%	1.8%	4.3%	95.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	2.5%	2.5%	4.3%	95.7%
Grade 10	0.3%	1.0%	2.4%	97.6%
Grade 11	1.7%	2.2%	4.9%	95.1%
Grade 12	2.6%	5.1%	12.9%	87.1%
Synthetic Cathinones				
All	0.5%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.0%	2.0%	2.0%	98.0%
Grade 9	1.0%	1.0%	1.0%	99.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	2.4%	2.4%	97.6%
Steroids				
All	0.0%	0.2%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.0%	1.8%	98.2%
Grade 11	0.0%	0.9%	1.9%	98.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.7%	1.6%	3.7%	96.3%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	1.0%	2.1%	4.9%	95.1%
Grade 10	0.7%	1.9%	3.1%	96.9%
Grade 11	1.6%	3.0%	6.4%	93.6%
Grade 12	0.0%	2.4%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.9%	1.6%	98.4%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	2.0%	4.7%	4.7%	95.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	4.8%	95.2%
Synthetic Marijuana				
All	1.4%	2.0%	4.0%	96.0%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	2.4%	2.4%	4.9%	95.1%
Grade 9	2.5%	3.5%	5.2%	94.8%
Grade 10	1.6%	3.1%	7.5%	92.5%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	1.8%	2.6%	5.0%	95.0%
Methamphetamine				
All	0.2%	0.9%	1.5%	98.5%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	0.0%	2.0%	2.0%	98.0%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.3%	0.6%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	2.4%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.6%	14.5%	28.5%	71.5%
Grade 7	16.7%	16.7%	19.0%	81.0%
Grade 8	12.8%	12.8%	22.8%	77.2%
Grade 9	4.3%	4.3%	20.6%	79.4%
Grade 10	8.1%	8.1%	23.9%	76.1%
Grade 11	8.6%	8.6%	39.9%	60.1%
Grade 12	22.1%	43.1%	49.4%	50.6%
Any Alcohol Product				
All	25.6%	29.4%	52.4%	47.6%
Grade 7	16.2%	22.0%	42.3%	57.7%
Grade 8	21.5%	21.5%	40.8%	59.2%
Grade 9	24.4%	24.4%	52.8%	47.2%
Grade 10	28.7%	36.8%	63.0%	37.0%
Grade 11	25.3%	33.9%	60.2%	39.8%
Grade 12	39.9%	39.9%	55.7%	44.3%
Any Illicit Drug				
All	17.4%	17.6%	22.5%	77.5%
Grade 7	13.2%	13.2%	13.2%	86.8%
Grade 8	11.2%	12.8%	17.8%	82.2%
Grade 9	4.3%	4.3%	4.3%	95.7%
Grade 10	15.8%	15.8%	23.9%	76.1%
Grade 11	17.3%	17.3%	33.2%	66.8%
Grade 12	49.4%	49.4%	49.4%	50.6%
Any Prescription Drug				
All	10.0%	11.6%	19.0%	81.0%
Grade 7	2.4%	2.4%	12.9%	87.1%
Grade 8	5.9%	10.2%	10.2%	89.8%
Grade 9	14.0%	14.0%	25.1%	74.9%
Grade 10	21.8%	21.8%	21.8%	78.2%
Grade 11	4.7%	10.1%	13.8%	86.2%
Grade 12	10.0%	10.0%	32.5%	67.5%
Any Inhalant				
All	6.5%	7.7%	9.7%	90.3%
Grade 7	10.0%	12.4%	14.8%	85.2%
Grade 8	5.9%	5.9%	10.2%	89.8%
Grade 9	8.5%	8.5%	8.5%	91.5%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	5.1%	5.1%	94.9%
Grade 12	15.7%	15.7%	22.0%	78.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.3%	8.6%	24.1%	75.9%
Grade 7	8.1%	8.1%	19.0%	81.0%
Grade 8	5.9%	5.9%	15.2%	84.8%
Grade 9	4.7%	4.7%	22.5%	77.5%
Grade 10	0.0%	0.0%	25.9%	74.1%
Grade 11	5.1%	5.1%	26.8%	73.2%
Grade 12	22.1%	31.5%	37.8%	62.2%
Marijuana				
All	17.4%	17.4%	22.2%	77.8%
Grade 7	13.2%	13.2%	13.2%	86.8%
Grade 8	11.2%	11.2%	16.2%	83.8%
Grade 9	4.3%	4.3%	4.3%	95.7%
Grade 10	15.8%	15.8%	23.9%	76.1%
Grade 11	17.3%	17.3%	33.2%	66.8%
Grade 12	49.4%	49.4%	49.4%	50.6%
Marijuana Only				
All	8.0%	8.0%	12.8%	87.2%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	6.9%	6.9%	11.9%	88.1%
Grade 9	4.3%	4.3%	4.3%	95.7%
Grade 10	8.1%	8.1%	16.2%	83.8%
Grade 11	12.2%	12.2%	28.1%	71.9%
Grade 12	15.7%	15.7%	15.7%	84.3%
Cocaine or Crack				
All	0.7%	0.7%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.3%	4.3%	4.3%	95.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.5%	90.5%
Cocaine				
All	0.7%	0.7%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	4.3%	4.3%	4.3%	95.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	9.5%	90.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.0%	0.0%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	4.3%	95.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	1.7%	2.5%	97.5%
Grade 7	2.4%	2.4%	2.4%	97.6%
Grade 8	0.0%	0.0%	4.7%	95.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	9.5%	9.5%	90.5%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.8%	0.8%	3.3%	96.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	5.0%	5.0%	6.6%	93.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	5.1%	94.9%
Grade 12	0.0%	0.0%	9.5%	90.5%
Ecstasy				
All	0.9%	0.9%	3.8%	96.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	7.7%	92.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	6.3%	6.3%	17.9%	82.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	2.0%	4.3%	5.2%	94.8%
Grade 7	0.0%	8.5%	8.5%	91.5%
Grade 8	4.3%	4.3%	4.3%	95.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	5.1%	94.9%
Grade 12	9.5%	15.8%	15.8%	84.2%
Methamphetamine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.0%	21.5%	36.0%	64.0%
Grade 7	8.0%	10.2%	19.0%	81.0%
Grade 8	12.2%	14.2%	28.0%	72.0%
Grade 9	15.9%	19.0%	32.8%	67.2%
Grade 10	20.2%	26.0%	43.6%	56.4%
Grade 11	20.7%	26.4%	44.1%	55.9%
Grade 12	26.9%	35.6%	51.6%	48.4%
Any Alcohol Product				
All	36.2%	41.6%	60.0%	40.0%
Grade 7	18.9%	21.6%	41.3%	58.7%
Grade 8	26.5%	30.5%	51.2%	48.8%
Grade 9	35.5%	40.4%	60.3%	39.7%
Grade 10	41.8%	47.2%	64.0%	36.0%
Grade 11	44.8%	52.6%	70.0%	30.0%
Grade 12	52.3%	60.7%	75.9%	24.1%
Any Illicit Drug				
All	15.9%	20.1%	26.5%	73.5%
Grade 7	6.6%	8.7%	10.2%	89.8%
Grade 8	10.7%	14.7%	17.7%	82.3%
Grade 9	15.6%	18.5%	22.8%	77.2%
Grade 10	19.6%	25.1%	34.9%	65.1%
Grade 11	21.0%	26.4%	34.7%	65.3%
Grade 12	23.2%	29.1%	41.8%	58.2%
Any Prescription Drug				
All	9.2%	12.4%	18.0%	82.0%
Grade 7	8.2%	10.9%	15.4%	84.6%
Grade 8	7.2%	10.0%	15.8%	84.2%
Grade 9	9.9%	12.4%	17.5%	82.5%
Grade 10	9.4%	12.8%	19.4%	80.6%
Grade 11	10.4%	14.9%	20.7%	79.3%
Grade 12	10.0%	14.1%	19.8%	80.2%
Any Inhalant				
All	6.2%	8.0%	15.2%	84.8%
Grade 7	8.4%	9.8%	16.5%	83.5%
Grade 8	8.4%	11.2%	19.5%	80.5%
Grade 9	6.6%	7.9%	15.7%	84.3%
Grade 10	5.5%	7.1%	15.8%	84.2%
Grade 11	3.9%	6.1%	10.9%	89.1%
Grade 12	3.9%	5.6%	11.9%	88.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.3%	15.2%	29.7%	70.3%
Grade 7	5.6%	8.0%	15.8%	84.2%
Grade 8	8.9%	11.1%	23.9%	76.1%
Grade 9	10.7%	14.1%	27.5%	72.5%
Grade 10	10.0%	17.0%	36.4%	63.6%
Grade 11	11.7%	18.1%	36.2%	63.8%
Grade 12	15.6%	24.3%	40.5%	59.5%
Marijuana				
All	15.1%	18.2%	25.0%	75.0%
Grade 7	6.0%	7.0%	8.6%	91.4%
Grade 8	10.3%	12.4%	15.6%	84.4%
Grade 9	15.1%	17.4%	21.5%	78.5%
Grade 10	18.2%	22.9%	33.3%	66.7%
Grade 11	19.9%	24.5%	33.8%	66.2%
Grade 12	22.3%	26.9%	40.8%	59.2%
Marijuana Only				
All	7.1%	9.3%	14.6%	85.4%
Grade 7	2.9%	3.6%	4.6%	95.4%
Grade 8	5.3%	7.2%	9.9%	90.1%
Grade 9	6.3%	7.9%	11.1%	88.9%
Grade 10	8.3%	11.8%	20.3%	79.7%
Grade 11	9.4%	12.0%	19.5%	80.5%
Grade 12	11.2%	14.4%	24.3%	75.7%
Cocaine or Crack				
All	2.9%	3.2%	5.0%	95.0%
Grade 7	1.2%	1.2%	1.4%	98.6%
Grade 8	1.5%	1.7%	2.5%	97.5%
Grade 9	2.6%	3.1%	4.6%	95.4%
Grade 10	3.1%	3.3%	5.5%	94.5%
Grade 11	4.8%	5.2%	7.7%	92.3%
Grade 12	4.5%	5.3%	9.1%	90.9%
Cocaine				
All	2.6%	2.9%	4.6%	95.4%
Grade 7	0.8%	0.9%	1.1%	98.9%
Grade 8	1.2%	1.4%	2.0%	98.0%
Grade 9	2.2%	2.6%	4.0%	96.0%
Grade 10	2.9%	3.1%	5.2%	94.8%
Grade 11	4.8%	5.2%	7.7%	92.3%
Grade 12	3.9%	4.7%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.8%	0.9%	0.9%	99.1%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	1.0%	1.1%	1.5%	98.5%
Grade 10	0.9%	1.1%	1.5%	98.5%
Grade 11	0.7%	0.7%	1.0%	99.0%
Grade 12	0.8%	0.8%	1.5%	98.5%
Hallucinogens				
All	1.1%	1.7%	3.5%	96.5%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	1.4%	2.0%	4.3%	95.7%
Grade 10	1.5%	2.3%	4.1%	95.9%
Grade 11	1.6%	2.7%	5.7%	94.3%
Grade 12	1.1%	1.9%	4.6%	95.4%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.2%	99.8%
Steroids				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.5%	1.7%	98.3%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.3%	0.6%	1.0%	99.0%
Ecstasy				
All	1.7%	2.8%	5.3%	94.7%
Grade 7	0.6%	0.7%	1.0%	99.0%
Grade 8	0.3%	0.7%	1.5%	98.5%
Grade 9	1.4%	2.8%	4.9%	95.1%
Grade 10	2.5%	3.9%	7.4%	92.6%
Grade 11	3.2%	5.2%	8.7%	91.3%
Grade 12	2.1%	4.1%	9.4%	90.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.0%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.4%	0.5%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.9%	99.1%
Synthetic Marijuana				
All	1.6%	2.4%	5.4%	94.6%
Grade 7	1.1%	1.7%	3.0%	97.0%
Grade 8	2.1%	2.6%	4.2%	95.8%
Grade 9	1.9%	2.8%	5.9%	94.1%
Grade 10	1.8%	2.5%	5.1%	94.9%
Grade 11	1.8%	2.9%	7.3%	92.7%
Grade 12	1.1%	2.1%	7.0%	93.0%
Methamphetamine				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	0.6%	0.7%	1.7%	98.3%
Grade 10	0.3%	0.6%	1.0%	99.0%
Grade 11	0.6%	0.7%	1.7%	98.3%
Grade 12	0.4%	0.6%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.7%	15.0%	27.6%	72.4%
Grade 7	2.9%	4.5%	9.4%	90.6%
Grade 8	6.0%	8.0%	15.6%	84.4%
Grade 9	7.1%	8.6%	22.8%	77.2%
Grade 10	14.5%	20.8%	34.4%	65.6%
Grade 11	14.3%	19.8%	37.4%	62.6%
Grade 12	20.1%	29.2%	46.7%	53.3%
Any Alcohol Product				
All	28.4%	35.0%	56.2%	43.8%
Grade 7	11.9%	14.4%	35.1%	64.9%
Grade 8	14.2%	18.2%	40.9%	59.1%
Grade 9	25.2%	31.5%	58.7%	41.3%
Grade 10	35.1%	42.4%	61.2%	38.8%
Grade 11	37.4%	45.4%	64.8%	35.2%
Grade 12	47.5%	59.2%	77.1%	22.9%
Any Illicit Drug				
All	8.7%	11.2%	16.8%	83.2%
Grade 7	3.3%	4.3%	5.2%	94.8%
Grade 8	4.5%	5.8%	7.3%	92.7%
Grade 9	8.0%	10.2%	13.2%	86.8%
Grade 10	12.3%	14.7%	22.8%	77.2%
Grade 11	9.5%	12.9%	21.6%	78.4%
Grade 12	14.8%	19.8%	31.2%	68.8%
Any Prescription Drug				
All	8.7%	11.8%	16.5%	83.5%
Grade 7	9.0%	11.7%	16.0%	84.0%
Grade 8	6.9%	9.7%	13.4%	86.6%
Grade 9	9.3%	11.3%	15.9%	84.1%
Grade 10	9.1%	12.1%	19.4%	80.6%
Grade 11	10.0%	14.5%	19.1%	80.9%
Grade 12	7.8%	11.5%	15.3%	84.7%
Any Inhalant				
All	3.8%	5.2%	11.3%	88.7%
Grade 7	6.2%	7.4%	12.4%	87.6%
Grade 8	5.1%	7.1%	14.5%	85.5%
Grade 9	3.1%	4.2%	12.0%	88.0%
Grade 10	3.2%	4.3%	9.7%	90.3%
Grade 11	2.3%	3.1%	8.4%	91.6%
Grade 12	2.9%	4.8%	10.5%	89.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	6.8%	11.2%	23.1%	76.9%
Grade 7	2.4%	4.0%	7.9%	92.1%
Grade 8	4.0%	5.6%	13.5%	86.5%
Grade 9	4.7%	6.6%	19.6%	80.4%
Grade 10	9.8%	16.0%	29.7%	70.3%
Grade 11	9.4%	15.6%	31.9%	68.1%
Grade 12	10.9%	20.0%	36.4%	63.6%
Marijuana				
All	8.1%	10.0%	15.9%	84.1%
Grade 7	2.4%	2.9%	4.0%	96.0%
Grade 8	4.5%	5.1%	6.6%	93.4%
Grade 9	7.8%	10.0%	12.9%	87.1%
Grade 10	11.7%	14.0%	22.8%	77.2%
Grade 11	9.2%	12.0%	20.7%	79.3%
Grade 12	12.9%	16.5%	29.3%	70.7%
Marijuana Only				
All	4.2%	5.4%	10.6%	89.4%
Grade 7	1.2%	1.5%	2.6%	97.4%
Grade 8	1.9%	2.4%	3.7%	96.3%
Grade 9	2.9%	4.0%	6.6%	93.4%
Grade 10	6.5%	8.2%	16.2%	83.8%
Grade 11	5.4%	7.1%	14.8%	85.2%
Grade 12	7.4%	9.5%	20.2%	79.8%
Cocaine or Crack				
All	1.5%	1.7%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	1.9%	1.9%	2.2%	97.8%
Grade 9	1.8%	2.4%	3.0%	97.0%
Grade 10	1.4%	1.4%	2.3%	97.7%
Grade 11	1.3%	1.6%	3.5%	96.5%
Grade 12	2.4%	3.0%	4.9%	95.1%
Cocaine				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	1.7%	1.7%	2.0%	98.0%
Grade 9	1.8%	2.4%	3.0%	97.0%
Grade 10	1.4%	1.4%	2.3%	97.7%
Grade 11	1.3%	1.6%	3.5%	96.5%
Grade 12	0.9%	1.6%	3.5%	96.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	1.9%	98.1%
Grade 9	1.7%	1.7%	1.7%	98.3%
Grade 10	0.3%	0.5%	0.5%	99.5%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	1.6%	1.6%	1.7%	98.3%
Hallucinogens				
All	0.9%	1.2%	2.7%	97.3%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.3%	2.0%	98.0%
Grade 9	1.8%	1.8%	4.0%	96.0%
Grade 10	1.3%	2.0%	2.8%	97.2%
Grade 11	0.3%	0.9%	3.1%	96.9%
Grade 12	1.8%	2.1%	4.1%	95.9%
Synthetic Cathinones				
All	0.3%	0.4%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.6%	0.8%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.6%	0.6%	2.0%	98.0%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	1.1%	1.1%	1.2%	98.8%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.5%	99.5%
Ecstasy				
All	0.7%	1.4%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.5%	0.5%	99.5%
Grade 9	1.1%	1.7%	2.9%	97.1%
Grade 10	1.2%	1.9%	3.9%	96.1%
Grade 11	0.6%	1.9%	3.3%	96.7%
Grade 12	1.3%	2.4%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.5%	0.5%	99.5%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	1.6%	1.6%	98.4%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	1.1%	1.6%	2.7%	97.3%
Grade 7	0.8%	1.3%	1.7%	98.3%
Grade 8	2.3%	2.3%	2.5%	97.5%
Grade 9	0.6%	1.5%	2.7%	97.3%
Grade 10	1.4%	1.4%	2.8%	97.2%
Grade 11	0.9%	1.2%	2.9%	97.1%
Grade 12	0.8%	1.8%	3.7%	96.3%
Methamphetamine				
All	0.3%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	1.2%	1.6%	98.4%
Grade 9	1.3%	1.3%	1.9%	98.1%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.2%	0.2%	0.2%	99.8%
Grade 12	0.0%	0.2%	0.5%	99.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.6%	22.7%	37.2%	62.8%
Grade 7	8.6%	11.7%	21.3%	78.7%
Grade 8	13.2%	14.9%	29.6%	70.4%
Grade 9	18.9%	21.7%	33.9%	66.1%
Grade 10	21.8%	27.0%	45.4%	54.6%
Grade 11	23.1%	28.3%	45.7%	54.3%
Grade 12	30.1%	38.1%	54.1%	45.9%
Any Alcohol Product				
All	36.3%	41.2%	59.8%	40.2%
Grade 7	19.0%	22.2%	42.3%	57.7%
Grade 8	29.6%	33.0%	54.1%	45.9%
Grade 9	36.3%	41.0%	61.2%	38.8%
Grade 10	42.1%	47.1%	64.7%	35.3%
Grade 11	44.8%	51.7%	69.1%	30.9%
Grade 12	52.3%	58.5%	72.7%	27.3%
Any Illicit Drug				
All	17.0%	21.8%	28.0%	72.0%
Grade 7	6.4%	9.1%	10.8%	89.2%
Grade 8	11.4%	16.2%	19.3%	80.7%
Grade 9	17.1%	20.8%	24.8%	75.2%
Grade 10	21.2%	26.8%	37.2%	62.8%
Grade 11	21.9%	27.7%	37.6%	62.4%
Grade 12	27.7%	35.1%	45.5%	54.5%
Any Prescription Drug				
All	10.2%	13.5%	19.2%	80.8%
Grade 7	8.7%	11.3%	15.5%	84.5%
Grade 8	7.9%	10.7%	16.0%	84.0%
Grade 9	10.6%	13.0%	19.1%	80.9%
Grade 10	10.8%	14.5%	20.2%	79.8%
Grade 11	11.4%	16.6%	23.1%	76.9%
Grade 12	12.9%	16.1%	22.9%	77.1%
Any Inhalant				
All	6.8%	8.7%	16.2%	83.8%
Grade 7	8.4%	9.8%	16.8%	83.2%
Grade 8	9.5%	11.7%	19.7%	80.3%
Grade 9	6.4%	7.8%	15.0%	85.0%
Grade 10	6.0%	7.6%	17.7%	82.3%
Grade 11	4.8%	7.3%	11.5%	88.5%
Grade 12	4.8%	7.8%	16.5%	83.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.1%	15.7%	30.3%	69.7%
Grade 7	5.3%	8.6%	17.4%	82.6%
Grade 8	9.1%	11.2%	24.1%	75.9%
Grade 9	12.7%	16.0%	28.6%	71.4%
Grade 10	10.1%	17.2%	38.8%	61.2%
Grade 11	12.7%	18.1%	34.9%	65.1%
Grade 12	18.6%	26.6%	42.8%	57.2%
Marijuana				
All	16.1%	19.6%	26.3%	73.7%
Grade 7	6.0%	7.5%	9.3%	90.7%
Grade 8	10.3%	12.6%	16.2%	83.8%
Grade 9	16.7%	19.6%	23.8%	76.2%
Grade 10	19.3%	23.4%	34.5%	65.5%
Grade 11	20.7%	25.8%	36.9%	63.1%
Grade 12	27.4%	33.7%	44.9%	55.1%
Marijuana Only				
All	7.4%	9.7%	14.8%	85.2%
Grade 7	2.8%	3.9%	5.0%	95.0%
Grade 8	5.5%	7.5%	10.4%	89.6%
Grade 9	7.3%	9.1%	11.7%	88.3%
Grade 10	8.3%	10.9%	19.8%	80.2%
Grade 11	9.1%	12.1%	20.9%	79.1%
Grade 12	13.4%	17.4%	25.5%	74.5%
Cocaine or Crack				
All	2.8%	3.2%	5.2%	94.8%
Grade 7	1.4%	1.6%	1.8%	98.2%
Grade 8	1.4%	1.7%	2.5%	97.5%
Grade 9	2.3%	2.7%	4.5%	95.5%
Grade 10	3.8%	4.0%	6.2%	93.8%
Grade 11	5.1%	5.6%	8.4%	91.6%
Grade 12	3.6%	4.6%	9.5%	90.5%
Cocaine				
All	2.6%	2.9%	4.8%	95.2%
Grade 7	1.2%	1.3%	1.4%	98.6%
Grade 8	1.3%	1.5%	2.2%	97.8%
Grade 9	1.7%	2.1%	3.7%	96.3%
Grade 10	3.4%	3.6%	5.7%	94.3%
Grade 11	5.1%	5.6%	8.4%	91.6%
Grade 12	3.5%	4.5%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.2%	98.8%
Grade 7	0.9%	1.1%	1.1%	98.9%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.9%	1.0%	1.5%	98.5%
Grade 10	1.1%	1.2%	1.6%	98.4%
Grade 11	0.6%	0.6%	0.9%	99.1%
Grade 12	0.3%	0.3%	1.1%	98.9%
Hallucinogens				
All	1.1%	1.7%	3.5%	96.5%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	1.5%	2.0%	4.4%	95.6%
Grade 10	1.2%	1.6%	3.8%	96.2%
Grade 11	2.3%	3.5%	6.1%	93.9%
Grade 12	1.2%	2.7%	6.0%	94.0%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.6%	0.7%	1.3%	98.7%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.5%	0.6%	1.4%	98.6%
Grade 11	0.5%	0.9%	1.7%	98.3%
Grade 12	0.2%	0.3%	1.3%	98.7%
Ecstasy				
All	1.7%	2.9%	5.7%	94.3%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.4%	0.7%	1.7%	98.3%
Grade 9	1.5%	3.0%	5.2%	94.8%
Grade 10	2.3%	3.6%	7.6%	92.4%
Grade 11	3.9%	5.8%	10.3%	89.7%
Grade 12	2.3%	4.5%	11.1%	88.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.3%	0.4%	99.6%
Grade 11	0.5%	0.7%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Synthetic Marijuana				
All	1.7%	2.6%	6.1%	93.9%
Grade 7	0.7%	1.8%	3.2%	96.8%
Grade 8	1.9%	2.4%	4.7%	95.3%
Grade 9	2.3%	3.0%	7.0%	93.0%
Grade 10	2.1%	3.4%	6.7%	93.3%
Grade 11	1.4%	2.4%	7.8%	92.2%
Grade 12	1.5%	2.7%	7.8%	92.2%
Methamphetamine				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.5%	1.0%	99.0%
Grade 11	0.6%	0.8%	2.0%	98.0%
Grade 12	0.1%	0.4%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.4%	19.3%	31.4%	68.6%
Grade 7	6.3%	8.5%	14.7%	85.3%
Grade 8	10.5%	12.2%	23.5%	76.5%
Grade 9	15.6%	18.2%	29.4%	70.6%
Grade 10	18.2%	24.2%	38.9%	61.1%
Grade 11	17.7%	21.9%	38.1%	61.9%
Grade 12	27.2%	34.8%	48.5%	51.5%
Any Alcohol Product				
All	33.4%	38.5%	57.0%	43.0%
Grade 7	16.9%	18.9%	38.4%	61.6%
Grade 8	24.7%	28.2%	49.6%	50.4%
Grade 9	34.2%	38.6%	57.9%	42.1%
Grade 10	37.8%	42.9%	61.3%	38.7%
Grade 11	40.6%	48.5%	66.4%	33.6%
Grade 12	51.2%	60.2%	73.3%	26.7%
Any Illicit Drug				
All	12.2%	16.0%	21.2%	78.8%
Grade 7	4.5%	6.2%	7.2%	92.8%
Grade 8	8.7%	12.0%	14.6%	85.4%
Grade 9	12.1%	15.1%	17.9%	82.1%
Grade 10	16.3%	21.1%	28.7%	71.3%
Grade 11	14.4%	18.7%	26.7%	73.3%
Grade 12	19.1%	25.3%	36.4%	63.6%
Any Prescription Drug				
All	8.5%	11.9%	17.1%	82.9%
Grade 7	7.4%	9.4%	14.2%	85.8%
Grade 8	6.4%	9.7%	14.7%	85.3%
Grade 9	9.1%	12.1%	16.7%	83.3%
Grade 10	8.8%	12.0%	18.0%	82.0%
Grade 11	10.8%	15.7%	21.0%	79.0%
Grade 12	8.7%	13.6%	18.8%	81.2%
Any Inhalant				
All	6.0%	7.6%	14.5%	85.5%
Grade 7	7.2%	8.3%	14.3%	85.7%
Grade 8	8.9%	11.6%	20.4%	79.6%
Grade 9	5.7%	6.8%	14.3%	85.7%
Grade 10	5.5%	7.2%	14.6%	85.4%
Grade 11	4.7%	6.2%	11.0%	89.0%
Grade 12	3.5%	4.9%	11.6%	88.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.4%	14.0%	26.4%	73.6%
Grade 7	4.4%	6.8%	12.3%	87.7%
Grade 8	7.7%	9.6%	20.2%	79.8%
Grade 9	10.5%	13.5%	24.3%	75.7%
Grade 10	8.9%	16.0%	32.5%	67.5%
Grade 11	10.8%	16.3%	32.7%	67.3%
Grade 12	15.9%	24.5%	40.8%	59.2%
Marijuana				
All	11.5%	14.1%	19.7%	80.3%
Grade 7	3.8%	4.7%	5.9%	94.1%
Grade 8	7.6%	8.8%	11.6%	88.4%
Grade 9	11.8%	14.0%	16.7%	83.3%
Grade 10	14.8%	18.5%	26.6%	73.4%
Grade 11	13.6%	17.7%	25.8%	74.2%
Grade 12	19.1%	23.7%	36.1%	63.9%
Marijuana Only				
All	5.4%	7.0%	11.5%	88.5%
Grade 7	1.3%	1.9%	2.7%	97.3%
Grade 8	3.9%	5.0%	7.5%	92.5%
Grade 9	4.1%	5.4%	7.5%	92.5%
Grade 10	7.5%	10.0%	16.7%	83.3%
Grade 11	7.3%	9.3%	16.5%	83.5%
Grade 12	9.3%	12.3%	21.5%	78.5%
Cocaine or Crack				
All	2.3%	2.6%	3.9%	96.1%
Grade 7	1.0%	1.1%	1.1%	98.9%
Grade 8	1.5%	1.7%	1.9%	98.1%
Grade 9	2.4%	2.8%	4.0%	96.0%
Grade 10	3.1%	3.1%	4.5%	95.5%
Grade 11	2.0%	2.3%	4.7%	95.3%
Grade 12	4.1%	5.4%	8.3%	91.7%
Cocaine				
All	2.0%	2.4%	3.7%	96.3%
Grade 7	0.8%	0.9%	1.0%	99.0%
Grade 8	1.2%	1.5%	1.7%	98.3%
Grade 9	1.9%	2.3%	3.5%	96.5%
Grade 10	2.7%	2.7%	4.1%	95.9%
Grade 11	2.0%	2.3%	4.7%	95.3%
Grade 12	3.9%	5.3%	8.2%	91.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 72 of 120

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	1.0%	99.0%
Grade 7	0.8%	0.9%	0.9%	99.1%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.8%	0.8%	99.2%
Grade 10	0.9%	0.9%	1.2%	98.8%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.8%	1.7%	98.3%
Hallucinogens				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.6%	0.6%	1.5%	98.5%
Grade 9	0.8%	1.3%	3.2%	96.8%
Grade 10	1.2%	1.6%	2.3%	97.7%
Grade 11	1.2%	1.9%	3.2%	96.8%
Grade 12	0.9%	2.1%	4.7%	95.3%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.6%	0.8%	99.2%
Steroids				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.1%	1.4%	98.6%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.6%	0.7%	1.0%	99.0%
Grade 11	0.3%	0.7%	0.7%	99.3%
Grade 12	0.2%	0.7%	0.8%	99.2%
Ecstasy				
All	1.0%	2.0%	3.8%	96.2%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	1.2%	2.4%	4.0%	96.0%
Grade 10	1.6%	2.8%	5.2%	94.8%
Grade 11	1.4%	2.8%	5.8%	94.2%
Grade 12	0.7%	2.7%	6.7%	93.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	0.8%	99.2%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.5%	1.2%	1.6%	98.4%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.3%	0.5%	0.5%	99.5%
Grade 12	0.3%	0.3%	1.6%	98.4%
Synthetic Marijuana				
All	1.4%	2.0%	4.0%	96.0%
Grade 7	0.8%	1.1%	2.2%	97.8%
Grade 8	1.7%	2.1%	3.4%	96.6%
Grade 9	2.4%	3.0%	4.7%	95.3%
Grade 10	1.5%	1.9%	3.8%	96.2%
Grade 11	0.9%	2.0%	4.4%	95.6%
Grade 12	1.0%	1.9%	5.9%	94.1%
Methamphetamine				
All	0.3%	0.6%	1.2%	98.8%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.4%	0.9%	1.2%	98.8%
Grade 9	0.1%	0.2%	1.2%	98.8%
Grade 10	0.3%	0.5%	0.8%	99.2%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	0.6%	1.4%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 74 of 120

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.3%	25.3%	42.5%	57.5%
Grade 7	9.9%	12.7%	23.9%	76.1%
Grade 8	15.4%	17.6%	33.7%	66.3%
Grade 9	17.2%	20.2%	36.9%	63.1%
Grade 10	24.4%	29.7%	50.1%	49.9%
Grade 11	25.9%	33.3%	53.8%	46.2%
Grade 12	29.9%	40.3%	58.4%	41.6%
Any Alcohol Product				
All	36.8%	42.7%	63.3%	36.7%
Grade 7	19.1%	23.2%	44.8%	55.2%
Grade 8	27.1%	30.8%	52.5%	47.5%
Grade 9	34.1%	39.5%	64.3%	35.7%
Grade 10	43.4%	49.7%	68.4%	31.6%
Grade 11	46.3%	53.8%	71.8%	28.2%
Grade 12	51.7%	60.1%	77.7%	22.3%
Any Illicit Drug				
All	19.5%	24.1%	32.0%	68.0%
Grade 7	9.8%	12.5%	14.6%	85.4%
Grade 8	12.8%	16.9%	20.6%	79.4%
Grade 9	17.0%	20.2%	25.7%	74.3%
Grade 10	22.4%	28.5%	40.8%	59.2%
Grade 11	26.6%	32.3%	42.4%	57.6%
Grade 12	29.3%	35.4%	49.8%	50.2%
Any Prescription Drug				
All	11.6%	15.5%	22.3%	77.7%
Grade 7	10.5%	14.1%	18.6%	81.4%
Grade 8	9.6%	13.5%	20.0%	80.0%
Grade 9	11.4%	13.0%	20.8%	79.2%
Grade 10	12.4%	16.5%	24.4%	75.6%
Grade 11	11.4%	17.3%	25.1%	74.9%
Grade 12	14.5%	19.5%	25.8%	74.2%
Any Inhalant				
All	6.0%	8.0%	15.0%	85.0%
Grade 7	8.7%	10.4%	17.5%	82.5%
Grade 8	7.5%	9.5%	16.4%	83.6%
Grade 9	7.0%	8.1%	14.5%	85.5%
Grade 10	4.3%	6.1%	15.3%	84.7%
Grade 11	3.4%	5.7%	9.7%	90.3%
Grade 12	5.1%	8.4%	17.0%	83.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.2%	17.2%	33.8%	66.2%
Grade 7	5.9%	8.9%	19.0%	81.0%
Grade 8	10.4%	12.7%	27.1%	72.9%
Grade 9	12.4%	16.0%	31.6%	68.4%
Grade 10	12.7%	19.6%	42.9%	57.1%
Grade 11	13.5%	20.0%	39.9%	60.1%
Grade 12	18.0%	26.3%	42.3%	57.7%
Marijuana				
All	18.6%	22.3%	30.8%	69.2%
Grade 7	9.4%	11.1%	13.0%	87.0%
Grade 8	12.9%	15.8%	19.7%	80.3%
Grade 9	16.5%	19.3%	24.7%	75.3%
Grade 10	20.9%	26.5%	39.4%	60.6%
Grade 11	25.1%	29.9%	41.7%	58.3%
Grade 12	27.6%	32.2%	47.8%	52.2%
Marijuana Only				
All	8.6%	11.1%	17.6%	82.4%
Grade 7	5.5%	6.5%	8.1%	91.9%
Grade 8	6.5%	8.9%	11.8%	88.2%
Grade 9	8.2%	9.8%	13.5%	86.5%
Grade 10	7.7%	12.0%	22.9%	77.1%
Grade 11	10.6%	13.4%	22.5%	77.5%
Grade 12	13.5%	16.4%	27.9%	72.1%
Cocaine or Crack				
All	3.3%	3.6%	6.1%	93.9%
Grade 7	1.4%	1.5%	1.9%	98.1%
Grade 8	2.1%	2.1%	3.9%	96.1%
Grade 9	2.2%	2.6%	4.2%	95.8%
Grade 10	3.0%	3.4%	6.4%	93.6%
Grade 11	7.2%	7.7%	10.3%	89.7%
Grade 12	4.1%	4.7%	10.3%	89.7%
Cocaine				
All	2.9%	3.3%	5.5%	94.5%
Grade 7	1.1%	1.1%	1.3%	98.7%
Grade 8	1.8%	1.8%	3.1%	96.9%
Grade 9	1.9%	2.3%	3.6%	96.4%
Grade 10	2.8%	3.2%	6.1%	93.9%
Grade 11	7.2%	7.7%	10.3%	89.7%
Grade 12	3.0%	3.7%	9.2%	90.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 76 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.0%	1.1%	1.7%	98.3%
Grade 7	0.9%	0.9%	1.1%	98.9%
Grade 8	1.0%	1.0%	2.1%	97.9%
Grade 9	1.4%	1.4%	2.0%	98.0%
Grade 10	0.8%	1.0%	1.6%	98.4%
Grade 11	0.8%	0.8%	0.9%	99.1%
Grade 12	1.1%	1.1%	2.3%	97.7%
Hallucinogens				
All	1.5%	2.3%	5.0%	95.0%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.0%	0.2%	1.4%	98.6%
Grade 9	2.2%	2.8%	5.4%	94.6%
Grade 10	1.4%	2.9%	5.9%	94.1%
Grade 11	2.3%	3.6%	8.4%	91.6%
Grade 12	2.0%	3.2%	7.6%	92.4%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.8%	1.5%	98.5%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.1%	99.9%
Steroids				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.9%	1.0%	1.5%	98.5%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.2%	0.4%	1.5%	98.5%
Grade 11	0.2%	0.2%	1.7%	98.3%
Grade 12	0.2%	0.2%	1.4%	98.6%
Ecstasy				
All	2.4%	3.6%	7.1%	92.9%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.8%	1.9%	98.1%
Grade 9	1.6%	2.9%	5.9%	94.1%
Grade 10	3.2%	4.8%	9.6%	90.4%
Grade 11	5.3%	7.7%	11.7%	88.3%
Grade 12	3.6%	5.3%	12.9%	87.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.3%	0.5%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.4%	99.6%
Grade 11	0.3%	0.3%	1.3%	98.7%
Grade 12	0.1%	0.1%	1.0%	99.0%
Synthetic Marijuana				
All	1.9%	3.1%	7.0%	93.0%
Grade 7	1.0%	2.7%	3.8%	96.2%
Grade 8	2.9%	3.5%	5.6%	94.4%
Grade 9	1.1%	2.3%	6.8%	93.2%
Grade 10	2.1%	3.8%	7.9%	92.1%
Grade 11	2.3%	3.0%	9.4%	90.6%
Grade 12	2.1%	3.5%	8.5%	91.5%
Methamphetamine				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.8%	0.8%	1.7%	98.3%
Grade 9	1.0%	1.0%	2.0%	98.0%
Grade 10	0.3%	0.7%	1.1%	98.9%
Grade 11	0.6%	0.6%	1.6%	98.4%
Grade 12	0.0%	0.1%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.5%	19.7%	33.2%	66.8%
Grade 7	6.1%	8.4%	15.6%	84.4%
Grade 8	10.5%	12.1%	24.0%	76.0%
Grade 9	14.5%	17.4%	30.6%	69.4%
Grade 10	18.6%	23.8%	39.8%	60.2%
Grade 11	19.5%	24.3%	41.9%	58.1%
Grade 12	26.0%	35.5%	51.5%	48.5%
Any Alcohol Product				
All	32.8%	38.2%	58.1%	41.9%
Grade 7	15.7%	18.5%	39.2%	60.8%
Grade 8	23.1%	26.5%	48.3%	51.7%
Grade 9	31.4%	36.6%	58.9%	41.1%
Grade 10	38.6%	44.0%	62.2%	37.8%
Grade 11	41.8%	49.3%	68.4%	31.6%
Grade 12	50.5%	59.3%	75.5%	24.5%
Any Illicit Drug				
All	13.0%	16.7%	22.8%	77.2%
Grade 7	4.3%	6.3%	7.4%	92.6%
Grade 8	7.6%	11.0%	13.4%	86.6%
Grade 9	12.7%	15.2%	18.5%	81.5%
Grade 10	16.5%	21.9%	31.3%	68.7%
Grade 11	17.8%	21.9%	30.9%	69.1%
Grade 12	20.9%	26.9%	39.9%	60.1%
Any Prescription Drug				
All	9.4%	12.8%	18.0%	82.0%
Grade 7	8.2%	10.8%	14.9%	85.1%
Grade 8	7.2%	10.6%	15.6%	84.4%
Grade 9	10.3%	12.4%	17.0%	83.0%
Grade 10	10.3%	13.6%	20.4%	79.6%
Grade 11	10.2%	15.2%	20.8%	79.2%
Grade 12	10.7%	15.0%	20.2%	79.8%
Any Inhalant				
All	5.3%	6.8%	13.5%	86.5%
Grade 7	6.6%	7.9%	13.9%	86.1%
Grade 8	7.5%	9.7%	17.3%	82.7%
Grade 9	5.6%	6.3%	12.9%	87.1%
Grade 10	4.1%	5.7%	13.4%	86.6%
Grade 11	3.7%	5.1%	9.8%	90.2%
Grade 12	3.8%	6.0%	13.4%	86.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.5%	14.1%	27.3%	72.7%
Grade 7	4.0%	6.4%	12.5%	87.5%
Grade 8	7.5%	9.5%	20.6%	79.4%
Grade 9	9.6%	13.0%	25.7%	74.3%
Grade 10	9.9%	16.0%	34.0%	66.0%
Grade 11	11.4%	17.3%	34.4%	65.6%
Grade 12	15.5%	24.3%	40.0%	60.0%
Marijuana				
All	12.3%	15.2%	21.6%	78.4%
Grade 7	3.8%	5.0%	6.3%	93.7%
Grade 8	7.3%	9.2%	11.6%	88.4%
Grade 9	12.3%	14.3%	17.5%	82.5%
Grade 10	15.3%	19.5%	29.4%	70.6%
Grade 11	17.0%	20.7%	30.2%	69.8%
Grade 12	20.3%	24.9%	39.1%	60.9%
Marijuana Only				
All	6.0%	7.9%	13.2%	86.8%
Grade 7	1.8%	2.7%	3.6%	96.4%
Grade 8	4.1%	5.7%	7.7%	92.3%
Grade 9	5.6%	6.5%	9.0%	91.0%
Grade 10	7.3%	10.3%	18.9%	81.1%
Grade 11	8.1%	9.9%	18.3%	81.7%
Grade 12	10.4%	13.8%	24.6%	75.4%
Cocaine or Crack				
All	2.2%	2.5%	3.9%	96.1%
Grade 7	0.9%	1.0%	1.1%	98.9%
Grade 8	0.9%	1.0%	1.6%	98.4%
Grade 9	2.0%	2.4%	3.5%	96.5%
Grade 10	2.5%	2.6%	4.1%	95.9%
Grade 11	3.6%	4.0%	6.3%	93.7%
Grade 12	3.5%	4.4%	8.0%	92.0%
Cocaine				
All	1.9%	2.3%	3.7%	96.3%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	1.7%	2.1%	3.0%	97.0%
Grade 10	2.3%	2.5%	4.0%	96.0%
Grade 11	3.6%	4.0%	6.3%	93.7%
Grade 12	3.0%	3.9%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.7%	0.9%	99.1%
Grade 7	0.5%	0.6%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	0.9%	1.0%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.6%	0.6%	1.5%	98.5%
Hallucinogens				
All	0.9%	1.4%	2.9%	97.1%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.3%	0.3%	1.0%	99.0%
Grade 9	1.0%	1.6%	3.6%	96.4%
Grade 10	1.2%	2.0%	3.3%	96.7%
Grade 11	1.6%	2.2%	4.5%	95.5%
Grade 12	0.9%	1.8%	4.7%	95.3%
Synthetic Cathinones				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.3%	0.4%	1.5%	98.5%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.5%	1.2%	98.8%
Grade 12	0.1%	0.2%	0.7%	99.3%
Ecstasy				
All	1.1%	1.9%	4.1%	95.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.8%	1.6%	3.4%	96.6%
Grade 10	1.9%	2.9%	6.0%	94.0%
Grade 11	2.5%	4.0%	6.7%	93.3%
Grade 12	1.2%	2.6%	7.5%	92.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.0%	0.2%	0.3%	99.7%
Grade 11	0.3%	0.3%	0.6%	99.4%
Grade 12	0.2%	0.2%	1.0%	99.0%
Synthetic Marijuana				
All	1.2%	2.0%	4.2%	95.8%
Grade 7	0.6%	1.1%	1.9%	98.1%
Grade 8	1.1%	1.7%	3.1%	96.9%
Grade 9	1.6%	2.5%	4.8%	95.2%
Grade 10	1.3%	2.1%	4.0%	96.0%
Grade 11	1.4%	2.5%	6.1%	93.9%
Grade 12	1.1%	2.1%	5.6%	94.4%
Methamphetamine				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.4%	1.5%	98.5%
Grade 10	0.3%	0.4%	0.8%	99.2%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	0.3%	0.5%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	26.6%	32.0%	48.4%	51.6%
Grade 7	17.3%	20.2%	32.6%	67.4%
Grade 8	20.4%	24.9%	43.3%	56.7%
Grade 9	26.4%	28.2%	43.3%	56.7%
Grade 10	26.7%	36.4%	55.7%	44.3%
Grade 11	29.6%	38.7%	57.5%	42.5%
Grade 12	39.1%	43.6%	57.1%	42.9%
Any Alcohol Product				
All	45.5%	51.5%	68.7%	31.3%
Grade 7	30.8%	33.2%	52.7%	47.3%
Grade 8	40.5%	45.6%	64.2%	35.8%
Grade 9	47.4%	52.1%	71.6%	28.4%
Grade 10	47.3%	53.5%	72.7%	27.3%
Grade 11	51.7%	60.4%	73.8%	26.2%
Grade 12	53.7%	62.6%	73.9%	26.1%
Any Illicit Drug				
All	26.7%	33.9%	41.0%	59.0%
Grade 7	19.1%	22.2%	25.2%	74.8%
Grade 8	27.0%	32.9%	40.1%	59.9%
Grade 9	24.3%	32.1%	37.8%	62.2%
Grade 10	28.0%	34.7%	43.5%	56.5%
Grade 11	28.9%	40.2%	47.7%	52.3%
Grade 12	33.2%	40.9%	50.9%	49.1%
Any Prescription Drug				
All	11.3%	16.1%	25.7%	74.3%
Grade 7	10.9%	13.6%	21.1%	78.9%
Grade 8	12.7%	16.8%	25.8%	74.2%
Grade 9	10.7%	13.4%	27.0%	73.0%
Grade 10	10.9%	13.9%	19.7%	80.3%
Grade 11	13.6%	20.8%	31.8%	68.2%
Grade 12	9.0%	19.4%	29.2%	70.8%
Any Inhalant				
All	9.8%	13.2%	21.4%	78.6%
Grade 7	15.4%	17.5%	25.3%	74.7%
Grade 8	14.3%	18.1%	28.7%	71.3%
Grade 9	8.9%	13.6%	21.0%	79.0%
Grade 10	10.2%	12.0%	23.2%	76.8%
Grade 11	6.3%	11.5%	14.7%	85.3%
Grade 12	4.3%	6.5%	14.5%	85.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.7%	22.4%	40.1%	59.9%
Grade 7	10.1%	13.8%	28.9%	71.1%
Grade 8	15.4%	18.2%	33.3%	66.7%
Grade 9	21.1%	23.6%	38.1%	61.9%
Grade 10	12.5%	24.1%	46.9%	53.1%
Grade 11	16.6%	23.7%	43.0%	57.0%
Grade 12	23.9%	30.2%	49.6%	50.4%
Marijuana				
All	24.9%	30.0%	38.5%	61.5%
Grade 7	18.6%	19.3%	22.0%	78.0%
Grade 8	24.8%	26.5%	35.9%	64.1%
Grade 9	24.0%	29.6%	35.7%	64.3%
Grade 10	25.0%	30.8%	41.2%	58.8%
Grade 11	25.7%	36.1%	46.2%	53.8%
Grade 12	31.6%	37.1%	49.2%	50.8%
Marijuana Only				
All	10.0%	13.3%	18.9%	81.1%
Grade 7	8.8%	8.8%	10.6%	89.4%
Grade 8	11.0%	12.7%	20.6%	79.4%
Grade 9	7.6%	12.8%	16.5%	83.5%
Grade 10	9.6%	13.7%	20.7%	79.3%
Grade 11	13.2%	19.7%	25.2%	74.8%
Grade 12	10.4%	11.7%	19.5%	80.5%
Cocaine or Crack				
All	6.1%	6.7%	9.4%	90.6%
Grade 7	3.7%	3.9%	4.2%	95.8%
Grade 8	5.8%	5.8%	8.1%	91.9%
Grade 9	5.4%	5.8%	6.9%	93.1%
Grade 10	6.3%	6.6%	10.9%	89.1%
Grade 11	7.4%	8.1%	9.7%	90.3%
Grade 12	8.5%	10.5%	17.4%	82.6%
Cocaine				
All	5.4%	6.0%	8.4%	91.6%
Grade 7	3.2%	3.2%	3.4%	96.6%
Grade 8	4.6%	4.6%	5.4%	94.6%
Grade 9	4.4%	4.8%	6.0%	94.0%
Grade 10	5.5%	5.7%	10.0%	90.0%
Grade 11	7.4%	8.1%	9.7%	90.3%
Grade 12	7.8%	9.9%	16.8%	83.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.8%	2.3%	3.6%	96.4%
Grade 7	3.4%	3.7%	3.7%	96.3%
Grade 8	2.8%	2.8%	7.0%	93.0%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	0.9%	1.1%	2.8%	97.2%
Grade 11	1.7%	1.7%	2.8%	97.2%
Grade 12	0.7%	3.2%	4.7%	95.3%
Hallucinogens				
All	2.0%	3.3%	7.3%	92.7%
Grade 7	1.2%	1.2%	2.8%	97.2%
Grade 8	0.8%	1.4%	4.8%	95.2%
Grade 9	4.0%	4.0%	6.9%	93.1%
Grade 10	1.1%	2.1%	6.1%	93.9%
Grade 11	1.6%	4.4%	10.5%	89.5%
Grade 12	3.3%	6.5%	12.8%	87.2%
Synthetic Cathinones				
All	0.9%	1.3%	1.7%	98.3%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	2.2%	2.2%	3.0%	97.0%
Grade 9	1.9%	1.9%	2.0%	98.0%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	2.9%	2.9%	97.1%
Steroids				
All	0.9%	1.3%	1.8%	98.2%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	1.5%	2.7%	3.1%	96.9%
Grade 9	0.9%	0.9%	1.2%	98.8%
Grade 10	0.7%	0.7%	1.3%	98.7%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.7%	2.2%	3.2%	96.8%
Ecstasy				
All	3.3%	6.3%	10.6%	89.4%
Grade 7	1.3%	1.5%	2.1%	97.9%
Grade 8	0.0%	1.5%	2.6%	97.4%
Grade 9	4.3%	8.4%	11.5%	88.5%
Grade 10	3.3%	6.4%	11.4%	88.6%
Grade 11	4.9%	8.1%	15.3%	84.7%
Grade 12	5.4%	11.3%	20.0%	80.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.6%	1.2%	2.1%	97.9%
Grade 7	0.0%	0.2%	1.6%	98.4%
Grade 8	2.2%	4.9%	5.6%	94.4%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.3%	0.7%	1.5%	98.5%
Grade 12	0.4%	0.4%	3.8%	96.2%
Synthetic Marijuana				
All	3.8%	5.1%	10.5%	89.5%
Grade 7	1.9%	5.4%	8.3%	91.7%
Grade 8	7.0%	7.0%	9.7%	90.3%
Grade 9	4.6%	5.4%	10.9%	89.1%
Grade 10	3.8%	5.6%	10.3%	89.7%
Grade 11	1.8%	1.8%	7.5%	92.5%
Grade 12	3.4%	5.0%	16.5%	83.5%
Methamphetamine				
All	1.1%	2.1%	3.1%	96.9%
Grade 7	1.0%	1.7%	3.6%	96.4%
Grade 8	2.3%	4.5%	5.3%	94.7%
Grade 9	1.2%	1.2%	2.1%	97.9%
Grade 10	0.3%	1.0%	1.6%	98.4%
Grade 11	1.5%	1.7%	3.5%	96.5%
Grade 12	0.6%	3.0%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	68,921	51.1%
Female	65,853	48.9%
Frequency Missing	953	

Hispanic or Latino

Q5a	Frequency	Percent
No	23,803	17.7%
Yes	110,326	82.3%
Frequency Missing	1,598	

Grade

Q2	Frequency	Percent
Grade 7	22,678	16.8%
Grade 8	22,750	16.8%
Grade 9	26,453	19.6%
Grade 10	22,631	16.8%
Grade 11	21,195	15.7%
Grade 12	19,369	14.3%
Frequency Missing	650	

Ethnicity

Q5b	Frequency	Percent
American Indian	3,404	3.0%
Asian American	499	0.4%
African American	5,495	4.8%
Pacific Islander	353	0.3%
White	59,756	52.4%
Other	30,869	27.1%
More Than One Race	13,627	12.0%
Frequency Missing	21,724	

Live with Both Parents

Q3	Frequency	Percent
No	52,162	38.9%
Yes	81,894	61.1%
Frequency Missing	1,671	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	576	0.5%
Mostly D's	2,263	2.0%
Mostly C's	17,685	15.2%
Mostly B's	59,422	51.2%
Mostly A's	36,124	31.1%
Frequency Missing	19,657	

Age

Q4	Frequency	Percent
11 Or Younger	189	0.1%
12	7,867	5.8%
13	21,653	16.0%
14	22,376	16.6%
15	24,215	17.9%
16	23,441	17.4%
17	21,863	16.2%
18	11,934	8.8%
19 Or Older	1,468	1.1%
Frequency Missing	721	

Do You Have a Job

Q7	Frequency	Percent
No	100,076	85.7%
Yes	16,708	14.3%
Frequency Missing	18,942	

Percentages and frequencies have been weighted to reflect proportions within the population.

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	27,922	24.1%
Yes	61,403	52.9%
Don't Know	26,667	23.0%
Frequency Missing	19,735	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	91,587	90.7%
Yes	9,401	9.3%
Frequency Missing	34,739	

Participate in School Athletics (UTL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	50,012	45.0%
Yes	61,183	55.0%
Frequency Missing	24,532	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	75,734	73.5%
Yes	27,281	26.5%
Frequency Missing	32,713	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	79,602	76.7%
Yes	24,231	23.3%
Frequency Missing	31,894	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	74,129	72.5%
Yes	28,121	27.5%
Frequency Missing	33,477	

Participate in School Choir

Q9c	Frequency	Percent
No	93,346	93.5%
Yes	6,501	6.5%
Frequency Missing	35,879	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	67,462	64.5%
Yes	37,101	35.5%
Frequency Missing	31,165	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	93,542	92.4%
Yes	7,733	7.6%
Frequency Missing	34,452	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	79,054	77.8%
Yes	22,592	22.2%
Frequency Missing	34,081	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	118,433	87.7%
Somewhat Safe	14,679	10.9%
Not Very Safe	893	0.7%
Not Safe At All	343	0.3%
Don't Know	711	0.5%
Frequency Missing	669	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School Or Less	11,600	9.1%
Some High School	17,047	13.3%
Finished High School	26,530	20.8%
Some College	20,432	16.0%
Finished College	24,463	19.1%
Post-Secondary	14,227	11.1%
Don't Know Or N/A	13,474	10.5%
Frequency Missing	7,954	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	59,538	44.5%
Somewhat Safe	62,392	46.6%
Not Very Safe	7,650	5.7%
Not Safe At All	1,561	1.2%
Don't Know	2,795	2.1%
Frequency Missing	1,790	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	71,539	63.7%
Yes	40,829	36.3%
Frequency Missing	23,359	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	57,743	43.1%
Somewhat Safe	59,018	44.1%
Not Very Safe	9,303	6.9%
Not Safe At All	3,329	2.5%
Don't Know	4,540	3.4%
Frequency Missing	1,792	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	7,617	5.7%
A Few	30,997	23.2%
Some	32,260	24.2%
Most	48,298	36.2%
All	14,305	10.7%
Frequency Missing	2,250	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School Or Less	12,003	9.5%
Some High School	17,246	13.6%
Finished High School	29,566	23.3%
Some College	17,161	13.5%
Finished College	17,851	14.1%
Post-Secondary	12,172	9.6%
Don't Know Or N/A	20,826	16.4%
Frequency Missing	8,903	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	3,039	2.3%
A Few	16,979	12.7%
Some	34,597	25.9%
Most	55,367	41.5%
All	23,592	17.7%
Frequency Missing	2,153	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	72,764	55.6%
A Few	34,510	26.4%
Some	15,786	12.1%
Most	5,301	4.0%
All	2,524	1.9%
Frequency Missing	4,842	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	126,273	94.2%
In Your Lifetime	5,080	3.8%
Since School Began	769	0.6%
In The Past Month	1,867	1.4%
Frequency Missing	1,739	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	99,998	75.5%
A Few	19,735	14.9%
Some	7,038	5.3%
Most	3,762	2.8%
All	1,873	1.4%
Frequency Missing	3,322	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	129,973	97.9%
In Your Lifetime	1,741	1.3%
Since School Began	261	0.2%
In The Past Month	811	0.6%
Frequency Missing	2,941	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	109,135	82.0%
A Few	15,432	11.6%
Some	5,389	4.1%
Most	2,061	1.5%
All	1,020	0.8%
Frequency Missing	2,691	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	123,471	92.3%
In Your Lifetime	6,240	4.7%
Since School Began	1,208	0.9%
In The Past Month	2,891	2.2%
Frequency Missing	1,917	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	130,531	97.4%
In Your Lifetime	2,457	1.8%
Since School Began	279	0.2%
In The Past Month	784	0.6%
Frequency Missing	1,676	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	131,262	98.7%
In Your Lifetime	851	0.6%
Since School Began	387	0.3%
In The Past Month	501	0.4%
Frequency Missing	2,726	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	131,688	98.8%
In Your Lifetime	959	0.7%
Since School Began	172	0.1%
In The Past Month	458	0.3%
Frequency Missing	2,450	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	120,210	90.8%
In Your Lifetime	5,465	4.1%
Since School Began	1,714	1.3%
In The Past Month	4,982	3.8%
Frequency Missing	3,357	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	130,193	97.6%
In Your Lifetime	1,501	1.1%
Since School Began	341	0.3%
In The Past Month	1,303	1.0%
Frequency Missing	2,389	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	73,917	56.5%
In Your Lifetime	25,095	19.2%
Since School Began	9,394	7.2%
In The Past Month	22,311	17.1%
Frequency Missing	5,009	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	90,473	68.4%
In Your Lifetime	16,626	12.6%
Since School Began	7,729	5.8%
In The Past Month	17,494	13.2%
Frequency Missing	3,405	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	130,687	97.8%
In Your Lifetime	1,569	1.2%
Since School Began	384	0.3%
In The Past Month	952	0.7%
Frequency Missing	2,135	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	86,985	66.8%
In Your Lifetime	22,538	17.3%
Since School Began	6,988	5.4%
In The Past Month	13,717	10.5%
Frequency Missing	5,499	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	105,044	78.8%
In Your Lifetime	14,823	11.1%
Since School Began	4,138	3.1%
In The Past Month	9,329	7.0%
Frequency Missing	2,393	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	84,953	64.2%
In Your Lifetime	19,188	14.5%
Since School Began	8,478	6.4%
In The Past Month	19,718	14.9%
Frequency Missing	3,390	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	128,072	96.0%
In Your Lifetime	2,770	2.1%
Since School Began	839	0.6%
In The Past Month	1,732	1.3%
Frequency Missing	2,315	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	128,002	96.1%
In Your Lifetime	3,275	2.5%
Since School Began	607	0.5%
In The Past Month	1,376	1.0%
Frequency Missing	2,467	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	131,510	99.2%
In Your Lifetime	727	0.5%
Since School Began	126	0.1%
In The Past Month	208	0.2%
Frequency Missing	3,155	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	94,669	70.7%
In Your Lifetime	18,761	14.0%
Since School Began	6,330	4.7%
In The Past Month	14,092	10.5%
Frequency Missing	1,877	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	128,206	96.5%
In Your Lifetime	2,415	1.8%
Since School Began	775	0.6%
In The Past Month	1,494	1.1%
Frequency Missing	2,837	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	103,232	77.4%
In Your Lifetime	14,159	10.6%
Since School Began	5,128	3.8%
In The Past Month	10,935	8.2%
Frequency Missing	2,273	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	132,361	99.5%
In Your Lifetime	301	0.2%
Since School Began	112	0.1%
In The Past Month	212	0.2%
Frequency Missing	2,742	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	131,982	99.1%
In Your Lifetime	788	0.6%
Since School Began	126	0.1%
In The Past Month	310	0.2%
Frequency Missing	2,521	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	127,138	95.4%
In Your Lifetime	3,599	2.7%
Since School Began	877	0.7%
In The Past Month	1,673	1.3%
Frequency Missing	2,440	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	126,751	95.3%
In Your Lifetime	3,322	2.5%
Since School Began	1,161	0.9%
In The Past Month	1,771	1.3%
Frequency Missing	2,722	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	113,505	85.8%
In Your Lifetime	7,022	5.3%
Since School Began	3,651	2.8%
In The Past Month	8,067	6.1%
Frequency Missing	3,482	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	132,463	99.5%
In Your Lifetime	496	0.4%
Since School Began	29	0.0%
In The Past Month	207	0.2%
Frequency Missing	2,532	

Recent Prescription Drug Use - Percocets Etc

Q17b	Frequency	Percent
Never Heard/Used	125,950	95.5%
In Your Lifetime	1,888	1.4%
Since School Began	1,400	1.1%
In The Past Month	2,673	2.0%
Frequency Missing	3,817	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	131,907	98.9%
In Your Lifetime	853	0.6%
Since School Began	185	0.1%
In The Past Month	371	0.3%
Frequency Missing	2,411	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	126,454	95.9%
In Your Lifetime	1,922	1.5%
Since School Began	1,153	0.9%
In The Past Month	2,393	1.8%
Frequency Missing	3,805	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	128,281	97.3%
In Your Lifetime	1,123	0.9%
Since School Began	868	0.7%
In The Past Month	1,512	1.1%
Frequency Missing	3,942	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	93,244	70.7%
1-2 Times	23,051	17.5%
3-10 Times	10,732	8.1%
11+ Times	4,891	3.7%
Frequency Missing	3,809	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	120,710	91.6%
In Your Lifetime	4,206	3.2%
Since School Began	1,741	1.3%
In The Past Month	5,151	3.9%
Frequency Missing	3,920	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	129,863	98.1%
1-2 Times	1,897	1.4%
3-10 Times	475	0.4%
11+ Times	164	0.1%
Frequency Missing	3,328	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	126,284	95.5%
In Your Lifetime	2,313	1.7%
Since School Began	1,137	0.9%
In The Past Month	2,511	1.9%
Frequency Missing	3,482	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	114,562	86.6%
1-2 Times	8,559	6.5%
3-10 Times	3,867	2.9%
11+ Times	5,281	4.0%
Frequency Missing	3,460	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	118,678	89.7%
1-2 Times	7,045	5.3%
3-10 Times	3,182	2.4%
11+ Times	3,469	2.6%
Frequency Missing	3,353	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	129,923	97.9%
1-2 Times	1,816	1.4%
3-10 Times	417	0.3%
11+ Times	516	0.4%
Frequency Missing	3,055	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	131,747	99.3%
1-2 Times	668	0.5%
3-10 Times	82	0.1%
11+ Times	129	0.1%
Frequency Missing	3,101	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never Heard/None	71,672	54.3%
A Few	28,157	21.3%
Some	15,509	11.8%
Most	12,273	9.3%
All	4,279	3.2%
Frequency Missing	3,838	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never Heard/None	85,642	64.8%
A Few	26,843	20.3%
Some	12,116	9.2%
Most	5,811	4.4%
All	1,669	1.3%
Frequency Missing	3,648	

Difficult to Get Tobacco

Q21a	Frequency	Percent
Never Heard Of	37,684	29.0%
Impossible	24,873	19.1%
Very Difficult	9,652	7.4%
Somewhat Diff	13,958	10.7%
Somewhat Easy	18,695	14.4%
Very Easy	25,100	19.3%
Frequency Missing	5,766	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never Heard/None	56,372	42.7%
A Few	31,938	24.2%
Some	20,856	15.8%
Most	16,987	12.9%
All	5,913	4.5%
Frequency Missing	3,662	

Difficult to Get Alcohol

Q21b	Frequency	Percent
Never Heard Of	28,374	21.9%
Impossible	16,292	12.6%
Very Difficult	8,208	6.3%
Somewhat Diff	15,479	11.9%
Somewhat Easy	26,884	20.7%
Very Easy	34,542	26.6%
Frequency Missing	5,947	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never Heard/None	118,964	90.4%
A Few	8,370	6.4%
Some	3,032	2.3%
Most	837	0.6%
All	421	0.3%
Frequency Missing	4,104	

Difficult to Get Inhalants

Q21c	Frequency	Percent
Never Heard Of	53,783	41.6%
Impossible	20,216	15.6%
Very Difficult	6,332	4.9%
Somewhat Diff	8,733	6.8%
Somewhat Easy	11,965	9.3%
Very Easy	28,235	21.8%
Frequency Missing	6,463	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Marijuana

Q21d	Frequency	Percent
Never Heard Of	36,304	28.0%
Impossible	26,844	20.7%
Very Difficult	9,865	7.6%
Somewhat Diff	13,162	10.1%
Somewhat Easy	18,247	14.1%
Very Easy	25,417	19.6%
Frequency Missing	5,889	

Difficult to Get Ecstasy

Q21i	Frequency	Percent
Never Heard Of	59,763	46.4%
Impossible	32,850	25.5%
Very Difficult	11,758	9.1%
Somewhat Diff	8,677	6.7%
Somewhat Easy	7,501	5.8%
Very Easy	8,264	6.4%
Frequency Missing	6,915	

Difficult to Get Cocaine

Q21e	Frequency	Percent
Never Heard Of	48,520	37.4%
Impossible	38,501	29.7%
Very Difficult	15,473	11.9%
Somewhat Diff	11,446	8.8%
Somewhat Easy	7,772	6.0%
Very Easy	7,905	6.1%
Frequency Missing	6,109	

Difficult to Get Heroin

Q21j	Frequency	Percent
Never Heard Of	60,804	46.7%
Impossible	40,088	30.8%
Very Difficult	14,684	11.3%
Somewhat Diff	7,193	5.5%
Somewhat Easy	3,526	2.7%
Very Easy	3,842	3.0%
Frequency Missing	5,590	

Difficult to Get Crack

Q21f	Frequency	Percent
Never Heard Of	53,253	41.1%
Impossible	39,864	30.8%
Very Difficult	16,055	12.4%
Somewhat Diff	10,148	7.8%
Somewhat Easy	4,986	3.9%
Very Easy	5,138	4.0%
Frequency Missing	6,282	

Difficult to Get Methamphetamine

Q21k	Frequency	Percent
Never Heard Of	62,149	47.7%
Impossible	39,466	30.3%
Very Difficult	14,189	10.9%
Somewhat Diff	6,869	5.3%
Somewhat Easy	3,411	2.6%
Very Easy	4,086	3.1%
Frequency Missing	5,557	

Difficult to Get Steroids

Q21h	Frequency	Percent
Never Heard Of	54,764	42.4%
Impossible	38,768	30.0%
Very Difficult	14,454	11.2%
Somewhat Diff	10,781	8.3%
Somewhat Easy	5,136	4.0%
Very Easy	5,216	4.0%
Frequency Missing	6,609	

Difficult to Get Synthetic Marijuana

Q21l	Frequency	Percent
Never Heard Of	59,886	46.0%
Impossible	32,248	24.8%
Very Difficult	11,300	8.7%
Somewhat Diff	9,149	7.0%
Somewhat Easy	8,205	6.3%
Very Easy	9,411	7.2%
Frequency Missing	5,529	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Tobacco

Q22a	Frequency	Percent
Every Day	1,844	1.4%
Several Times/Wk	2,334	1.8%
Several Times/Mo	2,688	2.0%
About Once/Month	4,225	3.2%
About Once/Year	3,920	3.0%
Less than Once/Year	5,589	4.2%
Never Used	110,957	84.3%
Frequency Missing	4,168	

How Often Normally Use Marijuana

Q22d	Frequency	Percent
Every Day	2,424	1.8%
Several Times/Wk	2,804	2.1%
Several Times/Mo	3,831	2.9%
About Once/Month	4,915	3.7%
About Once/Year	5,559	4.2%
Less than Once/Year	5,719	4.3%
Never Used	106,244	80.8%
Frequency Missing	4,231	

How Often Normally Use Alcohol

Q22b	Frequency	Percent
Every Day	438	0.3%
Several Times/Wk	4,165	3.2%
Several Times/Mo	11,208	8.6%
About Once/Month	15,351	11.7%
About Once/Year	13,063	10.0%
Less than Once/Year	10,845	8.3%
Never Used	75,901	58.0%
Frequency Missing	4,756	

How Often Normally Use Cocaine

Q22e	Frequency	Percent
Every Day	95	0.1%
Several Times/Wk	217	0.2%
Several Times/Mo	597	0.5%
About Once/Month	772	0.6%
About Once/Year	889	0.7%
Less than Once/Year	1,303	1.0%
Never Used	127,679	97.1%
Frequency Missing	4,174	

How Often Normally Use Inhalants

Q22c	Frequency	Percent
Every Day	118	0.1%
Several Times/Wk	276	0.2%
Several Times/Mo	394	0.3%
About Once/Month	703	0.5%
About Once/Year	866	0.7%
Less than Once/Year	1,616	1.2%
Never Used	127,339	97.0%
Frequency Missing	4,416	

How Often Normally Use Crack

Q22f	Frequency	Percent
Every Day	128	0.1%
Several Times/Wk	62	0.0%
Several Times/Mo	79	0.1%
About Once/Month	108	0.1%
About Once/Year	314	0.2%
Less than Once/Year	163	0.1%
Never Used	130,633	99.4%
Frequency Missing	4,241	

Percentages and frequencies have been weighted to reflect proportions within the population.

How Often Normally Use Steroids

Q22h	Frequency	Percent
Every Day	94	0.1%
Several Times/Wk	114	0.1%
Several Times/Mo	22	0.0%
About Once/Month	108	0.1%
About Once/Year	240	0.2%
Less than Once/Year	287	0.2%
Never Used	130,589	99.3%
Frequency Missing	4,273	

How Often Normally Use Methamphetamine

Q22k	Frequency	Percent
Every Day	48	0.0%
Several Times/Wk	72	0.1%
Several Times/Mo	145	0.1%
About Once/Month	167	0.1%
About Once/Year	380	0.3%
Less than Once/Year	296	0.2%
Never Used	130,279	99.2%
Frequency Missing	4,340	

How Often Normally Use Ecstasy

Q22i	Frequency	Percent
Every Day	27	0.0%
Several Times/Wk	229	0.2%
Several Times/Mo	474	0.4%
About Once/Month	1,227	0.9%
About Once/Year	1,502	1.1%
Less than Once/Year	1,686	1.3%
Never Used	126,098	96.1%
Frequency Missing	4,483	

How Often Normally Use Synthetic Marijuana

Q22l	Frequency	Percent
Every Day	154	0.1%
Several Times/Wk	172	0.1%
Several Times/Mo	425	0.3%
About Once/Month	700	0.5%
About Once/Year	904	0.7%
Less than Once/Year	2,091	1.6%
Never Used	126,733	96.6%
Frequency Missing	4,548	

How Often Normally Use Heroin

Q22j	Frequency	Percent
Every Day	49	0.0%
Several Times/Wk	75	0.1%
Several Times/Mo	107	0.1%
About Once/Month	170	0.1%
About Once/Year	86	0.1%
Less than Once/Year	213	0.2%
Never Used	130,798	99.5%
Frequency Missing	4,228	

Amount of Beer at One Time

Q23a	Frequency	Percent
Never Drink This	72,538	56.2%
12+ Drinks	4,924	3.8%
9-11 Drinks	2,843	2.2%
5-8 Drinks	5,905	4.6%
3-4 Drinks	8,944	6.9%
2 Drinks	8,550	6.6%
1 Drink	9,038	7.0%
Less than 1 Drink	16,426	12.7%
Frequency Missing	6,559	

Percentages and frequencies have been weighted to reflect proportions within the population.

Amount of Wine Coolers at One Time

Q23b	Frequency	Percent
Never Drink This	86,082	65.8%
12+ Drinks	2,436	1.9%
9-11 Drinks	2,156	1.6%
5-8 Drinks	4,549	3.5%
3-4 Drinks	7,667	5.9%
2 Drinks	7,994	6.1%
1 Drink	8,873	6.8%
Less than 1 Drink	10,993	8.4%
Frequency Missing	4,976	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q24a	Frequency	Percent
Never 5+ At Time	74,919	58.4%
0 Days	34,003	26.5%
1 Day	6,416	5.0%
2 Days	4,485	3.5%
3 To 5 Days	4,022	3.1%
6 To 9 Days	1,533	1.2%
10 Or More Days	2,954	2.3%
Frequency Missing	7,395	

Amount of Wine at One Time

Q23c	Frequency	Percent
Never Drink This	85,625	66.3%
12+ Drinks	1,280	1.0%
9-11 Drinks	656	0.5%
5-8 Drinks	1,962	1.5%
3-4 Drinks	3,976	3.1%
2 Drinks	6,217	4.8%
1 Drink	11,461	8.9%
Less than 1 Drink	18,028	14.0%
Frequency Missing	6,522	

Get Alcoholic Beverages from Home

Q25a	Frequency	Percent
Do Not Drink	74,252	57.0%
Never	28,391	21.8%
Seldom	19,653	15.1%
Most Of The Time	6,098	4.7%
Always	1,864	1.4%
Frequency Missing	5,469	

Amount of Liquor at One Time

Q23d	Frequency	Percent
Never Drink This	82,028	62.7%
12+ Drinks	3,782	2.9%
9-11 Drinks	2,725	2.1%
5-8 Drinks	5,588	4.3%
3-4 Drinks	8,762	6.7%
2 Drinks	7,701	5.9%
1 Drink	8,251	6.3%
Less than 1 Drink	12,042	9.2%
Frequency Missing	4,848	

Get Alcoholic Beverages from Friends

Q25b	Frequency	Percent
Do Not Drink	68,181	52.4%
Never	21,967	16.9%
Seldom	18,980	14.6%
Most Of The Time	15,442	11.9%
Always	5,614	4.3%
Frequency Missing	5,544	

Get Alcoholic Beverages from a Store

Q25c	Frequency	Percent
Do Not Drink	73,411	56.6%
Never	42,647	32.9%
Seldom	5,820	4.5%
Most Of The Time	5,054	3.9%
Always	2,798	2.2%
Frequency Missing	5,998	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages at Parties

Q25d	Frequency	Percent
Do Not Drink	64,365	49.5%
Never	18,334	14.1%
Seldom	14,982	11.5%
Most Of The Time	17,331	13.3%
Always	15,014	11.5%
Frequency Missing	5,701	

Dangerous for Kids to Use Inhalants

Q26c	Frequency	Percent
Very	100,755	77.3%
Somewhat	15,955	12.2%
Not Very	4,314	3.3%
Not At All	1,357	1.0%
Don't Know	8,005	6.1%
Frequency Missing	5,340	

Get Alcoholic Beverages from Other Sources

Q25e	Frequency	Percent
Do Not Drink	73,597	57.3%
Never	29,640	23.1%
Seldom	12,176	9.5%
Most Of The Time	6,955	5.4%
Always	6,105	4.8%
Frequency Missing	7,255	

Dangerous for Kids to Use Marijuana

Q26d	Frequency	Percent
Very	76,547	58.7%
Somewhat	18,366	14.1%
Not Very	14,865	11.4%
Not At All	15,511	11.9%
Don't Know	5,149	3.9%
Frequency Missing	5,288	

Dangerous for Kids to Use Tobacco

Q26a	Frequency	Percent
Very	84,627	64.8%
Somewhat	29,162	22.3%
Not Very	9,387	7.2%
Not At All	2,173	1.7%
Don't Know	5,324	4.1%
Frequency Missing	5,054	

Dangerous for Kids to Use Cocaine

Q26e	Frequency	Percent
Very	114,681	87.7%
Somewhat	8,637	6.6%
Not Very	1,205	0.9%
Not At All	828	0.6%
Don't Know	5,419	4.1%
Frequency Missing	4,957	

Dangerous for Kids to Use Alcohol

Q26b	Frequency	Percent
Very	66,691	51.2%
Somewhat	39,736	30.5%
Not Very	16,191	12.4%
Not At All	3,380	2.6%
Don't Know	4,229	3.2%
Frequency Missing	5,501	

Dangerous for Kids to Use Crack

Q26f	Frequency	Percent
Very	116,383	89.0%
Somewhat	6,814	5.2%
Not Very	1,109	0.8%
Not At All	568	0.4%
Don't Know	5,863	4.5%
Frequency Missing	4,990	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Ecstasy

Q26g	Frequency	Percent
Very	107,667	82.6%
Somewhat	10,599	8.1%
Not Very	2,484	1.9%
Not At All	1,080	0.8%
Don't Know	8,517	6.5%
Frequency Missing	5,380	

Dangerous for Kids to Use Synthetic Marijuana

Q26k	Frequency	Percent
Very	108,475	83.3%
Somewhat	9,302	7.1%
Not Very	2,484	1.9%
Not At All	1,704	1.3%
Don't Know	8,322	6.4%
Frequency Missing	5,440	

Dangerous for Kids to Use Steroids

Q26h	Frequency	Percent
Very	102,005	78.3%
Somewhat	14,969	11.5%
Not Very	4,369	3.4%
Not At All	1,270	1.0%
Don't Know	7,724	5.9%
Frequency Missing	5,390	

Dangerous for Kids to Use Any Prescription

Q26l	Frequency	Percent
Very	97,729	75.0%
Somewhat	16,943	13.0%
Not Very	5,041	3.9%
Not At All	1,956	1.5%
Don't Know	8,694	6.7%
Frequency Missing	5,365	

Dangerous for Kids to Use Heroin

Q26i	Frequency	Percent
Very	117,117	89.5%
Somewhat	5,434	4.2%
Not Very	468	0.4%
Not At All	787	0.6%
Don't Know	7,002	5.4%
Frequency Missing	4,919	

Dangerous for Kids to Use Electronic Vapor Products

Q26m	Frequency	Percent
Very	70,414	53.9%
Somewhat	18,693	14.3%
Not Very	18,799	14.4%
Not At All	15,677	12.0%
Don't Know	7,046	5.4%
Frequency Missing	5,098	

Dangerous for Kids to Use Methamphetamine

Q26j	Frequency	Percent
Very	117,333	89.7%
Somewhat	5,067	3.9%
Not Very	625	0.5%
Not At All	602	0.5%
Don't Know	7,240	5.5%
Frequency Missing	4,861	

Days Skipped Since September

Q27a	Frequency	Percent
None	104,001	79.7%
1-3 Days	19,397	14.9%
4-9 Days	4,100	3.1%
10+ Days	2,921	2.2%
Frequency Missing	5,308	

Percentages and frequencies have been weighted to reflect proportions within the population.

Days Ill Since September

Q27b	Frequency	Percent
None	43,181	33.1%
1-3 Days	66,598	51.1%
4-9 Days	16,557	12.7%
10+ Days	3,957	3.0%
Frequency Missing	5,435	

Trouble with Friends Because of Drinking

Q28a	Frequency	Percent
None	124,490	95.8%
1-3 Times	4,657	3.6%
4-9 Times	485	0.4%
10+ Times	265	0.2%
Frequency Missing	5,829	

Other Reason For Days Missed Since September

Q27c	Frequency	Percent
None	50,552	39.2%
1-3 Days	62,952	48.8%
4-9 Days	10,455	8.1%
10+ Days	4,983	3.9%
Frequency Missing	6,786	

Driven a Car After a Good Bit to Drink

Q28b	Frequency	Percent
None	122,780	94.6%
1-3 Times	5,148	4.0%
4-9 Times	922	0.7%
10+ Times	989	0.8%
Frequency Missing	5,889	

Sent to Principal/Dean Since September

Q27d	Frequency	Percent
None	115,689	88.8%
1-3 Days	11,538	8.9%
4-9 Days	1,585	1.2%
10+ Days	1,443	1.1%
Frequency Missing	5,472	

Trouble with Friends Because of Drug Use

Q28c	Frequency	Percent
None	125,296	96.6%
1-3 Times	3,606	2.8%
4-9 Times	393	0.3%
10+ Times	389	0.3%
Frequency Missing	6,043	

Someone Called Home Since September

Q27e	Frequency	Percent
None	117,836	90.6%
1-3 Days	9,711	7.5%
4-9 Days	1,232	0.9%
10+ Days	1,348	1.0%
Frequency Missing	5,600	

Driven a Car While High from Drugs

Q28d	Frequency	Percent
None	123,652	95.5%
1-3 Times	3,886	3.0%
4-9 Times	390	0.3%
10+ Times	1,493	1.2%
Frequency Missing	6,306	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Class Days Drunk on Alcohol Since Sept

Q29a	Frequency	Percent
None	123,908	95.6%
1-3 Days	4,447	3.4%
4-9 Days	609	0.5%
10+ Days	640	0.5%
Frequency Missing	6,124	

Alcohol Use at Parties This School Year

Q30a	Frequency	Percent
Never	59,046	45.6%
Seldom	12,276	9.5%
Half The Time	8,281	6.4%
Most Of The Time	12,496	9.7%
Always	18,188	14.1%
Don't Know	2,599	2.0%
Didn't Attend	16,517	12.8%
Frequency Missing	6,324	

Class Days High on Marijuana Since Sept

Q29b	Frequency	Percent
None	118,703	91.7%
1-3 Days	6,040	4.7%
4-9 Days	1,926	1.5%
10+ Days	2,779	2.1%
Frequency Missing	6,280	

Drug Use at Parties This School Year

Q30b	Frequency	Percent
Never	76,144	58.9%
Seldom	10,242	7.9%
Half The Time	6,780	5.2%
Most Of The Time	7,525	5.8%
Always	8,654	6.7%
Don't Know	3,512	2.7%
Didn't Attend	16,493	12.8%
Frequency Missing	6,377	

Class Days High on Inhalants Since Sept

Q29c	Frequency	Percent
None	127,507	98.8%
1-3 Days	1,146	0.9%
4-9 Days	155	0.1%
10+ Days	310	0.2%
Frequency Missing	6,610	

Sought Help for Drug/Alcohol Problem

Q31	Frequency	Percent
No	105,328	91.6%
Yes	9,664	8.4%
Frequency Missing	20,735	

Class Days High on Other Drug(s)

Q29d	Frequency	Percent
None	125,111	96.8%
1-3 Days	2,590	2.0%
4-9 Days	693	0.5%
10+ Days	874	0.7%
Frequency Missing	6,459	

Would Seek Help from School Counselor

Q32a	Frequency	Percent
No	73,703	58.0%
Yes	53,440	42.0%
Frequency Missing	8,584	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Seek Help from School Nurse

Q32b	Frequency	Percent
No	93,443	73.9%
Yes	33,070	26.1%
Frequency Missing	9,215	

Would Seek Help from Another Adult

Q32g	Frequency	Percent
No	44,903	35.5%
Yes	81,669	64.5%
Frequency Missing	9,155	

Would Seek Help from Another Adult in School

Q32c	Frequency	Percent
No	66,904	53.0%
Yes	59,343	47.0%
Frequency Missing	9,480	

Would Seek Help from Counselor or Program Outside School

Q32h	Frequency	Percent
No	72,876	57.7%
Yes	53,432	42.3%
Frequency Missing	9,419	

Would Seek Help from Parents

Q32d	Frequency	Percent
No	36,502	28.7%
Yes	90,861	71.3%
Frequency Missing	8,364	

Would Not Seek Help

Q32i	Frequency	Percent
No	100,310	81.1%
Yes	23,312	18.9%
Frequency Missing	12,105	

Would Seek Help from a Medical Doctor

Q32e	Frequency	Percent
No	52,006	41.1%
Yes	74,454	58.9%
Frequency Missing	9,268	

Drug/Alcohol Info–School Health Class

Q33a	Frequency	Percent
No	51,484	42.4%
Yes	69,908	57.6%
Frequency Missing	14,336	

Would Seek Help from Friends

Q32f	Frequency	Percent
No	46,399	36.8%
Yes	79,822	63.2%
Frequency Missing	9,506	

Drug/Alcohol Info–School Assembly Program

Q33b	Frequency	Percent
No	55,452	45.8%
Yes	65,612	54.2%
Frequency Missing	14,663	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug/Alcohol Info–School Guidance Counselor

Q33c	Frequency	Percent
No	81,898	68.1%
Yes	38,411	31.9%
Frequency Missing	15,417	

Drug/Alcohol Info–Another School Source

Q33h	Frequency	Percent
No	79,672	66.5%
Yes	40,109	33.5%
Frequency Missing	15,946	

Drug/Alcohol Info–School Nurse

Q33d	Frequency	Percent
No	93,413	77.8%
Yes	26,587	22.2%
Frequency Missing	15,728	

Parents Feel About Kids Using Tobacco

Q34a	Frequency	Percent
Strongly Disapprove	101,402	79.0%
Mild Disapprove	9,372	7.3%
Neither	7,026	5.5%
Mildly Approve	1,472	1.1%
Strongly Approve	911	0.7%
Don't Know	8,254	6.4%
Frequency Missing	7,291	

Drug/Alcohol Info–Science or Social Studies Class

Q33e	Frequency	Percent
No	83,773	69.9%
Yes	36,020	30.1%
Frequency Missing	15,934	

Parents Feel About Kids Drinking Alcohol

Q34b	Frequency	Percent
Strongly Disapprove	82,645	64.4%
Mild Disapprove	18,351	14.3%
Neither	13,776	10.7%
Mildly Approve	4,491	3.5%
Strongly Approve	1,258	1.0%
Don't Know	7,860	6.1%
Frequency Missing	7,346	

Drug/Alcohol Info–School Student Group or Club

Q33f	Frequency	Percent
No	96,976	80.7%
Yes	23,196	19.3%
Frequency Missing	15,554	

Parents Feel About Kids Using Marijuana

Q34c	Frequency	Percent
Strongly Disapprove	102,902	80.2%
Mild Disapprove	7,330	5.7%
Neither	6,746	5.3%
Mildly Approve	1,631	1.3%
Strongly Approve	1,961	1.5%
Don't Know	7,801	6.1%
Frequency Missing	7,357	

Drug/Alcohol Info–Invited School Guest

Q33g	Frequency	Percent
No	71,181	59.1%
Yes	49,176	40.9%
Frequency Missing	15,371	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Alcohol (Q22b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

