

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2018



HHSC REGION 9 REPORT

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>111</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 9. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	19.3%	23.6%	36.4%	63.6%
Grade 7	8.4%	11.1%	20.7%	79.3%
Grade 8	13.5%	17.6%	29.8%	70.2%
Grade 9	16.2%	20.4%	32.4%	67.6%
Grade 10	21.2%	26.1%	42.4%	57.6%
Grade 11	27.3%	31.8%	45.0%	55.0%
Grade 12	35.2%	40.8%	55.6%	44.4%
<b>Cigarettes?</b>				
All	4.8%	6.9%	17.0%	83.0%
Grade 7	1.7%	2.4%	8.9%	91.1%
Grade 8	2.8%	4.4%	12.6%	87.4%
Grade 9	3.9%	6.0%	14.5%	85.5%
Grade 10	4.5%	6.1%	19.4%	80.6%
Grade 11	8.6%	11.5%	22.9%	77.1%
Grade 12	9.1%	13.2%	28.2%	71.8%
<b>Smokeless Tobacco?</b>				
All	3.5%	5.1%	10.4%	89.6%
Grade 7	1.4%	2.0%	5.0%	95.0%
Grade 8	2.2%	3.0%	6.4%	93.6%
Grade 9	2.8%	4.6%	8.1%	91.9%
Grade 10	3.2%	5.5%	12.7%	87.3%
Grade 11	5.7%	7.1%	14.5%	85.5%
Grade 12	7.3%	10.1%	19.0%	81.0%
<b>Electronic Vapor Products?</b>				
All	14.1%	18.9%	31.5%	68.5%
Grade 7	5.3%	7.9%	17.3%	82.7%
Grade 8	10.7%	14.8%	25.6%	74.4%
Grade 9	11.9%	17.2%	28.0%	72.0%
Grade 10	15.4%	20.2%	36.7%	63.3%
Grade 11	19.4%	24.6%	38.4%	61.6%
Grade 12	25.5%	33.3%	49.3%	50.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 126

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	83.7%	1.8%	1.4%	2.0%	2.9%	2.8%	5.4%
Grade 7	93.2%	0.2%	0.1%	0.8%	1.1%	1.4%	3.2%
Grade 8	90.3%	0.2%	0.7%	1.1%	1.8%	2.0%	3.9%
Grade 9	88.8%	0.7%	0.8%	1.6%	1.8%	3.0%	3.3%
Grade 10	81.0%	1.8%	2.2%	2.0%	3.4%	2.6%	7.0%
Grade 11	75.8%	3.9%	1.9%	3.0%	4.9%	3.4%	7.2%
Grade 12	67.2%	5.0%	3.8%	4.1%	5.7%	4.8%	9.3%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	10.7	11.3	12.6	13.0	13.8	14.8

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	28.0%	18.5%	7.2%	10.3%	15.0%	21.0%
Grade 7	36.2%	30.1%	8.2%	9.1%	9.2%	7.3%
Grade 8	32.0%	24.7%	9.1%	10.7%	12.9%	10.7%
Grade 9	30.7%	17.9%	9.2%	12.3%	15.2%	14.7%
Grade 10	27.0%	15.3%	5.9%	11.7%	17.3%	22.8%
Grade 11	21.6%	12.8%	6.5%	10.0%	21.8%	27.3%
Grade 12	16.2%	6.2%	3.0%	7.0%	14.3%	53.3%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	66.0%	20.8%	8.7%	3.7%	0.7%
Grade 7	84.5%	11.1%	3.5%	0.8%	0.2%
Grade 8	76.2%	17.5%	4.6%	1.4%	0.4%
Grade 9	71.7%	18.4%	7.3%	2.4%	0.2%
Grade 10	61.0%	24.5%	9.6%	4.0%	0.9%
Grade 11	48.9%	28.8%	13.9%	6.4%	2.1%
Grade 12	45.4%	27.9%	16.4%	9.4%	1.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	73.8%	9.2%	7.8%	1.3%	0.7%	7.3%
Grade 7	83.0%	4.2%	2.6%	1.3%	0.4%	8.6%
Grade 8	81.8%	6.4%	3.8%	0.9%	0.4%	6.7%
Grade 9	78.4%	6.1%	6.4%	0.6%	0.9%	7.7%
Grade 10	71.2%	10.9%	6.8%	1.1%	0.7%	9.2%
Grade 11	66.3%	13.3%	11.5%	2.2%	1.1%	5.6%
Grade 12	56.0%	17.0%	19.0%	1.8%	0.6%	5.5%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	56.4%	26.7%	8.9%	2.6%	5.4%
Grade 7	69.6%	19.4%	4.1%	1.3%	5.6%
Grade 8	61.0%	25.7%	6.7%	1.2%	5.3%
Grade 9	58.8%	27.1%	7.2%	2.0%	5.0%
Grade 10	54.9%	26.0%	9.2%	3.3%	6.6%
Grade 11	48.8%	30.3%	12.3%	3.3%	5.3%
Grade 12	40.1%	33.5%	16.7%	5.3%	4.4%
<b>Electronic Vapor Products?</b>					
All	54.1%	12.0%	15.6%	11.7%	6.6%
Grade 7	63.9%	11.8%	10.2%	6.9%	7.1%
Grade 8	57.9%	14.1%	13.5%	8.8%	5.7%
Grade 9	55.2%	10.5%	16.0%	11.9%	6.4%
Grade 10	53.0%	11.3%	15.6%	12.2%	8.0%
Grade 11	48.1%	11.4%	18.9%	15.2%	6.3%
Grade 12	43.3%	13.1%	21.2%	16.8%	5.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	34.7%	40.4%	59.3%	40.7%
Grade 7	22.6%	25.7%	45.8%	54.2%
Grade 8	28.0%	32.8%	53.9%	46.1%
Grade 9	32.6%	37.0%	54.0%	46.0%
Grade 10	36.8%	43.7%	63.4%	36.6%
Grade 11	43.5%	50.5%	69.0%	31.0%
Grade 12	50.8%	60.1%	76.5%	23.5%
Beer?				
All	15.7%	23.1%	48.4%	51.6%
Grade 7	7.7%	10.5%	35.4%	64.6%
Grade 8	10.4%	16.0%	42.4%	57.6%
Grade 9	15.2%	21.0%	43.7%	56.3%
Grade 10	19.1%	26.8%	53.2%	46.8%
Grade 11	19.9%	31.1%	57.3%	42.7%
Grade 12	25.1%	39.1%	65.3%	34.7%
Wine Coolers?				
All	11.0%	17.0%	35.4%	64.6%
Grade 7	4.7%	7.0%	21.0%	79.0%
Grade 8	7.1%	12.0%	30.7%	69.3%
Grade 9	9.9%	13.6%	30.9%	69.1%
Grade 10	12.2%	18.4%	39.6%	60.4%
Grade 11	15.3%	25.2%	45.0%	55.0%
Grade 12	19.4%	30.7%	51.8%	48.2%
Wine?				
All	8.8%	14.5%	37.6%	62.4%
Grade 7	6.8%	9.1%	28.0%	72.0%
Grade 8	7.5%	11.6%	34.5%	65.5%
Grade 9	8.2%	12.8%	34.1%	65.9%
Grade 10	9.3%	15.1%	39.7%	60.3%
Grade 11	11.1%	18.7%	44.7%	55.3%
Grade 12	10.9%	22.7%	49.2%	50.8%
Liquor?				
All	15.1%	22.1%	42.0%	58.0%
Grade 7	5.9%	8.5%	21.4%	78.6%
Grade 8	8.4%	13.3%	31.9%	68.1%
Grade 9	12.9%	19.6%	38.7%	61.3%
Grade 10	17.3%	24.6%	49.0%	51.0%
Grade 11	21.7%	32.5%	55.8%	44.2%
Grade 12	29.3%	41.0%	63.5%	36.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 126

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	55.0%	0.3%	2.6%	7.8%	12.4%	11.5%	10.4%
Grade 7	73.8%	0.2%	1.1%	3.0%	5.5%	7.4%	9.1%
Grade 8	63.9%	0.3%	2.3%	4.0%	9.1%	9.7%	10.7%
Grade 9	59.1%	0.4%	2.0%	7.3%	11.5%	9.1%	10.7%
Grade 10	48.8%	0.4%	3.6%	8.8%	13.9%	13.2%	11.3%
Grade 11	41.9%	0.2%	3.5%	9.9%	17.8%	14.8%	11.8%
Grade 12	34.9%	0.4%	3.6%	16.4%	19.2%	17.3%	8.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 7 of 126

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	56.3%	43.7%	9.6%	21.5%	12.5%
	Grade 7	69.5%	30.5%	3.3%	11.3%	15.9%
	Grade 8	62.1%	37.9%	5.7%	17.8%	14.4%
	Grade 9	60.5%	39.5%	8.4%	20.6%	10.5%
	Grade 10	52.3%	47.7%	13.7%	23.6%	10.4%
	Grade 11	47.5%	52.5%	12.0%	28.7%	11.8%
	Grade 12	40.2%	59.8%	17.1%	30.6%	12.1%
<b>Wine Coolers</b>						
	All	68.4%	31.6%	5.9%	19.1%	6.6%
	Grade 7	82.9%	17.1%	1.9%	9.1%	6.1%
	Grade 8	74.3%	25.7%	3.5%	13.8%	8.5%
	Grade 9	72.5%	27.5%	5.0%	16.1%	6.4%
	Grade 10	63.6%	36.4%	7.1%	22.8%	6.4%
	Grade 11	59.0%	41.0%	8.5%	26.8%	5.7%
	Grade 12	52.0%	48.0%	11.1%	30.6%	6.3%
<b>Wine</b>						
	All	67.0%	33.0%	2.4%	16.7%	13.9%
	Grade 7	76.2%	23.8%	1.4%	10.1%	12.3%
	Grade 8	69.9%	30.1%	2.2%	13.0%	14.9%
	Grade 9	70.3%	29.7%	2.9%	15.2%	11.6%
	Grade 10	65.5%	34.5%	2.6%	18.6%	13.3%
	Grade 11	60.4%	39.6%	2.3%	21.4%	15.9%
	Grade 12	55.8%	44.2%	3.2%	24.7%	16.3%
<b>Liquor</b>						
	All	61.1%	38.9%	9.6%	19.8%	9.5%
	Grade 7	80.6%	19.4%	3.6%	8.6%	7.2%
	Grade 8	71.2%	28.8%	4.9%	14.1%	9.9%
	Grade 9	63.3%	36.7%	7.6%	18.3%	10.8%
	Grade 10	54.4%	45.6%	13.3%	23.4%	8.9%
	Grade 11	49.5%	50.5%	15.0%	25.1%	10.3%
	Grade 12	39.7%	60.3%	15.7%	34.5%	10.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	85.7%	5.3%	3.3%	2.9%	1.2%	1.6%
Grade 7	93.3%	2.6%	1.0%	1.3%	0.9%	0.9%
Grade 8	90.7%	3.9%	2.2%	2.0%	0.4%	0.9%
Grade 9	88.1%	4.3%	2.6%	2.5%	0.4%	2.1%
Grade 10	83.0%	6.0%	3.6%	4.1%	1.1%	2.2%
Grade 11	81.4%	7.1%	5.0%	2.9%	1.9%	1.7%
Grade 12	73.6%	9.3%	6.7%	5.4%	3.0%	1.9%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.0	10.5	11.6	12.5	13.1	14.0	14.8

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	19.8%	12.2%	6.8%	12.3%	20.7%	28.2%
Grade 7	27.9%	22.5%	8.2%	11.2%	13.4%	16.9%
Grade 8	22.1%	15.7%	7.9%	13.5%	18.3%	22.4%
Grade 9	22.0%	11.6%	6.5%	13.5%	21.0%	25.4%
Grade 10	17.8%	8.2%	6.5%	11.3%	24.3%	31.8%
Grade 11	14.3%	7.3%	6.3%	11.6%	23.6%	36.9%
Grade 12	11.1%	5.3%	4.9%	12.8%	25.3%	40.6%

**Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.0%	4.0%	0.5%	0.5%
Grade 7	95.4%	3.5%	0.3%	0.8%
Grade 8	95.0%	4.1%	0.4%	0.4%
Grade 9	95.7%	3.5%	0.6%	0.3%
Grade 10	94.3%	4.4%	1.0%	0.3%
Grade 11	94.6%	4.4%	0.3%	0.7%
Grade 12	95.0%	4.1%	0.6%	0.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 9 of 126

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.6
Average Days Conduct Problems Reported	
Alcohol Users	2.3
Alcohol Non-Users	0.7

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.7%	4.3%	0.4%	0.6%
Grade 9	98.4%	1.1%	0.1%	0.3%
Grade 10	96.5%	3.1%	0.1%	0.3%
Grade 11	92.9%	5.8%	0.3%	1.0%
Grade 12	89.4%	8.4%	1.4%	0.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.7%	3.9%	0.2%	0.2%
Grade 7	97.5%	2.1%	0.2%	0.2%
Grade 8	96.6%	3.0%	0.3%	0.1%
Grade 9	95.6%	3.9%	0.3%	0.1%
Grade 10	96.0%	3.7%	0.1%	0.1%
Grade 11	95.1%	4.6%	0.1%	0.2%
Grade 12	92.5%	6.9%	0.3%	0.2%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	41.6%	26.2%	16.6%	12.0%	3.5%
Grade 7	67.5%	19.3%	8.1%	3.9%	1.2%
Grade 8	49.3%	29.0%	14.3%	5.7%	1.7%
Grade 9	43.7%	27.3%	16.3%	10.3%	2.4%
Grade 10	33.6%	27.5%	21.1%	14.7%	3.1%
Grade 11	26.0%	26.0%	22.7%	19.0%	6.4%
Grade 12	21.5%	28.7%	18.9%	22.8%	8.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	46.1%	7.4%	5.1%	9.7%	10.9%	1.9%	18.9%
Grade 7	66.3%	6.9%	4.2%	4.3%	2.4%	1.8%	14.0%
Grade 8	57.7%	7.6%	6.3%	7.1%	5.0%	2.7%	13.6%
Grade 9	47.7%	8.8%	5.3%	9.0%	8.0%	1.7%	19.5%
Grade 10	40.5%	7.6%	6.5%	11.5%	12.0%	1.9%	19.9%
Grade 11	30.4%	6.0%	4.2%	12.8%	16.9%	1.7%	28.0%
Grade 12	26.7%	7.3%	3.6%	15.8%	25.6%	1.5%	19.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	54.7%	19.4%	17.4%	5.9%	2.6%
	Grade 7	65.3%	17.5%	11.7%	3.9%	1.6%
	Grade 8	60.2%	17.4%	14.6%	6.0%	1.8%
	Grade 9	59.6%	16.6%	15.8%	5.5%	2.6%
	Grade 10	50.5%	20.7%	18.9%	6.3%	3.6%
	Grade 11	46.2%	21.7%	21.8%	6.6%	3.7%
	Grade 12	40.7%	24.8%	24.2%	8.0%	2.3%
Friends?						
	All	53.5%	18.5%	13.6%	10.7%	3.7%
	Grade 7	70.0%	19.5%	5.5%	3.9%	1.2%
	Grade 8	59.1%	21.3%	11.4%	6.3%	1.9%
	Grade 9	57.5%	17.8%	13.2%	8.7%	2.8%
	Grade 10	49.4%	17.4%	16.6%	12.8%	3.9%
	Grade 11	44.0%	17.1%	16.5%	15.5%	7.0%
	Grade 12	34.2%	17.6%	21.0%	20.9%	6.3%
A Store?						
	All	57.6%	33.7%	4.5%	3.0%	1.2%
	Grade 7	71.1%	25.6%	1.4%	1.2%	0.6%
	Grade 8	63.0%	32.1%	2.3%	1.9%	0.7%
	Grade 9	62.6%	30.9%	3.5%	2.2%	0.9%
	Grade 10	54.3%	35.8%	5.5%	3.7%	0.7%
	Grade 11	47.7%	39.3%	7.2%	3.6%	2.1%
	Grade 12	40.1%	42.1%	8.4%	6.5%	2.9%
Parties?						
	All	53.1%	15.9%	10.3%	11.9%	8.9%
	Grade 7	67.5%	17.7%	6.3%	5.2%	3.3%
	Grade 8	57.3%	18.8%	9.7%	8.4%	5.8%
	Grade 9	57.2%	14.3%	10.1%	11.7%	6.7%
	Grade 10	49.3%	13.6%	11.5%	15.5%	10.1%
	Grade 11	43.6%	17.0%	12.5%	13.8%	13.1%
	Grade 12	37.5%	13.6%	12.6%	19.1%	17.2%
Other Sources?						
	All	58.5%	22.8%	8.3%	6.1%	4.2%
	Grade 7	69.9%	19.4%	4.8%	3.5%	2.4%
	Grade 8	62.1%	21.7%	7.9%	4.5%	3.8%
	Grade 9	62.6%	20.3%	7.8%	5.2%	4.2%
	Grade 10	56.3%	21.7%	9.4%	8.2%	4.4%
	Grade 11	50.9%	27.8%	9.3%	7.2%	4.8%
	Grade 12	43.8%	28.3%	12.2%	9.1%	6.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	58.7%	15.8%	13.6%	4.3%	0.9%	6.8%
Grade 7	73.0%	9.6%	5.4%	2.3%	0.9%	8.7%
Grade 8	65.9%	14.0%	9.9%	3.2%	0.6%	6.4%
Grade 9	61.3%	14.5%	12.5%	3.4%	1.1%	7.2%
Grade 10	55.6%	16.4%	14.4%	4.2%	1.1%	8.3%
Grade 11	49.0%	21.1%	18.6%	5.6%	1.2%	4.5%
Grade 12	41.7%	21.1%	23.9%	8.0%	0.4%	4.9%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.0%	32.3%	13.9%	3.0%	3.8%
Grade 7	54.4%	25.4%	12.9%	2.6%	4.7%
Grade 8	49.2%	28.9%	15.9%	2.8%	3.2%
Grade 9	47.0%	31.7%	15.2%	2.3%	3.8%
Grade 10	44.6%	34.3%	11.5%	4.2%	5.5%
Grade 11	42.8%	37.7%	13.3%	2.7%	3.5%
Grade 12	41.8%	38.2%	14.2%	3.8%	2.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	15.3%	19.6%	26.5%	73.5%
Grade 7	8.0%	10.8%	13.8%	86.2%
Grade 8	11.6%	14.8%	18.4%	81.6%
Grade 9	13.7%	17.4%	22.5%	77.5%
Grade 10	17.8%	23.1%	31.5%	68.5%
Grade 11	21.2%	27.4%	37.8%	62.2%
Grade 12	22.7%	27.7%	41.6%	58.4%
<b>Marijuana?</b>				
All	14.9%	17.7%	24.8%	75.2%
Grade 7	7.8%	9.0%	11.2%	88.8%
Grade 8	11.2%	12.7%	16.6%	83.4%
Grade 9	13.5%	15.8%	21.2%	78.8%
Grade 10	17.5%	20.8%	29.3%	70.7%
Grade 11	20.6%	25.4%	36.3%	63.7%
Grade 12	22.0%	26.2%	40.4%	59.6%
<b>Cocaine?</b>				
All	1.6%	1.9%	3.5%	96.5%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	1.3%	1.4%	2.3%	97.7%
Grade 9	1.0%	1.1%	2.8%	97.2%
Grade 10	1.5%	1.8%	3.0%	97.0%
Grade 11	3.4%	3.6%	5.8%	94.2%
Grade 12	2.8%	4.1%	7.1%	92.9%
<b>Crack?</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.7%	99.3%
<b>Hallucinogens?</b>				
All	1.1%	1.8%	3.5%	96.5%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.6%	1.0%	2.1%	97.9%
Grade 9	0.6%	1.0%	2.0%	98.0%
Grade 10	1.4%	2.1%	4.1%	95.9%
Grade 11	2.0%	3.2%	6.1%	93.9%
Grade 12	2.0%	4.0%	7.0%	93.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids?				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.4%	1.6%	98.4%
Grade 8	0.8%	0.9%	2.3%	97.7%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.4%	1.0%	99.0%
Grade 12	0.4%	0.4%	1.0%	99.0%
Ecstasy?				
All	0.4%	0.8%	2.0%	98.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.6%	1.6%	98.4%
Grade 10	0.4%	0.9%	1.8%	98.2%
Grade 11	0.8%	1.3%	3.0%	97.0%
Grade 12	0.7%	2.2%	5.2%	94.8%
Heroin?				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.0%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.2%	1.1%	98.9%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.5%	0.5%	0.9%	99.1%
Grade 12	0.0%	0.1%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.3%	1.9%	4.0%	96.0%
Grade 7	1.7%	2.1%	3.4%	96.6%
Grade 8	1.7%	2.7%	3.8%	96.2%
Grade 9	1.3%	1.8%	3.6%	96.4%
Grade 10	1.1%	1.5%	4.5%	95.5%
Grade 11	0.9%	1.9%	5.2%	94.8%
Grade 12	0.8%	1.2%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
<b>Marijuana?</b>							
All	79.5%	1.9%	2.1%	3.4%	4.0%	4.3%	4.9%
Grade 7	91.4%	1.0%	1.1%	1.7%	1.3%	2.0%	1.6%
Grade 8	85.8%	1.1%	1.7%	2.9%	3.0%	2.2%	3.4%
Grade 9	82.4%	1.2%	2.0%	3.7%	3.2%	3.3%	4.3%
Grade 10	75.7%	1.7%	3.1%	4.6%	5.2%	4.9%	4.9%
Grade 11	69.8%	3.0%	2.8%	3.8%	6.3%	7.4%	6.9%
Grade 12	66.6%	4.2%	2.2%	3.9%	6.0%	7.2%	10.0%
<b>Cocaine?</b>							
All	97.7%	0.1%	0.3%	0.2%	0.5%	0.4%	0.9%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
Grade 8	98.9%	0.0%	0.0%	0.3%	0.2%	0.2%	0.3%
Grade 9	98.5%	0.0%	0.2%	0.0%	0.2%	0.1%	0.9%
Grade 10	97.8%	0.0%	0.2%	0.1%	0.5%	0.5%	1.0%
Grade 11	95.8%	0.4%	0.8%	0.3%	0.9%	0.6%	1.3%
Grade 12	94.5%	0.0%	0.3%	0.5%	1.4%	0.9%	2.3%
<b>Crack?</b>							
All	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 8	99.4%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%
Grade 10	99.3%	0.0%	0.0%	0.0%	0.0%	0.2%	0.5%
Grade 11	99.3%	0.0%	0.0%	0.0%	0.0%	0.4%	0.3%
Grade 12	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
<b>Steroids?</b>							
All	99.3%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%
Grade 7	99.3%	0.0%	0.0%	0.0%	0.1%	0.0%	0.6%
Grade 8	98.9%	0.2%	0.1%	0.0%	0.1%	0.3%	0.4%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.1%	0.0%	0.4%
Grade 10	99.3%	0.1%	0.0%	0.1%	0.1%	0.2%	0.2%
Grade 11	99.4%	0.0%	0.0%	0.0%	0.2%	0.1%	0.2%
Grade 12	99.5%	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%
<b>Ecstasy?</b>							
All	98.5%	0.0%	0.0%	0.1%	0.2%	0.6%	0.6%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
Grade 8	99.3%	0.0%	0.1%	0.1%	0.3%	0.1%	0.1%
Grade 9	99.1%	0.1%	0.0%	0.0%	0.1%	0.4%	0.4%
Grade 10	98.7%	0.0%	0.0%	0.1%	0.4%	0.5%	0.2%
Grade 11	97.3%	0.0%	0.0%	0.4%	0.1%	0.8%	1.3%
Grade 12	95.9%	0.0%	0.0%	0.1%	0.7%	1.5%	1.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 8	99.6%	0.0%	0.1%	0.0%	0.0%	0.2%	0.1%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 10	99.5%	0.0%	0.0%	0.1%	0.0%	0.0%	0.5%
	Grade 11	99.6%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.4%	0.0%	0.1%	0.0%	0.1%	0.2%	0.3%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
	Grade 8	99.2%	0.1%	0.1%	0.0%	0.0%	0.3%	0.3%
	Grade 9	99.3%	0.0%	0.2%	0.0%	0.0%	0.2%	0.3%
	Grade 10	99.5%	0.0%	0.0%	0.1%	0.0%	0.2%	0.2%
	Grade 11	99.3%	0.0%	0.0%	0.0%	0.3%	0.1%	0.3%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Synthetic Marijuana?								
	All	97.4%	0.2%	0.1%	0.3%	0.4%	0.7%	0.9%
	Grade 7	97.5%	0.1%	0.5%	0.3%	0.4%	0.6%	0.7%
	Grade 8	97.2%	0.3%	0.1%	0.3%	0.8%	0.7%	0.6%
	Grade 9	97.6%	0.4%	0.1%	0.4%	0.2%	0.8%	0.6%
	Grade 10	97.3%	0.0%	0.0%	0.6%	0.2%	0.8%	1.1%
	Grade 11	96.6%	0.1%	0.0%	0.0%	0.9%	0.8%	1.5%
	Grade 12	98.3%	0.0%	0.0%	0.2%	0.1%	0.2%	1.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.7	11.3	12.1	13.1	13.7	14.4	15.0
Cocaine	14.8	9.5	12.3	12.9	14.8	15.4	16.1
Crack	13.4	13.6	12.3	11.4	15.2	15.2	13.4
Steroids	12.0	10.9	10.8	11.7	13.8	13.2	14.3
Ecstasy	14.6	11.5	11.4	13.1	14.4	15.0	15.8
Heroin	12.8	11.3	11.5	12.6	14.5	16.0	N/A
Methamphetamine	13.8	12.3	11.6	13.4	15.0	15.9	16.7
Synthetic Marijuana	13.4	11.3	12.6	13.1	14.1	14.9	14.4

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	27.5%	22.1%	8.9%	10.3%	12.9%	18.4%
	Grade 7	36.2%	36.2%	7.5%	6.2%	6.8%	7.1%
	Grade 8	30.8%	30.1%	9.4%	8.6%	10.1%	10.9%
	Grade 9	27.7%	22.1%	9.1%	12.1%	12.6%	16.4%
	Grade 10	25.2%	16.1%	10.3%	10.6%	15.6%	22.2%
	Grade 11	21.8%	12.7%	8.7%	11.3%	18.0%	27.5%
	Grade 12	20.5%	10.5%	8.0%	13.7%	15.8%	31.5%
Cocaine?							
	All	39.8%	31.9%	12.3%	7.0%	4.3%	4.7%
	Grade 7	43.5%	41.0%	8.1%	3.5%	2.3%	1.5%
	Grade 8	40.3%	38.7%	10.1%	6.3%	2.2%	2.4%
	Grade 9	38.8%	32.9%	13.8%	7.0%	3.7%	3.7%
	Grade 10	39.7%	27.5%	12.6%	8.1%	5.5%	6.6%
	Grade 11	38.6%	26.6%	14.6%	8.2%	5.9%	6.1%
	Grade 12	36.9%	20.5%	15.4%	10.0%	7.5%	9.7%
Crack?							
	All	42.6%	32.9%	12.3%	5.9%	2.9%	3.4%
	Grade 7	44.3%	41.2%	8.2%	3.2%	1.8%	1.4%
	Grade 8	41.5%	39.3%	9.6%	5.2%	2.0%	2.4%
	Grade 9	41.7%	33.2%	13.6%	5.2%	3.1%	3.2%
	Grade 10	42.8%	28.8%	13.2%	7.2%	3.1%	4.9%
	Grade 11	42.8%	28.6%	14.5%	6.2%	3.8%	4.2%
	Grade 12	42.8%	22.7%	15.9%	9.5%	4.3%	4.8%
Steroids?							
	All	44.7%	31.1%	11.7%	5.8%	3.4%	3.3%
	Grade 7	46.6%	38.3%	6.7%	4.6%	2.3%	1.4%
	Grade 8	44.4%	35.9%	9.4%	5.1%	2.8%	2.4%
	Grade 9	44.2%	30.3%	12.7%	5.9%	3.7%	3.2%
	Grade 10	45.2%	27.0%	13.2%	6.6%	3.3%	4.7%
	Grade 11	44.3%	29.4%	12.8%	6.3%	3.9%	3.3%
	Grade 12	43.3%	23.2%	16.9%	6.5%	5.0%	5.2%
Ecstasy?							
	All	51.6%	27.5%	9.6%	4.9%	3.1%	3.3%
	Grade 7	60.0%	29.9%	5.3%	2.3%	1.2%	1.2%
	Grade 8	53.2%	31.7%	7.3%	4.4%	1.5%	1.9%
	Grade 9	52.0%	27.3%	10.6%	5.0%	2.6%	2.5%
	Grade 10	51.6%	24.9%	10.6%	5.9%	2.3%	4.7%
	Grade 11	47.1%	27.5%	10.9%	5.2%	5.1%	4.2%
	Grade 12	42.6%	22.1%	14.7%	7.7%	6.7%	6.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	47.6%	33.1%	10.9%	3.8%	2.0%	2.5%
	Grade 7	51.8%	36.5%	6.6%	2.3%	1.6%	1.3%
	Grade 8	47.2%	37.1%	8.3%	3.6%	1.7%	2.0%
	Grade 9	47.5%	32.0%	12.2%	3.9%	2.2%	2.1%
	Grade 10	47.1%	30.9%	12.7%	4.1%	1.9%	3.4%
	Grade 11	46.7%	33.3%	11.2%	4.0%	1.7%	3.0%
	Grade 12	44.2%	27.1%	16.0%	5.6%	3.1%	3.9%
<b>Methamphetamine?</b>							
	All	49.7%	31.2%	10.4%	3.8%	2.2%	2.7%
	Grade 7	55.3%	34.1%	5.6%	2.4%	1.3%	1.2%
	Grade 8	50.3%	35.0%	7.6%	3.5%	1.8%	1.8%
	Grade 9	49.5%	30.6%	11.1%	4.0%	2.4%	2.3%
	Grade 10	48.7%	29.2%	12.6%	3.9%	2.2%	3.5%
	Grade 11	47.2%	31.7%	10.8%	4.0%	2.4%	4.0%
	Grade 12	45.5%	24.9%	16.1%	5.7%	3.6%	4.2%
<b>Synthetic Marijuana?</b>							
	All	49.4%	26.7%	9.5%	5.6%	4.2%	4.7%
	Grade 7	54.8%	31.5%	5.4%	3.0%	2.7%	2.6%
	Grade 8	49.5%	32.1%	6.3%	5.3%	3.1%	3.6%
	Grade 9	49.9%	26.1%	11.2%	4.5%	4.3%	4.0%
	Grade 10	48.0%	23.7%	11.0%	6.4%	5.2%	5.7%
	Grade 11	46.4%	25.4%	10.0%	6.7%	5.7%	5.9%
	Grade 12	46.4%	19.4%	14.0%	8.8%	4.2%	7.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	91.1%	4.7%	1.8%	2.4%
Grade 7	95.1%	2.7%	0.9%	1.3%
Grade 8	94.0%	3.7%	0.8%	1.5%
Grade 9	92.3%	4.1%	1.8%	1.8%
Grade 10	87.4%	7.4%	3.6%	1.6%
Grade 11	88.0%	6.3%	1.4%	4.3%
Grade 12	88.4%	4.4%	2.3%	4.8%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.6%	2.2%	0.5%	0.7%
Grade 7	97.0%	2.0%	0.3%	0.7%
Grade 8	96.7%	2.3%	0.5%	0.4%
Grade 9	96.6%	2.1%	0.3%	1.0%
Grade 10	95.3%	3.4%	1.0%	0.3%
Grade 11	96.6%	1.5%	0.3%	1.5%
Grade 12	97.7%	1.6%	0.2%	0.4%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	5.3
Marijuana Non-Users	3.8
Average Days Conduct Problems Reported	
Marijuana Users	3.5
Marijuana Non-Users	1.0

*Percentages have been weighted to reflect proportions within the population.*

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.6%	4.1%	0.9%	1.4%
Grade 9	98.3%	1.1%	0.3%	0.3%
Grade 10	95.5%	3.3%	0.7%	0.5%
Grade 11	89.6%	6.5%	1.3%	2.5%
Grade 12	89.1%	6.3%	1.7%	2.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.9%	2.7%	0.3%	0.2%
Grade 7	97.6%	2.0%	0.3%	0.1%
Grade 8	97.2%	2.3%	0.3%	0.3%
Grade 9	96.9%	2.7%	0.2%	0.2%
Grade 10	96.3%	3.1%	0.6%	0.0%
Grade 11	96.5%	3.3%	0.0%	0.2%
Grade 12	96.8%	2.7%	0.4%	0.1%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	56.1%	20.9%	10.8%	9.1%	3.0%
Grade 7	75.8%	12.5%	6.0%	4.8%	1.0%
Grade 8	64.4%	18.0%	9.6%	5.8%	2.1%
Grade 9	57.9%	21.3%	9.5%	8.2%	3.0%
Grade 10	49.1%	23.6%	13.0%	11.1%	3.3%
Grade 11	41.9%	23.5%	14.1%	15.6%	5.0%
Grade 12	41.1%	29.2%	14.6%	10.7%	4.3%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	57.5%	6.1%	4.8%	4.6%	5.8%	2.2%	19.0%
Grade 7	75.8%	3.8%	1.6%	1.6%	1.1%	2.1%	14.0%
Grade 8	68.8%	5.9%	4.2%	3.2%	2.3%	2.2%	13.3%
Grade 9	60.5%	6.6%	4.5%	3.3%	3.5%	2.3%	19.2%
Grade 10	53.7%	6.6%	4.1%	4.4%	8.7%	2.2%	20.4%
Grade 11	40.2%	5.5%	6.7%	8.2%	8.8%	2.0%	28.5%
Grade 12	39.1%	9.0%	8.5%	7.9%	13.3%	2.4%	19.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.6%	7.3%	7.1%	2.1%	1.4%	6.5%
Grade 7	82.3%	3.3%	3.4%	1.7%	0.9%	8.4%
Grade 8	81.3%	4.8%	4.7%	1.6%	1.2%	6.4%
Grade 9	76.4%	6.5%	7.5%	2.0%	1.1%	6.5%
Grade 10	72.5%	8.6%	7.7%	1.7%	1.9%	7.7%
Grade 11	71.0%	10.0%	9.5%	2.9%	2.0%	4.6%
Grade 12	66.7%	12.4%	10.9%	2.9%	1.9%	5.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	56.1%	14.7%	12.4%	12.2%	4.7%
	Grade 7	72.4%	9.6%	6.1%	5.7%	6.2%
	Grade 8	65.4%	14.0%	8.6%	8.1%	3.9%
	Grade 9	55.4%	16.9%	11.2%	12.2%	4.2%
	Grade 10	51.3%	15.8%	14.0%	12.9%	6.0%
	Grade 11	44.7%	15.9%	18.5%	16.6%	4.3%
	Grade 12	42.0%	16.8%	18.1%	20.0%	3.1%
Cocaine?						
	All	86.8%	6.2%	1.0%	0.6%	5.4%
	Grade 7	85.7%	6.7%	0.5%	0.3%	6.8%
	Grade 8	86.7%	6.8%	1.1%	0.6%	4.8%
	Grade 9	87.6%	5.7%	1.3%	0.6%	4.8%
	Grade 10	87.3%	4.4%	1.4%	0.5%	6.3%
	Grade 11	86.1%	7.9%	0.5%	0.9%	4.6%
	Grade 12	87.4%	5.3%	1.3%	0.7%	5.3%
Crack?						
	All	87.9%	5.2%	0.7%	0.4%	5.8%
	Grade 7	85.2%	6.5%	0.6%	0.4%	7.2%
	Grade 8	87.8%	5.8%	0.7%	0.6%	5.0%
	Grade 9	88.3%	5.1%	0.8%	0.5%	5.3%
	Grade 10	88.8%	3.4%	1.0%	0.3%	6.5%
	Grade 11	88.0%	5.5%	0.6%	0.3%	5.6%
	Grade 12	89.7%	4.4%	0.3%	0.3%	5.4%
Ecstasy?						
	All	81.6%	7.3%	1.6%	0.6%	8.9%
	Grade 7	80.6%	6.4%	0.8%	0.4%	11.8%
	Grade 8	81.6%	7.5%	1.2%	0.6%	9.0%
	Grade 9	82.8%	7.0%	1.2%	0.6%	8.5%
	Grade 10	83.0%	5.2%	2.5%	0.6%	8.7%
	Grade 11	80.9%	8.7%	1.8%	0.8%	7.8%
	Grade 12	80.4%	9.7%	2.1%	0.6%	7.3%
Steroids?						
	All	78.0%	10.9%	2.9%	0.9%	7.3%
	Grade 7	79.9%	9.0%	2.3%	0.5%	8.2%
	Grade 8	78.8%	10.5%	2.9%	0.9%	6.9%
	Grade 9	77.5%	12.1%	2.9%	1.1%	6.4%
	Grade 10	76.9%	9.2%	3.2%	1.2%	9.5%
	Grade 11	76.0%	13.2%	3.1%	1.0%	6.7%
	Grade 12	79.0%	11.0%	2.8%	0.8%	6.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	87.9%	4.3%	0.7%	0.4%	6.8%
	Grade 7	85.6%	5.1%	0.7%	0.3%	8.3%
	Grade 8	87.3%	5.5%	0.7%	0.4%	6.1%
	Grade 9	88.1%	4.3%	0.7%	0.6%	6.3%
	Grade 10	87.8%	3.0%	1.5%	0.3%	7.5%
	Grade 11	89.0%	3.7%	0.3%	0.3%	6.7%
	Grade 12	90.1%	4.0%	0.0%	0.3%	5.6%
<b>Methamphetamine?</b>						
	All	87.3%	4.6%	0.7%	0.4%	7.0%
	Grade 7	84.8%	5.2%	0.8%	0.4%	8.9%
	Grade 8	86.1%	5.9%	1.0%	0.5%	6.5%
	Grade 9	87.1%	4.7%	0.7%	0.5%	7.0%
	Grade 10	87.5%	3.4%	1.1%	0.5%	7.5%
	Grade 11	88.7%	4.2%	0.4%	0.4%	6.3%
	Grade 12	90.2%	3.8%	0.0%	0.3%	5.7%
<b>Synthetic Marijuana?</b>						
	All	81.7%	7.0%	1.9%	1.1%	8.3%
	Grade 7	81.9%	6.6%	1.4%	0.8%	9.4%
	Grade 8	81.7%	7.6%	1.5%	1.2%	8.0%
	Grade 9	80.7%	7.7%	2.3%	1.1%	8.2%
	Grade 10	81.3%	5.4%	2.8%	1.3%	9.2%
	Grade 11	80.3%	8.0%	2.4%	1.4%	7.9%
	Grade 12	85.2%	6.4%	1.0%	0.6%	6.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	7.3%	11.5%	21.1%	78.9%
Grade 7	7.5%	10.7%	17.8%	82.2%
Grade 8	8.0%	12.5%	21.2%	78.8%
Grade 9	7.1%	10.7%	19.5%	80.5%
Grade 10	7.2%	11.4%	22.0%	78.0%
Grade 11	7.1%	12.1%	23.5%	76.5%
Grade 12	6.6%	12.2%	24.2%	75.8%
<b>Codeine Cough Syrup?</b>				
All	4.3%	7.6%	15.1%	84.9%
Grade 7	4.9%	8.0%	13.3%	86.7%
Grade 8	4.8%	8.5%	15.4%	84.6%
Grade 9	3.8%	6.3%	13.6%	86.4%
Grade 10	4.9%	7.8%	15.9%	84.1%
Grade 11	3.8%	7.9%	17.7%	82.3%
Grade 12	3.6%	6.8%	15.1%	84.9%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	0.9%	1.6%	4.0%	96.0%
Grade 7	0.7%	0.8%	1.5%	98.5%
Grade 8	1.0%	1.3%	2.6%	97.4%
Grade 9	0.5%	1.2%	3.3%	96.7%
Grade 10	0.8%	2.1%	4.7%	95.3%
Grade 11	0.6%	2.0%	6.0%	94.0%
Grade 12	1.8%	3.0%	7.4%	92.6%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	2.0%	3.1%	6.1%	93.9%
Grade 7	1.2%	1.4%	2.6%	97.4%
Grade 8	1.8%	2.6%	5.3%	94.7%
Grade 9	2.5%	4.0%	6.5%	93.5%
Grade 10	2.0%	2.8%	6.3%	93.7%
Grade 11	2.7%	3.9%	8.2%	91.8%
Grade 12	2.0%	4.5%	8.6%	91.4%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.1%	1.8%	3.8%	96.2%
Grade 7	0.4%	0.6%	1.3%	98.7%
Grade 8	0.9%	1.3%	2.3%	97.7%
Grade 9	1.2%	1.6%	3.0%	97.0%
Grade 10	1.1%	1.8%	4.1%	95.9%
Grade 11	2.0%	2.8%	5.3%	94.7%
Grade 12	1.3%	2.9%	8.0%	92.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.1%	4.8%	9.0%	91.0%
Grade 7	4.2%	5.2%	9.3%	90.7%
Grade 8	3.7%	5.6%	10.0%	90.0%
Grade 9	3.2%	4.4%	8.2%	91.8%
Grade 10	3.3%	5.5%	10.0%	90.0%
Grade 11	2.6%	3.8%	8.6%	91.4%
Grade 12	1.5%	4.1%	7.6%	92.4%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.9%	3.4%	96.6%
Grade 7	1.9%	2.7%	4.2%	95.8%
Grade 8	2.2%	2.7%	4.3%	95.7%
Grade 9	1.3%	1.8%	2.9%	97.1%
Grade 10	0.8%	0.8%	2.8%	97.2%
Grade 11	1.4%	2.4%	3.7%	96.3%
Grade 12	0.0%	0.7%	2.2%	97.8%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.5%	12.0%	3.5%	1.2%	6.8%
Grade 7	75.7%	11.4%	2.7%	1.1%	9.1%
Grade 8	76.7%	11.9%	3.4%	1.6%	6.3%
Grade 9	76.6%	12.5%	3.8%	1.3%	5.9%
Grade 10	75.0%	11.3%	4.6%	1.3%	7.8%
Grade 11	77.5%	12.5%	3.2%	0.9%	5.9%
Grade 12	78.0%	12.3%	3.5%	0.7%	5.7%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.6%	6.6%	13.2%	86.8%
Grade 7	6.6%	9.3%	15.8%	84.2%
Grade 8	6.4%	9.0%	15.6%	84.4%
Grade 9	5.6%	7.7%	13.6%	86.4%
Grade 10	2.5%	4.6%	12.8%	87.2%
Grade 11	3.0%	5.1%	11.6%	88.4%
Grade 12	2.0%	2.6%	8.2%	91.8%
Spray Paint?				
All	0.3%	0.6%	2.4%	97.6%
Grade 7	0.2%	0.6%	2.7%	97.3%
Grade 8	0.7%	1.2%	2.9%	97.1%
Grade 9	0.4%	1.0%	2.9%	97.1%
Grade 10	0.1%	0.3%	1.6%	98.4%
Grade 11	0.4%	0.4%	2.5%	97.5%
Grade 12	0.1%	0.1%	1.2%	98.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.8%	1.4%	4.8%	95.2%
Grade 7	1.6%	2.3%	6.5%	93.5%
Grade 8	1.2%	2.6%	6.7%	93.3%
Grade 9	0.6%	1.3%	4.5%	95.5%
Grade 10	0.6%	0.8%	4.0%	96.0%
Grade 11	0.3%	0.6%	4.2%	95.8%
Grade 12	0.2%	0.2%	2.0%	98.0%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.5%	0.8%	1.6%	98.4%
Grade 8	0.2%	0.5%	1.3%	98.7%
Grade 9	0.3%	0.7%	1.4%	98.6%
Grade 10	0.3%	0.3%	2.1%	97.9%
Grade 11	0.2%	0.3%	1.3%	98.7%
Grade 12	0.0%	0.1%	1.1%	98.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.5%	2.5%	6.5%	93.5%
Grade 7	2.0%	3.4%	8.2%	91.8%
Grade 8	2.2%	3.7%	8.2%	91.8%
Grade 9	2.0%	2.8%	6.5%	93.5%
Grade 10	0.8%	1.7%	6.3%	93.7%
Grade 11	0.4%	1.2%	4.3%	95.7%
Grade 12	1.0%	1.4%	4.9%	95.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 29 of 126



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.2%	0.5%	1.0%	99.0%
Grade 9	0.1%	0.5%	1.1%	98.9%
Grade 10	0.0%	0.1%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.4%	99.6%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.7%	1.3%	98.7%
Grade 8	0.4%	0.7%	1.2%	98.8%
Grade 9	0.3%	0.5%	1.0%	99.0%
Grade 10	0.1%	0.5%	1.2%	98.8%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.2%	0.2%	1.0%	99.0%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.8%	1.2%	2.8%	97.2%
Grade 8	0.6%	1.3%	2.5%	97.5%
Grade 9	1.1%	1.5%	2.7%	97.3%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	0.1%	0.6%	1.4%	98.6%
Grade 12	0.2%	0.2%	1.4%	98.6%
<b>Other Aerosols/Sprays?</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.8%	1.0%	1.8%	98.2%
Grade 8	0.3%	0.5%	2.0%	98.0%
Grade 9	1.0%	1.2%	2.3%	97.7%
Grade 10	0.6%	0.6%	1.0%	99.0%
Grade 11	0.3%	0.5%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.3%	0.1%	0.1%	0.3%	0.5%	0.5%	1.2%
Grade 7	96.4%	0.4%	0.2%	0.6%	0.6%	0.4%	1.3%
Grade 8	95.5%	0.2%	0.0%	0.4%	1.1%	1.2%	1.6%
Grade 9	97.9%	0.2%	0.2%	0.3%	0.2%	0.3%	0.8%
Grade 10	97.5%	0.1%	0.1%	0.1%	0.5%	0.2%	1.5%
Grade 11	97.9%	0.0%	0.1%	0.0%	0.5%	0.6%	1.0%
Grade 12	98.8%	0.0%	0.3%	0.0%	0.1%	0.0%	0.9%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.0%	6.4%	3.5%	1.1%
Grade 7	86.1%	7.7%	4.8%	1.4%
Grade 8	86.4%	7.8%	4.4%	1.4%
Grade 9	89.0%	6.2%	3.5%	1.3%
Grade 10	89.1%	6.7%	3.2%	1.0%
Grade 11	91.4%	5.1%	2.6%	0.9%
Grade 12	93.3%	4.4%	1.6%	0.7%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.9	10.6	11.4	12.2	12.0	13.7	12.2

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.1%	0.7%	0.1%	0.1%
Grade 7	98.8%	0.9%	0.1%	0.2%
Grade 8	99.1%	0.7%	0.1%	0.2%
Grade 9	98.8%	0.9%	0.1%	0.2%
Grade 10	98.9%	0.9%	0.2%	0.0%
Grade 11	99.1%	0.7%	0.0%	0.2%
Grade 12	99.9%	0.1%	0.0%	0.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.0
Inhalant Non-Users	4.0
Average Days Conduct Problems Reported	
Inhalant Users	4.7
Inhalant Non-Users	1.3

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.4%	4.5%	1.6%	0.3%	0.2%
Grade 7	91.8%	5.7%	1.9%	0.3%	0.3%
Grade 8	90.7%	6.7%	1.8%	0.5%	0.3%
Grade 9	93.7%	4.6%	1.3%	0.3%	0.1%
Grade 10	95.5%	2.8%	1.5%	0.0%	0.1%
Grade 11	93.2%	4.6%	1.5%	0.4%	0.2%
Grade 12	96.4%	1.8%	1.3%	0.3%	0.1%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.9%	13.3%	4.1%	1.2%	7.5%
Grade 7	72.3%	13.8%	4.4%	1.0%	8.4%
Grade 8	70.0%	16.4%	5.7%	1.7%	6.2%
Grade 9	74.7%	14.4%	3.3%	1.0%	6.4%
Grade 10	74.0%	10.8%	5.1%	1.5%	8.7%
Grade 11	75.4%	13.2%	2.6%	0.8%	8.1%
Grade 12	78.0%	10.0%	3.0%	1.4%	7.5%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	42.9%	15.8%	4.6%	5.5%	9.4%	21.8%
Grade 7	45.2%	22.6%	4.5%	4.5%	7.5%	15.7%
Grade 8	41.8%	19.1%	4.7%	5.1%	9.7%	19.5%
Grade 9	43.1%	16.6%	5.7%	6.9%	9.2%	18.5%
Grade 10	43.1%	12.8%	5.0%	6.3%	8.4%	24.4%
Grade 11	41.6%	11.9%	4.1%	5.0%	10.2%	27.2%
Grade 12	41.8%	9.5%	3.0%	5.0%	11.8%	28.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 32 of 126

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	36.9%
	Grade 7	36.1%
	Grade 8	50.9%
	Grade 9	37.0%
	Grade 10	36.1%
	Grade 11	25.9%
	Grade 12	33.7%
An Assembly Program		
	All	47.2%
	Grade 7	46.6%
	Grade 8	47.4%
	Grade 9	47.7%
	Grade 10	49.2%
	Grade 11	41.1%
	Grade 12	51.4%
Guidance Counselor		
	All	24.6%
	Grade 7	29.0%
	Grade 8	26.5%
	Grade 9	25.6%
	Grade 10	24.3%
	Grade 11	19.0%
	Grade 12	21.8%
School Nurse		
	All	14.5%
	Grade 7	19.8%
	Grade 8	21.1%
	Grade 9	14.0%
	Grade 10	11.0%
	Grade 11	8.5%
	Grade 12	11.2%
Science or Social Studies Class		
	All	24.2%
	Grade 7	27.9%
	Grade 8	22.9%
	Grade 9	27.1%
	Grade 10	25.0%
	Grade 11	17.8%
	Grade 12	23.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 33 of 126

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	13.1%
	Grade 7	12.3%
	Grade 8	12.8%
	Grade 9	14.9%
	Grade 10	14.8%
	Grade 11	10.1%
	Grade 12	13.5%
<b>An Invited School Guest</b>		
	All	32.6%
	Grade 7	30.6%
	Grade 8	34.8%
	Grade 9	33.5%
	Grade 10	32.3%
	Grade 11	29.6%
	Grade 12	34.6%
<b>Another Source at School</b>		
	All	27.4%
	Grade 7	28.0%
	Grade 8	29.3%
	Grade 9	29.5%
	Grade 10	29.5%
	Grade 11	21.2%
	Grade 12	26.3%
<b>Any School Source</b>		
	All	65.2%
	Grade 7	65.4%
	Grade 8	71.7%
	Grade 9	65.5%
	Grade 10	65.4%
	Grade 11	55.0%
	Grade 12	68.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	41.1%
	Grade 7	52.3%
	Grade 8	45.0%
	Grade 9	40.5%
	Grade 10	36.4%
	Grade 11	36.4%
	Grade 12	33.1%
<b>School Nurse</b>		
	All	22.9%
	Grade 7	33.4%
	Grade 8	25.6%
	Grade 9	23.6%
	Grade 10	17.4%
	Grade 11	18.6%
	Grade 12	15.9%
<b>Another Adult In School</b>		
	All	43.6%
	Grade 7	48.7%
	Grade 8	48.1%
	Grade 9	42.6%
	Grade 10	40.9%
	Grade 11	41.6%
	Grade 12	38.0%
<b>Counselor/Program Outside-School</b>		
	All	42.0%
	Grade 7	47.2%
	Grade 8	43.9%
	Grade 9	43.2%
	Grade 10	40.0%
	Grade 11	38.6%
	Grade 12	37.1%
<b>Your Parents</b>		
	All	71.4%
	Grade 7	78.4%
	Grade 8	74.8%
	Grade 9	71.7%
	Grade 10	65.0%
	Grade 11	70.5%
	Grade 12	65.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	55.0%
	Grade 7	65.1%
	Grade 8	58.9%
	Grade 9	54.0%
	Grade 10	50.1%
	Grade 11	50.7%
	Grade 12	49.3%
<b>Your Friends</b>		
	All	64.9%
	Grade 7	53.9%
	Grade 8	62.5%
	Grade 9	66.6%
	Grade 10	65.9%
	Grade 11	71.4%
	Grade 12	71.3%
<b>Another Adult</b>		
	All	62.8%
	Grade 7	66.1%
	Grade 8	63.1%
	Grade 9	64.7%
	Grade 10	60.3%
	Grade 11	60.5%
	Grade 12	60.7%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	6.5%
	Grade 7	7.1%
	Grade 8	7.3%
	Grade 9	6.5%
	Grade 10	6.2%
	Grade 11	7.0%
	Grade 12	4.7%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	5.1%	21.0%	21.9%	38.4%	13.6%
Grade 7	5.8%	17.2%	20.6%	38.1%	18.4%
Grade 8	5.3%	18.9%	22.7%	40.2%	12.9%
Grade 9	6.3%	24.4%	22.5%	34.8%	12.1%
Grade 10	4.4%	24.4%	23.3%	36.7%	11.4%
Grade 11	4.2%	21.0%	22.1%	39.2%	13.5%
Grade 12	4.1%	20.1%	20.1%	42.6%	13.0%
<b>Sometimes Carry Weapons?</b>					
All	68.9%	18.3%	7.4%	4.0%	1.4%
Grade 7	80.8%	12.5%	4.6%	1.3%	0.8%
Grade 8	73.8%	16.9%	5.8%	2.5%	1.0%
Grade 9	71.2%	16.8%	6.6%	3.9%	1.5%
Grade 10	65.2%	21.1%	8.2%	4.4%	1.0%
Grade 11	61.1%	21.2%	9.2%	6.2%	2.3%
Grade 12	57.0%	23.3%	11.4%	6.5%	1.9%
<b>Care About Making Good Grades?</b>					
All	2.3%	11.5%	24.2%	42.3%	19.7%
Grade 7	3.0%	12.5%	24.4%	37.8%	22.2%
Grade 8	1.9%	12.5%	25.9%	38.0%	21.8%
Grade 9	2.6%	12.7%	24.2%	43.1%	17.4%
Grade 10	2.3%	10.7%	23.5%	46.1%	17.3%
Grade 11	1.7%	9.7%	25.2%	43.7%	19.6%
Grade 12	2.2%	10.5%	20.8%	47.0%	19.5%
<b>Belong/Want to Belong to a Gang?</b>					
All	82.4%	11.3%	3.7%	1.7%	0.9%
Grade 7	79.4%	12.7%	4.2%	2.5%	1.2%
Grade 8	79.9%	13.8%	4.2%	1.5%	0.6%
Grade 9	79.7%	12.7%	5.0%	1.8%	0.8%
Grade 10	81.8%	11.7%	4.3%	1.1%	1.1%
Grade 11	86.8%	8.2%	2.1%	2.1%	0.7%
Grade 12	89.2%	7.0%	1.9%	0.7%	1.2%
<b>Wish They Could Drop Out of School?</b>					
All	47.1%	30.6%	13.3%	5.6%	3.4%
Grade 7	55.5%	27.2%	10.9%	4.3%	2.1%
Grade 8	48.3%	31.5%	12.0%	5.5%	2.6%
Grade 9	41.9%	33.2%	14.5%	7.1%	3.3%
Grade 10	44.0%	30.8%	15.4%	6.0%	3.8%
Grade 11	44.5%	30.3%	14.6%	5.8%	4.7%
Grade 12	48.4%	30.0%	12.7%	4.8%	4.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	85.9%	12.2%	1.0%	0.1%	0.8%
Grade 7	85.4%	12.1%	1.4%	0.1%	1.0%
Grade 8	84.1%	14.1%	0.8%	0.3%	0.7%
Grade 9	85.1%	13.1%	1.0%	0.1%	0.7%
Grade 10	84.3%	13.0%	1.4%	0.1%	1.1%
Grade 11	88.1%	10.7%	0.7%	0.0%	0.5%
Grade 12	89.3%	9.7%	0.4%	0.0%	0.6%
<b>Out In Your Neighborhood?</b>					
All	44.3%	45.2%	6.6%	1.5%	2.3%
Grade 7	39.0%	47.6%	8.8%	1.7%	2.9%
Grade 8	40.7%	47.4%	7.8%	1.6%	2.5%
Grade 9	44.1%	45.5%	6.5%	1.7%	2.1%
Grade 10	44.6%	45.3%	5.5%	1.2%	3.5%
Grade 11	47.3%	44.3%	5.2%	1.8%	1.4%
Grade 12	53.0%	39.7%	5.4%	0.7%	1.1%
<b>At School?</b>					
All	34.9%	45.5%	11.0%	4.5%	4.1%
Grade 7	32.5%	46.5%	11.7%	4.3%	4.9%
Grade 8	32.2%	47.0%	11.6%	4.4%	4.9%
Grade 9	32.0%	48.2%	10.4%	4.6%	4.8%
Grade 10	37.2%	42.6%	11.7%	4.1%	4.4%
Grade 11	36.7%	46.9%	9.9%	4.4%	2.0%
Grade 12	41.0%	40.1%	10.7%	5.0%	3.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	19.3%	23.6%	36.4%	63.6%
Grade 7	8.4%	11.1%	20.7%	79.3%
Grade 8	13.5%	17.6%	29.8%	70.2%
Grade 9	16.2%	20.4%	32.4%	67.6%
Grade 10	21.2%	26.1%	42.4%	57.6%
Grade 11	27.3%	31.8%	45.0%	55.0%
Grade 12	35.2%	40.8%	55.6%	44.4%
<b>Any Alcohol Product</b>				
All	34.7%	40.4%	59.3%	40.7%
Grade 7	22.6%	25.7%	45.8%	54.2%
Grade 8	28.0%	32.8%	53.9%	46.1%
Grade 9	32.6%	37.0%	54.0%	46.0%
Grade 10	36.8%	43.7%	63.4%	36.6%
Grade 11	43.5%	50.5%	69.0%	31.0%
Grade 12	50.8%	60.1%	76.5%	23.5%
<b>Any Illicit Drug</b>				
All	15.3%	19.6%	26.5%	73.5%
Grade 7	8.0%	10.8%	13.8%	86.2%
Grade 8	11.6%	14.8%	18.4%	81.6%
Grade 9	13.7%	17.4%	22.5%	77.5%
Grade 10	17.8%	23.1%	31.5%	68.5%
Grade 11	21.2%	27.4%	37.8%	62.2%
Grade 12	22.7%	27.7%	41.6%	58.4%
<b>Any Prescription Drug</b>				
All	7.3%	11.5%	21.1%	78.9%
Grade 7	7.5%	10.7%	17.8%	82.2%
Grade 8	8.0%	12.5%	21.2%	78.8%
Grade 9	7.1%	10.7%	19.5%	80.5%
Grade 10	7.2%	11.4%	22.0%	78.0%
Grade 11	7.1%	12.1%	23.5%	76.5%
Grade 12	6.6%	12.2%	24.2%	75.8%
<b>Any Inhalant</b>				
All	4.6%	6.6%	13.2%	86.8%
Grade 7	6.6%	9.3%	15.8%	84.2%
Grade 8	6.4%	9.0%	15.6%	84.4%
Grade 9	5.6%	7.7%	13.6%	86.4%
Grade 10	2.5%	4.6%	12.8%	87.2%
Grade 11	3.0%	5.1%	11.6%	88.4%
Grade 12	2.0%	2.6%	8.2%	91.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 126

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	14.1%	18.9%	31.5%	68.5%
Grade 7	5.3%	7.9%	17.3%	82.7%
Grade 8	10.7%	14.8%	25.6%	74.4%
Grade 9	11.9%	17.2%	28.0%	72.0%
Grade 10	15.4%	20.2%	36.7%	63.3%
Grade 11	19.4%	24.6%	38.4%	61.6%
Grade 12	25.5%	33.3%	49.3%	50.7%
<b>Marijuana</b>				
All	14.9%	17.7%	24.8%	75.2%
Grade 7	7.8%	9.0%	11.2%	88.8%
Grade 8	11.2%	12.7%	16.6%	83.4%
Grade 9	13.5%	15.8%	21.2%	78.8%
Grade 10	17.5%	20.8%	29.3%	70.7%
Grade 11	20.6%	25.4%	36.3%	63.7%
Grade 12	22.0%	26.2%	40.4%	59.6%
<b>Marijuana Only</b>				
All	8.7%	10.7%	16.8%	83.2%
Grade 7	4.1%	5.0%	6.9%	93.1%
Grade 8	6.2%	7.2%	10.6%	89.4%
Grade 9	8.6%	10.2%	14.7%	85.3%
Grade 10	11.8%	14.1%	21.6%	78.4%
Grade 11	11.7%	15.1%	24.5%	75.5%
Grade 12	11.2%	14.8%	26.7%	73.3%
<b>Cocaine or Crack</b>				
All	1.7%	2.0%	3.6%	96.4%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	1.4%	1.5%	2.4%	97.6%
Grade 9	1.0%	1.1%	2.9%	97.1%
Grade 10	1.5%	1.8%	3.2%	96.8%
Grade 11	3.4%	3.6%	5.8%	94.2%
Grade 12	2.8%	4.2%	7.2%	92.8%
<b>Cocaine</b>				
All	1.6%	1.9%	3.5%	96.5%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	1.3%	1.4%	2.3%	97.7%
Grade 9	1.0%	1.1%	2.8%	97.2%
Grade 10	1.5%	1.8%	3.0%	97.0%
Grade 11	3.4%	3.6%	5.8%	94.2%
Grade 12	2.8%	4.1%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.7%	99.3%
<b>Hallucinogens</b>				
All	1.1%	1.8%	3.5%	96.5%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.6%	1.0%	2.1%	97.9%
Grade 9	0.6%	1.0%	2.0%	98.0%
Grade 10	1.4%	2.1%	4.1%	95.9%
Grade 11	2.0%	3.2%	6.1%	93.9%
Grade 12	2.0%	4.0%	7.0%	93.0%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.2%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.4%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.4%	1.6%	98.4%
Grade 8	0.8%	0.9%	2.3%	97.7%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.4%	1.0%	99.0%
Grade 12	0.4%	0.4%	1.0%	99.0%
<b>Ecstasy</b>				
All	0.4%	0.8%	2.0%	98.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.2%	0.6%	1.6%	98.4%
Grade 10	0.4%	0.9%	1.8%	98.2%
Grade 11	0.8%	1.3%	3.0%	97.0%
Grade 12	0.7%	2.2%	5.2%	94.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.0%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.3%	1.9%	4.0%	96.0%
Grade 7	1.7%	2.1%	3.4%	96.6%
Grade 8	1.7%	2.7%	3.8%	96.2%
Grade 9	1.3%	1.8%	3.6%	96.4%
Grade 10	1.1%	1.5%	4.5%	95.5%
Grade 11	0.9%	1.9%	5.2%	94.8%
Grade 12	0.8%	1.2%	3.6%	96.4%
<b>Methamphetamine</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.2%	1.1%	98.9%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.3%	0.3%	0.7%	99.3%
Grade 11	0.5%	0.5%	0.9%	99.1%
Grade 12	0.0%	0.1%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 43 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	22.1%	26.1%	39.6%	60.4%
Grade 7	8.6%	11.5%	21.6%	78.4%
Grade 8	13.6%	17.0%	30.9%	69.1%
Grade 9	16.9%	21.3%	33.2%	66.8%
Grade 10	23.7%	27.5%	43.2%	56.8%
Grade 11	33.7%	39.2%	54.0%	46.0%
Grade 12	43.4%	47.9%	63.4%	36.6%
<b>Any Alcohol Product</b>				
All	34.0%	39.9%	59.2%	40.8%
Grade 7	23.6%	25.8%	46.9%	53.1%
Grade 8	24.5%	30.3%	50.2%	49.8%
Grade 9	33.7%	38.4%	54.3%	45.7%
Grade 10	32.5%	39.6%	62.1%	37.9%
Grade 11	44.9%	52.4%	72.2%	27.8%
Grade 12	49.6%	59.0%	76.0%	24.0%
<b>Any Illicit Drug</b>				
All	15.3%	19.4%	27.2%	72.8%
Grade 7	7.9%	9.9%	12.9%	87.1%
Grade 8	11.6%	14.3%	18.7%	81.3%
Grade 9	14.0%	17.3%	23.8%	76.2%
Grade 10	16.1%	21.2%	31.0%	69.0%
Grade 11	23.7%	30.4%	40.8%	59.2%
Grade 12	21.3%	26.3%	41.8%	58.2%
<b>Any Prescription Drug</b>				
All	6.4%	11.0%	21.5%	78.5%
Grade 7	6.9%	9.3%	16.3%	83.7%
Grade 8	6.4%	10.9%	19.7%	80.3%
Grade 9	7.3%	11.7%	21.4%	78.6%
Grade 10	6.3%	10.4%	20.7%	79.3%
Grade 11	7.3%	13.0%	26.3%	73.7%
Grade 12	3.7%	10.8%	26.1%	73.9%
<b>Any Inhalant</b>				
All	4.0%	5.9%	12.1%	87.9%
Grade 7	5.5%	7.3%	13.2%	86.8%
Grade 8	5.7%	7.3%	13.5%	86.5%
Grade 9	5.8%	7.9%	13.9%	86.1%
Grade 10	1.7%	3.8%	9.8%	90.2%
Grade 11	2.7%	4.8%	11.6%	88.4%
Grade 12	1.9%	2.9%	9.6%	90.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 44 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	14.6%	20.0%	33.2%	66.8%
Grade 7	4.2%	7.5%	16.6%	83.4%
Grade 8	10.2%	14.0%	25.6%	74.4%
Grade 9	11.3%	17.1%	28.3%	71.7%
Grade 10	15.9%	20.5%	35.8%	64.2%
Grade 11	22.6%	30.0%	45.7%	54.3%
Grade 12	28.0%	36.3%	54.7%	45.3%
<b>Marijuana</b>				
All	14.8%	17.6%	25.6%	74.4%
Grade 7	7.9%	8.8%	11.2%	88.8%
Grade 8	11.1%	12.5%	17.1%	82.9%
Grade 9	13.7%	16.1%	23.0%	77.0%
Grade 10	15.6%	18.5%	28.1%	71.9%
Grade 11	22.9%	28.2%	40.0%	60.0%
Grade 12	19.9%	24.2%	39.6%	60.4%
<b>Marijuana Only</b>				
All	8.6%	10.5%	17.3%	82.7%
Grade 7	4.6%	5.3%	7.6%	92.4%
Grade 8	6.5%	7.6%	11.4%	88.6%
Grade 9	9.1%	10.5%	16.0%	84.0%
Grade 10	10.6%	12.5%	21.2%	78.8%
Grade 11	12.5%	16.0%	26.2%	73.8%
Grade 12	8.8%	12.5%	24.8%	75.2%
<b>Cocaine or Crack</b>				
All	1.9%	2.1%	4.0%	96.0%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	0.8%	0.9%	1.8%	98.2%
Grade 9	1.3%	1.3%	3.5%	96.5%
Grade 10	2.0%	2.0%	3.6%	96.4%
Grade 11	3.3%	3.7%	6.2%	93.8%
Grade 12	4.0%	5.1%	9.0%	91.0%
<b>Cocaine</b>				
All	1.8%	2.0%	3.7%	96.3%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.8%	0.9%	1.7%	98.3%
Grade 9	1.2%	1.3%	3.4%	96.6%
Grade 10	2.0%	2.0%	3.2%	96.8%
Grade 11	3.3%	3.7%	6.2%	93.8%
Grade 12	3.9%	5.0%	8.8%	91.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.9%	99.1%
Grade 7	0.6%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	0.2%	0.2%	0.6%	99.4%
<b>Hallucinogens</b>				
All	1.2%	1.8%	3.6%	96.4%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.4%	0.8%	2.2%	97.8%
Grade 9	0.3%	0.3%	1.6%	98.4%
Grade 10	1.8%	2.3%	4.3%	95.7%
Grade 11	3.3%	4.6%	7.2%	92.8%
Grade 12	1.6%	3.5%	7.2%	92.8%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.5%	0.5%	1.5%	98.5%
Grade 8	0.7%	0.8%	2.0%	98.0%
Grade 9	0.0%	0.2%	1.9%	98.1%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.2%	0.5%	0.9%	99.1%
Grade 12	0.7%	0.7%	1.5%	98.5%
<b>Ecstasy</b>				
All	0.3%	0.7%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.2%	0.8%	2.1%	97.9%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.9%	1.5%	2.7%	97.3%
Grade 12	0.5%	1.1%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.8%	99.2%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.7%	1.2%	3.3%	96.7%
Grade 7	1.0%	1.4%	2.4%	97.6%
Grade 8	0.8%	1.7%	3.1%	96.9%
Grade 9	0.6%	0.9%	3.3%	96.7%
Grade 10	0.9%	1.5%	3.8%	96.2%
Grade 11	0.4%	1.1%	4.2%	95.8%
Grade 12	0.6%	0.7%	3.1%	96.9%
<b>Methamphetamine</b>				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.0%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.6%	0.7%	1.5%	98.5%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.7%	0.7%	1.2%	98.8%
Grade 12	0.0%	0.2%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.5%	21.0%	33.2%	66.8%
Grade 7	8.1%	10.6%	19.6%	80.4%
Grade 8	13.5%	18.0%	28.8%	71.2%
Grade 9	15.6%	19.5%	31.5%	68.5%
Grade 10	18.5%	24.6%	41.7%	58.3%
Grade 11	20.8%	24.4%	35.9%	64.1%
Grade 12	26.8%	33.5%	47.6%	52.4%
<b>Any Alcohol Product</b>				
All	35.6%	41.0%	59.4%	40.6%
Grade 7	21.6%	25.5%	44.6%	55.4%
Grade 8	31.4%	35.1%	57.5%	42.5%
Grade 9	31.6%	35.6%	53.9%	46.1%
Grade 10	41.8%	48.6%	64.5%	35.5%
Grade 11	42.2%	48.7%	66.0%	34.0%
Grade 12	52.2%	61.2%	77.0%	23.0%
<b>Any Illicit Drug</b>				
All	15.4%	19.9%	26.0%	74.0%
Grade 7	8.2%	11.7%	14.8%	85.2%
Grade 8	11.8%	15.4%	18.3%	81.7%
Grade 9	13.5%	17.6%	21.3%	78.7%
Grade 10	19.8%	25.4%	32.3%	67.7%
Grade 11	18.5%	24.4%	34.8%	65.2%
Grade 12	24.3%	29.4%	41.7%	58.3%
<b>Any Prescription Drug</b>				
All	8.1%	12.1%	20.8%	79.2%
Grade 7	8.1%	12.1%	19.4%	80.6%
Grade 8	9.5%	13.8%	22.4%	77.6%
Grade 9	6.8%	9.6%	17.5%	82.5%
Grade 10	8.1%	12.5%	23.5%	76.5%
Grade 11	6.9%	11.2%	20.8%	79.2%
Grade 12	9.8%	13.8%	22.4%	77.6%
<b>Any Inhalant</b>				
All	5.0%	7.4%	14.3%	85.7%
Grade 7	7.5%	11.0%	18.2%	81.8%
Grade 8	6.9%	10.4%	17.5%	82.5%
Grade 9	5.5%	7.7%	13.2%	86.8%
Grade 10	3.5%	5.5%	16.2%	83.8%
Grade 11	3.3%	5.3%	11.5%	88.5%
Grade 12	2.1%	2.3%	6.7%	93.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.5%	17.7%	29.7%	70.3%
Grade 7	6.3%	8.2%	17.9%	82.1%
Grade 8	11.3%	15.5%	25.6%	74.4%
Grade 9	12.7%	17.4%	27.9%	72.1%
Grade 10	14.9%	19.9%	38.1%	61.9%
Grade 11	16.3%	19.2%	30.9%	69.1%
Grade 12	23.1%	30.4%	43.9%	56.1%
<b>Marijuana</b>				
All	15.2%	18.0%	24.0%	76.0%
Grade 7	7.8%	9.2%	11.3%	88.7%
Grade 8	11.5%	13.0%	16.2%	83.8%
Grade 9	13.5%	15.8%	19.4%	80.6%
Grade 10	19.8%	23.7%	30.8%	69.2%
Grade 11	18.3%	22.5%	32.6%	67.4%
Grade 12	24.3%	28.5%	41.6%	58.4%
<b>Marijuana Only</b>				
All	8.9%	11.0%	16.3%	83.7%
Grade 7	3.7%	4.7%	6.3%	93.7%
Grade 8	5.9%	6.9%	9.8%	90.2%
Grade 9	8.1%	9.9%	13.4%	86.6%
Grade 10	13.2%	16.1%	22.4%	77.6%
Grade 11	10.9%	14.2%	22.8%	77.2%
Grade 12	13.9%	17.4%	29.1%	70.9%
<b>Cocaine or Crack</b>				
All	1.4%	1.9%	3.3%	96.7%
Grade 7	0.2%	0.7%	1.5%	98.5%
Grade 8	2.1%	2.2%	3.0%	97.0%
Grade 9	0.7%	0.9%	2.2%	97.8%
Grade 10	0.9%	1.7%	2.9%	97.1%
Grade 11	3.4%	3.6%	5.5%	94.5%
Grade 12	1.6%	3.2%	5.4%	94.6%
<b>Cocaine</b>				
All	1.4%	1.9%	3.2%	96.8%
Grade 7	0.2%	0.5%	1.2%	98.8%
Grade 8	1.8%	1.9%	2.8%	97.2%
Grade 9	0.7%	0.9%	2.2%	97.8%
Grade 10	0.9%	1.7%	2.9%	97.1%
Grade 11	3.4%	3.6%	5.5%	94.5%
Grade 12	1.6%	3.2%	5.4%	94.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	1.2%	1.2%	1.5%	98.5%
Grade 9	0.2%	0.2%	1.1%	98.9%
Grade 10	0.4%	0.4%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.7%	99.3%
<b>Hallucinogens</b>				
All	1.0%	1.9%	3.4%	96.6%
Grade 7	0.6%	0.7%	1.4%	98.6%
Grade 8	0.7%	1.2%	2.0%	98.0%
Grade 9	0.9%	1.7%	2.5%	97.5%
Grade 10	1.0%	1.9%	4.0%	96.0%
Grade 11	0.7%	1.8%	4.9%	95.1%
Grade 12	2.4%	4.6%	6.8%	93.2%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.3%	1.7%	98.3%
Grade 8	0.8%	0.9%	2.5%	97.5%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.0%	0.2%	0.5%	99.5%
<b>Ecstasy</b>				
All	0.5%	1.0%	2.1%	97.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.6%	1.4%	2.9%	97.1%
Grade 11	0.6%	1.1%	3.4%	96.6%
Grade 12	0.8%	3.3%	5.4%	94.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.1%	1.3%	98.7%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.9%	2.7%	4.8%	95.2%
Grade 7	2.4%	2.9%	4.5%	95.5%
Grade 8	2.6%	3.8%	4.5%	95.5%
Grade 9	2.2%	2.7%	4.1%	95.9%
Grade 10	1.2%	1.7%	5.3%	94.7%
Grade 11	1.4%	2.8%	6.3%	93.7%
Grade 12	1.0%	1.7%	4.2%	95.8%
<b>Methamphetamine</b>				
All	0.3%	0.3%	1.0%	99.0%
Grade 7	0.0%	0.0%	1.8%	98.2%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.0%	0.0%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.7%	25.4%	35.5%	64.5%
Grade 7	6.1%	8.7%	16.5%	83.5%
Grade 8	12.6%	14.4%	23.7%	76.3%
Grade 9	17.9%	21.3%	31.6%	68.4%
Grade 10	22.3%	26.8%	40.6%	59.4%
Grade 11	30.9%	35.6%	46.9%	53.1%
Grade 12	43.3%	48.9%	56.8%	43.2%
<b>Any Alcohol Product</b>				
All	30.8%	36.1%	56.5%	43.5%
Grade 7	12.9%	14.7%	35.7%	64.3%
Grade 8	23.2%	28.0%	48.4%	51.6%
Grade 9	29.6%	33.2%	50.7%	49.3%
Grade 10	26.9%	34.3%	57.5%	42.5%
Grade 11	44.2%	50.4%	71.9%	28.1%
Grade 12	50.7%	58.9%	78.1%	21.9%
<b>Any Illicit Drug</b>				
All	9.0%	12.7%	19.2%	80.8%
Grade 7	2.9%	3.6%	6.3%	93.7%
Grade 8	5.4%	7.3%	10.3%	89.7%
Grade 9	6.7%	9.7%	14.6%	85.4%
Grade 10	9.4%	14.9%	21.5%	78.5%
Grade 11	16.9%	23.4%	30.8%	69.2%
Grade 12	13.7%	19.1%	34.0%	66.0%
<b>Any Prescription Drug</b>				
All	6.5%	10.5%	18.9%	81.1%
Grade 7	6.8%	9.3%	15.1%	84.9%
Grade 8	7.8%	11.3%	18.4%	81.6%
Grade 9	6.1%	9.4%	18.3%	81.7%
Grade 10	5.9%	9.1%	19.1%	80.9%
Grade 11	7.0%	14.1%	23.6%	76.4%
Grade 12	5.2%	9.8%	19.0%	81.0%
<b>Any Inhalant</b>				
All	2.7%	4.6%	10.8%	89.2%
Grade 7	4.0%	5.1%	8.1%	91.9%
Grade 8	5.8%	8.8%	14.2%	85.8%
Grade 9	2.3%	5.2%	12.8%	87.2%
Grade 10	1.4%	3.1%	10.2%	89.8%
Grade 11	1.8%	3.1%	12.2%	87.8%
Grade 12	0.7%	1.9%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.7%	20.2%	30.6%	69.4%
Grade 7	3.2%	5.5%	13.0%	87.0%
Grade 8	9.9%	11.8%	19.4%	80.6%
Grade 9	13.7%	18.0%	26.9%	73.1%
Grade 10	15.8%	20.3%	34.9%	65.1%
Grade 11	24.0%	29.1%	40.8%	59.2%
Grade 12	29.4%	38.4%	51.5%	48.5%
Marijuana				
All	8.7%	11.1%	17.9%	82.1%
Grade 7	2.9%	3.0%	5.2%	94.8%
Grade 8	5.0%	6.2%	9.9%	90.1%
Grade 9	6.4%	8.2%	13.4%	86.6%
Grade 10	9.4%	12.5%	19.8%	80.2%
Grade 11	16.2%	20.6%	29.6%	70.4%
Grade 12	12.9%	17.1%	32.0%	68.0%
Marijuana Only				
All	4.5%	6.1%	12.0%	88.0%
Grade 7	1.0%	1.0%	3.2%	96.8%
Grade 8	3.2%	4.3%	7.0%	93.0%
Grade 9	4.0%	5.4%	9.2%	90.8%
Grade 10	4.2%	6.4%	13.5%	86.5%
Grade 11	9.2%	11.7%	19.2%	80.8%
Grade 12	5.7%	8.4%	21.6%	78.4%
Cocaine or Crack				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.4%	1.8%	98.2%
Grade 10	1.1%	1.1%	1.5%	98.5%
Grade 11	1.6%	1.6%	3.4%	96.6%
Grade 12	1.5%	2.2%	4.3%	95.7%
Cocaine				
All	0.7%	0.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.2%	0.4%	1.8%	98.2%
Grade 10	1.1%	1.1%	1.5%	98.5%
Grade 11	1.6%	1.6%	3.4%	96.6%
Grade 12	1.5%	2.2%	4.3%	95.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Hallucinogens</b>				
All	1.0%	1.7%	3.3%	96.7%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.2%	0.3%	1.5%	98.5%
Grade 9	0.2%	0.8%	2.3%	97.7%
Grade 10	1.2%	2.6%	4.8%	95.2%
Grade 11	1.7%	3.3%	5.4%	94.6%
Grade 12	3.0%	3.4%	5.5%	94.5%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.4%	0.4%	1.9%	98.1%
Grade 7	0.1%	0.1%	1.6%	98.4%
Grade 8	0.3%	0.3%	3.0%	97.0%
Grade 9	0.0%	0.3%	2.7%	97.3%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.7%	0.7%	2.0%	98.0%
Grade 12	1.1%	1.1%	2.0%	98.0%
<b>Ecstasy</b>				
All	0.5%	1.0%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.7%	1.4%	98.6%
Grade 10	0.2%	1.1%	1.3%	98.7%
Grade 11	1.4%	1.8%	3.2%	96.8%
Grade 12	1.0%	2.2%	4.1%	95.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.8%	1.5%	3.1%	96.9%
Grade 7	0.8%	0.9%	1.1%	98.9%
Grade 8	0.6%	1.5%	1.5%	98.5%
Grade 9	0.6%	1.0%	2.0%	98.0%
Grade 10	1.1%	1.7%	4.2%	95.8%
Grade 11	1.0%	3.0%	6.7%	93.3%
Grade 12	0.8%	0.8%	3.2%	96.8%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.1%	0.1%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	1.3%	98.7%
Grade 12	0.0%	0.0%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 55 of 126

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	11.2%	16.1%	27.5%	72.5%
Grade 7	8.5%	8.5%	18.1%	81.9%
Grade 8	14.0%	16.0%	25.2%	74.8%
Grade 9	8.8%	8.8%	14.2%	85.8%
Grade 10	12.2%	26.1%	32.3%	67.7%
Grade 11	11.1%	15.9%	35.6%	64.4%
Grade 12	13.6%	26.6%	51.8%	48.2%
<b>Any Alcohol Product</b>				
All	20.2%	25.7%	44.9%	55.1%
Grade 7	15.8%	18.9%	41.5%	58.5%
Grade 8	21.3%	22.6%	43.8%	56.2%
Grade 9	10.0%	13.4%	27.9%	72.1%
Grade 10	35.4%	50.6%	58.4%	41.6%
Grade 11	18.7%	18.7%	49.4%	50.6%
Grade 12	21.6%	34.5%	55.4%	44.6%
<b>Any Illicit Drug</b>				
All	17.1%	21.4%	29.1%	70.9%
Grade 7	9.4%	15.8%	20.5%	79.5%
Grade 8	12.6%	12.6%	16.4%	83.6%
Grade 9	16.0%	16.0%	18.8%	81.2%
Grade 10	40.0%	46.2%	55.7%	44.3%
Grade 11	9.3%	18.1%	42.4%	57.6%
Grade 12	14.1%	21.9%	24.9%	75.1%
<b>Any Prescription Drug</b>				
All	8.2%	13.5%	23.9%	76.1%
Grade 7	9.6%	11.9%	22.7%	77.3%
Grade 8	3.0%	5.4%	9.3%	90.7%
Grade 9	7.2%	7.2%	13.6%	86.4%
Grade 10	11.2%	27.8%	39.0%	61.0%
Grade 11	11.9%	11.9%	38.4%	61.6%
Grade 12	7.7%	21.6%	29.3%	70.7%
<b>Any Inhalant</b>				
All	4.6%	5.6%	10.8%	89.2%
Grade 7	10.5%	14.7%	20.2%	79.8%
Grade 8	7.2%	8.2%	11.7%	88.3%
Grade 9	6.7%	6.7%	11.3%	88.7%
Grade 10	0.0%	0.0%	4.6%	95.4%
Grade 11	0.0%	0.0%	10.2%	89.8%
Grade 12	0.0%	0.0%	3.1%	96.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	6.9%	11.9%	24.6%	75.4%
Grade 7	6.9%	6.9%	15.8%	84.2%
Grade 8	11.9%	14.0%	21.4%	78.6%
Grade 9	4.0%	4.0%	9.9%	90.1%
Grade 10	7.5%	16.8%	26.1%	73.9%
Grade 11	4.0%	13.6%	35.6%	64.4%
Grade 12	5.9%	18.8%	51.8%	48.2%
<b>Marijuana</b>				
All	17.0%	20.0%	27.0%	73.0%
Grade 7	9.5%	11.8%	16.5%	83.5%
Grade 8	11.6%	11.6%	14.5%	85.5%
Grade 9	16.0%	16.0%	18.8%	81.2%
Grade 10	40.0%	46.2%	55.7%	44.3%
Grade 11	9.3%	14.1%	35.0%	65.0%
Grade 12	14.1%	21.9%	24.9%	75.1%
<b>Marijuana Only</b>				
All	13.0%	16.0%	22.9%	77.1%
Grade 7	5.6%	7.8%	12.5%	87.5%
Grade 8	8.8%	8.8%	11.7%	88.3%
Grade 9	9.4%	9.4%	12.2%	87.8%
Grade 10	34.1%	40.3%	49.8%	50.2%
Grade 11	9.3%	14.1%	35.0%	65.0%
Grade 12	11.1%	18.8%	21.9%	78.1%
<b>Cocaine or Crack</b>				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Cocaine</b>				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	0.0%	0.0%	2.0%	98.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	2.0%	2.0%	2.0%	98.0%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	2.3%	97.7%
Grade 8	1.8%	1.8%	1.8%	98.2%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	3.1%	96.9%
Synthetic Cathinones				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.3%	0.5%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.7%	2.4%	3.4%	96.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
All	0.2%	0.2%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	0.8%	0.8%	4.2%	95.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	5.6%	94.4%
Grade 12	0.0%	0.0%	3.1%	96.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.8%	0.8%	4.2%	95.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.8%	1.1%	2.7%	97.3%
Grade 7	0.0%	0.0%	3.0%	97.0%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	3.1%	3.1%	3.1%	96.9%
Grade 10	0.0%	0.0%	5.9%	94.1%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	3.1%	3.1%	96.9%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 59 of 126

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.7%	23.2%	37.4%	62.6%
Grade 7	9.4%	12.4%	22.7%	77.3%
Grade 8	13.8%	19.0%	32.9%	67.1%
Grade 9	15.6%	20.4%	33.3%	66.7%
Grade 10	21.1%	25.5%	43.9%	56.1%
Grade 11	26.2%	30.9%	44.5%	55.5%
Grade 12	32.2%	37.4%	55.5%	44.5%
<b>Any Alcohol Product</b>				
All	37.7%	43.6%	61.8%	38.2%
Grade 7	27.6%	31.3%	50.8%	49.2%
Grade 8	30.6%	35.7%	57.3%	42.7%
Grade 9	35.3%	40.1%	56.9%	43.1%
Grade 10	41.7%	47.7%	66.9%	33.1%
Grade 11	45.1%	52.5%	68.9%	31.1%
Grade 12	52.8%	62.7%	77.3%	22.7%
<b>Any Illicit Drug</b>				
All	18.2%	22.6%	29.8%	70.2%
Grade 7	10.3%	13.6%	16.7%	83.3%
Grade 8	14.2%	18.0%	22.0%	78.0%
Grade 9	16.1%	20.4%	25.7%	74.3%
Grade 10	20.5%	25.6%	34.7%	65.3%
Grade 11	24.1%	30.1%	41.0%	59.0%
Grade 12	28.6%	32.9%	47.3%	52.7%
<b>Any Prescription Drug</b>				
All	7.6%	11.9%	22.0%	78.0%
Grade 7	7.7%	11.3%	18.7%	81.3%
Grade 8	8.5%	13.6%	23.3%	76.7%
Grade 9	7.6%	11.6%	20.1%	79.9%
Grade 10	7.4%	11.4%	22.2%	77.8%
Grade 11	6.8%	11.2%	22.3%	77.7%
Grade 12	7.3%	12.9%	27.0%	73.0%
<b>Any Inhalant</b>				
All	5.4%	7.6%	14.4%	85.6%
Grade 7	7.5%	10.6%	18.7%	81.3%
Grade 8	6.6%	9.1%	16.4%	83.6%
Grade 9	6.9%	8.7%	14.0%	86.0%
Grade 10	3.2%	5.6%	14.4%	85.6%
Grade 11	3.8%	6.4%	11.5%	88.5%
Grade 12	2.9%	3.2%	9.1%	90.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.7%	18.7%	32.4%	67.6%
Grade 7	6.2%	9.1%	19.4%	80.6%
Grade 8	11.0%	16.3%	28.7%	71.3%
Grade 9	11.4%	17.3%	29.1%	70.9%
Grade 10	15.7%	20.2%	38.6%	61.4%
Grade 11	18.0%	23.0%	37.4%	62.6%
Grade 12	24.5%	31.4%	48.1%	51.9%
<b>Marijuana</b>				
All	17.8%	20.7%	27.8%	72.2%
Grade 7	10.1%	11.5%	13.6%	86.4%
Grade 8	13.8%	15.5%	19.5%	80.5%
Grade 9	16.0%	18.8%	24.3%	75.7%
Grade 10	20.1%	23.3%	32.3%	67.7%
Grade 11	23.5%	28.5%	39.7%	60.3%
Grade 12	27.8%	31.7%	46.6%	53.4%
<b>Marijuana Only</b>				
All	10.4%	12.6%	18.7%	81.3%
Grade 7	5.5%	6.6%	8.3%	91.7%
Grade 8	7.2%	8.3%	12.0%	88.0%
Grade 9	10.4%	12.2%	17.1%	82.9%
Grade 10	14.0%	16.2%	23.9%	76.1%
Grade 11	13.1%	16.8%	26.5%	73.5%
Grade 12	14.6%	18.2%	30.3%	69.7%
<b>Cocaine or Crack</b>				
All	2.2%	2.6%	4.6%	95.4%
Grade 7	0.5%	0.8%	2.0%	98.0%
Grade 8	2.1%	2.2%	3.3%	96.7%
Grade 9	1.3%	1.3%	3.3%	96.7%
Grade 10	1.7%	2.3%	4.3%	95.7%
Grade 11	4.5%	4.9%	7.4%	92.6%
Grade 12	3.8%	5.6%	9.4%	90.6%
<b>Cocaine</b>				
All	2.0%	2.5%	4.4%	95.6%
Grade 7	0.2%	0.5%	1.4%	98.6%
Grade 8	1.9%	2.0%	3.1%	96.9%
Grade 9	1.2%	1.3%	3.2%	96.8%
Grade 10	1.7%	2.3%	3.9%	96.1%
Grade 11	4.5%	4.9%	7.4%	92.6%
Grade 12	3.6%	5.5%	9.3%	90.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	1.3%	1.3%	1.5%	98.5%
Grade 9	0.2%	0.2%	1.2%	98.8%
Grade 10	0.7%	0.7%	1.6%	98.4%
Grade 11	0.1%	0.1%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.9%	99.1%
<b>Hallucinogens</b>				
All	1.2%	2.0%	3.7%	96.3%
Grade 7	0.6%	0.8%	1.2%	98.8%
Grade 8	0.7%	1.3%	2.3%	97.7%
Grade 9	0.5%	0.9%	1.7%	98.3%
Grade 10	1.7%	2.0%	3.9%	96.1%
Grade 11	2.3%	3.4%	6.8%	93.2%
Grade 12	1.6%	4.7%	8.1%	91.9%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.3%	0.7%	99.3%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.6%	1.6%	98.4%
Grade 8	0.9%	1.1%	1.9%	98.1%
Grade 9	0.1%	0.2%	0.8%	99.2%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.1%	0.5%	99.5%
<b>Ecstasy</b>				
All	0.4%	0.8%	2.1%	97.9%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.2%	0.5%	1.4%	98.6%
Grade 10	0.5%	0.8%	2.2%	97.8%
Grade 11	0.5%	1.1%	2.8%	97.2%
Grade 12	0.6%	2.3%	6.1%	93.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.0%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.5%	2.1%	4.5%	95.5%
Grade 7	2.2%	2.8%	4.5%	95.5%
Grade 8	2.2%	3.4%	5.0%	95.0%
Grade 9	1.5%	1.9%	4.2%	95.8%
Grade 10	1.2%	1.7%	4.6%	95.4%
Grade 11	0.7%	1.3%	4.6%	95.4%
Grade 12	0.9%	1.4%	4.0%	96.0%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.0%	0.3%	1.7%	98.3%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	0.5%	0.6%	1.2%	98.8%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.4%	0.4%	0.7%	99.3%
Grade 12	0.0%	0.2%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 63 of 126

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.5%	17.9%	27.4%	72.6%
Grade 7	3.6%	5.3%	9.8%	90.2%
Grade 8	6.9%	11.2%	18.9%	81.1%
Grade 9	13.4%	17.6%	25.6%	74.4%
Grade 10	9.9%	13.7%	26.3%	73.7%
Grade 11	21.7%	27.3%	39.5%	60.5%
Grade 12	25.9%	33.2%	45.4%	54.6%
<b>Any Alcohol Product</b>				
All	26.8%	31.8%	52.9%	47.1%
Grade 7	13.0%	15.1%	35.4%	64.6%
Grade 8	19.7%	23.2%	46.8%	53.2%
Grade 9	24.1%	28.4%	46.1%	53.9%
Grade 10	21.8%	28.3%	52.6%	47.4%
Grade 11	38.6%	45.2%	68.1%	31.9%
Grade 12	44.7%	52.1%	70.6%	29.4%
<b>Any Illicit Drug</b>				
All	7.0%	10.3%	15.3%	84.7%
Grade 7	1.1%	3.5%	5.6%	94.4%
Grade 8	4.7%	7.5%	9.5%	90.5%
Grade 9	7.4%	9.7%	13.0%	87.0%
Grade 10	6.8%	8.7%	11.4%	88.6%
Grade 11	10.8%	16.8%	24.1%	75.9%
Grade 12	11.1%	15.7%	29.2%	70.8%
<b>Any Prescription Drug</b>				
All	4.9%	8.6%	16.1%	83.9%
Grade 7	5.0%	7.7%	12.7%	87.3%
Grade 8	6.5%	11.2%	17.1%	82.9%
Grade 9	5.6%	7.2%	17.4%	82.6%
Grade 10	5.0%	9.5%	15.5%	84.5%
Grade 11	2.6%	9.2%	19.5%	80.5%
Grade 12	4.4%	6.9%	13.9%	86.1%
<b>Any Inhalant</b>				
All	2.3%	4.1%	9.0%	91.0%
Grade 7	2.1%	2.9%	8.7%	91.3%
Grade 8	4.3%	7.0%	12.4%	87.6%
Grade 9	2.0%	4.2%	9.8%	90.2%
Grade 10	0.6%	2.2%	7.2%	92.8%
Grade 11	3.3%	5.0%	8.3%	91.7%
Grade 12	1.4%	2.9%	6.9%	93.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting A Grades on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.4%	15.3%	23.7%	76.3%
Grade 7	1.3%	3.1%	8.4%	91.6%
Grade 8	5.8%	10.1%	15.9%	84.1%
Grade 9	10.6%	16.4%	23.1%	76.9%
Grade 10	7.6%	11.2%	22.6%	77.4%
Grade 11	17.2%	22.5%	32.2%	67.8%
Grade 12	20.4%	28.3%	41.4%	58.6%
<b>Marijuana</b>				
All	6.6%	8.8%	14.1%	85.9%
Grade 7	1.1%	2.6%	4.0%	96.0%
Grade 8	4.4%	5.4%	8.2%	91.8%
Grade 9	7.0%	8.0%	11.9%	88.1%
Grade 10	6.8%	8.5%	11.2%	88.8%
Grade 11	10.2%	14.4%	22.3%	77.7%
Grade 12	10.4%	14.6%	28.2%	71.8%
<b>Marijuana Only</b>				
All	4.1%	5.8%	10.4%	89.6%
Grade 7	1.0%	2.1%	3.3%	96.7%
Grade 8	1.7%	2.4%	4.6%	95.4%
Grade 9	3.9%	4.6%	7.9%	92.1%
Grade 10	5.2%	7.0%	9.7%	90.3%
Grade 11	7.1%	10.0%	17.2%	82.8%
Grade 12	5.8%	9.3%	21.0%	79.0%
<b>Cocaine or Crack</b>				
All	0.8%	0.9%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	1.1%	1.2%	2.4%	97.6%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.3%	0.6%	2.2%	97.8%
Grade 12	3.0%	3.5%	4.5%	95.5%
<b>Cocaine</b>				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	1.0%	1.1%	2.3%	97.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.3%	0.6%	2.2%	97.8%
Grade 12	3.0%	3.5%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade**  
**Students Reporting A Grades on Average**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.1%	0.1%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.3%	0.3%	1.1%	98.9%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.4%	99.6%
<b>Hallucinogens</b>				
All	0.3%	0.7%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.9%	99.1%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.1%	0.3%	1.1%	98.9%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.4%	1.3%	1.9%	98.1%
Grade 12	1.2%	2.6%	4.0%	96.0%
<b>Synthetic Cathinones</b>				
All	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.3%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.9%	0.9%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.7%	0.7%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.1%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.8%	0.8%	2.3%	97.7%
Grade 12	1.5%	2.2%	3.8%	96.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.2%	0.7%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.9%	1.9%	2.4%	97.6%
Grade 9	0.2%	0.8%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.5%	2.3%	97.7%
Grade 12	0.0%	0.6%	1.9%	98.1%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.7%	99.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	21.2%	25.8%	39.8%	60.2%
Grade 7	10.2%	13.4%	25.2%	74.8%
Grade 8	16.3%	20.8%	35.4%	64.6%
Grade 9	17.2%	21.8%	35.9%	64.1%
Grade 10	24.0%	30.0%	47.4%	52.6%
Grade 11	28.1%	32.9%	45.8%	54.2%
Grade 12	41.6%	46.1%	59.7%	40.3%
<b>Any Alcohol Product</b>				
All	38.1%	44.1%	61.7%	38.3%
Grade 7	26.3%	30.0%	49.8%	50.2%
Grade 8	31.8%	37.4%	57.4%	42.6%
Grade 9	36.1%	40.4%	57.4%	42.6%
Grade 10	43.4%	49.6%	66.7%	33.3%
Grade 11	45.2%	52.7%	68.9%	31.1%
Grade 12	54.8%	66.0%	79.4%	20.6%
<b>Any Illicit Drug</b>				
All	19.0%	23.6%	31.2%	68.8%
Grade 7	10.9%	14.3%	17.3%	82.7%
Grade 8	15.7%	19.1%	23.0%	77.0%
Grade 9	16.5%	20.7%	26.6%	73.4%
Grade 10	21.0%	27.5%	38.5%	61.5%
Grade 11	25.6%	31.6%	43.5%	56.5%
Grade 12	30.4%	34.9%	48.8%	51.2%
<b>Any Prescription Drug</b>				
All	8.0%	12.6%	23.1%	76.9%
Grade 7	9.2%	12.8%	21.0%	79.0%
Grade 8	8.1%	12.7%	23.2%	76.8%
Grade 9	7.4%	12.0%	20.7%	79.3%
Grade 10	7.3%	11.3%	23.2%	76.8%
Grade 11	8.2%	12.4%	24.0%	76.0%
Grade 12	8.1%	15.6%	29.9%	70.1%
<b>Any Inhalant</b>				
All	5.7%	8.0%	15.4%	84.6%
Grade 7	8.5%	12.2%	19.2%	80.8%
Grade 8	7.6%	10.4%	18.0%	82.0%
Grade 9	7.5%	9.2%	15.3%	84.7%
Grade 10	3.4%	6.1%	15.9%	84.1%
Grade 11	2.7%	4.4%	12.3%	87.7%
Grade 12	2.3%	2.3%	8.7%	91.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	15.0%	20.4%	34.6%	65.4%
Grade 7	7.1%	10.0%	21.6%	78.4%
Grade 8	12.8%	17.3%	30.5%	69.5%
Grade 9	12.2%	17.7%	31.1%	68.9%
Grade 10	16.8%	22.8%	40.8%	59.2%
Grade 11	19.6%	25.2%	39.3%	60.7%
Grade 12	28.1%	37.2%	53.4%	46.6%
<b>Marijuana</b>				
All	18.6%	21.7%	29.2%	70.8%
Grade 7	10.6%	11.9%	14.2%	85.8%
Grade 8	15.2%	16.9%	20.9%	79.1%
Grade 9	16.4%	19.5%	25.5%	74.5%
Grade 10	20.6%	24.5%	35.2%	64.8%
Grade 11	25.0%	30.8%	42.6%	57.4%
Grade 12	29.6%	33.5%	47.5%	52.5%
<b>Marijuana Only</b>				
All	10.7%	13.0%	19.5%	80.5%
Grade 7	5.4%	6.3%	8.5%	91.5%
Grade 8	8.7%	9.9%	13.5%	86.5%
Grade 9	10.7%	12.8%	17.9%	82.1%
Grade 10	13.6%	16.5%	26.3%	73.7%
Grade 11	13.3%	17.5%	27.3%	72.7%
Grade 12	15.1%	18.2%	29.6%	70.4%
<b>Cocaine or Crack</b>				
All	2.1%	2.5%	4.4%	95.6%
Grade 7	0.3%	0.7%	1.5%	98.5%
Grade 8	2.3%	2.4%	3.7%	96.3%
Grade 9	1.0%	1.1%	3.3%	96.7%
Grade 10	2.1%	2.4%	4.1%	95.9%
Grade 11	5.1%	5.1%	7.8%	92.2%
Grade 12	3.0%	4.4%	8.5%	91.5%
<b>Cocaine</b>				
All	2.1%	2.4%	4.2%	95.8%
Grade 7	0.2%	0.5%	1.0%	99.0%
Grade 8	2.1%	2.2%	3.4%	96.6%
Grade 9	1.0%	1.1%	3.3%	96.7%
Grade 10	2.1%	2.4%	3.8%	96.2%
Grade 11	5.1%	5.1%	7.8%	92.2%
Grade 12	3.0%	4.4%	8.5%	91.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	1.4%	1.4%	1.7%	98.3%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.8%	0.8%	1.6%	98.4%
Grade 11	0.1%	0.1%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.9%	99.1%
Hallucinogens				
All	1.4%	2.2%	4.0%	96.0%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	0.8%	1.5%	2.8%	97.2%
Grade 9	0.7%	1.3%	2.4%	97.6%
Grade 10	2.0%	2.8%	4.2%	95.8%
Grade 11	2.4%	3.7%	7.8%	92.2%
Grade 12	3.0%	5.2%	7.9%	92.1%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.4%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.4%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.2%	99.8%
Steroids				
All	0.4%	0.6%	1.7%	98.3%
Grade 7	0.5%	0.7%	1.9%	98.1%
Grade 8	0.7%	0.9%	2.4%	97.6%
Grade 9	0.1%	0.3%	1.5%	98.5%
Grade 10	0.6%	0.7%	1.6%	98.4%
Grade 11	0.3%	0.6%	1.5%	98.5%
Grade 12	0.2%	0.4%	0.7%	99.3%
Ecstasy				
All	0.3%	0.8%	2.3%	97.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.6%	0.7%	1.7%	98.3%
Grade 9	0.3%	0.8%	2.1%	97.9%
Grade 10	0.1%	0.5%	1.9%	98.1%
Grade 11	0.3%	1.2%	3.1%	96.9%
Grade 12	0.3%	2.3%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.1%	0.1%	1.0%	99.0%
Grade 11	0.0%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.8%	2.5%	4.9%	95.1%
Grade 7	2.6%	3.2%	4.7%	95.3%
Grade 8	2.0%	3.3%	4.4%	95.6%
Grade 9	1.7%	2.1%	4.5%	95.5%
Grade 10	1.3%	2.1%	4.9%	95.1%
Grade 11	1.1%	1.9%	6.2%	93.8%
Grade 12	1.6%	2.0%	5.2%	94.8%
<b>Methamphetamine</b>				
All	0.5%	0.5%	1.3%	98.7%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.5%	0.5%	1.0%	99.0%
Grade 11	0.9%	0.9%	1.3%	98.7%
Grade 12	0.0%	0.2%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 71 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.7%	20.6%	32.3%	67.7%
Grade 7	6.4%	8.2%	15.4%	84.6%
Grade 8	11.2%	14.0%	24.8%	75.2%
Grade 9	12.8%	17.0%	28.4%	71.6%
Grade 10	18.6%	22.6%	37.6%	62.4%
Grade 11	25.1%	29.4%	42.1%	57.9%
Grade 12	31.3%	38.7%	52.3%	47.7%
<b>Any Alcohol Product</b>				
All	31.4%	36.8%	56.1%	43.9%
Grade 7	18.3%	21.1%	41.0%	59.0%
Grade 8	25.2%	29.3%	49.9%	50.1%
Grade 9	29.0%	33.6%	51.9%	48.1%
Grade 10	34.7%	40.2%	60.7%	39.3%
Grade 11	38.3%	45.4%	65.7%	34.3%
Grade 12	48.5%	58.3%	73.8%	26.2%
<b>Any Illicit Drug</b>				
All	11.3%	14.8%	20.7%	79.3%
Grade 7	4.9%	6.8%	8.5%	91.5%
Grade 8	8.5%	10.8%	13.3%	86.7%
Grade 9	10.2%	13.0%	17.5%	82.5%
Grade 10	12.0%	16.4%	23.5%	76.5%
Grade 11	16.4%	22.2%	31.6%	68.4%
Grade 12	18.1%	23.1%	35.7%	64.3%
<b>Any Prescription Drug</b>				
All	6.6%	10.2%	18.7%	81.3%
Grade 7	5.1%	7.9%	15.1%	84.9%
Grade 8	6.9%	11.3%	18.3%	81.7%
Grade 9	6.3%	10.2%	18.0%	82.0%
Grade 10	7.4%	10.1%	20.0%	80.0%
Grade 11	6.7%	10.7%	20.5%	79.5%
Grade 12	7.2%	11.6%	21.0%	79.0%
<b>Any Inhalant</b>				
All	3.9%	5.8%	12.2%	87.8%
Grade 7	5.4%	7.1%	13.0%	87.0%
Grade 8	4.8%	7.5%	13.4%	86.6%
Grade 9	4.9%	7.2%	13.9%	86.1%
Grade 10	2.4%	4.2%	12.4%	87.6%
Grade 11	3.3%	5.0%	11.2%	88.8%
Grade 12	2.2%	2.8%	8.1%	91.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.5%	16.9%	27.8%	72.2%
Grade 7	3.8%	5.4%	12.0%	88.0%
Grade 8	9.7%	12.7%	21.2%	78.8%
Grade 9	9.7%	14.5%	23.9%	76.1%
Grade 10	14.0%	17.9%	33.1%	66.9%
Grade 11	18.0%	23.2%	36.7%	63.3%
Grade 12	23.7%	32.2%	46.5%	53.5%
<b>Marijuana</b>				
All	10.9%	13.1%	18.9%	81.1%
Grade 7	4.8%	5.7%	6.7%	93.3%
Grade 8	8.2%	8.8%	11.2%	88.8%
Grade 9	9.9%	11.8%	16.5%	83.5%
Grade 10	11.7%	14.0%	20.7%	79.3%
Grade 11	15.9%	20.2%	29.8%	70.2%
Grade 12	17.1%	21.4%	34.0%	66.0%
<b>Marijuana Only</b>				
All	6.6%	8.3%	13.4%	86.6%
Grade 7	3.0%	3.7%	4.6%	95.4%
Grade 8	4.5%	4.7%	6.7%	93.3%
Grade 9	6.1%	7.4%	11.7%	88.3%
Grade 10	8.1%	9.7%	15.7%	84.3%
Grade 11	9.0%	12.3%	20.7%	79.3%
Grade 12	10.2%	14.1%	25.3%	74.7%
<b>Cocaine or Crack</b>				
All	1.4%	1.7%	2.9%	97.1%
Grade 7	0.1%	0.2%	0.8%	99.2%
Grade 8	1.3%	1.5%	1.9%	98.1%
Grade 9	1.2%	1.2%	2.4%	97.6%
Grade 10	1.0%	1.3%	2.9%	97.1%
Grade 11	2.9%	3.2%	5.6%	94.4%
Grade 12	2.1%	3.1%	4.8%	95.2%
<b>Cocaine</b>				
All	1.3%	1.6%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.1%	1.3%	1.7%	98.3%
Grade 9	1.1%	1.1%	2.4%	97.6%
Grade 10	1.0%	1.3%	2.5%	97.5%
Grade 11	2.9%	3.2%	5.6%	94.4%
Grade 12	2.0%	2.9%	4.7%	95.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.8%	0.8%	1.0%	99.0%
Grade 9	0.2%	0.2%	0.9%	99.1%
Grade 10	0.7%	0.7%	1.5%	98.5%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.8%	1.3%	2.5%	97.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.1%	0.5%	0.9%	99.1%
Grade 10	1.5%	1.6%	3.3%	96.7%
Grade 11	1.9%	2.8%	5.7%	94.3%
Grade 12	1.3%	2.7%	4.3%	95.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.6%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.6%	0.6%	1.9%	98.1%
Grade 9	0.1%	0.2%	1.7%	98.3%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.4%	0.5%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.6%	0.9%	99.1%
Grade 10	0.0%	0.1%	1.2%	98.8%
Grade 11	0.9%	1.3%	2.2%	97.8%
Grade 12	0.5%	1.0%	2.2%	97.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.8%	1.3%	2.6%	97.4%
Grade 7	0.5%	0.6%	1.8%	98.2%
Grade 8	1.3%	1.9%	2.8%	97.2%
Grade 9	0.6%	1.0%	2.3%	97.7%
Grade 10	0.9%	0.9%	3.5%	96.5%
Grade 11	0.8%	1.9%	3.3%	96.7%
Grade 12	1.1%	1.6%	2.3%	97.7%
<b>Methamphetamine</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.1%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.0%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 75 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	23.6%	28.3%	43.0%	57.0%
Grade 7	11.6%	15.7%	28.8%	71.2%
Grade 8	17.6%	23.8%	38.8%	61.2%
Grade 9	20.8%	24.8%	37.5%	62.5%
Grade 10	25.9%	31.9%	50.0%	50.0%
Grade 11	30.3%	35.2%	49.3%	50.7%
Grade 12	42.8%	45.1%	61.9%	38.1%
<b>Any Alcohol Product</b>				
All	40.1%	46.1%	64.4%	35.6%
Grade 7	29.3%	32.6%	53.1%	46.9%
Grade 8	32.9%	38.9%	60.9%	39.1%
Grade 9	37.9%	41.9%	57.0%	43.0%
Grade 10	40.0%	49.2%	67.6%	32.4%
Grade 11	51.0%	57.8%	73.6%	26.4%
Grade 12	55.4%	63.3%	81.6%	18.4%
<b>Any Illicit Drug</b>				
All	21.7%	27.0%	35.7%	64.3%
Grade 7	13.0%	17.1%	22.0%	78.0%
Grade 8	17.2%	21.7%	27.5%	72.5%
Grade 9	18.5%	23.5%	29.3%	70.7%
Grade 10	26.9%	33.4%	44.3%	55.7%
Grade 11	27.8%	34.8%	46.5%	53.5%
Grade 12	31.3%	36.3%	52.6%	47.4%
<b>Any Prescription Drug</b>				
All	8.5%	13.7%	25.1%	74.9%
Grade 7	11.5%	15.0%	21.9%	78.1%
Grade 8	10.0%	14.7%	26.2%	73.8%
Grade 9	8.3%	11.4%	21.7%	78.3%
Grade 10	7.0%	13.6%	25.0%	75.0%
Grade 11	7.7%	14.2%	28.3%	71.7%
Grade 12	5.7%	13.5%	30.2%	69.8%
<b>Any Inhalant</b>				
All	5.4%	7.8%	14.6%	85.4%
Grade 7	8.1%	12.2%	19.5%	80.5%
Grade 8	9.0%	11.4%	19.4%	80.6%
Grade 9	6.8%	8.5%	13.0%	87.0%
Grade 10	2.8%	5.4%	13.3%	86.7%
Grade 11	2.3%	5.0%	12.0%	88.0%
Grade 12	1.7%	2.2%	8.1%	91.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	16.5%	22.0%	37.4%	62.6%
Grade 7	7.8%	11.8%	25.5%	74.5%
Grade 8	12.5%	18.7%	33.4%	66.6%
Grade 9	14.9%	20.4%	33.5%	66.5%
Grade 10	18.0%	23.9%	43.0%	57.0%
Grade 11	21.2%	26.4%	40.7%	59.3%
Grade 12	29.2%	35.8%	54.7%	45.3%
<b>Marijuana</b>				
All	21.4%	25.0%	34.0%	66.0%
Grade 7	12.7%	14.2%	18.1%	81.9%
Grade 8	16.6%	19.7%	26.0%	74.0%
Grade 9	18.5%	21.5%	27.5%	72.5%
Grade 10	26.7%	31.5%	43.0%	57.0%
Grade 11	27.2%	32.7%	45.6%	54.4%
Grade 12	31.0%	35.1%	52.3%	47.7%
<b>Marijuana Only</b>				
All	12.1%	14.6%	22.2%	77.8%
Grade 7	6.1%	7.0%	10.3%	89.7%
Grade 8	9.2%	11.7%	17.4%	82.6%
Grade 9	12.2%	14.3%	19.1%	80.9%
Grade 10	17.2%	20.6%	30.9%	69.1%
Grade 11	15.7%	19.0%	30.1%	69.9%
Grade 12	13.3%	16.3%	29.6%	70.4%
<b>Cocaine or Crack</b>				
All	2.1%	2.6%	4.8%	95.2%
Grade 7	0.9%	1.3%	2.2%	97.8%
Grade 8	1.7%	1.7%	3.4%	96.6%
Grade 9	0.7%	1.0%	3.5%	96.5%
Grade 10	2.2%	2.7%	3.9%	96.1%
Grade 11	4.0%	4.2%	6.2%	93.8%
Grade 12	4.1%	6.2%	11.6%	88.4%
<b>Cocaine</b>				
All	2.1%	2.6%	4.6%	95.4%
Grade 7	0.6%	1.1%	1.5%	98.5%
Grade 8	1.6%	1.7%	3.2%	96.8%
Grade 9	0.7%	1.0%	3.5%	96.5%
Grade 10	2.2%	2.7%	3.9%	96.1%
Grade 11	4.0%	4.2%	6.2%	93.8%
Grade 12	4.1%	6.2%	11.6%	88.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 126



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.9%	99.1%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	0.9%	0.9%	1.1%	98.9%
Grade 9	0.1%	0.1%	1.1%	98.9%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.1%	0.1%	1.0%	99.0%
<b>Hallucinogens</b>				
All	1.4%	2.6%	5.0%	95.0%
Grade 7	0.8%	1.0%	2.2%	97.8%
Grade 8	1.0%	1.7%	3.1%	96.9%
Grade 9	1.1%	1.5%	3.5%	96.5%
Grade 10	1.2%	2.9%	5.4%	94.6%
Grade 11	1.9%	3.6%	6.4%	93.6%
Grade 12	3.2%	6.5%	11.9%	88.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.3%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.6%	1.0%	2.5%	97.5%
Grade 8	1.1%	1.4%	2.9%	97.1%
Grade 9	0.1%	0.1%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.2%	98.8%
Grade 11	0.1%	0.5%	1.6%	98.4%
Grade 12	0.3%	0.3%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.6%	1.4%	3.4%	96.6%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.7%	0.8%	1.9%	98.1%
Grade 9	0.4%	0.7%	2.6%	97.4%
Grade 10	1.1%	2.2%	2.9%	97.1%
Grade 11	0.6%	1.3%	4.3%	95.7%
Grade 12	0.9%	4.3%	10.6%	89.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.9%	99.1%
Grade 7	0.0%	0.0%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.2%	1.6%	98.4%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.5%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.9%	2.8%	6.2%	93.8%
Grade 7	3.7%	4.4%	6.0%	94.0%
Grade 8	2.4%	4.1%	5.7%	94.3%
Grade 9	2.3%	2.7%	5.3%	94.7%
Grade 10	1.3%	2.6%	6.2%	93.8%
Grade 11	1.1%	1.9%	8.0%	92.0%
Grade 12	0.2%	0.5%	6.0%	94.0%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.0%	0.3%	1.6%	98.4%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	0.5%	0.5%	1.9%	98.1%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.7%	0.7%	0.8%	99.2%
Grade 12	0.0%	0.3%	0.6%	99.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 79 of 126

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.5%	21.7%	34.6%	65.4%
Grade 7	6.7%	8.8%	17.9%	82.1%
Grade 8	12.4%	16.4%	28.6%	71.4%
Grade 9	15.2%	19.3%	31.8%	68.2%
Grade 10	16.8%	22.3%	38.7%	61.3%
Grade 11	26.2%	30.8%	44.2%	55.8%
Grade 12	32.6%	38.4%	53.1%	46.9%
<b>Any Alcohol Product</b>				
All	32.9%	38.6%	58.7%	41.3%
Grade 7	20.2%	23.2%	44.1%	55.9%
Grade 8	26.2%	30.8%	53.1%	46.9%
Grade 9	30.4%	34.9%	52.8%	47.2%
Grade 10	34.3%	40.8%	63.5%	36.5%
Grade 11	42.5%	49.7%	69.4%	30.6%
Grade 12	50.0%	59.3%	76.9%	23.1%
<b>Any Illicit Drug</b>				
All	13.3%	17.1%	23.5%	76.5%
Grade 7	5.8%	8.5%	10.7%	89.3%
Grade 8	9.4%	12.2%	15.9%	84.1%
Grade 9	12.3%	15.3%	20.2%	79.8%
Grade 10	14.8%	19.9%	26.3%	73.7%
Grade 11	19.3%	24.7%	34.8%	65.2%
Grade 12	21.1%	25.9%	39.7%	60.3%
<b>Any Prescription Drug</b>				
All	6.5%	10.8%	20.1%	79.9%
Grade 7	6.5%	10.0%	16.8%	83.2%
Grade 8	6.9%	11.7%	19.8%	80.2%
Grade 9	5.8%	9.6%	18.5%	81.5%
Grade 10	6.8%	10.8%	21.0%	79.0%
Grade 11	6.1%	11.2%	22.0%	78.0%
Grade 12	6.9%	12.0%	24.3%	75.7%
<b>Any Inhalant</b>				
All	4.0%	5.8%	12.4%	87.6%
Grade 7	5.7%	7.5%	14.0%	86.0%
Grade 8	5.2%	7.8%	14.9%	85.1%
Grade 9	5.1%	6.9%	12.7%	87.3%
Grade 10	2.4%	3.7%	12.2%	87.8%
Grade 11	2.4%	4.5%	10.9%	89.1%
Grade 12	2.0%	2.4%	8.0%	92.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.7%	17.3%	29.8%	70.2%
Grade 7	4.3%	6.3%	14.9%	85.1%
Grade 8	10.4%	14.4%	24.5%	75.5%
Grade 9	11.5%	16.2%	27.7%	72.3%
Grade 10	11.5%	16.7%	32.9%	67.1%
Grade 11	18.1%	23.4%	37.7%	62.3%
Grade 12	23.6%	30.7%	46.9%	53.1%
<b>Marijuana</b>				
All	13.0%	15.4%	22.1%	77.9%
Grade 7	5.7%	6.8%	8.5%	91.5%
Grade 8	9.0%	10.2%	14.0%	86.0%
Grade 9	12.1%	13.9%	19.0%	81.0%
Grade 10	14.6%	18.3%	25.0%	75.0%
Grade 11	18.8%	22.3%	33.3%	66.7%
Grade 12	20.5%	24.6%	39.1%	60.9%
<b>Marijuana Only</b>				
All	8.0%	9.8%	15.8%	84.2%
Grade 7	3.3%	4.2%	5.9%	94.1%
Grade 8	5.6%	6.5%	9.7%	90.3%
Grade 9	8.1%	9.5%	13.9%	86.1%
Grade 10	10.3%	13.0%	19.5%	80.5%
Grade 11	11.3%	14.0%	23.8%	76.2%
Grade 12	10.5%	13.9%	26.3%	73.7%
<b>Cocaine or Crack</b>				
All	1.2%	1.5%	2.7%	97.3%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	0.8%	0.8%	2.0%	98.0%
Grade 10	1.0%	1.2%	2.2%	97.8%
Grade 11	2.6%	2.7%	4.6%	95.4%
Grade 12	2.6%	4.3%	6.9%	93.1%
<b>Cocaine</b>				
All	1.2%	1.5%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	0.8%	0.8%	2.0%	98.0%
Grade 10	1.0%	1.2%	2.2%	97.8%
Grade 11	2.6%	2.7%	4.6%	95.4%
Grade 12	2.5%	4.2%	6.8%	93.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.6%	0.6%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Hallucinogens</b>				
All	0.8%	1.4%	2.6%	97.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.1%	0.4%	1.2%	98.8%
Grade 9	0.3%	0.6%	1.3%	98.7%
Grade 10	0.9%	1.6%	2.6%	97.4%
Grade 11	1.7%	2.4%	4.4%	95.6%
Grade 12	2.1%	3.7%	6.5%	93.5%
<b>Synthetic Cathinones</b>				
All	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Steroids</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.2%	0.4%	1.1%	98.9%
Grade 8	0.6%	0.6%	1.9%	98.1%
Grade 9	0.0%	0.1%	1.2%	98.8%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.1%	0.3%	0.9%	99.1%
Grade 12	0.5%	0.5%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.2%	0.6%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.3%	1.0%	99.0%
Grade 10	0.0%	0.4%	1.4%	98.6%
Grade 11	0.7%	1.1%	2.3%	97.7%
Grade 12	0.5%	2.1%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.0%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	1.0%	1.6%	3.3%	96.7%
Grade 7	1.5%	1.8%	2.6%	97.4%
Grade 8	1.2%	2.2%	3.0%	97.0%
Grade 9	0.9%	1.4%	3.0%	97.0%
Grade 10	1.2%	1.6%	3.1%	96.9%
Grade 11	0.6%	1.3%	4.6%	95.4%
Grade 12	0.3%	0.8%	3.4%	96.6%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.1%	0.6%	99.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	29.1%	33.6%	45.3%	54.7%
Grade 7	19.6%	25.2%	35.4%	64.6%
Grade 8	20.0%	24.0%	35.3%	64.7%
Grade 9	22.9%	26.0%	35.9%	64.1%
Grade 10	33.9%	37.1%	49.8%	50.2%
Grade 11	36.2%	41.9%	53.1%	46.9%
Grade 12	44.7%	51.3%	67.2%	32.8%
<b>Any Alcohol Product</b>				
All	45.6%	51.8%	64.9%	35.1%
Grade 7	37.5%	40.9%	56.2%	43.8%
Grade 8	42.1%	47.8%	59.3%	40.7%
Grade 9	43.5%	46.6%	59.5%	40.5%
Grade 10	45.0%	52.0%	66.3%	33.7%
Grade 11	52.1%	61.1%	74.4%	25.6%
Grade 12	56.4%	67.2%	77.9%	22.1%
<b>Any Illicit Drug</b>				
All	25.9%	33.3%	41.1%	58.9%
Grade 7	21.1%	26.0%	31.4%	68.6%
Grade 8	25.6%	29.7%	34.7%	65.3%
Grade 9	19.1%	28.2%	32.7%	67.3%
Grade 10	29.6%	35.3%	45.8%	54.2%
Grade 11	32.3%	47.1%	54.6%	45.4%
Grade 12	29.8%	36.6%	51.3%	48.7%
<b>Any Prescription Drug</b>				
All	11.4%	16.4%	26.7%	73.3%
Grade 7	14.1%	16.5%	25.1%	74.9%
Grade 8	14.0%	17.4%	31.0%	69.0%
Grade 9	11.7%	14.7%	23.2%	76.8%
Grade 10	9.1%	15.5%	25.3%	74.7%
Grade 11	14.6%	21.3%	34.5%	65.5%
Grade 12	5.3%	14.1%	23.5%	76.5%
<b>Any Inhalant</b>				
All	7.4%	10.5%	17.0%	83.0%
Grade 7	11.4%	15.6%	21.9%	78.1%
Grade 8	13.2%	15.2%	18.6%	81.4%
Grade 9	7.9%	10.9%	17.2%	82.8%
Grade 10	3.4%	9.2%	16.6%	83.4%
Grade 11	7.0%	8.6%	17.3%	82.7%
Grade 12	2.3%	2.3%	9.6%	90.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	21.1%	27.0%	39.3%	60.7%
Grade 7	12.8%	17.7%	30.0%	70.0%
Grade 8	14.0%	18.6%	30.4%	69.6%
Grade 9	15.9%	22.5%	30.1%	69.9%
Grade 10	25.0%	30.0%	44.9%	55.1%
Grade 11	29.0%	32.5%	43.7%	56.3%
Grade 12	31.9%	43.4%	59.6%	40.4%
<b>Marijuana</b>				
All	25.2%	30.6%	37.6%	62.4%
Grade 7	20.6%	23.0%	25.2%	74.8%
Grade 8	25.0%	27.3%	33.2%	66.8%
Grade 9	19.1%	25.2%	30.4%	69.6%
Grade 10	29.2%	32.0%	41.6%	58.4%
Grade 11	30.8%	46.0%	52.4%	47.6%
Grade 12	28.0%	33.4%	46.6%	53.4%
<b>Marijuana Only</b>				
All	14.3%	18.0%	24.2%	75.8%
Grade 7	10.4%	11.5%	12.6%	87.4%
Grade 8	11.5%	13.6%	19.5%	80.5%
Grade 9	12.6%	16.4%	20.9%	79.1%
Grade 10	18.8%	20.3%	29.9%	70.1%
Grade 11	16.6%	26.5%	32.4%	67.6%
Grade 12	15.5%	20.9%	31.1%	68.9%
<b>Cocaine or Crack</b>				
All	3.4%	4.2%	7.2%	92.8%
Grade 7	1.8%	2.7%	6.5%	93.5%
Grade 8	4.6%	4.6%	6.7%	93.3%
Grade 9	1.9%	2.5%	6.0%	94.0%
Grade 10	2.3%	3.4%	6.6%	93.4%
Grade 11	7.1%	8.5%	10.6%	89.4%
Grade 12	4.5%	4.5%	7.9%	92.1%
<b>Cocaine</b>				
All	3.2%	4.0%	6.5%	93.5%
Grade 7	0.4%	1.4%	4.2%	95.8%
Grade 8	4.6%	4.6%	6.3%	93.7%
Grade 9	1.9%	2.5%	6.0%	94.0%
Grade 10	2.3%	3.4%	5.4%	94.6%
Grade 11	7.1%	8.5%	10.6%	89.4%
Grade 12	4.5%	4.5%	7.9%	92.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.8%	0.8%	2.8%	97.2%
Grade 7	1.8%	1.8%	3.6%	96.4%
Grade 8	2.8%	2.8%	3.2%	96.8%
Grade 9	0.2%	0.2%	1.0%	99.0%
Grade 10	0.0%	0.0%	2.6%	97.4%
Grade 11	0.3%	0.3%	5.3%	94.7%
Grade 12	0.3%	0.3%	1.7%	98.3%
<b>Hallucinogens</b>				
All	2.3%	4.1%	6.9%	93.1%
Grade 7	0.5%	1.0%	3.1%	96.9%
Grade 8	3.2%	4.4%	7.0%	93.0%
Grade 9	1.4%	2.3%	4.3%	95.7%
Grade 10	3.5%	4.5%	7.8%	92.2%
Grade 11	3.6%	8.5%	12.8%	87.2%
Grade 12	1.5%	5.1%	7.4%	92.6%
<b>Synthetic Cathinones</b>				
All	0.2%	0.6%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.7%	0.7%	2.0%	98.0%
Grade 9	0.3%	0.3%	0.9%	99.1%
Grade 10	0.0%	1.2%	1.5%	98.5%
Grade 11	0.0%	1.5%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
<b>Steroids</b>				
All	0.4%	0.5%	2.4%	97.6%
Grade 7	0.9%	0.9%	4.5%	95.5%
Grade 8	0.7%	1.0%	3.4%	96.6%
Grade 9	0.3%	0.3%	1.5%	98.5%
Grade 10	0.3%	0.6%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	1.9%	98.1%
<b>Ecstasy</b>				
All	1.3%	1.4%	3.4%	96.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.2%	1.5%	3.3%	96.7%
Grade 9	1.3%	1.6%	4.0%	96.0%
Grade 10	1.5%	1.5%	1.9%	98.1%
Grade 11	2.1%	2.1%	6.4%	93.6%
Grade 12	1.8%	1.8%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.4%	1.7%	98.3%
Grade 7	0.0%	0.0%	2.3%	97.7%
Grade 8	0.7%	0.7%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.3%	0.3%	2.1%	97.9%
Grade 11	0.0%	1.6%	4.3%	95.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	2.4%	3.7%	7.3%	92.7%
Grade 7	3.8%	5.7%	9.3%	90.7%
Grade 8	4.4%	5.5%	9.0%	91.0%
Grade 9	1.8%	2.1%	5.6%	94.4%
Grade 10	0.7%	2.0%	8.5%	91.5%
Grade 11	1.7%	5.3%	7.4%	92.6%
Grade 12	2.9%	2.9%	4.1%	95.9%
<b>Methamphetamine</b>				
All	1.2%	1.4%	3.1%	96.9%
Grade 7	0.0%	1.3%	4.4%	95.6%
Grade 8	1.8%	1.8%	2.9%	97.1%
Grade 9	2.0%	2.0%	3.3%	96.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	3.7%	3.7%	5.2%	94.8%
Grade 12	0.0%	0.0%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	24,573	51.4%
Female	23,227	48.6%
Frequency Missing	191	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	16,692	35.3%
Yes	30,613	64.7%
Frequency Missing	686	

**Grade**

Q2	Frequency	Percent
Grade 7	8,618	18.0%
Grade 8	8,525	17.8%
Grade 9	9,326	19.5%
Grade 10	7,664	16.0%
Grade 11	7,556	15.8%
Grade 12	6,172	12.9%
Frequency Missing	129	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	1,051	2.6%
Asian American	232	0.6%
African American	2,284	5.6%
Pacific Islander	144	0.4%
White	21,081	51.3%
Other	9,722	23.6%
More Than One Race	6,594	16.0%
Frequency Missing	6,882	

**Live with Both Parents**

Q3	Frequency	Percent
No	18,395	38.7%
Yes	29,173	61.3%
Frequency Missing	422	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	243	0.6%
Mostly D's	541	1.3%
Mostly C's	6,294	15.0%
Mostly B's	20,484	48.9%
Mostly A's	14,335	34.2%
Frequency Missing	6,094	

**Age**

Q4	Frequency	Percent
11 or younger	28	0.1%
12	2,836	5.9%
13	7,771	16.3%
14	8,975	18.8%
15	8,227	17.2%
16	8,216	17.2%
17	7,307	15.3%
18	4,073	8.5%
19 or older	374	0.8%
Frequency Missing	185	

**Do You Have a Job**

Q7	Frequency	Percent
No	32,128	76.3%
Yes	9,996	23.7%
Frequency Missing	5,867	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	15,339	36.6%
Yes	12,837	30.7%
Don't Know	13,684	32.7%
Frequency Missing	6,131	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	33,369	91.4%
Yes	3,146	8.6%
Frequency Missing	11,475	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	19,668	48.9%
Yes	20,571	51.1%
Frequency Missing	7,752	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	28,236	75.9%
Yes	8,967	24.1%
Frequency Missing	10,787	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	27,905	74.0%
Yes	9,803	26.0%
Frequency Missing	10,282	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	28,641	77.4%
Yes	8,340	22.6%
Frequency Missing	11,010	

**Participate in School Choir**

Q9c	Frequency	Percent
No	33,398	91.4%
Yes	3,160	8.6%
Frequency Missing	11,432	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	26,453	70.3%
Yes	11,200	29.7%
Frequency Missing	10,337	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	34,032	93.3%
Yes	2,459	6.7%
Frequency Missing	11,500	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	28,883	77.8%
Yes	8,223	22.2%
Frequency Missing	10,884	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	40,828	85.9%
Somewhat Safe	5,821	12.2%
Not Very Safe	461	1.0%
Not Safe At All	45	0.1%
Don't Know	381	0.8%
Frequency Missing	454	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	3,303	7.3%
Some High School	5,519	12.3%
Finished High School	9,913	22.0%
Some College	7,720	17.1%
Finished College	9,868	21.9%
Post-Secondary	4,322	9.6%
Don't Know or N/A	4,402	9.8%
Frequency Missing	2,943	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	20,919	44.3%
Somewhat Safe	21,350	45.2%
Not Very Safe	3,125	6.6%
Not Safe At All	704	1.5%
Don't Know	1,089	2.3%
Frequency Missing	803	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	26,361	62.2%
Yes	15,996	37.8%
Frequency Missing	5,634	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	16,472	34.9%
Somewhat Safe	21,485	45.5%
Not Very Safe	5,203	11.0%
Not Safe At All	2,101	4.5%
Don't Know	1,944	4.1%
Frequency Missing	784	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	2,400	5.1%
A Few	9,924	21.0%
Some	10,348	21.9%
Most	18,103	38.4%
All	6,412	13.6%
Frequency Missing	802	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	3,743	8.3%
Some High School	6,641	14.8%
Finished High School	11,363	25.2%
Some College	6,258	13.9%
Finished College	6,932	15.4%
Post-Secondary	3,221	7.2%
Don't Know or N/A	6,862	15.2%
Frequency Missing	2,970	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	1,086	2.3%
A Few	5,428	11.5%
Some	11,365	24.2%
Most	19,916	42.3%
All	9,246	19.7%
Frequency Missing	950	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	21,752	47.1%
A Few	14,124	30.6%
Some	6,161	13.3%
Most	2,609	5.6%
All	1,568	3.4%
Frequency Missing	1,776	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	44,955	95.2%
In Your Lifetime	1,601	3.4%
Since School Began	285	0.6%
In the Past Month	371	0.8%
Frequency Missing	778	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	32,124	68.9%
A Few	8,517	18.3%
Some	3,452	7.4%
Most	1,856	4.0%
All	644	1.4%
Frequency Missing	1,398	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	46,119	98.5%
In Your Lifetime	471	1.0%
Since School Began	97	0.2%
In the Past Month	122	0.3%
Frequency Missing	1,181	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	38,655	82.4%
A Few	5,296	11.3%
Some	1,749	3.7%
Most	791	1.7%
All	428	0.9%
Frequency Missing	1,072	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	44,062	93.5%
In Your Lifetime	1,918	4.1%
Since School Began	463	1.0%
In the Past Month	697	1.5%
Frequency Missing	850	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	46,222	97.6%
In Your Lifetime	812	1.7%
Since School Began	143	0.3%
In the Past Month	162	0.3%
Frequency Missing	651	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	46,687	99.1%
In Your Lifetime	275	0.6%
Since School Began	91	0.2%
In the Past Month	73	0.2%
Frequency Missing	865	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	46,427	98.9%
In Your Lifetime	282	0.6%
Since School Began	92	0.2%
In the Past Month	124	0.3%
Frequency Missing	1,065	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	41,760	89.6%
In Your Lifetime	2,465	5.3%
Since School Began	722	1.5%
In the Past Month	1,650	3.5%
Frequency Missing	1,394	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	45,967	97.9%
In Your Lifetime	541	1.2%
Since School Began	169	0.4%
In the Past Month	275	0.6%
Frequency Missing	1,038	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	26,072	56.6%
In Your Lifetime	9,031	19.6%
Since School Began	3,525	7.7%
In the Past Month	7,435	16.1%
Frequency Missing	1,928	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	32,852	70.6%
In Your Lifetime	5,673	12.2%
Since School Began	2,841	6.1%
In the Past Month	5,186	11.1%
Frequency Missing	1,439	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	46,411	98.5%
In Your Lifetime	404	0.9%
Since School Began	73	0.2%
In the Past Month	248	0.5%
Frequency Missing	854	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	31,061	67.9%
In Your Lifetime	7,826	17.1%
Since School Began	2,694	5.9%
In the Past Month	4,170	9.1%
Frequency Missing	2,240	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	39,042	83.0%
In Your Lifetime	4,758	10.1%
Since School Began	973	2.1%
In the Past Month	2,279	4.8%
Frequency Missing	938	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	28,928	62.4%
In Your Lifetime	6,938	15.0%
Since School Began	3,328	7.2%
In the Past Month	7,137	15.4%
Frequency Missing	1,659	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	45,574	97.1%
In Your Lifetime	725	1.5%
Since School Began	236	0.5%
In the Past Month	400	0.9%
Frequency Missing	1,055	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	44,972	96.1%
In Your Lifetime	1,159	2.5%
Since School Began	224	0.5%
In the Past Month	423	0.9%
Frequency Missing	1,212	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	46,546	99.4%
In Your Lifetime	185	0.4%
Since School Began	23	0.0%
In the Past Month	64	0.1%
Frequency Missing	1,173	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	32,205	68.5%
In Your Lifetime	5,926	12.6%
Since School Began	2,260	4.8%
In the Past Month	6,605	14.1%
Frequency Missing	994	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	45,202	96.5%
In Your Lifetime	777	1.7%
Since School Began	349	0.7%
In the Past Month	510	1.1%
Frequency Missing	1,153	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	36,015	76.5%
In Your Lifetime	4,724	10.0%
Since School Began	1,978	4.2%
In the Past Month	4,375	9.3%
Frequency Missing	898	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	46,710	99.6%
In Your Lifetime	108	0.2%
Since School Began	43	0.1%
In the Past Month	34	0.1%
Frequency Missing	1,095	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	46,269	98.9%
In Your Lifetime	333	0.7%
Since School Began	60	0.1%
In the Past Month	142	0.3%
Frequency Missing	1,187	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	45,103	96.5%
In Your Lifetime	912	2.0%
Since School Began	212	0.5%
In the Past Month	505	1.1%
Frequency Missing	1,260	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	45,688	98.2%
In Your Lifetime	479	1.0%
Since School Began	173	0.4%
In the Past Month	169	0.4%
Frequency Missing	1,481	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	39,635	84.9%
In Your Lifetime	3,516	7.5%
Since School Began	1,509	3.2%
In the Past Month	2,018	4.3%
Frequency Missing	1,313	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	46,621	99.6%
In Your Lifetime	138	0.3%
Since School Began	14	0.0%
In the Past Month	39	0.1%
Frequency Missing	1,178	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	44,664	96.0%
In Your Lifetime	1,117	2.4%
Since School Began	366	0.8%
In the Past Month	397	0.9%
Frequency Missing	1,446	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	46,456	99.2%
In Your Lifetime	232	0.5%
Since School Began	12	0.0%
In the Past Month	111	0.2%
Frequency Missing	1,180	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	43,695	93.9%
In Your Lifetime	1,374	3.0%
Since School Began	527	1.1%
In the Past Month	938	2.0%
Frequency Missing	1,456	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	44,739	96.2%
In Your Lifetime	932	2.0%
Since School Began	299	0.6%
In the Past Month	516	1.1%
Frequency Missing	1,505	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	32,299	69.7%
1-2 times	8,998	19.4%
3-10 times	3,595	7.8%
11+ times	1,435	3.1%
Frequency Missing	1,662	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	42,272	91.0%
In Your Lifetime	1,954	4.2%
Since School Began	762	1.6%
In the Past Month	1,463	3.1%
Frequency Missing	1,539	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	45,574	98.3%
1-2 times	609	1.3%
3-10 times	124	0.3%
11+ times	68	0.1%
Frequency Missing	1,616	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	44,840	96.6%
In Your Lifetime	698	1.5%
Since School Began	267	0.6%
In the Past Month	618	1.3%
Frequency Missing	1,568	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	39,999	86.1%
1-2 times	3,170	6.8%
3-10 times	1,669	3.6%
11+ times	1,617	3.5%
Frequency Missing	1,535	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	42,115	90.5%
1-2 times	2,325	5.0%
3-10 times	930	2.0%
11+ times	1,142	2.5%
Frequency Missing	1,478	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	45,848	98.7%
1-2 times	372	0.8%
3-10 times	97	0.2%
11+ times	149	0.3%
Frequency Missing	1,524	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	46,308	99.8%
1-2 times	70	0.2%
3-10 times	16	0.0%
11+ times	26	0.1%
Frequency Missing	1,571	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	25,893	56.1%
A few	9,646	20.9%
Some	5,009	10.8%
Most	4,219	9.1%
All	1,397	3.0%
Frequency Missing	1,826	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	30,480	66.0%
A few	9,620	20.8%
Some	4,023	8.7%
Most	1,729	3.7%
All	340	0.7%
Frequency Missing	1,798	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	37,401	82.4%
8 or younger	706	1.6%
9 years old	280	0.6%
10 years old	430	0.9%
11 years old	455	1.0%
12 years old	1,106	2.4%
13 years old	1,101	2.4%
14 years old	1,006	2.2%
15 years old	1,189	2.6%
16 years old	978	2.2%
17 years old	482	1.1%
18 or older	264	0.6%
Frequency Missing	2,593	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	19,199	41.6%
A few	12,088	26.2%
Some	7,669	16.6%
Most	5,561	12.0%
All	1,636	3.5%
Frequency Missing	1,838	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	22,816	50.5%
8 or younger	2,338	5.2%
9 years old	850	1.9%
10 years old	1,343	3.0%
11 years old	1,226	2.7%
12 years old	2,528	5.6%
13 years old	3,160	7.0%
14 years old	3,476	7.7%
15 years old	3,704	8.2%
16 years old	2,478	5.5%
17 years old	893	2.0%
18 or older	382	0.8%
Frequency Missing	2,798	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	43,087	93.4%
A few	2,086	4.5%
Some	730	1.6%
Most	137	0.3%
All	91	0.2%
Frequency Missing	1,859	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	43,750	96.5%
8 or younger	194	0.4%
9 years old	105	0.2%
10 years old	160	0.4%
11 years old	198	0.4%
12 years old	237	0.5%
13 years old	332	0.7%
14 years old	211	0.5%
15 years old	86	0.2%
16 years old	39	0.1%
17 years old	38	0.1%
18 or older	3	0.0%
Frequency Missing	2,639	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	44,280	97.2%
8 or younger	34	0.1%
9 years old	5	0.0%
10 years old	18	0.0%
11 years old	24	0.1%
12 years old	89	0.2%
13 years old	114	0.2%
14 years old	188	0.4%
15 years old	197	0.4%
16 years old	293	0.6%
17 years old	259	0.6%
18 or older	41	0.1%
Frequency Missing	2,448	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	35,046	77.0%
8 or younger	291	0.6%
9 years old	204	0.4%
10 years old	353	0.8%
11 years old	602	1.3%
12 years old	1,273	2.8%
13 years old	1,848	4.1%
14 years old	1,802	4.0%
15 years old	1,832	4.0%
16 years old	1,504	3.3%
17 years old	624	1.4%
18 or older	128	0.3%
Frequency Missing	2,482	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	45,421	99.5%
8 or younger	11	0.0%
9 years old	0	0.0%
10 years old	10	0.0%
11 years old	14	0.0%
12 years old	51	0.1%
13 years old	19	0.0%
14 years old	38	0.1%
15 years old	22	0.0%
16 years old	47	0.1%
17 years old	3	0.0%
18 or older	4	0.0%
Frequency Missing	2,351	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	45,081	99.1%
8 or younger	72	0.2%
9 years old	38	0.1%
10 years old	44	0.1%
11 years old	52	0.1%
12 years old	36	0.1%
13 years old	39	0.1%
14 years old	64	0.1%
15 years old	29	0.1%
16 years old	21	0.0%
17 years old	32	0.1%
18 or older	6	0.0%
Frequency Missing	2,478	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	45,420	99.6%
8 or younger	11	0.0%
9 years old	5	0.0%
10 years old	0	0.0%
11 years old	32	0.1%
12 years old	36	0.1%
13 years old	20	0.0%
14 years old	0	0.0%
15 years old	34	0.1%
16 years old	24	0.1%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	2,409	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	44,522	98.2%
8 or younger	33	0.1%
9 years old	0	0.0%
10 years old	7	0.0%
11 years old	24	0.1%
12 years old	60	0.1%
13 years old	77	0.2%
14 years old	91	0.2%
15 years old	202	0.4%
16 years old	166	0.4%
17 years old	115	0.3%
18 or older	20	0.0%
Frequency Missing	2,674	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	45,287	99.4%
8 or younger	9	0.0%
9 years old	5	0.0%
10 years old	10	0.0%
11 years old	6	0.0%
12 years old	47	0.1%
13 years old	44	0.1%
14 years old	43	0.1%
15 years old	48	0.1%
16 years old	41	0.1%
17 years old	26	0.1%
18 or older	0	0.0%
Frequency Missing	2,423	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Synthetic Marijuana**

Q211	Frequency	Percent
Never used it	44,037	96.8%
8 or younger	34	0.1%
9 years old	29	0.1%
10 years old	68	0.1%
11 years old	114	0.3%
12 years old	195	0.4%
13 years old	297	0.7%
14 years old	242	0.5%
15 years old	225	0.5%
16 years old	182	0.4%
17 years old	59	0.1%
18 or older	13	0.0%
Frequency Missing	2,495	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	12,852	28.0%
Impossible	8,504	18.5%
Very Difficult	3,329	7.2%
Somewhat diff	4,731	10.3%
Somewhat easy	6,897	15.0%
Very easy	9,652	21.0%
Frequency Missing	2,024	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	9,084	19.8%
Impossible	5,622	12.2%
Very Difficult	3,131	6.8%
Somewhat diff	5,676	12.3%
Somewhat easy	9,502	20.7%
Very easy	12,942	28.2%
Frequency Missing	2,033	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	19,585	42.9%
Impossible	7,235	15.8%
Very Difficult	2,106	4.6%
Somewhat diff	2,521	5.5%
Somewhat easy	4,277	9.4%
Very easy	9,972	21.8%
Frequency Missing	2,294	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	12,629	27.5%
Impossible	10,134	22.1%
Very Difficult	4,068	8.9%
Somewhat diff	4,724	10.3%
Somewhat easy	5,913	12.9%
Very easy	8,459	18.4%
Frequency Missing	2,063	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	18,255	39.8%
Impossible	14,635	31.9%
Very Difficult	5,633	12.3%
Somewhat diff	3,217	7.0%
Somewhat easy	1,980	4.3%
Very easy	2,161	4.7%
Frequency Missing	2,110	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	19,512	42.6%
Impossible	15,073	32.9%
Very Difficult	5,636	12.3%
Somewhat diff	2,689	5.9%
Somewhat easy	1,341	2.9%
Very easy	1,544	3.4%
Frequency Missing	2,196	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	20,498	44.7%
Impossible	14,267	31.1%
Very Difficult	5,362	11.7%
Somewhat diff	2,653	5.8%
Somewhat easy	1,574	3.4%
Very easy	1,494	3.3%
Frequency Missing	2,143	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	22,605	49.4%
Impossible	12,245	26.7%
Very Difficult	4,328	9.5%
Somewhat diff	2,561	5.6%
Somewhat easy	1,906	4.2%
Very easy	2,134	4.7%
Frequency Missing	2,212	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	23,560	51.6%
Impossible	12,570	27.5%
Very Difficult	4,407	9.6%
Somewhat diff	2,254	4.9%
Somewhat easy	1,395	3.1%
Very easy	1,499	3.3%
Frequency Missing	2,305	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	806	1.8%
Several times/wk	660	1.4%
Several times/mo	899	2.0%
About once/month	1,339	2.9%
About once/year	1,267	2.8%
Less than once/year	2,449	5.4%
Never used	38,171	83.7%
Frequency Missing	2,399	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	21,870	47.6%
Impossible	15,214	33.1%
Very Difficult	5,019	10.9%
Somewhat diff	1,761	3.8%
Somewhat easy	916	2.0%
Very easy	1,159	2.5%
Frequency Missing	2,052	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	132	0.3%
Several times/wk	1,182	2.6%
Several times/mo	3,534	7.8%
About once/month	5,631	12.4%
About once/year	5,225	11.5%
Less than once/year	4,692	10.4%
Never used	24,910	55.0%
Frequency Missing	2,684	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	22,826	49.7%
Impossible	14,342	31.2%
Very Difficult	4,764	10.4%
Somewhat diff	1,756	3.8%
Somewhat easy	1,019	2.2%
Very easy	1,257	2.7%
Frequency Missing	2,027	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	68	0.1%
Several times/wk	67	0.1%
Several times/mo	117	0.3%
About once/month	226	0.5%
About once/year	221	0.5%
Less than once/year	548	1.2%
Never used	44,308	97.3%
Frequency Missing	2,434	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	12	0.0%
Several times/mo	11	0.0%
About once/month	6	0.0%
About once/year	62	0.1%
Less than once/year	137	0.3%
Never used	45,378	99.5%
Frequency Missing	2,385	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	863	1.9%
Several times/wk	961	2.1%
Several times/mo	1,538	3.4%
About once/month	1,822	4.0%
About once/year	1,952	4.3%
Less than once/year	2,241	4.9%
Never used	36,265	79.5%
Frequency Missing	2,347	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	17	0.0%
Several times/wk	9	0.0%
Several times/mo	29	0.1%
About once/month	39	0.1%
About once/year	57	0.1%
Less than once/year	154	0.3%
Never used	45,305	99.3%
Frequency Missing	2,381	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	35	0.1%
Several times/wk	114	0.3%
Several times/mo	79	0.2%
About once/month	217	0.5%
About once/year	181	0.4%
Less than once/year	415	0.9%
Never used	44,540	97.7%
Frequency Missing	2,410	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	6	0.0%
Several times/wk	4	0.0%
Several times/mo	51	0.1%
About once/month	113	0.2%
About once/year	250	0.6%
Less than once/year	263	0.6%
Never used	44,681	98.5%
Frequency Missing	2,623	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	5	0.0%
Several times/mo	8	0.0%
About once/month	0	0.0%
About once/year	39	0.1%
Less than once/year	116	0.3%
Never used	45,461	99.6%
Frequency Missing	2,362	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	25,789	56.3%
12+ drinks	1,345	2.9%
9-11 drinks	1,075	2.3%
5-8 drinks	1,958	4.3%
3-4 drinks	3,475	7.6%
2 drinks	2,866	6.3%
1 drink	3,518	7.7%
Less than 1 drink	5,743	12.5%
Frequency Missing	2,221	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	5	0.0%
Several times/wk	28	0.1%
Several times/mo	8	0.0%
About once/month	36	0.1%
About once/year	74	0.2%
Less than once/year	115	0.3%
Never used	45,329	99.4%
Frequency Missing	2,394	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	31,139	68.4%
12+ drinks	780	1.7%
9-11 drinks	640	1.4%
5-8 drinks	1,255	2.8%
3-4 drinks	3,046	6.7%
2 drinks	2,626	5.8%
1 drink	3,036	6.7%
Less than 1 drink	3,003	6.6%
Frequency Missing	2,464	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	75	0.2%
Several times/wk	54	0.1%
Several times/mo	141	0.3%
About once/month	197	0.4%
About once/year	301	0.7%
Less than once/year	419	0.9%
Never used	44,223	97.4%
Frequency Missing	2,580	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	30,463	67.0%
12+ drinks	379	0.8%
9-11 drinks	187	0.4%
5-8 drinks	533	1.2%
3-4 drinks	1,392	3.1%
2 drinks	2,283	5.0%
1 drink	3,904	8.6%
Less than 1 drink	6,307	13.9%
Frequency Missing	2,544	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	27,830	61.1%
12+ drinks	1,161	2.5%
9-11 drinks	970	2.1%
5-8 drinks	2,227	4.9%
3-4 drinks	3,092	6.8%
2 drinks	2,920	6.4%
1 drink	3,034	6.7%
Less than 1 drink	4,343	9.5%
Frequency Missing	2,412	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	24,299	53.5%
Never	8,412	18.5%
Seldom	6,181	13.6%
Most of the Time	4,876	10.7%
Always	1,659	3.7%
Frequency Missing	2,563	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	25,883	57.2%
0 days	12,894	28.5%
1 day	2,406	5.3%
2 days	1,511	3.3%
3 to 5 days	1,309	2.9%
6 to 9 days	528	1.2%
10 or more days	722	1.6%
Frequency Missing	2,737	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	26,042	57.6%
Never	15,262	33.7%
Seldom	2,022	4.5%
Most of the Time	1,355	3.0%
Always	556	1.2%
Frequency Missing	2,753	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	24,904	54.7%
Never	8,842	19.4%
Seldom	7,932	17.4%
Most of the Time	2,703	5.9%
Always	1,175	2.6%
Frequency Missing	2,434	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	24,092	53.1%
Never	7,232	15.9%
Seldom	4,674	10.3%
Most of the Time	5,387	11.9%
Always	4,020	8.9%
Frequency Missing	2,585	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	26,329	58.5%
Never	10,262	22.8%
Seldom	3,745	8.3%
Most of the Time	2,728	6.1%
Always	1,909	4.2%
Frequency Missing	3,018	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	25,490	56.4%
Somewhat	12,052	26.7%
Not very	4,036	8.9%
Not at all	1,165	2.6%
Don't know	2,422	5.4%
Frequency Missing	2,826	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	38,914	86.8%
Somewhat	2,761	6.2%
Not very	449	1.0%
Not at all	272	0.6%
Don't know	2,435	5.4%
Frequency Missing	3,159	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	21,104	47.0%
Somewhat	14,519	32.3%
Not very	6,242	13.9%
Not at all	1,347	3.0%
Don't know	1,722	3.8%
Frequency Missing	3,056	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	39,435	87.9%
Somewhat	2,327	5.2%
Not very	312	0.7%
Not at all	185	0.4%
Don't know	2,617	5.8%
Frequency Missing	3,114	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	33,146	73.9%
Somewhat	5,982	13.3%
Not very	1,823	4.1%
Not at all	558	1.2%
Don't know	3,358	7.5%
Frequency Missing	3,124	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	36,603	81.6%
Somewhat	3,296	7.3%
Not very	699	1.6%
Not at all	262	0.6%
Don't know	4,000	8.9%
Frequency Missing	3,130	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	25,255	56.1%
Somewhat	6,627	14.7%
Not very	5,565	12.4%
Not at all	5,476	12.2%
Don't know	2,097	4.7%
Frequency Missing	2,970	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	34,987	78.0%
Somewhat	4,869	10.9%
Not very	1,279	2.9%
Not at all	417	0.9%
Don't know	3,295	7.3%
Frequency Missing	3,143	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	39,515	87.9%
Somewhat	1,929	4.3%
Not very	299	0.7%
Not at all	173	0.4%
Don't know	3,044	6.8%
Frequency Missing	3,031	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	24,186	54.1%
Somewhat	5,352	12.0%
Not very	6,986	15.6%
Not at all	5,218	11.7%
Don't know	2,926	6.6%
Frequency Missing	3,321	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	39,191	87.3%
Somewhat	2,068	4.6%
Not very	317	0.7%
Not at all	186	0.4%
Don't know	3,152	7.0%
Frequency Missing	3,076	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	36,591	81.4%
1-3 days	6,087	13.5%
4-9 days	1,363	3.0%
10+ days	891	2.0%
Frequency Missing	3,058	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	36,654	81.7%
Somewhat	3,144	7.0%
Not very	857	1.9%
Not at all	474	1.1%
Don't know	3,731	8.3%
Frequency Missing	3,130	

**Days Ill Since September**

Q28b	Frequency	Percent
None	14,003	31.2%
1-3 days	22,561	50.2%
4-9 days	6,646	14.8%
10+ days	1,712	3.8%
Frequency Missing	3,068	

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	34,182	76.5%
Somewhat	5,343	12.0%
Not very	1,573	3.5%
Not at all	527	1.2%
Don't know	3,035	6.8%
Frequency Missing	3,330	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	16,991	38.4%
1-3 days	21,775	49.2%
4-9 days	4,133	9.3%
10+ days	1,365	3.1%
Frequency Missing	3,726	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	39,149	87.1%
1-3 days	4,522	10.1%
4-9 days	775	1.7%
10+ days	523	1.2%
Frequency Missing	3,022	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	43,307	96.9%
1-3 times	1,190	2.7%
4-9 times	123	0.3%
10+ times	71	0.2%
Frequency Missing	3,300	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	40,457	90.1%
1-3 days	3,442	7.7%
4-9 days	612	1.4%
10+ days	397	0.9%
Frequency Missing	3,083	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	42,440	95.2%
1-3 times	1,383	3.1%
4-9 times	294	0.7%
10+ times	460	1.0%
Frequency Missing	3,413	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	42,896	95.7%
1-3 times	1,757	3.9%
4-9 times	101	0.2%
10+ times	69	0.2%
Frequency Missing	3,168	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	42,378	95.0%
1-3 days	1,770	4.0%
4-9 days	240	0.5%
10+ days	217	0.5%
Frequency Missing	3,386	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	42,837	95.8%
1-3 times	1,518	3.4%
4-9 times	150	0.3%
10+ times	191	0.4%
Frequency Missing	3,295	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	40,551	91.1%
1-3 days	2,091	4.7%
4-9 days	782	1.8%
10+ days	1,081	2.4%
Frequency Missing	3,485	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	43,895	99.1%
1-3 days	322	0.7%
4-9 days	34	0.1%
10+ days	61	0.1%
Frequency Missing	3,679	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	38,311	93.5%
Yes	2,675	6.5%
Frequency Missing	7,005	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	42,727	96.6%
1-3 days	957	2.2%
4-9 days	202	0.5%
10+ days	324	0.7%
Frequency Missing	3,780	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	25,630	58.9%
Yes	17,872	41.1%
Frequency Missing	4,489	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	20,514	46.1%
Seldom	3,294	7.4%
Half the time	2,260	5.1%
Most of the Time	4,335	9.7%
Always	4,842	10.9%
Don't Know	845	1.9%
Didn't attend	8,419	18.9%
Frequency Missing	3,482	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	33,332	77.1%
Yes	9,904	22.9%
Frequency Missing	4,755	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	24,391	56.4%
Yes	18,861	43.6%
Frequency Missing	4,738	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	25,564	57.5%
Seldom	2,723	6.1%
Half the time	2,117	4.8%
Most of the Time	2,025	4.6%
Always	2,593	5.8%
Don't Know	969	2.2%
Didn't attend	8,450	19.0%
Frequency Missing	3,550	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	12,466	28.6%
Yes	31,126	71.4%
Frequency Missing	4,399	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	19,403	45.0%
Yes	23,756	55.0%
Frequency Missing	4,831	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	26,784	63.1%
Yes	15,662	36.9%
Frequency Missing	5,544	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	15,107	35.1%
Yes	27,981	64.9%
Frequency Missing	4,902	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	22,313	52.8%
Yes	19,907	47.2%
Frequency Missing	5,771	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	16,090	37.2%
Yes	27,128	62.8%
Frequency Missing	4,772	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	31,710	75.4%
Yes	10,319	24.6%
Frequency Missing	5,961	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	25,094	58.0%
Yes	18,146	42.0%
Frequency Missing	4,750	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	35,826	85.5%
Yes	6,083	14.5%
Frequency Missing	6,081	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	34,718	82.0%
Yes	7,598	18.0%
Frequency Missing	5,674	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	31,639	75.8%
Yes	10,124	24.2%
Frequency Missing	6,227	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	36,338	86.9%
Yes	5,472	13.1%
Frequency Missing	6,181	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	28,341	67.4%
Yes	13,683	32.6%
Frequency Missing	5,966	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	30,326	72.6%
Yes	11,471	27.4%
Frequency Missing	6,194	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	32,683	73.8%
Mild disapprove	4,056	9.2%
Neither	3,463	7.8%
Mildly approve	561	1.3%
Strongly approve	291	0.7%
Don't know	3,229	7.3%
Frequency Missing	3,707	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	25,961	58.7%
Mild disapprove	6,973	15.8%
Neither	5,996	13.6%
Mildly approve	1,886	4.3%
Strongly approve	393	0.9%
Don't know	2,988	6.8%
Frequency Missing	3,795	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	33,421	75.6%
Mild disapprove	3,229	7.3%
Neither	3,125	7.1%
Mildly approve	927	2.1%
Strongly approve	635	1.4%
Don't know	2,893	6.5%
Frequency Missing	3,760	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale.1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

